INFRASTRUCTURE OF SERBIAN RAILWAYS JSC

NETWORK STATEMENT 2020

Adopted by the Shareholders of "Infrastructure of Serbian Railways" JSC

No: 5/2019-211-90 dated March 20, 2019

Effective as of Decembre 15, 2019

Applicable to 2019/2020 Timetable

На основу члана 20. став 6. Закона о железници ("Службени гласник РС", број 41/18) и члана 43. став 2. Закона о Влади ("Службени гласник РС", бр. 55/05, 71/05 – исправка, 101/07, 65/08, 16/11, 68/12 – УС, 72/12, 7/14 – УС, 44/14 и 30/18 – др. закон),

Влада доноси

РЕШЕЊЕ

О ДАВАЊУ САГЛАСНОСТИ НА ВИСИНУ ЦЕНЕ ПРИСТУПА И ЦЕНЕ ПРИСТУПА ДЕЛУ ЈАВНЕ ЖЕЛЕЗНИЧКЕ ИНФРАСТРУКТУРЕ КОЈИ ПОВЕЗУЈЕ СА УСЛУЖНИМ ОБЈЕКТИМА

I

Даје се сагласност на Одлуку о висини цена приступа и цена приступа делу јавне железничке инфраструктуре који повезује са услужним објектима, коју је донела Скупштина Акционарског друштва за управљање јавном железничком инфраструктуром "Инфраструктура железнице Србије", Београд, на седници од 12. септембра 2018. године.

II

Ово решење објавити у "Службеном гласнику Републике Србије".

05 Број: 338-9541/2018-1

У Београду, 11. октобра 2018. године

ВЛАДА

Тачност преписа оверава ГЕНЕРАЛНИ СЕКРЕТАР

Новак Непић

ПРЕДСЕДНИК

Ана Брнабић, с.р.



Amendments, corrections and interpretations

No	Subject	Determined by the act no.	Valid as of
1.	First amendments	The Decision of the Shareholders of "Infrastrusture of Serbian Railways" JSC No: 5/2019-224-95 as of June 11th 2019.	June 11 th , 2019.
2.	Second amendments	Decision of the Shareholders of "Infrastrusture of Serbian Railways" JSC No: 5/2019-251-106 as of November 18 th 2019.	November 18 th , 2019.
3.	Third amendments	The Decision of the Shareholders of "Infrastrusture of Serbian Railways" JSC No: 5/2019-267-109 as of December 16 th 2019.	December 16 th , 2019.
4.	Fourth amendments	Decision of the Shareholders of "Infrastrusture of Serbian Railways" JSC No: 5/2020-269-111 as of January 8 th 2020.	January 8 th , 2020.
5.	Fifth amendments	Decision of the Shareholders of "Infrastrusture of Serbian Railways" JSC No: 5/2020-274-114 as of March 23 rd 2020.	March 23 rd , 2020.
6.	Sixth amendments	Decision of the Shareholders of "Infrastrusture of Serbian Railways" JSC No: 5/2020-282-117 as of June 18 th 2020.	June 18 th , 2020.
7.	Seventh amendments	Decision of the Shareholders of "Infrastrusture of Serbian Railways" JSC No: 5/2020-296-122 as of September 21 th 2020.	September 21 th , 2020.
8.	Eighth amendments	Decision of the Shareholders of "Infrastrusture of Serbian Railways" JSC No: 5/2020-300-123 as of October 5 th 2020.	October 5 th , 2020.



CONTENTS

GLOSSARY	8
1. GENERAL INFORMATION	11
1.1 Introduction	
1.1.1. Background Information on Infrastructure Manager	11
1.1.2. Organisational Chart of Infrastructure Manager	
1.1.3. Contact details	
1.2 Objective of the Network Statement	
1.3 Legal Framework	
1.3.1 Regulations of the Republic of Serbia	
1.3.2 International Regulations.	
1.3.3 Acts of the Infrastructure Manager.	
1.4 Legal Status	
1.4.1 General conditions	
1.4.2 Liability	
1.4.3 Appeals Procedure	
1.5 Structure of Network Statement	
1.6 Effectiveness of and Amendments to Network Statement	
1.6.1 Validity Period of Network Statement	
1.6.2 Updating Process	
1.7 Publishing, Distribution and Availability of the Network Statement	
1.8 Contacts	
1.9 Rail Freight Corridors	
1.10 RailNetEurope	
1.10.1 One Stop Shop - OSS	
1.10.2 RNE tools	
2. CONDITIONS FOR ACCESS TO AND USE OF RAILWAY INFRASTRUCTURE	
2.1 Introduction	
2.2 General access requirements	
2.2.1 Requirements for the submission of requests for train path allocation	
2.2.2 Entities permitted to provide railway transport services	
2.2.3 Transport License	
2.2.4 Safety Certificates	
2.2.5 Cover for Civil Liability (Insurance)	
2.3 General Terms and Conditions of Business	
2.3.1 Contract for Use of Public Railway Infrastructure	
2.3.2 Framework Agreement	23
2.4 Operating Rules	
2.5 Transport of Special Loads	23
2.6 Transport of Dangerous Goods	
2.7 Rolling Stock Acceptance Procedure	
2.8 Acceptance Procedure for Railway Undertaking's staff	
3. OVERVIEW OF OPERATIONAL AND TECHNICAL CHARACTERISTICS OF TH	
RAILWAY INFRASTRUCTURE AND RESTRICTIONS TO ITS USE	25
3.1 Introduction	25
3.2 Network Size	25
3.2.1 Borders	25
3.2.2 Network Connections	25
3.3 Description of railway network	
3.3.1 Geographic data	
3.3.2 The characteristics of the railway infrastructure	
3.3.3 The traffic control (regulation) and communication equipment and systems	
3.4 Traffic restrictions	
3.4.1 Specialised Infrastructure	
3.4.2 Environmental restrictions.	
2.1.2 Zarraomenta restretotto	



3.4.3 Dangerous goods	35
3.4.4 Tunnel restrictions	36
3.4.5 Bridge restrictions	36
3.4.6 Restrictions in traffic organization and compiling of paths	37
3.5 Availability of the railway infrastructure	
3.6 Services facilities	
3.6.1 The stations, passing points and stops for passenger arrival and departure	
3.6.2 Freight terminals	
3.6.3 Marshalling yards and train formation tracks including the shunting tracks	39
3.6.4 Storage sidings	
3.6.5 Maintenance facilities	
3.6.6 Other technical facilities including the cleaning and washing facilities	
3.6.7 Inland waterways port facilities connected to railway activities	
3.6.8 Facilities for provision of assistance	
3.6.9 Refueling facilities.	
3.7 Infrastructure development projects	1 /
CAPACITY	
4.1 Introduction	
4.2. Description of infrastructure capacity allocation procedure	
4.3 Schedule for path requests and allocation process	
4.3.1 Schedule of requests submission for new annual timetabling process	
4.3.2 Schedule of requests submission for train path allocation during annual Timetable validi	
4.4 Allocation process (of train path)	
4.4.1 Coordination process	
4.4.2 Dispute resolution	
4.4.3 "Congested" Infrastructure	
4.4.4. Impact of framework agreements	
4.5 Allocation of capacity for maintenance, including the allocation process	
4.6 Cancellation rules / Non-usage of allocated train path	53
4.6.1 Non-usage of allocated train path	53
4.6.2. Train path cancellation rules	54
4.7. Exceptional transports and dangerous goods	55
4.7.1. Exceptional transports	55
4.7.2. Dangerous goods transport	55
4.8. Special measures to be taken in the event of disturbance	57
4.8.1. Principles	
4.8.2. Operational regulation	
4.8.3. Foreseen problems	
4.8.4. Unforeseen problems	
4.9. Allocation of capacity for service facilities	58
5. TYPES OF SERVICES	
5.1 Introduction	
5.2 Minimum package of services	
5.2.1. Handling of requests for infrastructure capacity	
5.2.2. Right to use the allocated capacity	
5.2.3. Use of infrastructure on main running track (turnouts, tracks, railway nodes and lines)	
5.2.4. Train control including signalling, regulation of train movements, acceptance and dispa	
trains and communication regarding the train operations and provision of information	
movements	
5.2.5 Use of electrical supply equipment	
5.2.6. All other information to implement or operate the service for which the capacity has been	•
5.3 Access to services facilities and provision of basic services	
5.3.1 Use of services facilities	
5.3.2 Provision of basic services in services facilities	64



5.4 Additional services	
5.4.1 Supply of electricity for traction	
5.4.2 Preheating of the passenger trains, water supply etc.	65
5.4.3. Services for transport of exceptional consignments and dangerous goods	65
5.5 Ancillary services	
5.5.1 Access to telecommunications network	66
5.5.2 Provision of supplementary information	
5.5.3 Technical inspection of rolling stock.	
5.5.4 Ticketing services in passenger stations	
5.5.5 Maintenance services provided in maintenance facilities dedicated to high-speed trains	
types of rolling stock requiring specific facilities	
5.5.6 Other ancillary services	
6. PRINCIPLES OF LEVYING CHARGES AND SERVICE PRICES, LEVEL OF CH	
INCLUDING THE METHOD OF THEIR CALCULATION	
6.1 Charing principles	
6.1.1 Charge for the minimum package of services (category I)	
6.1.2 Charge for track access and use of service facilities (categories IIa and IIb)	
6.1.3 Charge for additional services (category III)	
6.1.4 Charge for ancillary services (category IV)	
6.2 Charging system	
6.3 Tariff system	
6.3.1. Minimum package of services (category I)	
6.3.2. Track access and use of service facilities (categories IIa and IIb)	
6.3.3. Prices for provision of basic services referred to in item 5.3.2	
6.3.4. Additional services (category III)	
6.3.5. Ancillary services (category IV)	
6.4 Efficiency scheme	
6.5 Modification of charges for the use of infrastructure	
6.6 Discounts	
6.7 Billing arrangements	
APPENDICES	
Appendix 1: Organizational chart of "Infrastructure of Serbian Railways" JSC	
Appendix 2: List of internal regulations (documents) and technological procedures:	
Appendix 3.1. Loading Gauge ZS I	
Appendix 3.2. Loading Gauge UIC-GA	
Appendix 3.3. Loading Gauge UIC-GB	
Appendix 3.4. Electrified lines	
Appendix 3.5 Power supply facilities	
Appendix 3.6 Overview of signaling & safety devices equipping level	
Appendix 3.7 Overview of telecommunication devices equipping	
Appendix 3.8. List of stations with industrial sidings on which it is possible to handle dangerous goo	ds (RID
goods)	105
Appendix 3.8.b List of service points where it is possible to perform the transhipment of dangerou	ıs goods
	114
Appendix 3.9. Alternative transport routes	118
Appendix 3.10. Facilities for rolling stock maintenance	119
Appendix 3.10a. Information on the service facility managed by Special Port d.o.o.	
Appendix 3.11. Railway infrastructure development projects	
Appendix 4.1. Request for train path allocation (form)	
Appendix 4.1a. Request for train path allocation (e-papir)	
Appendix 4.2. Instruction for completion of the Request for train path allocation	
Appendix 4.3. Deadlines for annual 2019/2020 timetable preparation	
Appendix 4.4. Deadlines for amendments to annual 2019/2020 Timetable	
Appendix 5.1. Overview of railway lines on which train running is possible when they are manned o	
engine driver	
Appendix 5.2. Overview of the lines fulfilling the conditions for train running with an engine driver of	
Appendix 5.3. Geometry of pantograph (current collector) TIP POS - 254/III used on IŽS network	
11	

6



Appendix 6. Register of infrastructure data	138
Appendix 7. Overview of primary train delay causes	155
Appendix 8 Overview of platforms and arranged surfaces in service points	
Appendix 9 Method for calculation of electricity consumption for train traction	
Appendix 10 Railway node boundaries	



GLOSSARY

Public railway infrastructure

means the entire railway infrastructure which constitutes the network being managed by infrastructure manager, including railway lines and secondary tracks (industrial railway line and industry tracks) being connected to the network;

Infrastructure Manager

is a public enterprise or company responsible for construction, exploitation, maintenance and rehabilitation of railway infrastructure on network, as well as for participation in its development within general policy of development and financing of instrastructure;

Railway Undertaking

is a public enterprise or other legal entity, registered for the main activity of provision of freight/passengers transport services and to whom the license was issued, with an obligation to provide train traction or that only provide train traction; Railway undertaking is also an public enterprise or other legal entity that provide railway transport for its own purposes and to whom the license for transport for its own purposes was issued;

Transport License

is a document by which a relevant licensing authority confirms the capacity of public enterprise or other legal entity that is registered for provision of the activity of public transport of goods and/or passengers to provide railway transport services as a railway undertaking, which can be limited to the provision of certain types of services or the provision of railway transport for own purposes;

Applicant

means a railway undertaking or an international grouping of railway undertakings, or other natural persons or legal entities, such as competent authorities, consignors, forwarding agents or combined transport operators, with commercial interest of provision of public service or commercial interest for allocation of railway infrastructure capacity;

Ad hoc request

means a request for individual train paths submitted during the validity of established timetable;

Network

is network of railway lines, including connecting lines and secondary tracks, with elements of railway infrastructure, managed by the Infrastructure Manager; intended for railway transport of goods and/or passengers, as well as the transport for their own purposes, which can be performed by railway undertakings according to the principle of transparent and non-discriminatory access to the network;

Path

means the capacity of railway infrastructure necessary for transport of two trains between two places during a certain period;

Timetable

means a formal document of the public railway infrastructure manager defining the schedule of operation for passenger and freight trains as well as trains operating for own purposes on the public railway infrastructure of the



infrastructure manager;

Infrastructure capacity

means a possible number of train paths for timetabling on particular part of railway infrastructure over a given period of time;

Congested infrastructure

means a section of railway infrastructure for which infrastructure capacity demand cannot be completely satisfied during certain time periods, even after different infrastructure capacity requests for have been coordinated;

Path allocation

means allocation of public railway infrastructure by the infrastructure manager;

Access right

means the right of a railway undertaking to use the railway infrastructure;

Coordination

means a process whereby the infrastructure manager and applicants make an adjustment of individual requests for path allocation;

Safety Certificate

means an evidence that railway undertaking has established safety management system and that he has met all requirements set out in technical specifications of interoperability, national safety regulations and other relevant regulations in order to control risks and safe railway traffic operations on network;

Competent institution, Relevant authority (body)

means an authority entitled to adopt various decisions relating to particular fields;

Relevant Railway Authority means a body authorised to act regarding administrative issues in the railway sector of the Republic of Serbia (Directorate for Railways or the Ministry of Construction, Transportation and Infrastructure, as the case may be).

Service facilitiy Operator is entity responsible for managing one or more service facilities for providing one or more services to railway undertakings (basic, additional and/or accompanying), including managing of railway infrastructure which forms part of service facility.

Information about service facility

is a document containg detialed information necessary for access to a service facility and services (basic, additional and accompanying) with reference to performance of railway transport provided by operator in that service facility.



The abbreviations used in the Network Statement have the following meanings:

ATC Automatic Train Control

AGC European Agreement on Main International Railway Lines

AGTC European Agreement on Important International Combined Transport Lines and Related

Installations

EU European Union
FTE Forum train Europe
IM Infrastructure Manager

MCTI Ministry of Construction, Transportation and Infrastructure of the Republic of Serbia

MF Ministry of Finance of the Republic of Serbia

NS Network statement
DG Dangerous goods
OSS One stop shop

RID (2017) Regulations concerning the international carriage of dangerous goods by rail

RNE RailNetEurope (European Infrastructure Managers Association)

UIC International Union of Railways

DR Directorate for Railways – Regulatory Body in the Republic of Serbia

IZS "Infrastructure of Serbian Railways" JSC

EMU Electric multiple-unit set DMU Diesel multiple-unit set

TOR Top of rail

RS Law on Transport of Dangerous Goods ("Official Gazette of the RS" no. 106/2016,

LTDG 83/2018, 95/2018 (other law), 10/2019 (other law))



1. GENERAL INFORMATION

1.1 Introduction

"Infrastructure of Serbian Railways" JSC (hereinafter IZS) is a joint stock company for the management of public railway infrastructure (hereinafter: railway infrastructure), founded by the Republic of Serbia.

Railway infrastructure is a good intended for use by the general public, owned by the Republic of Serbia that can be used by railway undertakings, on equal terms, in accordance with the Law on Railways.

Management of railway infrastructure is an activity of general interest.

Railway infrastructure includes permanent way and substructure, tunnels, bridges and other track structures, station tracks, level crossings including devices for securing of level crossings; safety, signaling and telecommunication installations on open lines, in stations and marshalling yards, including the plants for generating, transforming and distribution of electric energy for signaling and telecommunications; buildings for such installations or plants; track brakes; plants for transformation and transmission of electric energy for train traction: 110 kV two-phase transmission lines, sub-stations except for 110 kV distribution switchgear in this substation, supply cables between substations and contact wire, catenary and girders, third rail with beams, lightning installation for traffic and safety needs, service points' buildings and other facilities on trackside land used for regulation of railway traffic including the portion of the equipment for calculation and charging of transport charges and buildings for railway infrastructure maintenance, accesses for passenger and goods, comprising road access and access to passengers for arrival and departure of pedestrians, track-side land and the airspace above the track, 12 m high, i.e. 14m high at over 220kV overhead power lines, measured from top of rail.

The Network Statement is a document that contains all information in accordance with the Law on Railways of the Republic of Serbia ("Official Gazette of the RS" No. 41/18), and the Rules on Content and Form of Network Statement ("Official Gazette of the RS" No. 97/2013).

The document is compliant to all the norms set forth under the guidelines provided by the association RailNetEurope (hereinafter RNE) and shall be used as informative material for the interested railway undertakings. Moreover, the Network Statement has been harmonized with relevant EU Directives.

Network Statement provides general information on railway network, terms and conditions for access to railway infrastructure, principles and criteria for allocation of capacities, principles for charge calculation and their amounts, procedures for dispute resolution and other important details for usage of services provided to railway undertakings.

1.1.1. Background Information on Infrastructure Manager

Joint stock company for public railway infrastructure management "Infrastructure of Serbian Railways", Belgrade (hereinafter: Company) founded with the Decision on founding of Joint stock company for public railway infrastructure management ("Official Gazette of the RS", no.60/15 and 73/15) and registered in the registry of Serbian Business Registers Agency, under the number BD 69692/2015 from August 10, 2015.

The founder of the Company is the Republic of Serbia, as the sole stakeholder of the Company, of behalf of which the founder's right is enforced by the Government of the Republic of Serbia, Belgrade, Nemanjina 11 company number 07020171. The Company is under the jurisdiction of the Ministry of construction, transport and infrastructure

Business company name: Joint stock company for public railway infrastructure management "Infrastructure of Serbian Railways", Belgrade

11

Short Company's name: "Infrastructure of Serbian Railways" JSC



Company Headquarters is in Belgrade, and the address of company's headquarters is 6 Nemanjina, Belgrade.

The main activity of company is "Service activities in land transport", activity code is 5221

Company Reg. No is 21127094, TIN 109108420.

Company Business Accounts are 205-222959-26 and 160-438771-53.

The main activity of the Company include: Service activities in land transport. The activity includes the management of public railway infrastructure in part of maintenance of public railway infrastructure, organization and control of railway traffic, the provision of access and use of public railway infrastructure to all interested railway undertakings, as well as to legal entities and natural persons performing transport for their own purposes, and protection of public railway infrastructure. The company performs activities on general interest in accordance with the law. The company performs activities and services in internal and foreign trade in accordance with the law.

Responsible persons: Acting General Manager PhD Nebojša Šurlan Tel.: +381 11 3618 330

kabinet.infrastruktura@srbrail.rs

1.1.2. Organisational Chart of Infrastructure Manager

Organizational chart for Joint Stock Company for public railway infrastructure management "Infrastructure of Serbian Railway ", Belgrade is based on Rulebook on organization and systematization of operations of Joint stock company for public railway infrastructure management "Infrastructure of Serbian Railways", Belgrade.

Joint stock company for public railway infrastructure management "Infrastructure of Serbian Railways", Belgrade, (hereinafter Company), in order to perfom activities of management of public railway infrastructure is organized according group of operations, as follow:

- organization and control of railway traffic,
- maintenance of railway infrastructure,
- investment and economic affairs.
- human resources and common affairs and
- operations related to the General Manager's Office.

Company operation are being performed through its departments, centers, and sections, technical-technological departments, stations and operational sections and other lower organizational forms.

The management of public railway infrastructure includes the maintenance of public railway infrastructure, organization and control of railway traffic, the provison and access and the use of public railway infrastructure to all interested railway undetakings, as well as legal and natural persons performing transport for their own purposes and protection of public railway infrastructure, as well as performing the function of employer on reconstruction of public railway infrastructure.

The following operations are performed in the Company- traffic, civil engineering and electrotecnical operations, development and investment operations, projects management and common affairs: finance, plan and analyses, reconstruction and cooperation with international financial institutions, accounting, public procurements and central warehouses operations, human resources management, safety and health at work, operations related to property and inventory, operations of implementation and development of information technologies, internal safety, international affairs and ethic's operations. Beside that in order to achieve business, professional and administrative functions operations which are organizationally related to the General Manager's Office are also performed.



Operations referred to in the previous paragraph, are performed within:

- 1. Traffic department,
- 2. Railway infrastructure access department,
- 3. Centre for auxiliary train operations.
- 4. Centre for infrastructure technical monitoring
- 5. Civil engineering department,
- 6. Electrical engineering department,
- 7. Finance department,
- 8. Accounting department,
- 9. Centre for Plan, Analysis and Restructuring
- 10. Procurement and central warehouses department,
- 11. Development and Investments department,
- 12. Centre for Management of the Project Belgrade Subotica State Border High Speed Railway

Line,

- 13. Human resources and general affairs department,
- 14. IT department,
- 15. Centre for security,
- 16. Real estate department,
- 17. Inventory department,
- 18. Centre for international affairs,
- 19. Ethic's office,
- 20. Company's Management Secretariat,
- 21. Legal department,
- 22. Centre for internal audit,
- 23. Centre for internal control
- 24. Centre for Security Management System
- 25. Media Centre

The Organization chart of "Infrastructure of Serbian Railways" JSC is set forth in Annex 1.

1.1.3. Contact details

"Infrastructure of Serbian Railways" JSC contact details are the following:

Acting General Manager PhD Nebojša Šurlan Tel.: +381 11 3618 330

kabinet.infrastruktura@srbrail.rs

Traffic Department Nemanjina 6 11000 Belgrade

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.sp@srbrail.rs

Railway infrastructure access department

Nemanjina 6 11000 Belgrade

Serbia

Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

Civil engineering department Nemanjina 6



11000 Belgrade

Tel.: +381 11 3618 248 Fax: +381 11 3616 874 infr.sektorzagp@srbrail.rs

Electrical engineering department Nemanjina 6 11000 Belgrade

Tel.: +381 11 3618 241 Fax: +381 11 3618 130 etp@infrazs.rs

etp@mmazs.is

Centre for auxiliary train operations Nemanjina 6 11000 Belgrade

Tel.: +381 11 3620 899 Fax: +381 11 3620 899 direktor.tkp@infrazs.rs

1.2 Objective of the Network Statement

The objective of Network Statement is provision of the basic information of unique source, which is useful for the users of services provided to railway undertakings on the railway infrastructure managed by IŽS.

Network Statement is a document which in detail stipulates general rules, deadlines, procedures and criteria related to manner of calculation of charges and allocation of infrastructure capacities, including other relevant information necessary for submitting the request for infrastructure capacity allocation.

The Network Statement will be published on the web site of "Infrastructure of Serbian Railways" JSC www.infrazs.rs and decision on its adoption will be published in the "Official Journal of ZS".

1.3 Legal Framework

Operation of infrastructure and traffic on the network managed by "Infrastructure of Serbian Railways" JSC is regulated by:

- regulations of the Republic of Serbia,
- acts of Infrastructure Manager "Infrastructure of Serbian Railways" JSC,
- acts and technological procedures of the railway undertakings falling within the scope indicated in the above legal regulation.

1.3.1 Regulations of the Republic of Serbia

Regulations of the Republic of Serbia of particular importance to this Network Statement include the following documents:

- Law on Railways ("Official Gazette of the RS", no. 41/18);
- Law on interoperability of railway system ("Official Gazette of the RS", no. 41/18);
- Law on safety in railway traffic ("Official Gazette of the RS", no. 41/18")
- Rules on the Content and Form of Network Statement ("Official Gazette of the RS", no. 97/13);
- Law on Categorization of Railway Lines that belong to Public Railway Infrastructure ("Official Gazette of the RS", No. 92/20);
- Rules on Railway Infrastructure Elements ("Official Gazette of the RS", no.30/19);
- Rules on Timetable ("Official Gazette of the RS", No. 58/19);



- Methodology for Valuation of the Elements for Determining the Level of Charge for the Use of Railway Infrastructure ("Official Gazette of the RS", no. 122/14);
- Rules on the Time Schedule for Railway Infrastructure Capacity Allocation ("Official Gazette of the RS", no. 140/14);
- Law on Railway Transport Agreements ("Official Gazette of the RS", no. 38/15);
- Rules on the Manner of Transport and Mandatory Operational Monitoring of Dangerous Goods Carried by Rail, as well as on the Obligations of the Participants in the Transport of Dangerous Goods by Rail and Emergencies ("Official Gazette of the RS", no. 81/15);
- Rules on training programmed and method of knowledge checking of employees and of participants of dangerous goods transport in the railway transport, as well the manner in which the documentation is processed and their trading ("Official Gazette of the RS", no. 81/15);
- Law on Transport of Dangerous Goods, passed by the National Assembly of the Republic of Serbia ("Official Gazette of the RS",no. 104/2016),
- Rules on elements of the contract on the use of railway infrastructure ("Official Gazette of the RS", no. 8/2019);
- Rules on Special Loads Transport ("Official Gazette of the RS", no. 74/19);
- Law on the Manner of Conclusion and Content of Framework Agreements for Allocation of Railway Infrastructure Capacity ("Official Gazette of the RS" no. 74/19).

1.3.2 International Regulations

When using the allocated train path, the railway undertaking must abide by all legal norms contained in the sources of international law, as well as in national laws and bylaws.

1.3.3 Acts of the Infrastructure Manager

Internal regulations (acts) and technological procedures of relevance for the present document are listed in the Annex 2.

1.4 Legal Status

1.4.1 General conditions

Network Statement is based on the legal framework defined in section 1.3. In case of ambiguity or legal proceedings, the relevant provisions of legal regulations of the Republic of Serbia will apply.

1.4.2 Liability

The present Network Statement has been developed on the basis of the information available at the moment of drafting thereof. IŽS is liable for accuracy of the information given in present Network Statement. All regulations and technical documentation which become effective upon publishing this Network Statement shall apply and shall be taken into consideration on the ocassion of construing this Network Statement.

IŽS is not liable for the accuracy of data published herein, which are submitted by the service facility operators.

1.4.3 Appeals Procedure

Appeals procedure in respect of the Network Statement, and to other acts of the IM relating to the path allocation procedure and use of railway infrastructure, is regulated by the Law on Railways.



The function of the regulatory body for the railway sector is performed by the Directorate for Railways (hereinafter: Directorate) as a separate organization, which runs the railway-specific state administration affairs as determined by the Law on Railways and the law governing the railway safety and interoperability.

The scope of the Directorate for Railways has been defined in Articles 118-129 of the Law on Railways ("Official Gazette of the RS" no. 41/2018) and by the provisions of the Law on Safety of Railway Transport ("Official Gazette of the RS" no.41/2018).

Article 120 of the Law on Railways provides that the Directorate is in charge of the following:

- activities for regulation of railway services market;
- licensing of railway undertakings;
- passenger rights;
- safety in railway traffic and interoperability of railway systems;
- cableway:
- realization of international cooperation within its competence;
- performs other tasks in terms of this law and other laws regulating the area of safety in railway transport, interoperability of railway systems and cableways for transport.

The applicant for train path allocation may lodge a complaint with the Directorate for Railways against the decision by the infrastructure manager to reject his application for path allocation or against the established conditions of supply of infrastructure capacity, and when not satisfied with the train path allocation procedure and its outcome, subject to payment of the fee in the amount of administrative fees charged for the appeals to the authority.

As a regulatory body, the Directorate deliberates on the complaints lodged by applicants for train path allocation, especially taking into account possible unfair treatment or discrimination by the infrastructure manager or railway undertakings, in connection with:

- (1) Network statement,
- (2) the criteria set in the Network Statement,
- (3) the train path allocation procedure and its outcome,
- (4) the method for determining the charge for the use of train path;
- (5) the level or structure of charges for the use of train path which he is or may be obliged to pay,
- (6) information about facilities;
- (7) the application of provisions of article 13 of the Law on Railways and particularly of access and charges

The decision of the Directorate is final and appeal against it may be lodged with the Administrative Court within 30 days of its receipt.

1.5 Structure of Network Statement

The Network Statement has been drawn up pursuant to provisions of the Rules on the content and form of the network statement ("Official Gazette of the RS" No. 97/2013), and in accordance with the general structure for network statements of the European Railway Association (RailNetEurope association), by which the most of infrastructure managers in Europe are being governed during the preparation of network statement.

The Network Statement makes information available to prospective and existing railway undertakings and is in accordance with the harmonized format of other infrastructure managers' network statements. General structure of Network Statement is reviewed on an annual basis and the latest version is available on the RNE's web-site. The objective of general structure is that all applicants and interested parties may find the same information at the same place in the Network Statement.



Table No 1. Network Statement Structure

No	Chapter	Description
1.	General provisions	contains the objective of publishing the Network Statement, legal provisions which govern railway infrastructure and transport operations on the railway infrastructure and contacts
2.	Conditions for access and use of railway infrastructure	gives specification of conditions, which will be met by the railway undertaking, prior to it gains the track access
3.	Overview of traffic- technical features of railway infrastructure which is available and limited in use	contains the description of the network managed by the "Infrastructure of Serbian Railways" JSC
4.	Principles, priorities and criteria for infrastructure capacities allocation	gives principles and criteria for infrastructure capacities allocation as well as distribution conditions and infrormation on procedures for dispute resolution
5.	Types of services	gives specification of services provided by "Infrastructure of Serbian Railways" JSC and other service facility operators
6.	Charges	gives charge calculation principles and amounts, charge calculation methods for the use of railway infrastructure as well as for the other services provided on the network "Infrastructure of Serbian Railways" JSC

1.6 Effectiveness of and Amendments to Network Statement

1.6.1 Validity Period of Network Statement

This Network Statement shall be valid during the timetable validity period, from December 15, 2019 to December 12, 2020.

The Network Statement shall be published not later than 4 months prior to the commencement of deadline for submission of applications for path allocation and shall remain valid during the entire timetable validity period.

1.6.2 Updating Process

The Network Statement will be updated in case of change of important pieces of information published in the Network Statement. Any amendment to the Network Statement will be published separately in the "Official Gazette of Serbian Railways", whereas the updated Network Statement (amended) will be published on the "Infrastructure of Serbian Railways" JSC website.

1.7 Publishing, Distribution and Availability of the Network Statement

The Network Statement will be published on the "Infrastructure of Serbian Railways" JSC website (www.infrazs.rs), both in Serbian and English languages.

If so requested by a railway undertaking, "Infrastructure of Serbian Railways" JSC may provide the Network Statement or a part of it free of charge in electronic form.

1.8 Contacts

Contacts relevant for information contained in the Network Statement:

"Infrastructure of Serbian railways" JSC Railway infrastructure access department 6 Nemanjina St.



11000 Belgrade Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

1.9 Rail Freight Corridors

Pan-European Corridor X stretching from Salzburg in Austria to Thessaloniki in Greece goes through the infrastructure network of "Infrastructure of Serbian Railways" JSC (Appendix 3.1.). On the territory of the Republic of Serbia, on the network of "Infrastructure of Serbian Railways" JSC, Corridor X includes the following railway lines from Sid to Presevo:

- Belgrade Sid State border,
- Belgrade Mladenovac Nis,
- (Belgrade) Rakovica Jajinci Mala Krsna Velika Plana,
- Nis Presevo State border.

The following branches connect to the primary route of the Corridor:

- Xb, (Budapest) Novi Sad Belgrade (the railway line (Belgrade) Stara Pazova Subotica), and
- Xc, Nis Dimitrovgrad (Sofia Istanbul) (the railway line Nis Dimitrovgrad State border.

"Infrastructure of Serbian Railways" JSC in cooperation with Ministry of transport, construction and infrastructure participates in the initiative for forming and inclusion of new RFC 10 Alpine –West Balkan into the network of railway corridors in accordance with the Regulation 913/2010/EU and Law on the Manner of of cooperation in establishing and organizing international freight corridors for the competitive transport of goods and laying down rules for the selection, organization, management and indication of investment in freight corridors ("Official Gazette of the RS" no. 63/19).

1.10 RailNetEurope

RailNetEurope association (hereinafter RNE) was established in January 2004 by virtue of an agreement between 12 Infrastructure Managers from the entire Europe, and their number is constantly rising.

Through its members, RNE is operates over 230,000 km long railway lines, including the important ferry lines, and cooperates with more than 120 railway undertakings in international traffic and with more than 300 railway undertakings that, for the time being, operate only in the domestic traffic of the members.

The main efforts are put towards enhancing the access conditions and performance of international railway transport, particularly with respect to operability. To achieve this, RNE is focused on the overall process of international transport operations. It starts with harmonization of mid-term and long-term planning of particular members, joint marketing and sales approach, appropriate planning and operation, and ends with provision of services after transport has been performed, such as monitoring, control and assessment of performed transport.

One of the first steps towards progressive harmonization was creation of a structure model for the preparation of Network Statement, applied by all RNE members. Since 2005, RNE has taken over the full responsibility for preparation of the international Timetable and for the support of its activities; it operates with information systems: collection of charges CIS (Charging Information System), for coordination of paths PCS (Path Coordination System), information about trains TIS (Train Information System).

One of the most important RNE steps was creation of an international network of One Stop Shop offices.

The list of all RNE members and further information on this association may be found at www.railneteurope.com.



"Infrastructure of Serbian Railways" JSC is a full member of the association from April 21, 2016.

1.10.1 One Stop Shop - OSS

Infrastructure Managers have opened national One Stop Shop (OSS) offices that jointly make up a network of contact points for the users within RNE. As regards the international path allocation applications, the users only need to contact one of these OSSs, who will initiate the entire process of international path allocation.

In close cooperation with other IMs, the contacted OSS will:

- offer support and information to undertakings on the entire range of Infrastructure Managers' products and services along the whole route;
- provide all information on the conditions for access to the infrastructure of any Infrastructure Manager within RNE;
- process the applications for international path allocation within RNE;
- make sure that all the applications for the next year's Timetable are timely taken into account during preparation of the annual Timetable;
- provide offers for railway paths on the entire route in international traffic.

In accordance with its motto "one face to the customer", OSS provides professional and efficient assistance via all border crossings, underpinned by transparent procedures based on trust and non-discrimination. The list of contacts by member countries is available at www.railneteurope.com.

"Infrastructure of Serbian Railways" JSC as a RNE member, conducts intensive activities on defining the procedures, so as to implement OSS in the near future in the railway sector of the Republic of Serbia.

1.10.2 RNE tools

Since 2005, RNE has taken over the full responsibility for preparation of the international timetable and the support to its activities; it operates with information systems: for the coordination of PCS (Path Coordination System), for CIS (Charging Information System) and for the TIS (Train Information System).

PCS

PCS (Path CoordinationSystem) – is an international path request coordination system for path applicants i.e. railway undertakings, infrastructure managers and allocation bodies. This web-based application optimises international path coordination by ensuring that path requests and offers are harmonised by all involved parties. Input for international path requests needs to be placed only once into one system – either into the domestic application or directly into the PCS. More information on: http://pcs.RNE.eu/.

CIS

CIS (Charging InformationSystem) – is an infrastructure charging information system for railway undertakings, infrastructure managers and allocation bodies. This web-based application provides fast information on charges related to the use of the European rail infrastructure and estimates the charge for the use of international train paths within minutes. This is an umbrella application for various national rail infrastructure charging systems. More information on: http://cis.RNE.eu/.

TIS

TIS (Train Information System) – is the web-based application which manages the operation of international trains by delivering information on movements of international passenger and freight trains in real time. These data are obtained directly from the system. More information on: http://tis.RNE.eu/.



2. CONDITIONS FOR ACCESS TO AND USE OF RAILWAY INFRASTRUCTURE

2.1 Introduction

This chapter of the Network Statement describes the conditions associated with access to the railway infrastructure managed by the IZS. These conditions also apply to the part of freight corridors passing through the railway infrastructure managed by the IZS.

2.2 General access requirements

A railway undertaking can provide transport services on IZS railway infrastructure based on:

- valid license for carriage in railway transport over the infrastructure, issued by Directorate for Railways (hereinafter: DR),
- valid certificate on safety for carriage in railway transport,
- allocated capacity path and contract on provision of access to and use of public railway infrastructure concluded with the infrastructure manager.

Requirements for the submission of application for license, safety certificate and thereof contents are stipulated in the Law on Railways of the RS and the Rules on the requirements for issuance of and the content of certificate on safety for carriage in railway transport.

2.2.1 Requirements for the submission of requests for train path allocation

Request for train path allocation can be submitted by a railway undertaking or an international group of railway undertakings or other persons or legal entities, such as competent authorities, consignors and forwarding agents and operators in combined transport, having interest in provision of public service or having commercial interest in the allocation of railway infrastructure capacity.

Where a train path is allocated to an applicant other than a railway undertaking, the contract on the use of railway infrastructure shall be concluded between the infrastructure manager and the railway undertaking hired by such applicant.

If a request has been submitted after a specified deadline, train path in accordance with remaining capacities will be offered to the applicant, and if there are no capacity constraints, a new path will be subsequently created.

2.2.2 Entities permitted to provide railway transport services

Services of carriage in railway transport may be provided by a company, other legal entity or entrepreneur registered for provision of public transport services or transport for own purposes, incorporated in the Republic of Serbia, subject to the submission of evidence of fulfilment of the conditions related to good reputation, financial capability, and competence, and the cover for civil liability.

The license for carriage in railway transport and the certificate on safety is issued by DR or a competent authority of another country, based on reciprocity, with which country Serbia has signed an intergovernmental agreement on mutual recognition of certification.

Transport on railway infrastructure may be performed by railway undertakings meeting the requiremements referred to in paragraph 1 hereof, who signed the Contract for use of public railway infrastructure. The Contract for use of public railway infrastructure regulates the mutual rights and obligations between the infrastructure manager and railway undertakings and they are concluded in line with article 19 of the Law on Railways.



2.2.3 Transport License

Directorate for railways issue transport license: for transport of goods/passengers and for transport for own purposes.

Transport License is issued to applicant, company, other legal entity whose main registered activity is for provision of railway transport of good and/or passengers, or to a company or other legal entity who performs or will perform transport for own purposes, incorporated in the Republic of Serbia, subject to the submission of evidence of fulfilment of the conditions related to:

- a) good reputation,
- b) financial capability,
- c) proficiency and
- d) cover for civil liability in line with the Law on Railways.

Details related to licensing of railway undertakings are set from article 81.to article 85. of the Law on Railways.

Contact of competent institution for issuance of license is:

Directorate for Railways 6 Nemanina St., 11000 Belgrade The Republic of Serbia Manager' soffice tel. (011) 361 68 66 fax (011) 361 83 46 e-mail: administration@raildir.gov.rs web page: www.raildir.gov.rs

2.2.4 Safety Certificates

The railway undertaking must have safety certificate for transport to be allowed to access infrastructure. The type and scope of operations of railway undertaking related to certificate are specified in the safety certificate.

The safety certificate may include the entire network or certain part thereof.

Safety certificate is consisting of:

- 1) part A confirming the acceptance of railway security management system of railway undertaking;
- 2) part B confirming the acceptance of provisions adopted by railway undertaking in order to meet the specific requirement set for transport safety on appropriate network; these requirement may include the application of technical specification, the national safety regulation and internal regulation of railway undertaking, the acceptance of employee's certificates and permissions for usage of rolling stock used by that railway undertaking.

Directorate for Railways is responsible for issuance of safety certificate for transport in set form and in the form of decision. The decision to issue or to refuse to issue safety certificate for transport is ultimately in the administrative procedure and a dispute can be brought against it at Administrative Court.

The validity period of the safety certificate for transport is five years and can be renewed at the request of the holder

Directorate for Railways determine in more detail forms of safety certificate for transport, numbering of forms of safety certificate for transport in line with European identitification number, the application form



for issuance of safety certificate for transport and instructions for its completion, as well as necessary documentation enclosed with the request for issuance of safety certificate for transport.

Provisions regarding safety certificate for transport are set in Law on Railway Transport Safety.

Contact of competent institution for issuing safety certificate is:

Directorate for Railways 6 Nemanjina St., 11000 Belgrade The Republic of Serbian Manager's office tel. (011) 361 68 66 fax (011) 361 83 46

e-mail: administration@raildir.gov.rs

web page: www.raildir.gov.rs

2.2.5 Cover for Civil Liability (Insurance)

One of the conditions for issuing a transport license is the fulfillment of the requirements related to civil liability coverage (Insurance).

The requirement relating to civil liability coverage for a company or other legal entity that is registered for the public transport of goods and / or passengers, or performs or will carry out transport for its own purposes, is fulfilled if it is adequately insured or has adequate guarantees under market conditions for coverage, in accordance with legal requirements and confirmed international treaties, for their liability in the event of an accident.

Civil liability coverage may not be required to take effect before the railway undertaking starts operating the service.

2.3 General Terms and Conditions of Business

2.3.1 Contract for Use of Public Railway Infrastructure

The Law on Railway of the Republic of Serbia stipulates the obligation of concluding a contract on the use of infrastructure that allows railway undertakings to use railway infrastructure. Contracts for use of public railway infrastructure regulate in more detail the mutual rights and obligations of infrastructure managers and railway undertakings related to guaranteeing the technical and other conditions for safe transport operation, the application of regulations governing the transport of dangerous goods, as well as payment of access charges and charges of services. Contracts for use of public railway infrastructure are concluded under non-discriminatory and transparent conditions.

Contracts on use of infrastructure are concluded no later than 2 (two) months prior new timetable enter into force or immediately after the allocation of ad hoc train path.

If during the validity period of Contract for use of public railway infrastructure, the railway undertaking through an authorized person submit ad hoc request in approved way for allocation of train path, it is considered that addendum of that contract is concluded at the moment of allocation of requested train path by infrastructure manager.

For other services (basic, additional and accompanying) provided by infrastructure manager special contracts are concluded.



2.3.2 Framework Agreement

The Infrastructure Manager and an applicant may, by way of exception, draw up a framework agreement on the use of capacity on the relevant railway infrastructure for a period longer than the period of validity of the timetable.

The Framework Agreement between the infrastructure manager and the applicant shall contain the characteristics of the infrastructure capacity for which the applicant applied and which he was offered for a time period exceeding the period of validity of one timetable.

Law on the Manner of Conclusion and Content of Framework Agreements for Allocation of Railway Infrastructure Capacity lays down the procedures, content and criteria relating to the framework agreements for the allocation of railway infrastructure capacity, as well as the obligations of the infrastructure manager regarding information regarding the framework capacity.

At present, the infrastructure manager does not offer the possibility of concluding a framework agreement with the applicant. However, it intensively conducts the activities aimed at defining the procedures so as to have this option open in the near future.

2.4 Operating Rules

The transport operation on the railway infrastructure shall be such manner to ensure the protection of life, property and environment. The railway undertaking operating on the railway infrastructure will be obligated to comply with the regulations and provisions applicable to transport operations on the particular railway infrastructure.

The list of applicable regulations and instructions related to operating rules is given in a separate annex, which constitutes an integral part of this document.

At some locations on the infrastructure and in some cases, there are deviations from the applicable regulations (approved by the Directorate for Railways upon IZS's proposal). The information about this is published by IZS. The relevant address for these regulations, instructions and modifications is:

"Infrastructure of Serbian Railways" JSC Traffic Department 6 Nemanjina Street 11000 Belgrade Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.sp@srbrail.rs

2.5 Transport of Special Loads

A load shall be considered special if due to its external dimensions, weight or properties, and with respect to the station installations or wagons in transport by one of the railways participating in transport, it causes particular difficulties, wherefore it is received for transport only under special technical or operating conditions. Carriage of special loads in domestic and international railway transport, as well as the conditions under which such carriage may take place, shall be approved by the Infrastructure Manager whose railway infrastructure will be used for transport. IZS provides the special loads service (for vehicles or goods) in accordance with the provisions on transport of special loads set forth in the Rules on Transport of Special Loads ("Official Gazette of the RS", no. 6/17).

IZS shall be responsible for the allocation of capacity and defining the conditions for transport of special loads.



In addition to what was stated above, the railway undertaking in international transport shall comply with the provisions of UIC 502.1 and 502.2, governing the process of approval of requests for transport of special loads. The railway undertaking shall submit a request for transport of loads to the relevant department of IZS. Special loads will be accepted for transport only if special operating and technical conditions are met. For more details on transport of special loads please refer to Chapters 4 and 5 of this Network Statement.

For more details on transport of special loads please contact:

Infrastructure of Serbian Railways"JSC Traffic Department 6 Nemanjina Street 11000 Belgrade Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.sp@srbrail.rs

2.6 Transport of Dangerous Goods

Transport of dangerous goods by rail in the Republic of Serbia shall be performed in accordance with: Annex C to Convention concerning international carriage by rail (COTIF) - Regulations governing the international carriage of dangerous goods by rail (RID); the Law on the Transport of Dangerous Goods; the by-laws based on LTDG and other regulations in the Republic of Serbia.

The Ministry of Construction, Transport and Infrastructure is responsible for performance of administrative, inspection, technical and other expert activities in the field of transport of dangerous goods in the Republic of Serbia(www.utot.gov.rs).

2.7 Rolling Stock Acceptance Procedure

Railway undertaking may use only the rolling stock that complies with the technical regulations and standards. Rolling stock shall, by virtue of their structure and technical condition, ensure safety of transport on the infrastructure, safety of transported persons and goods, safety of staff, and shall meet the health and environment protection requirements.

All requirements relating to rolling stock and thereof use on the railway infrastructure of IZS are set forth in the Law on Railway Safety and Interoperability ("Official Gazette of the RS", no. 41/18) and Law on Railway Traffic Safety ("Official Gazette of the RS",no.41/18). Railway undertaking shall be responsible for the technical condition, maintenance and operation of the rolling stock.

2.8 Acceptance Procedure for Railway Undertaking's staff

Railway undertaking shall be responsible for ensuring that his staff meets the requirements stipulated by the Law on Railway Safety ("Official Gazette of the RS", No. 41/8) and applicable by-laws.

The railway undertaking's train manning shall be familiar with the official language in the Republic of Serbia.

Railway undertaking shall be responsible for staff training, validity of periodical knowledge tests, knowledge of track condition and local conditions at stations/stops. Railway undertaking is obliged in that respect to abide by the applicable legislation of the Republic of Serbia.



3. OVERVIEW OF OPERATIONAL AND TECHNICAL CHARACTERISTICS OF THE AVAILABLE RAILWAY INFRASTRUCTURE AND RESTRICTIONS TO ITS USE

3.1 Introduction

The purpose of this section is to provide the information on the railway infrastructure owned by the Republic of Serbia and managed by IZS, to provide the description and overview of the characteristics of the railway lines and appertaining facilities and equipment that can be used by all those to whom the access to and use of infrastructure have been granted in accordance with the provisions of the Law on Railways. Other information on the IZS network can be found on the website www.infrazs.rs.

Information on the railway infrastructure published in this document is based on the facts that were familiar at the time of its preparation. All changes occurring after publishing of this document will be updated on the website www.infrazs.rs.

3.2 Network Size

The total structural length of the standard-gauge lines on the territory of "Infrastructure of Serbian Railways" JSC network amounts 3333,4 km, out of which 3044,7 km of single-track and 288,7 km of double-track lines. Out from the mentioned length, 1744,4 km of the main tracks and 1589,0 km of other tracks. Totalling of km of 1273,7 km of open track have been electrified, together with the main through tracks (985,0 km of single-track and 288,7 km of double-track lines).

The total length of tracks on electrified open tracks and the main running tracks is 1.563 km out of which the length of electrified open tracks and running tracks 1.563 km. All above data relate to standard-gauge 1435 mm tracks. Detailed information is given in Appendix 6.

Besides that, "Infrastructure of Serbian Railways" JSC is also managing with museum-tourist railway line - "Shargan Eight" - which is 22, 5 km long and whereof track gauge is 760 mm.

3.2.1 Borders

In terms of ownership and management of the railway network, there is only one railway network in the Republic of Serbia, and this is the state-owned network, managed by IZS. Therefore, the term "border" also means a state border and represents one of the borders with the neighbouring railway networks.

The IZS railway network borders with the neighbouring railway networks are the following border stations: Subotica, Horgoš, Kikinda, Vršac, Bogojevo, Šid, Brasina, Preševo, Đeneral Janković, Vrbnica and Dimitrovgrad.

At crossing the state borders, the track gauge remains unchanged.

The type of traction is changed only at the border crossing with Bulgaria, in the station Dimitrovgrad on the railway line Nis- Dimitrovgrad- State border.

3.2.2 Network Connections

The railway network of the Republic of Serbia is connected with the railway networks of the following seven countries: Croatia, Hungary, Romania, Bulgaria, North Macedonia, Montenegro and Bosnia and Herzegovina. Traffic may be organized via ten border crossings, whils the one is under the control of UMNIK railways.

For more detailed information please refer to Table No 2. The names of neighbouring countries' stations in the table are given in its authentic form as registered in the official train timetables.



The notion joint border station marks border station in which border control is performed jointly by state authorities, as well as traffic change between railway undertakings. Joint border stations are governed by bilateral state acts. Performing traffic change in other border stations in within decision –making domain and agreement between railway undertakings.

Table No 2. Border crossings, border railway lines and border stations

	Neighbouring country	Sorder railway lines		Neighbouring infrastructure managers
1	Creatio	Šid-state border -Tovarnik	Šid Tovarnik	HŽI
1	Croatia	Bogojevo-state border- Erdut	Богојево Erdut	HŽI
2	Hungary	Subotica -state border- Kelebia	Subotica Kelebia	MAV Zrt
		Horgoš-state border-Roszke	Horgoš Roszke	MAV Zrt
3	Romania	Vršac- state border - Stamora Moravita	Vršac Stamora Moravita	CFR SA
		Kikinda-state border- Jimbolia	Kikinda Jimbolia	CFR SA
4	Bulgaria	Dimitrovgrad-state border Dragoman	Dimitrovgrad Dragoman	NKŽI
5	North Macedonia	Preševo- state border Tabanovci	Preševo/ Ristovac Tabanovci	IŽRSM
		Đeneral Janković - state border -Volkovo	Đeneral Janković	IŽRSM
6	Monte Negro	Vrbnica - state border – Bijelo Polje	Vrbnica / Prijepolje freight Bijelo Polje	ŽICG
7	Bosnia and Herzegovina	Brasina - state border – Zvornik Novi	Brasina Zvornik Novi	ŽRS

Within the national network, the public railway infrastructure managed by IZS is connected with other railway infrastructures in the Republic of Serbia. The sidings of Elektroprivreda Srbije (Thermal Power Plant Nikola Tesla, Thermal Power Plant Kolubara, etc.).

These sidings are connected to the national IZS network. These sidings are used for transport of goods for own needs and they do not belong to the national railway network.

Railway infrastructure managed by IŽS is connected with a number of railway industrial sidings owned by the business entities.

For other information on railway infrastructure managed by IŽS, which are not contained and presented herein, please contact IŽS at the following address:

"Infrastructure of Serbian Railways" JSC Department for Access to the Railway Infrastructure 6 Nemanjina St., 11000 Belgrade, Serbia

Phone.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs



3.3 Description of railway network

3.3.1 Geographic data

General network information are given in Table no. 3.

Table No 3. Structural lenght of the lines within the network

Total network length	3 333,4 km
Single-track lines	3 044,7 km
Double track lines	288,7 km
Narrow-gauge lines	22,5 km*
Non-electrified lines	2 348,9 km
Electrified lines	1 273,7 km

^{*} Narrow-gauge line Šargan Vitasi – Mokra Gora – State border

3.3.1.1 Types of railway lines

Pursuant to the Law on categorization of railway lines that belong to Public railway infrastructure ("Official Gazette of the RS", no. 92/20) applied by the "Serbian Railways Infrastructure" JCS, railway lines are classified as main lines, regional lines, local lines, shunting lines and museum-tourist lines.

Pursuant to the Law on Railway, railway lines are classified as follows:

- 1. main lines- of importance to international and domestic service;
- 2. regional lines of importance to regional and local service;
- 3. local lines of importance to local service;
- 4. shunting lines of importance to business entities,
- 5. museum-tourist railway lines.

Main lines with associated line number are:

- 101 Belgrade Centre-S. Pazova-Sid-St.bord.-(Tovarnik);
- 102 Belgrade Centre Junction "G" Rakovica-Mladenovac-Lapovo-Nis-Presevo-State border-(Tabanovce);
- 103 (Belgrade Centre)- Rakovica-Jajinci-M.Krsna-V.Plana;
- 104 (Jagodina) Cuprija Junction Cuprija-Paracin;
- 105 (Belgrade Centre)-S.Pazova-N.Sad-Subotica-St.bord.-(Kelebia);
- 106 Nis-Dimitrovgrad-St.bord.-(Dragoman);
- 107 Belgrade Centre-Pancevo Main-Vrsac- St.bord.-(Stamora Moravita);
- 108 (Belgrade Centre)-Resnik-Pozega-Vrbnica- St.bord.-(Bijelo Polje);
- 109 Lapovo-Kraljevo-Lesak-Kosovo Polje-Djeneral Jankovic- St.bord.-(Volkovo);
- 110 Subotica-Bogojevo-St.bord.-(Erdut);
- 111 Belgrade Marshalling Yard "A"-Ostruznica-Batajnica;
- 112 Belgrade Marshalling Yard "B"-Ostruznica;
- 113 Belgrade Marshalling Yard "A"-Junc. "B"- Junc. "K/K1"-Resnik;
- 114 Ostruznica-Junc. "B"-(Junc. "K/K1");
- 115 Belgrade MY "B"-Junc. "R"- Junc. "A"-(Resnik);
- 116 (Belgrade MY "B")-Junc. "R"-Rakovica;
- 117 Belgrade MY "A"-Junc. "T"-Rakovica;
- 118 Belgrade MY "B"-Junc. "T"-(Rakovica);
- 119 Connecting line in the area of Junction "K/K1": (Junc. "B")--Points "K"-Points "K1"-(Jajinci);
- 120 (Junc. Pancevo Bridge)-Junc. Karadjordjev park-Junc. Dedinje-(Junc. "G");
- 121 Indiija-Golubinci;
- 122 N. Sad-N. Sad MY-Junc. Sajlovo;
- 123 Deviation at the station Mala Krsna: (Kolari)-Junction points 1-Junction points 28-(Osipaonica);
- 124 Junc. Lapovo Varos-Lapovo MY-Lapovo;
- 125 Trupale-Nis MY-Medjurovo;
- 126 Crveni krst-Nis MY;



- 127 Nis-Junc. bridge-(Nis MY);
- 128 Junction track at the station Nis: (Crveni krst)-Junction points 3-Junction points 4-(Cele kula).

Regional lines with associated line number are:

- 201 Subotica-Horgos-St.bord.-(Roszke);
- 202 Pancevo Main-Zrenjanin-Kikinda-State border-(Jimbolia);
- 203 Belgrade Centre (km 7 + 041) Belgrade Danube Junction Pancevo bridge;
- 204 Topcider Passenger station (km 4 + 195) Junction "G" (Rakovica);
- 205 Banatsko Milosevo-Senta-Subotica;
- 206 Pancevo Varos-Junc. "2a"-(Jabuka);
- 207 Novi Sad-Odzaci-Bogojevo;
- 208 (N.Sad)-Junc. Sajlovo-Rimski Sancevi-Orlovat stop;
- 209 N.Sad MY Junction points 7-N.Sad Lokoteretna-Sajlovo Junc.;
- 210 Orlovat- Junction ,,1a"-(Lukicevo);
- 211 Ruma-Sabac-Junc. Donja Borina-St.bord.-(Zvornik Novi);
- 212 (Platicevo)-Junc. "1"-Junc. "3"-(Stitar);
- 213 Stalac-Kraljevo-Pozega;
- 214 Junction track at the station Kraljevo: (Mataruska Banja)-Junction points 72-Junction points 73-(Adrani)
- 215 Junction track at the station Pozega: (Uzici)-Junction points 53-Junction points 54-(Dragacevo);
- 216 Smederevo Junction Jezava Radinac Mala Krsna;
- 217 Junction Jezava Smederevo Port;
- 218 Mala Krsna-Bor-Junction "2"-(Vrazogrnac);
- 219 (Nis) Crveni krst-Zajecar-Prahovo Port;
- 220 (Rgotina)-Junction ,,3"-Junction ,,1"-(Trnavac);
- 221 Barlovo)-Junction "1"-Kursumlija;
- 222 Kursumlija-Kastrat;
- 223 Doljevac-Kastrat-Merdare Kosovo Polje;
- 224 Kosovo Polje-Metohija-Pec;
- 225 Kosovo Polje Teretna-Junc. "1"-(Drenica).

Local lines with associated line number are:

- 301 Subotica-Subotica Factory:
- 302 Subotica-Subotica Hospital;
- 303 Novi Sad (km 1+042)-Novi Sad stokehold;
- 304 (Podbara)-Junc. ,,3"-Junc. ,,2"-(Kac);
- 305 (Rimski Sancevi)-Junction "1"-Junction "3"-(Podbara);
- 306 Rimski Sancevi-Zabalj;
- 307 Vrbas-Sombor;
- 308 (Brasina)-Junc. Donja Borina-Zvornik Grad;
- 309 Pancevo Varos-Pancevo Vojlovica;
- 310 Junction track at the station Senta: (Coka)-Junction points 22-Junction points 23-(Orom);
- 311 Markovac-Svilajnac-Despotovac- (Resavica);
- 312 Metohiia-Prizren:
- 313 Vrsac Bela Crkva.

Shunting lines with associated line number are:

- 401 Vrsac-Vrsac Vasariste:
- 402 Kikinda-MSK(km 6+413):
- 403 Bogojevo-Dunavska Obala;
- 404 Paracin-Stari Popovac;
- 405 Surcin-Jakovo-Becmen;
- 406 Sid-Sr.Raca Nova-St.bord.-(Bijeljina);
- 407 Ovca-Padinska Skela;



408 Sonta – Apatin factory

Museum-tourist line with its associated number is:

501 Šargan Vitasi – Mokra Gora – State border (Višegrad).

Due to technical conditions, traffic on certain local and shunting lines is completely or partially suspended. More details can be found in Appendix 6.

The following ZS lines belong to main international railway lines according to AGC (European Agreement on Main International Railway Lines):

<u>Direction North – South</u>

E 771 Subotica-Bogojevo

E 79 Belgrade - Vrbnica

E 85 Subotica-Beograd-Nis-Presevo

Kraljevo-Djeneral Jankovic

Direction West - East

E 66 Belgrade-Vrsac

E 70 Sid-Belgrade-Nis-Dimitrovgrad

3.3.1.2 Track gauge

Track gauge along the network is 1435 mm, except for the museum-tourist line the "Shargan Eight", whose gauge is 760 mm.

3.3.1.3 Names of railway stations and nodes

Km-points and distances in km between particular stations, locations and railway nodes are given in Appendix 6 and Appendix 10.

3.3.2 The characteristics of the railway infrastructure

3.3.2.1 Loading gauge

Loading gauge (train gauge) is a limited space viewed as a cross section vertical to the track axis that may not be exceeded by any part of the rail vehicle, whether loaded or empty. The loading gauge registered for all IZS lines for international traffic is UIC GB, except for parts of the railway lines Valjevo – Kalenic and Grlica - Djeneral Jankovic, where the registered loading profile is UIC GA. These loading gauges are in line with the UIC Leaflet 506.

The loading gauge that applies to domestic traffic on IZS lines is JZ I. JZ I gauge is slightly larger than the UIC GA loading gauge and slightly smaller than UIC GB. The summary of loading gauges is presented in Appendices 3.1.-3.3.

IZS lines have not been coded for the combined transport gauges in accordance with UIC Leaflet 596-6. However, the measurements that were performed have shown that movements of wagons carrying combined transport load units - such as high cube containers (HCC), semi-trailers and entire road vehicles - are possible. Movements of such consignments are possible under special safety conditions in the exceptional transport regime.

For further information, please contact IZS:

JSC "Serbian Railways Infrastructure" Traffic Operations Department 6 Nemanjina St. 11000 Belgrade



Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 E-mail: sp@infrazs.rs

3.3.2.2 Admissible weights per axle and per linear metre

In accordance with UIC leaflet 700, depending on track capacity to bear loads by vehicles on the railway network, various weight limits are applicable and expressed in tonnes per axle and tonnes per linear metre.

The load by a railway vehicle per linear metre is the load of an unloaded or loaded railway vehicle divided by the length of the railway vehicle expressed in metres and measured between tops of uncompressed buffers.

Axle load of a railway vehicle is the load of an unloaded or loaded railway vehicle divided by the number of axles of the railway vehicle.

Lines were classified pursuant to what was stated above (Regulations on classification of railway lines No. 325, published in the Official Gazette of the Community of Yugoslav Railways (ZJZ) Nos. 7/89 and 9/90). The classification of IZS railway lines is shown in Table No. 4.

Table No 4: Classes of admissible loads on IZS network

A .1::1.1.	11.		Admissible loads per axle			
Admissible loads pe linear metre		per	A	В	C	D
			16 t	18 t	20 t	22,5 t
1	5,0 t/m		A	B1		
2	6,4 t/m			B2	C2	D2
3	7,2 t/m				C3	D3
4	8,0 t/m					D4

The overview of admissible loads in tonnes per axle and in tonnes per linear metre is presented in Appendix 6.

3.3.2.3 Characteristic line gradient and resistance

In order to determine required train braked weight, characteristic gradients for braking must be determined for each line or track section. Characteristic line gradient for braking means the value of its longitudinal gradient, on the basis of which braked weight percentages are determined, i.e. the required train braked weight on a certain line or track section. The steepest longitudinal gradient (rising or falling) on a specific line (or section), over the length of 1000 metres or more, is considered to be the characteristic gradient of that specific line or section. In determining characteristic gradient for braking, curve and tunnel related resistances are not taken into consideration.

The characteristic resistance of a line or one of its sections means the value of its specific resistance on gradients, in curves and tunnels, on the basis of which train weight i.e. locomotive hauled load is determined.

The overview of the characteristic gradients and characteristic resistances of particular lines is presented in Appendix 6.

3.3.2.4 Speeds

The maximum permissible speed with respect to line capacity is the maximum speed permitted on a line or line section with respect to the railway line superstructure and its structures (carrying capacity of the track, its lining and levelling, curve radius, points design, etc.), fixed electric traction installations and signalling devices on the line, and it may not exceed the lowest one of such speeds.



Restricted speeds are permanently prescribed lower speeds than maximum permissible speeds on the railway line along which traffic can be operated only over some of its parts owing to its technical condition, or the speeds permissible over the points area.

For further information on maximum permissible speeds with respect to line capacity, please refer to Appendix 6.

3.3.2.5 Maximum train lengths

The length of each train is determined during capacity allocation procedures and it is expressed in rounded metres. The maximum permissible length of a train operating on a line, for the purpose of its unobstructed acceptance and forming in railway stations, at passing points and other locations, is determined on the basis of the maximum permissible train length in certain stations, passing points and other service points along the given line and with respect to usable length of main lines.

Maximum permissible length of a train for station tracks is obtained by subtracting the length of 25 m to be taken up by the locomotive and spare 10 m to be taken up by the train from the usable track length expressed in metres and determined under the Instructions (Instructions on the technical standards and data for the preparation of timetable implementation, Official Gazette of ZJZ Nos. 9/89, 6/91, 8-9/91, 4/92, and 9/92).

Actual length of a train is obtained by totalling the lengths over uncompressed buffers of all vehicles included in the train, except for the locomotive hauling the train, whose length has been taken into account during determination of maximum permissible train length at a station. If a train has double heading, banking locomotive or intermediate-haul locomotive, their lengths must be taken into account when determining the train length.

The overview of distances between locations and maximum permitted train lengths relative to usable track lengths is presented in Appendix 6.

The provisions of paragraph 2 of this Article shall also apply to the length of the passenger train length. The passenger train can be longer than the length of the platforms and arranged areas in service point, and if the railway undertaking requires their engagement in such service points, in accordance with local and / or other specific circumstances, he must set and ensure the necessary safety measures for passengers.

Passenger train length is limited by platform length. The overview of platforms and arranged areas in locations is given in Appendix 8 and for further details, please contact IZS:

"Infrastructure of Serbian Railways" JSC Railway infrastructure access department 6 Nemanjina St. 11000 Belgrade Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

3.3.2.6 The power supply system

IZS ensures the transmission of required electric energy from the public power supply network of the Republic of Serbia via fixed installations of electric traction (substations) and the contact line for electric train traction. All electrified lines have the basic supply system, which is single-phase AC 25 kV 50 Hz system. The overview of electrified lines is presented in Appendix 3.4. The overview of power installations is presented in Appendix 3.5.

The power supply system voltage is U=25 kV, and its frequency is f=50Hz. The heights of the contact wire are Hkpmin=5000 mm, Hkpnom=5500 mm and Hkpmax=6000 mm. Staggering of the contact wire is p=±200 mm along the straight track, and p=300 mm in curves.



In the 25kV, 50 Hz power supply system, the use of pantograph (current collector) for electric motive power is permitted according to the General Contact Line Catalogue (type POS-III/E). The design of pantograph is shown in Figure No 1.

The basic parameters for the asymmetric pantograph used on IZS network, with double contact strip and pneumatic actuator, are in accordance with the provisions of UIC Leaflet 608 and are shown in Table No 5.




Figure No 1. – Dimensions of pantograph

Table No. 5: Pantograph parameters

Permissible width of horned slipper holder (mm)	Width of metal horns (mm)	Rated current (A)	Height of contact line (mm)	Minimum length of contact strip (mm)	Static force Fa (N	Maximum aerodynamic force Fa (N)	Maximum speed (km/h)	Type of contact strip
1600	1400	400	6200 5500 5000	800	60-90	70	160	graphite

3.3.3 The traffic control (regulation) and communication equipment and systems

Train traffic control, including the signalling system, regulation of train movements, acceptance and dispatching of trains, and communication related to train movements, is performed via signalling and interlocking devices and telecommunication devices.

The overviews of signalling and interlocking devices and telecommunication devices are presented in Appendices 3.6. and 3.7.

3.3.3.1 Signalling systems

Railway signals provide signals by means of which railway staff can mutually communicate in a fast and reliable way about train operation, shunting, permitted and forbidden runnings via a certain location, the track condition, the need for speed restriction, etc. Some signals are used for preserving of personal safety of railway staff and other persons.



Signalling Regulations (Regulations No. 1, published in the "Official Gazette of ZJZ" No. 4/96) are applicable regarding the use of signals and signal identification with corresponding amendments, corrections and interpretations.

There are eleven types of station track interlocking on the JSC "Serbian Railways Infrastructure" network, and they are presented in Appendix 6.

On IZS network, all main arterial routes are equipped with fully centralized electrical relay signalling & interlocking equipment, as follows:

- Belgrade-Nis-Presevo: Siemens SpDrS-64/JZ track circuit system
- Belgrade Resnik-Vrbnica: Siemens SpDrS-64/JZ axle counter system
- Belgrade-Sid: Siemens SpDrS-64/JZ track circuit system
- Indjija-Subotica: Westinghouse track circuit system

The main arterial routes Sid-Belgrade-Nis-Presevo and Belgrade-Vrbnica are included in the system of remote traffic control and supervision – remote control centre (manufactured by Westinghouse). There are three remote control centres - in Belgrade, Pozega and Nis. Based on this device 3 remote control centres were built in Bekgrade, Nis and Pozega with total of 140 controlled stations.

Dimitrovgrad Station (the railway line Nis-Dimitrovgrad-State border) is equipped with electronic signalling & interlocking device Simis-W with Iltis control & supervision system manufactured by Siemens.

Stations Belgrade Centre, Pancevo Glavna and Cuprija are equiped with electronic signalling & interlocking devices

Other lines are equipped with the above stated interlocking types, but there is no continuity as regards one system of interlocking.

3.3.3.2 Traffic control systems

The movement of trains running in opposite directions and consecutive train movements are controlled by requesting and giving the permission i.e. announcement of arrival and departure.

Consecutive trains can follow one another only in particular time intervals. For control of the trains following one another in particular time intervals, railway lines can be divided into:

- Block sections between stations when two neighbouring stations control the sequence of trains in the station interspace,
- Train-recording points when two neighbouring train-recording points or a station and a neighbouring train-recording point control the sequence of trains in announcement intervals,
- Block sections when the traffic of consecutive trains is controlled by automatic positioning of automatic block signals in the position of permitted or forbidden train ride.

In addition to space distance, in case of consecutive trains in train reporting and block intervals, there should be a time interval so as to avoid train stopping before automatic block signals due to different train journey times over block sections (time spacing).

On the railway lines of JSC "Serbian Railways Infrastructure" there are also interstation interlocking devices (MZ) which regulate train traffic at distances between stations, where an interstation track occupation is reported by means of axle counters.

There can only be one train in one block section on the same track and at the same time.

Train operation is regulated by movements inspectors who use the station signal boxes and along railway lines through remote control – by the remote control dispatcher from the central signal box, except at the



stations that are not included in the remote control system. The traffic of trains running in opposite directions and consecutive trains is regulated by movements inspectors at manned stations and along the railway lines included in the remote control system it is regulated by remote control dispatchers.

"Infrastructure of Serbian Railways" JSC uses "Flexi code 560" remote control system on its territory, manufactured by Westinghouse. It uses semiconductor technology and a code system, and controls instruction completeness at the stages of forwarding and acceptance. It was developed as a standard format and it consists of a remote control centre, which can control 32 stations on one railway line and of one or more lines for data transfer, as well as the remote control equipment at stations (satellites).

Based on this device, 3 remote control centres were constructed in Belgrade, Nis and Pozega, with 140 controlled stations.

The train control system is governed by the Traffic Regulations (Regulations No 2 published in the "Official Gazette of the Community of Yugoslav Railways (ZJZ)" No. 3/94) and Traffic Instructions (Instructions No. 40, published in the "Official Gazette of the Community of Yugoslav Railways (ZJZ)" No. 6/80-47), with all appurtenant amendments, corrections and interpretations.

The train control methodology is presented in Appendix 6.

3.3.3.3 Communication systems

In the course of traffic operations, communication is carried out via telecommunication devices – telephone and ground-train radio links. Communication via means that provide reliable and continuous registration of notifications (teleprinter, telephone or radio link with registration devices) is considered to be verifiable communication. The notifications related to the control of train movements (permissions and instructions given to train crew via telephone or ground-train radio links) are furnished exclusively via devices for verifiable communication.

The communication between movements inspectors, remote control centre dispatchers and drivers is carried out in Serbian language.

All notifications are given in the format and manner set forth in the Traffic Regulations (Regulations No 2), Regulations on domestic and international telegraph, telephone and radio-traffic (Regulations No 8), Traffic Instructions (Instructions No 40) and Regulation on records kept by the railway undertaking and the railway infrastructure manager ("Official Gazette of the RS"no.56/2019).

The overview of telecommunication links and installations is presented in Appendix 3.7.

IZS network uses analogue ground-train radio system (RDV) for transmission of specially coded voice information in the frequency range of 460 MHz and by using frequencies belonging to quadrifrequency groups according to UIC Leaflet 751-3. The system operates in full duplex (modes A and B), with selective calling option including automatic identification and making special calls (group, intervention).

There is a possibility of integrating into local radio networks (mode C) and automatic telephone exchange. The devices were manufactured by AEG (now EADS telecom) in the '70s and the '90s.

On the lines with a dispatcher control system, the train operating staff is connected with the remote control centre dispatchers via mobile RDV units, which represent mandatory driver's cab equipment.

3.3.3.4 Automatic train control system-ATC systems

For the time being, there is no automatic train control system on the railway lines of JSC "Serbian Railways Infrastructure".

Intermittent transmission AS device (automatic train control) with resonant frequencies of 1000Hz and 2000Hz, type Indusi (I 60), is used for the control of train movements. It is comprised of:



- track magnet (stationary trackside part of the device)
- transmission system (inductive link between the track magnet and locomotive auto-stop device), and
- locomotive part installed on the traction unit.

Track magnets are installed on the right-hand side of the track, in the direction of train movement.

Functioning and operating of AS devices have been stipulated under the Operator's Manual for inductive I-60 AS devices (Instructions No 425), Instructions for installation, testing and putting into operation and maintenance of the locomotive part of I-60 AS device (Instructions No 426), and Instructions for use, installation, testing and maintenance of trackside AS devices on the lines of Yugoslav Railways (Instructions No 427).

The overview of the lines equipped with AS device is presented in Appendix 3.6.

3.4 Traffic restrictions

3.4.1 Specialised Infrastructure

According to Directive 2001/14/EC Article 24, if there are appropriate alternative routes, Infrastructure Manager may, upon consulting interested parties, designate the specialised infrastructure for particular types of traffic. Such infrastructure will be deemed available for all types of traffic that are in accordance with the characteristics required for the traffic on such routes. This will not prevent the use of the same infrastructure for other types of traffic when capacities are available and when the rolling stock are in line with the technical characteristics necessary for traffic on that line.

There is no specialised infrastructure on the network operated by IZS in the above sense.

3.4.2 Environmental restrictions

Environmental restrictions, such as noise levels, are not currently applied on the network managed by IZS.

3.4.3 Dangerous goods

The transport of dangerous goods on the railway infrastructure operated by IZS is regulated by international and national regulations in the field of transport of dangerous goods in accordance with 2.7 - Transport of Dangerous Goods.

Locations for loading, unloading, transhipment of dangerous goods must meet the requirements prescribed by the regulations for load transfer points (Article 26 of ZOTOT). The stations (service points open to the acceptance and forwarding of goods) within the rail infrastructure do not meet this requirement, wherefore handling of dangerous goods in the station areas (service points) is not allowed.

Handling of certain types of dangerous goods () can be performed on special tracks under special conditions, i.e. on particular parts of the tracks in particular stations. The list of service points in which transhipment of dangerous goods can be performed is given in Appendix 3.8.b.

For further details, please contact IZS:

JSC "Serbian Railways Infrastructure"
Traffic Department
Central Operational Department
Main Dispatcher for Transport of Dangerous Goods
6 Nemanjina St
11000 Belgrade
Serbia



Tel.: +381 11 3619 288 e-mail: <u>rid1@srbrail.rs</u>.

In addition, handling of dangerous goods can be performed on handling points of the industrial sidings not owned by IZS. Appendix 3.8. contains the list of stations with appurtenant industrial sidings where it is possible to handle dangerous goods.

3.4.4 Tunnel restrictions

On the railway line Belgrade Centre –Pancevo Main Station - Vrsac- State border through tunnel «Vracar» i.e. on section junction Karadjordjev park – junction and stop Pancevo Bridge and through tunnel «connecting line» i.e. on the route junction Karadordev park- junction Dedinje trains with motive power, trains with deiesel traction, as well as vehicles with diesel set cannot be regularly dispached (energy-distribution wagon, reefers with generator station). Exceptions to this are diesel traction trains series 711 and auxiliary trains with diesel traction of infrastructure manager which urgenly refer to eleminate accidents occured and diesel motor track vehicles to eliminate obstacles that disable traffic, while respecting the limitations that interval of clearance and time between passing any two vehicles with diesel drive cannot be shorter than 30 minutes.

In other cases, the diesel motor vehicles of the infrastructure manager can perform traffic on the specified sections when the transport of trains for transport of passengers is not organized in the service point Vukov spomenik.

With the obligation to respect the restrictions regarding the drive of a vehicle, for the transport of freight trains containing a car with a RID marking (loaded or empty vehicles for transport of dangerous goods), the following conditions apply:

- on the part of railway line Pancevo Bridge–Rakovica and Pancevo Bridge Belgrade Centre trains can operate only in period whn traffic of passengers trains is not organized i.e. when the station is closed for passengers transport,
- on the part of railway line Pancevo Bridge –Rakovica and Belgrade Centre there can be only one train with coar marked RID i.e. does not let meeting of two freight trains if at least one is composed of car marked RID;
- during the operation of trains composed of car marked RID an additional technical inspection must be carried out, whick included checking bearing heat and enhanced visual control of loads (valve, clamps etc.) for the train which operaters in direction Pancevo Bridge Rakovica and Pancevo Bridge Belgrade Centre in Pancevo Glavna station, for trains operating in direction Rakovica –Pancevo Bridge or in Rakovica station or in Belgrade Marshalling yard (if it is performed in Belgrade Marshalling yard, there is no need to be performed in Rakovica station);
- obligation of railway undertaking upon perfomed additional technical inspection of trains in stations at stations Pancevo glavna, Rakovica, and Belgrade marshalling is to register clause in telegraph-telephone log (C-43) "The additional technical inspection of train was performed on date ___at_hours of train no____(signature of authorized representative of railway undertaking)", thereby to inform the train dispacher in proved way that technical inspection of train was completed before dispaching on the part of railway line Pancevo Bridge-Rakovica. In the event that railway undertaking does not have organized inspection service in stations Pancevo Main, Rakovica and Belgrade marshalling, and that technical inspection of trains composed of loaded or empty car marked RID, such train can not operate on the part of railway line Pancevo Bridge -Belgrade.

Freight trains, which have a loaded or empty car with the mark RID, must in no case operate in the direction of Belgrade Center - Pančevački Bridge.

3.4.5 Bridge restrictions

There are no bridge restrictions in terms of specifically defined requirements apart from those arising from the bridge structural parameters. Exceptionally, until the construction of the fifth longitudinal bridge girder into the construction of "Pancevo bridge" across Danube river, on the railway line Belgrade Centre –



Pancevo Main Station – Vrsac – State Border, between location on junction Pancevo bridge—Krnjaca bridge all assemblies of two freight trains are prohibited on "Pancevo bridge".

3.4.6 Restrictions in traffic organization and compiling of paths

For all freight trains running in the south-north and transit the part of railway infrastructure between station Velika Plana and node Belgrade, regulary routing is across the railway line (Belgrade)-Rakovica-Jajinci-M. Krsna-V. Plana and the compiling of paths in done in this way. Exceptionally this rule cannot be applied during the planned works on reconstruction of above-mentioned railway line.

For all freight trains running in the south-north and transit the part of railway infrastructure between node Belgrade and station Velika Plana, regularly routing is across the railway line (Belgrade)-Resnik-Mladenovac-V. Plana and the compiling of paths in done in this way.

3.5 Availability of the railway infrastructure

All railway lines operated by IZS are open to railway traffic from 0.00 h to 24.00, except for the lines on which the traffic due to technical condition is temporary impossible/ or with the Decision of the Government of the Republic of Serbia the consent for the suspension of public transport of passengers and goods on the part on the railway infrastructure was given ("Official Gazette of the RS"no.80/2016), and they are listed in Appendix 6. Service points are open for railway traffic permanently, as some of them may have limited operating hours envisaged for the effective staff of the traffic service, as stated in Appendix 6. Details about mentioned working time are published in the timetable material, and for more datils please contact:

"Infrastructure of Serbian Railways"JSC Traffic Department 6 Nemanjina Street, 11 000 Belgrade, Serbia

Tel/Fax: +381 11 3618 214 E mail: sektor.sp@infrazs.

Exceptionally, on the railway lines with limited hours of operation where mentioned staff is working in limited operating hours, train operations can take place outside the mentioned hours when trains have to operate via auxiliary routes due to the occurrence of an accident or incident. Appendix 3.9 contains an overview of auxiliary routes that may be used as alternative to regular ones. Certain lines that may be used as auxiliary routes can be of different class from the line class along the regular routes with respect to permitted loads per axle or m'.

A railway operator may also submit a request for train path allocation outside the operating hours of the line or railway service points, in which case such railway operator has to bear all the costs of entire traffic organization for longer operating hours of the line, i.e. service points.

If several railway operators are using longer operating hours, they will jointly bear the costs.

Infrastructure Manager is responsible for maintenance, overhaul and modernization of the infrastructure in order to provide appropriate service and safe performance of transport operations. In this respect, IZS plans regular maintenance of the lines that affect the availability of infrastructure, in the sense of closure of specific line sections for a specific time period or introduction of temporary train speed restrictions.

The infrastructure use restrictions required for regular infrastructure maintenance are part of the capacity allocation process and are published within the timetable documents, in the timetable booklets (KRVs).

IZS will issue for all railway operators a 3 months' prior notice of any planned longer works to be performed on the railway infrastructure and which could affect the transport operations and the timetable due to the speed restrictions, route changes, use of buses instead of trains for the carriage of passengers, etc.

The railway lines on the territory of Kosovo and Metohia are under interim supervision of UNMIK, according to the Temporary Agreement between ZTP Beograd and UNMIK Railways of 31/05/2002 (ref.



number 300/2002 - 153 of 31/05/2002), wherefore the path allocation requests for this territory will not be taken into consideration.

3.6 Services facilities

Services facility means a facility, including land, buildings and equipment, arranged in a particular manner, as a whole or partially, in order to enable provision and use of basic services provided in such facilities under the non-discriminatory and transparent conditions.

Services facilities are:

- 1) station buildings, i.e. a part of station buildings, in passenger stations, intended for railway passengers, and other facilities used in passenger traffic, including the travelling information displays and the appropriate ticketing points;
- 2) freight terminals;
- 3) marshalling yards and train formation tracks, including the shunting tracks;
- 4) tracks for storing intended for railway undertakings' vehicles using the allocated infrastructure capacity;
- 5) maintenance facilities, with the exception of maintenance facilities for high speed trains or other types of rolling stock requiring specific facilities where the works performed are not routine works performed as a part of daily activities and require withdrawal of vehicle from service;
- 6) other technical facilities, including the cleaning and washing facilities;
- 7) inland waterways port facilities connected to railway activities;
- 8) facilities for provision of assistance;
- 9) facilities for fuel storing and supplying for which the prices are presented separately.

3.6.1 The stations, passing points and stops for passenger arrival and departure

Appendix 6 contains an overview of locations where passengers may board/get off the train.

The stations along the narrow gauge lines are used for passenger service only.

3.6.2 Freight terminals

The term "freight terminals" on the railway network operated by Serbian Railways Infrastructure (IŽS), means all the railway service points used for freight operations where loading and unloading as well as transhipment operations are carried out.

The following types of terminals are distinguished: stations and transport forwarding, terminals for intermodal freight transport, port terminals.

Overview of services facilities for freight operations is presented in Appendix 6.

Combined transport on railway network can be performed at terminals for combined transport and at port terminals.

Table No 6: Stations connected to freight terminals

No	connected to the	for combined	Address of freight terminal for combined transport	Terminal operator
1.	Beograd Ranžirna (Belgrade Marshalling Yard)	**	Železnik, Lole Ribara	"ŽIT Beograd" d.o.o., Beograd, Železnik, Lole Ribara 2
2.	Beograd Donji Grad	Luka (Port) Beograd		"Luka Beograd" a.d., Beograd, Žorža Klemansoa 37



3.	Surčin	Nelt	Beograd, Dobanovci, Maršala Tita 206.	"Nelt Co" d.o.o., Beograd
	Novi Sad Ranžirna (Novi Sad Marshalling Yard)	Luka (Port) Novi Sad	Novi Sad, Carinska 1.	"Luka Novi Sad" a.d., Novi Sad, Carinska 1
5.	Pančevo Varoš	Luka (Port) Dunav	Pančevo, Luka Dunav 1.	"Luka Dunav Pančevo" a.d., Pančevo, Luka Dunav 1
6.	Smederevo	Luka (Port) Smederevo	Smederevo, Radinac b.b.	"Luka Dunav – Železara Smederevo" d.o.o., Smederevo, Radinac b.b.
7.	Prahovo Pristanište	Luka (Port) Prahovo	Prahovo, Radujevački put b.b.	"Luka Prahovo IHP Prahovo– Krajina" d.o.o., Prahovo, Radujevački put b.b.
8.	Senta	Luka (Port) Senta	Senta, Pristanišna 1.	"Luka Senta" a.d., Senta, Pristanišna 1
9.	Sremska Mitrovica	Luka (Port) Leget	Sremska Mitrovica, Jarački put 10.	"RTC Luka Leget" a.d., Sremska Mitrovica, Jarački put 10
10.	Šabac	Luka (Port) Zorka Šabac	Šabac, Narodnih heroja 1.	"Zorka transporti" d.o.o., Šabac, Narodnih heroja 1

3.6.3 Marshalling yards and train formation tracks including the shunting tracks

Freight trains forming yards

Freight train formation yards are places where trains may be split or joined and such stations are called marshalling and distribution yards. On IŽS network there are the following marshalling yards: Novi Sad Ranžirna, Beograd Ranžirna, Lapovo Ranžirna and Niš Ranžirna. Beside marshalling and distribution yards, train formation can be performed in other stations depending of available capacities of stations and planned volume of traffic.

Overview of distribution stations-section for freight trains operation

Distribution station	Distribution section	Comments
1	2	3
	Beograd Marshalling Yard - Novi Sad Marshalling Yard 1)	
	Beograd Marshalling Yard - Pančevo Main St.	
BEOGRAD	Beograd Marshalling Yard – Ruma	
MARSHALLING YARD	Beograd Marshalling Yard - Lapovo Marshalling Yard	
	Beograd Marshalling Yard – Požega	
	Beograd Marshalling Yard – Požarevac ²⁾	
	Beograd Marshalling Yard – Smederevo ³⁾	
	Bogojevo- Novi Sad Marshalling Yard	
BOGOJEVO	Bogojevo – Sombor	
	Bogojevo - Erdut (HŽI)	
BOR	Bor freight station – Požarevac	
FREIGHT STATION	Bor freight station – Zaječar	
	Bor freight station - Prahovo pristanište	
BIJELO POLJE (ŽICG)	B. Polje (ŽICG) - Vrbnica - Prijepolje freight station	



BRASINA	Brasina – Ruma	
	Brasina – Zvornik	for both directions
	Brasina - Zvornik Novi (ŽRS)	
VRŠAC	Vršac - Pančevo Main St.	
	Vršac - Stamora Moravita (CFR SA)	
DIMITROVGRAD	Dimitrovgrad - Niš Marshalling Yard	
ERDUT (HŽI)	Erdut (HŽI) – Bogojevo	
JIMBOLIA (CFR)	Jimbolia (CFR SA)- Kikinda	if applicable
ZAJEČAR	Zaječar - Niš Marshalling Yard 4)	
	Zaječar - Prahovo pristanište	
	Zaječar - Bor freight station	
ZVORNIK NOVI (ŽRS)	Zvornik Novi (ŽRS) – Brasina	
ZRENJANIN	Zrenjanin – Kikinda	
	Zrenjanin - Pančevo Main St.	
	Zrenjanin - Novi Sad Marshalling Yard	
IZELEDIA (MANZDE)	Zrenjanin – Senta	
KELEBIA (MAV ZRT) KIKINDA	Kelebia (MAV ZRT) - Subotica Kikinda – Zrenjanin	
KIKINDA	Kikinda – Zienjanin Kikinda – Senta	
	Kikinda - Jimbolia (CFR SA)	
KOSOVO POLJE	Traffic is temporarily regulated by	
FREIGHT STATION	UNMIK railways	
KRALJEVO	Kraljevo - Lapovo Marshalling Yard	
KKALJEVO	Kraljevo - Požega	
	Kraljevo – Stalać	
	Kraljevo – Rudnica	for both directions
	Lapovo Marshalling Yard - Beograd Marshalling Yard	
	Lapovo Marshalling Yard – Smederevo	
	Lapovo Marshalling Yard – Resavica	
LAPOVO	Lapovo Marshalling Yard - Niš Marshalling Yard	
MARSHALLING YARD	Lapovo Marshalling Yard - Kraljevo	
	Lapovo Marshalling Yard - Požarevac Lapovo Marshalling Yard - Ostružnica - (Ruma) ⁵⁾	
	Lapovo Marshalling Yard - Resnik-Pančevo Main St. 6)	
	Lapovo - Niš Marshalling Yard	for certain trains
LAPOVO	Lapovo - Ostružnica - (Ruma) ⁷⁾	Tor certain trains
	Lapovo - Resnik - (Pančevo Main St.) 8)	
	Niš Marshalling Yard - Dimitrovgrad	
	Niš Marshalling Yard – Zaječar ⁴⁾	
NIŠ	Niš Marshalling Yard – Preševo	
MARSHALLING YARD	Niš Marshalling Yard - Kuršumlija	for both directions
	Niš Marshalling Yard - Lapovo Marshalling Yard	
	Niš Marshalling Yard - Lapovo	for certain trains
	Novi Sad Marshalling Yard -Beograd Marshalling Yard ¹⁾	
NOVI SAD	Novi Sad Marshalling Yard – Ruma ⁹⁾ Novi Sad Marshalling Yard - Subotica freight station	
MARSHALLING YARD	Novi Sad Marshalling Yard - Bogojevo	
THE PROPERTY OF THE PROPERTY O	Novi Sad Marshalling Yard - Pančevo Main St.	
	Novi Sad Marshalling Yard - Zrenjanin	
	Novi Sad Marshalling Yard - Rimski Šančevi - Bečej	
PANČEVO	Pančevo Main St Beograd Marshalling Yard	
MAIN	Pančevo Main St. – Pančevo Vojlovica	
STATION	Pančevo Main St Novi Sad Marshalling Yard	
	Pančevo Main St Zrenjanin	



	Pančevo Main St. – Vršac		
	Pančevo Main St. – Visac Pančevo Main St Ruma ¹⁰⁾		
	Pančevo Main St Resnik - (Lapovo Marshalling Yard) 6)		
	Pančevo Main St Resnik - (Lapovo) 8)		
	Pančevo Main St Resnik - (Požega) 11)		
	Pančevo Main St Beograd Dunav	if applicable, for both directions	
PEĆ	Traffic is temporarily regulated by UNMIK railways		
POŽAREVAC	Požarevac –Bor freight station		
	Požarevac – Smederevo		
	Požarevac - Lapovo Marshalling Yard		
	Požarevac - Beograd Marshalling Yard ²⁾		
POŽEGA	Požega – Kraljevo		
	Požega - Prijepolje freight station		
	Požega - Beograd Marshalling Yard		
	Požega - Resnik - (Pančevo Main St.) 11)		
	Požega - Ostružnica - (Ruma) 12)		
PRAHOVO	Prahovo pristanište - Zaječar		
PRISTANIŠTE	Prahovo pristanište - Bor freight station		
PREŠEVO	Preševo - Niš Marshalling Yard		
	Preševo - Tabanovci (IŽRSM)		
PRIJEPOLJE	Prijepolje freight station - Požega		
FREIGHT STATION	Prijepolje freight station - Vrbnica - Bijelo Polje (ŽICG)		
PRIZREN	Traffic is temporarily regulated by		
	UNMIK railways		
	Resnik - Lapovo Marshalling Yard ⁶⁾		
RESNIK	Resnik - Lapovo 8)		
	Resnik - Pančevo Main St. 13)		
	Ruma - Pančevo Main St. 10)		
	Ruma - Ostružnica - Lapovo Marshalling Yard 5)		
	Ruma - Ostružnica - Lapovo ⁷⁾		
RUMA	Ruma - Beograd Marshalling Yard		
	Ruma - (Beograd Marshalling Yard) Ostružnica-Lapovo		
	Marshalling Yard 5) Russe Navi Sad Marshalling Yard 9)		
	Ruma – Novi Sad Marshalling Yard ⁹⁾ Ruma – Brasina		
	Ruma – Šid		
	Ruma – Šabac		
	Ruma - Ostružnica - (Požega) 12)		
ROSKE (MAV ZRT)	Rozske (MAV ZRT) - Horgoš - Subotica	if applicable	
SENTA	Senta - Subotica freight station ¹⁴⁾		
	Senta – Kikinda	for both directions	
	Senta – Zrenjanin		
SMEDEREVO	Smederevo - Lapovo Marshalling Yard		
	Smederevo - Požarevac		
	Smederevo - Beograd Marshalling Yard 3)		
SOMBOR	Sombor - Subotica freight station		
	Sombor – Bogojevo		
	Sombor - Vrbas	for both directions	
STALAĆ	Stalać - Kraljevo		



	Stalać - Kruševac	for both directions
SUBOTICA FREIGHT STATION	Subotica freight station - Novi Sad Marshalling Yard Subotica freight station - Sombor	
	Subotica freight station-Horgoš - Roszke (MAV Zrt)	if applicable
	Subotica freight station-Subotica-Kelebia (MAV Zrt)	
	Subotica freight station – Senta ¹⁴⁾	
STAMORA	Stamora Moravita (CFR SA) - Vršac	
MORAVITA (CFR SA)		
TABANOVCI (IŽRSM)	ANOVCI (IŽRSM) Tabanovci (IŽRSM) - Preševo	
TOVARNIK (HŽI) Tovarnik (HŽI) - Šid		
ÐENERAL	Traffic is temporarily regulated by	
JANKOVIĆ	UNMIK railways	
ŠABAC	Šabac - Ruma	
ŠID	Šid - Tovarnik (HŽI)	
	Šid - Ruma	

- 1) during permanent closure of part of the Stara Pazova Novi Sad, traffic of freight trains is organized by alternative transport way Beograd Marshalling Yard Pančevo Main st. Tomaševac Novi Sad Marshalling Yard
- 2) during permanent closure of part of the Jajinci Mala Krsna railway line, traffic of freight trains is organized by alternative transport way Beograd Marshalling Yard Mladenovac Velika Plana Mala Krsna Požarevac
- 3) during permanent closure of part of the Jajinci Mala Krsna railway line, traffic of freight trains is organized by alternative transport way Beograd Marshalling Yard Mladenovac Velika Plana Mala Krsna Smederevo
- 4) during permanent closure of part of the Crveni Krst Zaječar railway line, traffic of freight trains is organized by alternative transport way Zaječar Bor freight st. Požarevac Mala Krsna Velika Plana Niš Marshalling Yard
- 5) for trains in transit trough Belgrade Junction, that runs on Lapovo Marshalling Yard Ruma railway line
- 6) temporarily, during permanent closure of part of the Stara Pazova Novi Sad railway line, for freight trains in transit trough Belgrade Junction, that runs on Lapovo Marshalling Yard Pančevo Main st.
- 7) only for freight trains in transit trough Lapovo and Belgrade Junction, that runs on Lapovo Ruma railway line
- 8) temporarily, during permanent closure of part of the Stara Pazova Novi Sad railway line, for freight trains in transit trough Lapovo and Belgrade Junction, that runs on Lapovo Pančevo Main st. railway line
- 9) during permanent closure of part of the Indija Golubinci line, there is no organized traffic of freight trains
- 10) optionally, only for trains in transit trough Belgrade Junction, that runs on Pančevo Main st. Ruma railway line
- 11) temporarily, during permanent closure of part of the Stara Pazova Novi Sad railway line, for freight trains in transit trough Belgrade Junction, that runs on Pančevo Main st. Požega railway line
- 12) only for freight trains in transit trough Belgrade Junction, that runs on Požega Ruma railway line
- 13) temporarily, during permanent closure of part of the Stara Pazova Novi Sad railway line, for freight trains in transit trough Belgrade Junction, that runs on Požega Pančevo Main st., Lapovo Marshalling Yard Pančevo Main st. or Lapovo Pančevo Main st.
- 14) while the works are in progress, interval closures of the Subotica Senta railway line are being organized

Passenger trains forming yards

All railway stations on the railway network on which passenger transport operations are taking place can be passenger train formation yards. For detailed information on the passenger train formation yards please contact IŽS.

"Infrastructure of Serbian Railways" JSC Traffic Department 6 Nemanjina Street 11000 Belgrade, Serbia Tel.: +381 11 3618 214

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.sp@srbrail.rs



Overview of distribution stations-section for passengers trains operation

Distribution station	Distribution section	Comments
1	2	3
BEOGRAD CENTAR	Beograd Centar – Novi Sad ¹⁾	3
DEOGRAD CENTAR	Beograd Centar - Ruma	
	•	
	Beograd Centar – Pančevo Main st.	
	Beograd Centar - Požega	
	Beograd Centar - Lapovo	
	Beograd Centar – Lapovo –Niš ²⁾	
	Beograd Centar – Požarevac ³⁾	
BIJELO POLJE (ŽICG)	Bijelo Polje (ЖИЦГ) - Vrbnica -	
	Prijepolje freight station	
	Bogojevo - Sombor	
BOGOJEVO	Bogojevo - Novi Sad	
	Bogojevo - Erdut (HŽI)	
VRŠAC	Vršac - Pančevo Main st.	
	Vršac - Stamora Moravita (CFR SA)	
ERDUT (NŽI)	Erdut (NŽI) – Bogojevo	
DIMITROVGRAD	Dimitrovgrad – Niš	
JIMBOLIA (CFR SA)	Jimbolia (CFR SA) - Kikinda	if applicable
,	Zaječar – Niš ⁴⁾	•
ZAJEČAR	Zaječar - Prahovo pristanište	
	Zaječar – Požarevac	
ZVORNIK	Zvornik - Ruma	if applicable
ZVORVIK	Zrenjanin - Kikinda	пирричин
	Zrenjanin - Novi Sad	if applicable
ZRENJANIN	Zrenjanin - Pančevo Main st.	if applicable
	Zrenjanin - Fancevo Mani st. Zrenjanin - Senta	паррпсавіс
KELEBIA (MAV ZRT)	Kelebia (MAV) - Subotica	
RELEDIA (WAV ZRI)	· /	if amplicable
KIKINDA	Kikinda - Jimbolia (CFR)	if applicable
	Kikinda - Zrenjanin	
	Kikinda - Senta	
	Kraljevo - Kosovo Polje ⁵⁾	
KRALJEVO	Kraljevo - Lapovo	
	Kraljevo - Požega	
	Kraljevo - Stalać	
KURŠUMLIJA	Kuršumlija - Kosovo Polje ⁶⁾	
	Kuršumlija - Niš	
	Lapovo - Kraljevo	
	Lapovo - Niš	
LAPOVO	Lapovo - Beograd Centar	
	Lapovo - Smederevo	
	Lapovo - Resavica	if applicable for bot
		directions
	Niš - Lapovo	
	Niš - Lapovo - Beograd Centar ²⁾	
	Niš - Preševo	
NIŠ	Niš - Dimitrovgrad	
	Niš – Zaječar ⁴⁾	
	Niš - Kuršumlija	
	Niš - Niš Marshalling Yard 7)	
	Novi Sad – Beograd Centar ¹⁾	
	<u> </u>	1



NOVI SAD	Novi Sad - Subotica Novi Sad - Bogojevo Novi Sad - Vrbas Novi Sad - Zrenjanin Novi Sad - Pančevo Main st. Novi Sad - Ruma ⁸⁾	if applicable if applicable
PANČEVO MAIN STATION	Pančevo Main st Zrenjanin Pančevo Main st Vršac Pančevo Main st Pančevo Vojlov. Pančevo Main st Beograd Centar Pančevo Main st Novi Sad	for both directions if applicable
POŽAREVAC	Požarevac - Lapovo Požarevac - Smederevo Požarevac - Zaječar Požarevac - Beograd Centar ³⁾	
POŽEGA	Požega - Beograd Centar Požega - Kraljevo Požega - Prijepolje freight station Požega - Užice	for both directions
PRAHOVO PRISTANIŠTE PRIJEPOLJE FREIGHT	Prahovo pristanište - Zaječar Prijepolje freight station - Vrbnica - Bijelo Polje (ŽICG)	
STATION PREŠEVO	Prijepolje freight station - Požega Preševo - Niš Preševo - Tabanovci (IŽRSM)	
RUMA	Ruma - Šabac - Zvornik Ruma - Šid Ruma - Beograd Centar Ruma - Novi Sad ⁸⁾	
ROSZKE (MAV ZRT)	Roszke (MAV Zrt)-Horgoš- Subotica	if applicable
SENTA	Senta – Subotica ⁹⁾ Senta - Kikinda Senta - Zrenjanin	for both directions
SMEDEREVO	Smederevo - Lapovo Smederevo - Požarevac	
SOMBOR	Sombor - Subotica Sombor - Bogojevo Sombor - Vrbas	for both directions
STALAĆ	Stalać - Kraljevo Stalać - Jagodina	for both directions
STAMOR MORAVITA (CFR SA)	Stamora Moravita (CFR SA) - Vršac	
SUBOTICA	Subotica - Novi Sad Subotica - Senta ⁹⁾ Subotica - Sombor Subotica - Kelebia (MAV Zrt) Subotica - Horgoš - Roszke (MAV Zrt)	if applicable
TABANOVCI (IŽRSM)	Tabanovci (IŽRSM) - Preševo	
TOVARNIK (HŽI)	Tovarnik (HŽI) - Šid	
ŠABAC Šabac - Ruma		
ŠID 1) during permanent closure of part of	Šid - Ruma Šid – Tovarnik (HŽI) f the Stara Pazova – Novi Sad railway line that	

¹⁾ during permanent closure of part of the Stara Pazova – Novi Sad railway line there is no organized traffic of passenger trains

²⁾ for agency trains



- 3) during permanent closure of part of the Jajinci Mala Krsna railway line there is no organized traffic of passenger trains
- 4) during permanent closure of part of the Crveni Krst Zaječar railway line there is no organized traffic of passenger trains
- 5) to Zvečan, in both directiona
- 6) to Merdare, in both directions
- 7) for trains via station Crveni Krst or via Junction Most, in both directions
- 8) during permanent closure of the Stara Pazova Novi Sad railway line there is no organized traffic of passenger trains
- 9) during permanent closure of part of the Subotica Senta railway line there is no organized traffic of passenger trains

3.6.4 Storage sidings

IŽS network has the capacities for storing of rolling stock. Rolling stock storing services are provided by the IŽS.

Storing of standard passenger train sets is usually carried out in departure stations for passenger service, on the tracks designated for that specific purpose.

Storing of DMUs, EMUs and locomotives is carried out in all depots for accommodation and storing of rolling stock of "Serbia Cargo" JSC and "Serbia Voz" JSC.

Storing of freight wagons is carried out mainly on special storage sidings for surplus freight wagons at marshalling yards and some other major stations.

IŽS is not responsible for any damage, which can occur on the rolling stock, that is, on the goods which is located in the stored wagons.

3.6.5 Maintenance facilities

There are rolling stock maintenance facilities on IŽS network, but the maintenance services are not provided by "Serbian Railways Infrastructure" JSC. Appendix 3.10. contains the details on the rolling stock maintenance facilities.

3.6.6 Other technical facilities including the cleaning and washing facilities

Wagon scales

The list of stations in which are located wagon scales is given in the Table 7.

Table No. 7: Wagon scales

No.	Station	Carrying Capacity (t)	Length of weigh bridge (m)	NOTE:
1	Sid	100	20	Wagon scale is electronic.
2	Novi Sad Marshalling Yard	100	20	Wagon scale is electronic.
3	Pancevo main st.	100	20	Wagon scale is electronic.
4	Vrsac	100	20	Wagon scale is electronic.
5	Zrenjanin Factory	100	20	Wagon scale is mechanic.
6	Subotica Freight St.	100	20	Wagon scale is electronic.
7	Sombor	100	20	Wagon scale is mechanic.
8	Nis Marshalling Yard	100	20	Wagon scale is electronic.
9	Pozega	100	20	Wagon scale is electronic.
10	Cacak	80	15.5	Wagon scale is electronic.



11	Lapovo Marshalling St.	100	20	Wagon scale is electronic.
12	Belgrade Marshalling Yard	100	18	Wagon scale is electronic.
13	Dimitrovgrad	100	20	Wagon scale is electronic.

Fixed installations for brake control

Fixed installations for brake control are located at Beograd Marshalling Yard.

Cleaning and washing facilities

IŽS does not have special facilities for cleaning and washing of railway vehicles. The type, volume and place of cleaning of railway vehicles for passenger service are determined by the railway undertaking.

Other technical facilities

- Ramps for loading and unloading of the load

"Serbian Railways Infrastructure" JSC will enable usage of the ramps for loading and unloading of the load to all railway undertakings on the non-discriminatory way and upon their request. The need for usage of the ramps for loading and unloading of the load must be shown by the railway undertakings' in the capacity allocation procedure.

- Ramps for loading and unloading of the accompanied vehicles

Loading/ unloading ramps for transport of accompanied vehicles are located in stations Topcider, Novi Sad, Subotica and Nis. In case of traffic interruption and need for unloading or reloading of the accompanied vehicles on the railway line (Belgrade) - Resnik - Vrbnica - State border, in railway stations/stops Valjevo, Požega, Užice freight and Prijepolje freight, there are ramps for reloading. The need for usage of the ramps for loading and unloading of the accompanied vehicles must be shown by the railway undertakings in the capacity allocation procedure.

- Loading gauge

Loading gauges are present at the following stations on the network: Novi Sad Marshalling Yard, Vrsac, Cacak, Pozega, Dimitrovgrad, Josanicka Banja and Kragujevac.

On IZS network there are more stations with loading gauge which are not in function currently. The correction of the list of loading gauges will be done upon putting malfunction loading gauges into the functional condition.

- Crane portal in Aleksinac

Transfer station of territory of IZS is Aleksinac. Mobile portable crane PD 86 with capacity up to 32 t is used for transhipment.

3.6.7 Inland waterways port facilities connected to railway activities

The following ports are connected to public railway network:

- Port area Belgrade

Operator: Port of Belgrade, www.lukabeograd.com

- Port area Novi Sad

Operator: DP World AD Novi Sad, <u>www.lukanovisad.rs</u>

NIS AD Novi Sad, www.nis.eu

Port area Smederevo

Operator: HBIS GROUP Serbia Iron & Steel d.o.o. Beograd, www.hbisserbia.rs

TOMI TRADE d.o.o. Smederevo, www.tomitrade.co.rs

NIS AD Novi Sad, <u>www.nis.eu</u> Mitan Oil d.o.o, <u>mitanoil.rs</u>

- Port area Pančevo

Operator: Port "Dunav" AD Pančevo NIS AD Novi Sad, www.nis.eu



Granexport d.o.o.<u>www.granexport.rs</u> Special port d.o.o.

- Port area Prahovo

Operator: PD Elixir Prahovo, https://www.elixirprahovo.rs
NIS AD Novi Sad, www.nis.eu

- Port area Senta

Operator: Port Senta A.D., www.luka-senta.rs

- Port area Sremska Mitrovica

Operator: RTC Port Leget AD, https://www.leget.rs

- Port area Šabac

Operator: PD Elixir Zorka, https://www.elixirzorka.rs

Information on these ports operators can be found on their websites.

3.6.8 Facilities for provision of assistance

IŽS has on its disposal a mobile facility for provision of assistance – auxiliary train. Its use is enabled upon a special request. More detailed information are provided in para 5.3.8 of this document.

3.6.9 Refueling facilities

There are refueling facilities on IŽS network, and details about refueling facilities can be found in point 5.3.9.

3.7 Infrastructure development projects

Railway infrastructure, which is managed by IŽS, is constantly being renewed and modernized, in order to enable to the users the best possible service quality.

Development projects of the infrastructure are defined within Strategic plan of IŽS (Decision of the Assembly of Joint stock company for public railway infrastructure management "Infrastructure of Serbian Railways" JSC, Belgrade no. 5/2017-116-49 from June 29, 2017)", which is prepared on the base of the National program of the infrastructure ("The Official Gazette of RS", no. 53/17). Development of the railway infrastructure is directed towards the modernization of the lines which are part of the Pan-European corridor.

Possibility of the realization of the planned works depend upon the amount of the financial means, which are provided from the state budget of the Republic of Serbia and from the amount provided from the other sources of financing.

Appendix 3.11. contains a list of development projects.



4. PRINCIPLES, PRIORITIES AND CRITERIA FOR ALLOCATION OF INFRASTRUCTURE CAPACITY

4.1 Introduction

Pursuant to the Law on Railways and decision of the Government of the Republic of Serbia, "Infrastructure of Serbian Railways" JSC performs the activities of public railway infrastructure management, it is responsible for allocation of infrastructure capacities for the purposes of international and domestic transport in a transparent and non-discriminatory manner, provided that all legal provisions on the conditions for access and use of railway infrastructure set out in Chapter 2 of this Network Statement have been previously fulfilled.

4.2. Description of infrastructure capacity allocation procedure

The Infrastructure Manager normally allocates the train paths once a year, upon reconciling the train path allocation requests in the timetabling process, not exceeding the Timetable validity period.

Allocation of infrastructure capacities in the form of a train path is carried out in accordance with the procedures specified in this document for:

- infrastructure capacities allocation procedure for the new Timetable,
- infrastructure capacities allocation procedure during Timetable validity period (including train path allocation on ad hoc request).

A Railway Undertaking may not assign the allocated train path to another Railway Undertaking. Train path trading is prohibited. Train path user will pay a charge for the use of railway infrastructure and for railway traffic organization and control.

The Government of the Republic of Serbia sets out the Methodology for valuation of elements for determining the charges for the use of railway infrastructure. The Decree on methodology for valuation of elements for determining the charges for the use of railway infrastructure is published in the "Official Gazette of RS" No 122/14. For additional services, a train path user will pay a charge in accordance with the Infrastructure Manager's formal decision.

How to apply?

Request for infrastructure capacity allocation can be submitted by railway undertakings using the train path request form, which is available in Appendix 4.1, and published on IŽS website: www.infrazs.rs.

Requests are submitted according to procedures defined under section 4.3.

The request should contain the following data:

- Full registered name of the Railway Undertaking (TIN, company identification number),
- Train type (for passenger transport, freight, empty, locomotive, and similar),
- The desired time of train departure from the departure station and the time of train arrival to the terminal station,
- Traffic route and transport route,
- Necessary stops with minimum lengths of delays,
- Traffic period and days (traffic calendar),
- Series and number of wagons/series and number of train units,
- Train length and mass (length in meters, mass in tons),
- Type and serial number of the traction vehicle (traction passport),



- Additional locomotives (type and serial number) and on which section,
- Maximum train speed,
- Braking type,
- Special notes, such as vehicle shunting, change in train composition, implementation of connections, crew change, type of intermodal transport unit, type of dangerous goods (UN number, number for marking of danger or, for Class 1 dangerous goods, the subclass and compatibility group for substances and items, NHM code with minimum 6 digits and the name of dangerous goods based on RID), exceptional consignments, handover procedures on border crossings, technical hold ups (inspection, water supply, removing of waste and similar) and the required time period, the need for additional track capacities (storing, preheating/cooling, train formation and similar), the need for access to other facilities for provision of additional services and similar.

Upon the request of IŽS, a Railway Undertaking will be required to provide all the missing data within five working days, otherwise the request for capacity allocation will not be considered as submitted.

A request for capacity allocation submitted to IŽS on time and containing all the necessary elements makes a basis for timetabling and train path allocation. If a Railway Undertaking changes the request completely or partially after the determined deadlines for request submission it assumes the risk of not having the request granted.

After the annual timetable drafting process has been completed, the remaining available capacities will be allocated according to the deadlines defined in Appendix 4.3 according to the sequence of request submission.

Manner of capacity allocation

IŽS decides on capacity allocation taking into account all legally valid requests and legal provisions in force. In accordance with the Law on Railways, the procedures and deadlines in capacity allocation have been determined under point 4.3 of the present Network Statement.

Defining of procedures and deadlines in capacity allocation is harmonized with Directive 2012/34/EU and its appendices, RNE recommendations from "Procedures for International Path Requests" and Rulebook on time schedule for railway infrastructure capacity allocation ("Official Gazette of RS", No 140/14).

Relevant bodies involved in the capacity allocation process and their responsibility

Bodies participating in capacity allocation process:

- IŽS "Infrastructure of Serbian Railways" JSC as Infrastructure Manager and capacity allocation body
- Railway Undertakings railway undertakings submitting capacity allocation requests
- RNE RailNetEurope body coordinating the allocation of international train paths and determining processes and deadlines for submission of international train path requests
- FTE ForumTrainEurope European organization of railway undertakings representing the European Forum for technical planning of international passenger and freight transport.

IŽS, as Infrastructure Manager and capacity allocation body, is a member of RNE and is actively involved in the activities of FTE.

4.3 Schedule for path requests and allocation process

Each year IŽS prepares a schedule for path request submission and capacity allocation which is applied in the annual timetabling process and in the capacity allocation process outside the annual timetabling process published in the Network Statement.



Railway Undertakings allocation requests for the new Timetable and during Timetable validity period should be submitted in the form defined in Appendix 4.1, to the following address:

By mail, to the following address:
"Infrastructure of Serbian Railways" JSC
Department for access to railway infrastructure
6, Nemanjina St
11000 Belgrade, Serbia
By e-mail: sektor.pzi@srbrail.rs

4.3.1 Schedule of requests submission for new annual timetabling process

The Applicant (Railway Undertaking) submits a request for capacity allocation not later than 12 months before the new Timetable enters into force. Deadlines for requests submission regarding Timetable 2019/2020 which enters into force on December 15th 2019 with validity until December 12th 2020 are presented in Appendix 4.3.

4.3.2 Schedule of requests submission for train path allocation during annual Timetable validity period

For the needs of Railway Undertakings wishing to use additional capacities or to change parametres of already allocated train paths, the new capacity allocation during Timetable validity period is enabled by:

- Regular amendments of and supplements to the Timetable
- Special amendments of and supplements to the Timetable
- Train path allocation on ad hoc request

In the form defined by Articles 4.3.2.1 and 4.3.2.2 in this Network Statement.

4.3.2.1 Schedule of requests submission for train path allocation during annual Timetable validity period trough regular and special amendments of and supplements to the Timetable

During the Timetable validity period, there are regular amendments of and supplements to the Timetable 5 times a year, in accordance with internationally determined terms which are presented in Appendix 4.4. Deadlines for submission of requests for capacity allocation are presented in the column 1, Appendix 4.4.

Requests for regular amendments of and supplements to the Timetable that are submitted after deadlines specified in the column 1, Appendix 4.4, will be considered as special requests and shall be included in regular amendments of and supplements to only in case of existence of available infrastructure capacities and technical possibilities for their processing.

After the 5th regular amendments of and supplements to the 2019/2020 Timetable enter into force it will be only possible to submit ad hoc requests for capacity allocation.

Besides regular amendments of and supplements to the Timetable in accordance to the terms specified in the column 3, Appendix 4.4, Railway Undertakings may submit special request for infrastructure capacity allocation outside specified terms. If there is possibility for allocation of the requested capacities, consequent changes in the Timetable shall be considered as special amendments of and supplements to the Timetable.

4.3.2.2 Allocation of capacities during annual Timetable validity period on ad hoc request

Ad hoc requests for infrastructure capacity allocation are requests for allocation of single train path, which are submitted during annual Timetable validity period.

Infrastructure Manager is obliged to respond to ad hoc requests as soon as possible and not later than five working days upon receiving the request.



4.3.2.3 Transport of exceptional consignments

Deadline for submission of request for transport of exceptional consignments is not later than 15 days prior to service provision.

Depending on the type of exceptional consignment, request processing may require either a longer or shorter period for processing and for this reason railway undertakings should consult IŽS on the possibility of consignment transport and accordingly submit a request on time. Detailed information can be obtained at the below address. Deadline for capacity allocation will be as soon as possible. IŽS will decide whether it is possible to accept a certain transport and under which conditions.

Requests are submitted:

By mail:

"Infrastructure of Serbian Railways" JSC Traffic Department 6, Nemanjina St 11000 Belgrade, Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 E-mail: sektor.sp@srbrail.rs

4.4 Allocation process (of train path)

IŽS will allocate the infrastructure capacity if the applicant fulfils the conditions for capacity allocation set out in the Network Statement and if the infrastructure capacity allows such allocation. IŽS will act in such a manner so as not to favour any applicant.

The following criteria will be applied in the path allocation process:

- Volume of service;
- Utilization of railway infrastructure:
- Volume of additional services provided by the IM in connection with the transport provided on the path;
- Business reputation;
- Public service obligation; and
- Quality of performed transport service in the previous period.

After the final deadline for submission of requests for the annual timetabling has expired, IŽS will initiate the capacity allocation process in a transparent and non-discriminatory manner. Requests obtained after the final deadline for request submission will not be considered.

Requests for capacity allocation received after the annual timetable drafting cannot affect draft alteration, except with the consent of the Railway Undertaking to whom the capacity has been originally allocated.

Allocated capacity can be used upon conclusion of Access Contract between IŽS and the Railway Undertaking submitting a request for capacity allocation.

Allocated capacity cannot be transferred onto another Railway Undertaking in accordance with the Law on Railways.

4.4.1 Coordination process

Every year at the beginning of the new annual timetabling process, IŽS will conduct consultations with railway undertakings on their plans for the timetable which will come into force in not less than 11 months (x-11). In the course of these consultations, IŽS will inform railway undertakings on major maintenance works, overhaul and modernization of railway infrastructure.



The coordination process is run by IŽS – Department for access to railway infrastructure, which is preparing and publishing the annual Timetable and preparing of all required working materials.

Upon the expiry of the final deadline for submission of requests for capacity allocation for the annual Timetable, IŽS – Department for access to railway infrastructure will start the coordination process, together with railway undertakings for the purposes of solving conflicting requests and their better harmonization, aiming to fulfil the needs of users as much as possible in a non-discriminatory and transparent way.

Timetable planning includes reviewing all received requests, including all restrictions imposed by IŽS and the scheduled infrastructure maintenance plans.

If the number of requests for allocation of the same infrastructure capacity exceeds the permitted capacity of the particular railway line, IŽS apply priority rules from 4.4.3.

Following the completion of the coordination procedure, IŽS will deliver the draft timetable to railway undertakings. Together with railway undertakings IŽS will perform the final consultations concerning the draft timetable. Railway undertakings must state, in written form, whether they accept, partially or completely, that is, do not accept, the Timetable.

Deadline for making the statement is one month from the day of the draft submission, at the latest.

After the expiry of the deadline for making the statement, IŽS will define the Timetable according to the requests submitted on time and it will be deemed that the train paths have been allocated.

IŽS will subsequently allocate the remaining available capacities according to requests received after the final deadline, in the order of their receipt.

4.4.2 Dispute resolution

IŽS will initiate the dispute resolution process upon delivery of written complaints by railway undertakings, relating to complete or partial acceptance/non-acceptance of the proposed Timetable.

Complaints are to be addressed to IŽS:

- By mail, to the following address: "Infrastructure of Serbian Railways" JSC Department for access to railway infrastructure 6, Nemanjina St
- 11000 Belgrade, Serbia
- By e-mail: sektor.pzi@srbrail.rs

IŽS will evaluate all complaints and objections and conduct consultations with railway undertakings aiming to fulfil their requests.

If a mutual solution is not found, IŽS will determine the capacity and inform the railway undertakings of this. If after the request coordination it is still not possible to satisfy all the requests for capacity allocation, IŽS will be obliged to announce that the said line section is congested.

Railway undertakings can appeal to the Directorate for Railways with respect to IŽS decision.

A potential appeal of a Railway Undertaking cannot be the reason to delay the process of Timetable adoption and coming into force.

4.4.3 "Congested" Infrastructure

If in the coordination process IŽS is unable to adequately satisfy all railway undertaking requests due to capacity limitations, IŽS will declare the requested infrastructure capacity to be "congested".



In cases when IŽS declares infrastructure "congested", it will conduct an analysis of capacities on congested infrastructure and define limitations due to which it was not possible to satisfy capacity allocation requests as well as propose a plan to enhance the particular capacity.

Infrastructure capacity will not be considered congested if the infrastructure capacity cannot be allocated due to the execution of works on the infrastructure maintenance, modernization, construction and reconstruction.

If the number of requests for allocation of the same infrastructure capacity exceeds the permitted capacity of a specific railway line, and if congested infrastructure is declared regarding that line, i.e. the part of that line, IŽS will, in an effort to allocate the train paths, apply priority rules according to the following order:

- 1) BG: VOZ
- 2) passenger trains in international traffic
- 3) passenger trains in domestic traffic
- 4) international freight trains
- 5) other freight trains

Considering the above mentioned priorities, the train path allocation process will be carried out according to the following rules:

- Requests for train paths of regular trains have the priority over the requests for train paths of special trains and trains transporting exceptional consignments;
- Requests for train paths according to framework agreements have the priority over new requests;
- Requests for train paths for a longer time period of service have the priority over requests for train paths for a shorter time period;
- Requests for train paths for a longer route have the priority over train paths for a shorter route.

If a Railway Undertaking considers that its rights were withheld, it can appeal to the Directorate for Railways.

4.4.4. Impact of framework agreements

"Infrastructure of Serbian Railways" is currently not concluding framework agreements with interested applicants for allocation of infrastructure capacities.

4.5 Allocation of capacity for maintenance, including the allocation process

Allocation of infrastructure capacities for maintenance, renewal and modernization of railway infrastructure is an integral part of capacity allocation process. Aiming at maintaining a certain level of quality, safety and reliability of railway infrastructure, IŽS — Department for access to railway infrastructure will, during the timetabling process, reserve a part of infrastructure capacities for scheduled railway infrastructure maintenance, for specific time periods and specific line sections.

Periods reserved for scheduled railway infrastructure maintenance are published in the Timetable Booklet.

4.6 Cancellation rules / Non-usage of allocated train path

4.6.1 Non-usage of allocated train path

In cases when a Railway Undertaking is not using the allocated train path envisaged by the Timetable, IŽS will, depending upon the non-usage percentage, charge the reservation of train path, that is, IŽS will cancel the allocated train path.

IŽS is monitoring the realization of allocated train paths, in such a way that IŽS is calculating the train path utilization degree for all the allocated train paths.



The utilization degree is calculated by dividing the realized train path number of one train with the allocated train path number of the same train, and the result is shown in percentages.

The degree of utilization of allocated train paths is calculated monthly, for the calendar month.

IŽS reserves the right to cancel the allocated train path if a train path is utilized less than 25% of the monthly quota, that is, less than 50% of the monthly quota in case of congested infrastructure.

For the allocated train paths where the degree of utilization is less than the borderline degree of utilization, IŽS will charge the non-usage of the capacity.

The borderline degree of utilization, according to the type of the trains, is given in the below table 8.

Table No 8. Borderline degree of utilization

Train type	Borderline degree of utilization [%]
Passenger trains	80
Freight trains	40
Circuit-working and industrial trains	20
Locomotive and facultative trains	10

Facultative train is a train which uses the train path, allocated according to the annual request or extraordinary request for amendment of the Timetable, as necessary and in respect of which the borderline utilization degree is 10%.

Requests for train paths for all other trains will have priority over the request for train paths for facultative trains.

Infrastructure Manager will not grant facultative train paths on congested infrastructure.

In cases when the degree of utilization of the train path is below the borderline degree of utilization, the Infrastructure Manger will charge the full price of the train path for the used train paths, and for the non-used train paths, which represent the difference between the borderline degree of utilization and the degree of utilization of one train path, IM will charge for the reservation of the train path.

The charge for the reservation is 20% of the agreed train path price.

If the train path is not used in its entirety, as agreed in contract, the full price of the train path will be charged, according to the required elements.

4.6.2. Train path cancellation rules

A Railway Undertaking may cancel the allocated train path in the following deadlines:

- 30 days prior to service provision without charge,
- from 30 days up to 7 days prior to service provision with payment of 10% of the charge for the entire train path,
- less than 7 days prior to service provision with payment of the full charge for the entire train path.

Cancellation of allocated train path is done in writing, to the following address:



- By mail:

"Infrastructure of Serbian Railways" JSC

Department for access to the railway infrastructure

6, Nemanjina St

11000 Belgrade, Serbia

- By e-mail: sektor.pzi@srbrail.rs

A cancelled train path is also the one which has not been used by the Railway Undertaking and which had not been cancelled by the Railway Undertaking in the above mentioned manner. In such case, the full charge for the entire train path will be charged.

Cancelled train paths can be allocated to other railway undertakings by IŽS.

4.7. Exceptional transports and dangerous goods

4.7.1. Exceptional transports

Transport of exceptional consignments is transport in the course of which there is a deviation from at least one technical standard applied on the given infrastructure, such as for example, axle load, railway vehicle gauge, loading gauge and similar. Taking into account all the elements required for the transport of an exceptional consignment, IŽS will decide whether the requested infrastructure capacity will be allocated and under what conditions.

Allocation of capacities for the transport of exceptional consignments is carried out according to process described under 4.3.2.

In their request for capacity allocation, railway undertakings are required to list all the necessary information on the exceptional consignment which is being transported, regardless of whether it is a capacity allocation process for the annual Timetable or an ad hoc capacity allocation.

Further information can be obtained at the following address:

"Infrastructure of Serbian Railways" JSC Traffic Department 6, Nemanjina St 11000 Belgrade, Serbia

- by e-mail: sektor.sp@srbrail.rs

4.7.2. Dangerous goods transport

Dangerous goods transport on railway infrastructure operated by IŽS is regulated by international and national regulations in the field of dangerous goods transport, in accordance with point 2.7 of the Network Statement.

Based on clauses 1.4.2.2.5 and 1.4.3.6 of *RID* and Article 23, para 4, item 2) and Article 29 para 2 of the Law on Transport of Dangerous Goods, a Railway Undertaking is obliged to report every consignment of dangerous goods to railway Infrastructure Manager.

Reporting of dangerous goods transport can be done by phone: +381 11 3618 288 and in writing to the below address. The below address can be also used for more detailed information:

"Infrastructure of Serbian Railways" JSC 6, Nemanjina St, 11000 Belgrade Central Operations Unit Main dispatcher for dangerous goods transport

Tel.: +381 11 3618 288

E-mail: rid1@srbrail.rs; glavni.riddisp@srbrail.rs



For the purposes of safe transport of dangerous goods on IŽS network, a Railway Undertaking is obliged to:

- Report each transport of dangerous goods consignment in real time i.e. immediately before the commencement of transport or at acceptance from the successive carrier.
- Report completion of transport of dangerous goods consignment in real time i.e. at the moment of completion of transport after the completed handover of consignment to the consignee at the destination station or upon handover of consignment to successive carrier.

Railway Undertakings are responsible for obtaining appropriate consents regarding the safety of dangerous goods transport.

Pursuant to clauses 1.4.2.3.1 of *RID* and Article 24 para 2 item 1) of the Law on Transport of Dangerous Goods, the consignee of dangerous goods in railway transport is obliged not to postpone the acceptance of dangerous goods consignment which is resulting in the railway undertaking's obligation not to postpone the handover of dangerous goods consignment after having performed the transport service.

Railway Undertaking is obliged to, after having accepted the dangerous goods consignment for transport at the forwarding station, immediately start the process of transporting the said consignment without any additional delays at the station, except for traffic reasons, accident or incident etc. Phased collecting of wagons loaded with dangerous goods (and non-cleaned empty wagons which were previously loaded with dangerous goods) in the forwarding station for the purposes of subsequent dispatching is prohibited due to the safety in transport of dangerous goods. The process of transport of dangerous goods (acceptance of consignment for transport from the consignor, dispatching, transport and handover of consignment to the consignee) must be performed in accordance with the technologically specified time in order to avoid the potential safety risks in transport.

After the customs clearing of consignment, it is exceptionally permitted for the consignment to remain on station sidings but only for a time period which is necessary to organize the dispatching and continuing of planned transport route, or handover to the consignee in accordance with the specified technological process for station operation i.e. Station Regulations, Part II.

Obligation to announce the transport of dangerous goods Class 1 and Class 7

Exceptionally in transport of dangerous goods Class 1 and Class 7, a Railway Undertaking is obliged to submit to the Infrastructure Manager, in writing (Central Operational Unit – Main dispatcher for transport of dangerous goods) an announcement for the said transport in the time period which is not less than 24 hours prior to the moment of acceptance for transport (entry onto IŽS network). Railway Undertaking may send the announcement of transport also in the form of an email with scanned documents to the following address: rid1@srbrail.rs.

The announcement should contain the following data and attachments:

- 1. Consignor
- 2. Forwarding station and country
- 3. Consignee
- 4. Destination station and country
- 5. Entry border station
- 6. Exit border station
- 7. Net quantity of dangerous goods and wagon number in the train loaded with dangerous goods
- 8. Name of goods (official name of the goods)
- 9. UN number, number for marking of danger (all, if there are several)
- 10. Data on persons hired according to the Decision of the Ministry of the Interior of the Republic of Serbia in the capacity of armed company (first and last name, ID document number, etc., from the Decision issued by the Ministry of the Interior of RS)
- 11. Buffer wagon
- 12. Number of the decision on transport and name of issuing state authority.

The announcement should also contain two appendices:



- Photocopy of the Decision on transport issued by a relevant state authority, and
- For Class 1 dangerous goods: Instructions on special safety measures (MSDS lists) from the manufacturer of Class 1 dangerous goods;
- For Class 7: instructions on measures that the Railway Undertaking should take in transport, restrictions and required data on planned transport route as well as measures in case of danger that are adequate in relation to the consignment in accordance with RID 5.4.1.2.5.2.

Permit for transport of Class 1 dangerous goods is issued by the ministry responsible for the interior affairs, and permit for transport of Class 7 dangerous goods is issued by the authority responsible for protection against ionizing radiation and nuclear safety in the Republic of Serbia (Article 7 of the Law on Transport of Dangerous Goods). The announcement of transport should also contain the basic data on the Railway Undertaking and the transport organizer if case of irregularities or emergency events in transport of dangerous goods. In terms of data it is mandatory to specify the first name, last name and mobile phone number of the person (employed with the Railway Undertaking and/or transport organizer) who is always available during the transport.

Allocation of capacities for transport of dangerous goods is performed according to the process defined under 4.3.

4.8. Special measures to be taken in the event of disturbance

In case of traffic disturbances, IŽS, together with Railway Undertakings, will undertake all necessary measures to restore normal operating conditions as soon as possible.

Traffic disturbance will mean congesting of some parts of the network or stations that may occur as a consequence of disturbances occurring in traffic due to any reason.

4.8.1. Principles

In order to solve the traffic disturbances, IŽS will undertake appropriate measures to restore the planned Timetable, while taking into consideration the needs of passengers and users of freight traffic, as well as traffic safety. Aiming to solve the traffic disturbances, IŽS may apply operation rules under 4.8.2., cancel some trains or assign another train path in agreement with a Railway Undertaking, depending on the type of disturbance and expected duration.

In case a longer traffic disruption is expected, IŽS will, in agreement with railway undertakings, prepare an interim timetable for the period until regular operation is restored. IŽS may seek railway undertakings' assistance with the aim of normalizing the traffic operating conditions, even when such railway undertakings are not directly causing the disturbances, which may include using their rolling stock and personnel in order to normalize the traffic.

4.8.2. Operational regulation

For the purposes of restoring the normal traffic flow, the operational rules for railway traffic management will apply as set out in the Law on Safety in Railway Traffic, Traffic Regulations (2) and other internal documents of IŽS.

In case of delays and premature train dispatches, the rule applies that lower-ranking trains may not interfere with movements of higher-ranking trains. A lower-ranking train can be given the priority only if in such a way increase in delays is avoided and the higher-ranking train can make up for the delay on its further route. With same rank trains, priority is given to that train whereof delay might cause it to lose connections in connecting stations. If the connections are not in question, priority is given to that train which has a longer route to its destination station, i.e. which is running on time. Necessary measures to be taken in case of accidents and incidents are defined in the Law on Safety in Railway Traffic, by the Regulations on investigating, recording, statistical monitoring and publishing of data on accidents and incidents ("Official Gazette of RS" No 4/16), Instructions on procedures in case of accidents and incidents and incidents and incidents and incidents and incidents in the area of "Infrastructure of Serbian Railways" JSC



("Official Gazette of ŽS" 52/18). Trains which are taking part in rectifying the disturbances caused as a result of accidents and incidents have the priority (ranking) over all other trains.

4.8.3. Foreseen problems

Necessary measures to be undertaken in cases of foreseen problems such as: technical disturbances of signalling & safety and telecommunication devices, strong wind, natural disasters, snow etc., are governed by Traffic Regulations (2) and other regulations governing the above mentioned.

4.8.4. Unforeseen problems

In very urgent cases, when railway infrastructure is temporarily rendered unavailable for use, IŽS may, without prior notice, cancel train paths for the time period necessary to put the system back in working order. IŽS will notify all interested parties of the resulting situation.

4.9. Allocation of capacity for service facilities

Railway Undertakings can submit requests to "Infrastructure of Serbian Railways" JSC for the use of only those facilities that are operated by IŽS on ownership basis.

Railway Undertakings can submit requests for the use of services facilities as follows:

- within requests for the train path;
- with special written request addressed to:

"Infrastructure of Serbian Railways" JSC
Department for access to the railway infrastructure
6 Nemanjina St
11000 Belgrade, Serbia
By e-mail: sektor.pzi@srbrail.rs

Requests for the use of facilities not operated by IŽS are to be submitted to legal persons who are the owners of such facilities.



5. TYPES OF SERVICES

5.1 Introduction

Serbian legislation defined four types of services which railway undertakings can use with the aim of performing of transport operations on the allocated infrastructure capacity.

Categories of services offered by "Infrastructure of Serbian Railways" JSC to railway undertakings on the network are in line with the provisions of the Law on Railways and defined by the following documents:

- Decision on establishing of Joint Stock Company for Public Railway Infrastructure Management ("Official Gazette of RS" No 60/2015);
- Rulebook on organization and systematization of jobs at Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways";
- Methodology for valuation of elements for determining the charges for the use of railway infrastructure ("Official Gazette of RS" No 122/14).

The services that can be provided to railway undertakings are the following ones:

- 1. Minimum access package of services (hereinafter: the minimum package of services);
- 2. Basic services in services facilities including the access tracks to such facilities;
- 3. Additional services; and
- 4. Ancillary services.

Until the Government determines the Methodology for determining the price for access and the price for services and, based on it, the specific rules for calculation of the price for access and the price for services provided by the Infrastructure Manager, "Infrastructure of Serbian Railways" will apply the valid Methodology for valuation of elements for determining the charges for the use of railway infrastructure ("Official Gazette of RS" No 122/14), and according to this Methodology, where necessary, classification to the following service categories:

- category I: minimum package of services
- category IIa: package for track access to service facilities
- category IIb: package for provision of services in service facilities
- category III: package for additional services
- category IV: package for ancillary services

IM – "Infrastructure of Serbian Railways" JSC will enable all interested railway undertakings to use the minimum access package of services and track access to services facilities, in a non-discriminatory manner, provided that railway undertakings have fulfilled the requirements for rail transport service in accordance with the provisions of the Law on Railways and the signed Contract for the use of railway infrastructure. Railway Undertaking's requests for the use of facilities and services provided in such facilities may be rejected only if there are realistic alternatives under market conditions. According to the nature of distinction and type of activity, the former notion of service facility can be aligned with the notion of services facility in the entire text.

The use of all services facilities, additional and ancillary services provided by the IM – "Infrastructure of Serbian Railways" JSC - will be enabled to all railway undertakings in a non-discriminatory manner and upon their request, and will be defined in a separate contract.

The use of services facilities not owned by the IM – "Infrastructure of Serbian Railways" JSC, as well as additional and ancillary services not provided by the IM – "Infrastructure of Serbian Railways" JSC, is subject to separate contracts with managers of the said facilities and service providers.

Based on the volume of services provided, as defined in items 5.2 to 5.5, Railway Undertaking pays a price for access and a price for the provided service to:



- "Infrastructure of Serbian Railways" JSC based on the Contract for the use of railway infrastructure and separate contracts;
- "Srbija Voz" JSC based on separate contracts;
- "Srbija Kargo" JSC based on separate contracts;
- Other service providers based on separate contracts.

5.2 Minimum package of services

Within the minimum package of services for the use of railway infrastructure, IŽS provides the following services:

- Handling of requests for capacity allocation;
- Right to use the allocated capacity;
- Use of infrastructure on the main running track (turnouts, tracks, railway nodes and lines),
- Train control including signalling, regulation of train movements, acceptance and dispatching of trains and communication regarding the train operations and provision of information on train movements;
- Use of electrical supply equipment, where available;
- Provision of all other information to implement or operate the service for which the capacity has been granted.

The access price includes the minimum access package of services. Railway Undertaking will pay an access price to "Infrastructure of Serbian Railways" JSC based on the Contract for the use of public railway infrastructure. The calculation method and the level of prices for the minimum package of services are presented in Chapter 6 of this document.

5.2.1. Handling of requests for infrastructure capacity

Handling of requests for infrastructure capacity allocation is a part of the capacity allocation process described in Chapter 4. Principles, priorities and criteria for allocation of infrastructure capacity. Requests for infrastructure capacity allocation which have been submitted by railway undertakings are processed in mutual cooperation with railway undertakings, implementation possibilities are examined, contradictions resolved and the train path offer is prepared, which ultimately results in a Timetable.

5.2.2. Right to use the allocated capacity

Provided that all necessary prerequisites for the train operation are in line with valid legal provisions on conditions for access to and use of railway infrastructure specified in Chapter 2 of the present Network Statement, the applicable legislation and the signed Contract for the use of railway infrastructure, Railway Undertaking is entitled to use the allocated capacity in the form of a train path.

5.2.3. Use of infrastructure on main running track (turnouts, tracks, railway nodes and lines)

Use of infrastructure on main running track (turnouts, tracks, railway nodes and lines) on the allocated capacity enables the Railway Undertaking to perform train operations.

5.2.4. Train control including signalling, regulation of train movements, acceptance and dispatching of trains and communication regarding the train operations and provision of information on train movements

Overall train traffic management, including signalling, train movement regulation, acceptance and dispatching of trains, communication regarding the train operations and provision of information on train movements using the telecommunication devices enables railway undertakings to perform train operations on the allocated train path.



5.2.5 Use of electrical supply equipment

On its electrified railway lines IŽS enables a Railway Undertaking to use the electrical supply equipment for traction (without electricity).

5.2.6. All other information to implement or operate the service for which the capacity has been granted

After the Timetable has been adopted and published, railway undertakings will be provided with all additional information required for the train operations within the minimum access package of services.

5.3 Access to services facilities and provision of basic services

Services facilities for provision of basic services include:

- 1) Station buildings, i.e. the part of station buildings and other facilities used for passenger traffic including travel information displays and adequate location for ticketing services;
- 2) Freight terminals;
- 3) Marshalling yards and train formation tracks including the shunting tracks;
- 4) Storage sidings intended for the rolling stock of railway undertakings used on the allocated infrastructure capacity;
- 5) Maintenance facilities, except for maintenance facilities dedicated to high speed trains or other types of rolling stock requiring specific facilities where the works performed are not a routine daily maintenance and require the vehicle to be withdrawn from service;
- 6) Other technical facilities including cleaning and washing facilities;
- 7) Inland port facilities which are connected to railway activities;
- 8) Relief facilities:
- 9) Facilities for storing and refueling in respect of which the prices are quoted separately.

IŽS will enable all the railway undertakings with minimum access package of services to have track access to all the above mentioned services facilities in a non-discriminatory manner and upon their request, provided that railway undertakings have previously entered into a contract on the use of these facilities with facility managers and service providers.

IŽS will enable all railway undertakings, which have been granted the minimum access package of services for the use of infrastructure, to use all the services facilities managed by it in a non-discriminatory manner and upon their request.

In order to use the above mentioned services facilities railway undertakings will conclude a contract with "Infrastructure of Serbian Railways" JSC and "Srbija Kargo" JSC, i.e. with the provider of the service in question.

Railway undertakings have to state the need to have track access to service facilities and to use them during the capacity allocation procedure, please refer to Chapter 4.

For the service of track access to service facilities, Railway Undertaking will be obliged to pay a charge to the IŽS based on the Contract for the use of infrastructure. The methodology for calculation as well as the level of the charge for such services are described in Chapter 6 of this document.

5.3.1 Use of services facilities

5.3.1.1 Basic service - use of station buildings for passenger traffic

"Infrastructure of Serbian Railways" will enable the use of station buildings, i.e. the part of station buildings, in passenger stations in the areas intended for railway passengers and of other facilities used for passenger traffic, including the travel information display and adequate location for ticketing services to all railway undertakings in a non-discriminatory manner and upon their request.



The use of parts of service points (station buildings, stops) and other facilities required for acceptance and dispatching of passengers also includes use of platforms and other surfaces required for access of passengers in them, as well as other areas enabling passenger movements between public road surfaces and the train.

The use of travel information displays includes the use of all existing visual information facilities already installed in individual stations.

Upon request of a Railway Undertaking IŽS will, where possible, provide a suitable area for the ticketing services.

5.3.1.2 Basic services in freight terminals

IŽS does not operate nor provide services in any freight terminal within the meaning of its definition of an arranged and organized area where the receiving, storage, preparation, transhipment and dispatching of various types of goods is carried out. The freight terminal service providers within this meaning are listed in paragraph 3 and paragraph 8 of point 3.7 of this document.

IŽS does not have the information on the services facility which, according to Article 18 of the Law on Railways, the freight terminal operator is obliged to publish and for more detailed information on the services provided by the freight terminal operator or the service provider, the following entities should be contacted:

1) Železnički integralni transport Beograd - ŽIT BEOGRAD d.o.o.

Addresses: Beograd Ranžirna (Belgrade Marshalling Yard), Lole Ribara 2 Železnik, Belgrade and Hajduk Velikov Venac 4/1

11000 Belgrade, Serbia

Tel: +381 (0)11 361- 6844, +381 (0)11 361 - 6842, +381 (0)64 810-6640.

2) "Nelt Co." d.o.o. Beograd

Addressa: Maršala Tita 2016, 11272 Dobanovci, Belgrade Tel: +381 (0)11 3779-143, office@nelt.com, www.neltlsp.com

IŽS however provides the use of service points open for freight traffic, in accordance with Appendix 6 of this document, for loading, unloading and transhipment to all railway undertakings in a non-discriminatory manner and upon their request.

5.3.1.3 Basic service in marshalling yards and train formation tracks, including shunting tracks

"Infrastructure of Serbian Railways" will enable all railway undertakings to use the marshalling yards and train formation tracks, including shunting tracks, in a non-discriminatory manner and upon their request.

Their use means the use of track capacities and turnouts, including the signalling and interlocking equipment, as well as the use of catenary (when required) and any other special facilities according to local conditions.

IŽS provides the services of its shunting staff if such service is included in the special contract between IŽS and Railway Undertaking. The type and prices of services are defined in point 6.3.2.1.

The stations/yards providing the shunting services are: Novi Sad Ranžirna, Ruma, Beograd Ranžirna, Pančevo Glavna, Mala Krsna, Radinac and Nis Ranžirna. The shunting operations in these stations can be performed by IŽS shunting staff.

5.3.1.4 Basic service - storage sidings for rolling stock

"Infrastructure of Serbian Railways" provides the service of stabling of rolling stock to all interested railway undertakings which require stabling of rolling stock, in a non-discriminatory manner and upon their request, and to the extent permitted by the infrastructure capacities.



5.3.1.5 Basic service in maintenance facilities

Maintenance facilities, except for maintenance facilities dedicated to high speed trains or other types of rolling stock requiring specific facilities where the works performed are not a routine daily maintenance and require the vehicle to be withdrawn from service, exist on IŽS network but the basic maintenance service in such facilities is not provided by "Infrastructure of Serbian Railways" JSC. Information on facilities for rolling stock maintenance are provided in Appendix 3.10.

5.3.1.6 Basic services in other technical facilities including the cleaning and washing facilities

Other technical facilities are listed in point 3.6.6

"Infrastructure of Serbian Railways" provides the following basic services at technical facilities to railway undertakings in a non-discriminatory manner and upon their request:

- Use of wagon scales in stations, where available, according to table 5 of this document;
- Fixed facilities for test braking in station Beograd Ranžirna (Belgrade Marshalling Yard);
- Use of freight loading/unloading ramp;
- Use of ramp for loading and unloading of accompanied cars;
- Use of loading clearance;
- Use of portal crane in Aleksinac station;

The need for using the basic services listed in bullets 1, 3, 4 and 5 must be presented by railway undertakings in the capacity allocation process, whereas the need for other services can be presented in a separate request.

More detailed information on provision of the above stated basic services can be obtained at:

"Infrastructure of Serbian Railways" JSC

Traffic Department

6, Nemanjina St

11000 Belgrade, Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814

E-mail: sektor.sp@srbrail.rs

"Infrastructure of Serbian Railways" does not have the special facilities and does not provide the services of rolling stock cleaning and washing.

5.3.1.7 Basic services in inland port facilities connected to railway activities

Section 3.7 of this document lists inland ports that are connected to railway activities.

Detailed information on the services provided in these service facilities can be found on the website of the port operators. Information on the service facility managed by Special Port is given in Annex 3.10.a.

5.3.1.8 Basic services – relief services

IŽS has on its disposal a mobile relief facility – auxiliary train. The services of auxiliary train in cases of remedying the consequences of accidents or incidents are provided by IŽS, using its auxiliary trains and staff. In order to use the auxiliary train services, Railway Undertaking must address IŽS in writing:

Center for auxiliary train activities

6, Nemanjina St

11 000 Belgrade, Serbia

Tel: +381 11 3620 899 Fax: +381 11 3620 899

Email: direktor.tkp@infrazs.rs



5.3.1.9 Basic services at fuel storage and refuelling facilities

"Infrastructure of Serbian Railways" JSC is providing the services of fuel storing and issuing for refuelling of traction vehicles of all railway undertakings.

This relates to refuelling facilities at service points – stations and depots:

Pancevo main St., Lapovo, Kraljevo, Požarevac, Požega, Sombor, Kikinda, Belgrade Marshalling Yard, Crveni Krst, Ruma, Novi Sad teretna – ložionica, Zaječar, Zrenjanin, Vršac and Subotica.

Detailed information on the services of fuel storing and issuing for refuelling of traction vehicles are available at:

Department for Procurement and Central Warehousing 6, Nemanjina St 11 000 Belgrade, Serbia Tel: +381 11 3618 437 Email: nabavke.infra@srbrail.rs

5.3.2 Provision of basic services in services facilities

5.3.2.1 Shunting

Stations providing the shunting services are: Novi Sad Marshalling Yard, Ruma, Belgrade Marshalling Yard, Pancevo main St., Mala Krsna, Radinac and Niš Marshalling Yard. In the above stations shunting can be performed by IŽS shunting staff.

IŽS is providing the services of provision of shunting staff if this is envisaged by virtue of a special contract between IŽS and railway undertaking. The type and price of services are defined in item 6.3.3.1.

5.3.2.2 Other basic services

IŽS is providing other basic services if required by the railway undertaking and subject to a special contract. Other basic services that can be provided are:

• manning of facilities

Charging method and prices are provided in item 6.3.3.2.

5.4 Additional services

Additional services include:

- Supply of electricity for train traction;
- Preheating of the passenger trains, water supply, etc.;
- Modified contracts for the service:
 - (1) control of transport of dangerous goods,
 - (2) assistance in transport of special trains (exceptional consignments).

Use of the above mentioned services provided by IŽS will be enabled to all railway undertakings that have been allocated a minimum access package of services, in a non-discriminatory manner and upon their request.

Railway undertakings must present the request for the use of additional services in the capacity allocation process, please refer to Chapter 4.



In order to be able to use the above services a Railway Undertaking is obliged to conclude a separate contract with IŽS or with another service provider and pay the charge for provided service in accordance with the provisions of such contract.

More detailed information on provision of additional services can be obtained from IŽS.

"Infrastructure of Serbian Railways" JSC
Department for access to the railway infrastructure
6 Nemanjina St
11000 Belgrade, Serbia
Tel: +381 11 3618 214
Fax: +381 11 3616 814
sektor.pzi@srbrail.rs

5.4.1 Supply of electricity for traction

Methodology for charging of electricity for train traction is presented in Appendix 9.

For the service of supply of electricity for traction please refer to: Electrical Engineering Department 6, Nemanjina St 11000 Belgrade, Serbia Tel: +381 11 3618 241 Fax: +381 11 3618 130

5.4.2 Preheating of the passenger trains, water supply etc.

On IŽS network there is a device for preheating of passenger trains installed in Subotica station. Mandatory preheating operations include inspection of HV connecting devices prior to connecting to HV, turning on/off of high voltage connecting cable into the high voltage connecting box of passenger coach and connecting of HV to a fixed facility (or train locomotive), turning on of preheating and checking of electrical heating command and checking of train heating.

"Infrastructure of Serbian Railways" JSC is not providing services of preheating of passenger trains, water supply etc.

More information regarding the preheating of passenger trains are available at"

"Srbija Voz" a.d.
6, Nemanjina St.
11 000 Belgrade, Serbia
Tel: +381 11 3614 811
Fax: +381 11 3614 811
Email: putnik.info@srbvoz.rs

direktor.etp@infrazs.rs

5.4.3. Services for transport of exceptional consignments and dangerous goods

5.4.3.1 Services for transport of exceptional consignments

IŽS provides the service of transport of exceptional consignments (vehicles or items) according to the provisions for transport of exceptional consignments prescribed under the Regulations on transport of exceptional consignments.

The service involves processing of railway undertaking's request to examine the possibilities for transport in terms of technical aspect and setting of other technical requirements and protective measures for transport of consignments that are not fulfilling the general technical standards for transport on the particular line section,



e.g. loading gauge, axle loading etc. Any deviation from the standards is considered to be an exceptional consignment and a special procedure is required. The service involves additional engagement of IŽS's employees in preparation and carrying out of transport of exceptional consignments such as: defining of transport conditions, possible engagement of additional staff for monitoring of transport and inspection of tracks after the transport, possible temporary re-location of trackside facilities and equipment etc.

IŽS is deciding whether it is possible to accept certain transport and under which conditions. It is necessary that for, every individual transport, IŽS and the Railway Undertaking define the scope and specification of needed services.

5.4.3.2 Services for dangerous goods transport

IŽS provides additional services to railway undertakings related to transport of dangerous goods. Control of dangerous goods transport for every individual transport is defined between IŽS and the Railway Undertaking, depending upon the specification of needed services. The availability and method of providing this service on IŽS network will be determined based on the decisions and procedures which will be subsequently prescribed by IŽS.

5.5 Ancillary services

Ancillary services include the following:

- 1) access to telecommunications network
- 2) provision of additional information
- 3) technical inspection of rolling stock
- 4) ticketing services in passenger stations
- 5) maintenance services provided in maintenance facilities dedicated to high speed trains or other types of rolling stock requiring specific facilities where the works performed are not a routine daily maintenance and require the vehicle to be withdrawn from service
- 6) other ancillary services

IŽS reserves the right to decide which of the available ancillary services will be provided and under what conditions. If IŽS is providing a particular service, it will provide it to all railway undertakings under equal conditions in a non-discriminatory manner and upon their particular request.

5.5.1 Access to telecommunications network

IŽS provides railway undertakings with the service of access to the telecommunications network in accordance with the market conditions. Railway Undertaking should define, together with IŽS, the scope and specification of required services.

5.5.2 Provision of supplementary information

IŽS provides, if available, the following supplementary information on the use of railway infrastructure to the railway undertakings:

- Training and taking of exams in accordance with the internal rules and technological procedures of IŽS;
- Program of mandatory training from particular fields in accordance with the internal rules and technological procedures of IŽS;
- Provision of Timetable material (timetable graphs, timetable booklets) prepared and published by IŽS;
- Provision of online access to the Network Statement or submission of hard copy;
- Submission of excerpts from the local regulations of importance for railway transport or other documents.

For any further information the Railway Undertaking should define, together with IŽS, the scope and specification of required services.



5.5.3 Technical inspection of rolling stock

Technical inspection of rolling stock is performed upon obtaining of license for their use and prior to putting the vehicles into service.

Directorate for Railways prescribes the conditions to be fulfilled by the entities performing the technical inspection of vehicles and the manner for performing of technical inspection.

Only the rolling stock fulfilling the requirements prescribed by the Law on Safety can be included in the train and this is determined by means of a rolling stock inspection.

Railway Undertaking is responsible for proper composition of the train and it is obliged to check whether the train rolling stock is in a proper technical condition. Train composition and distribution of rolling stock in the train must ensure safe train movement and braking.

"Infrastructure of Serbian Railways" JSC is not providing the services of technical inspection of wagons and rolling stock.

5.5.4 Ticketing services in passenger stations

"Infrastructure of Serbian Railways" JSC is providing the ticketing services in passenger stations according to the special request of interested Railway Undertaking and according to its own capacities and assessment of impact on its staff's basic work process.

5.5.5 Maintenance services provided in maintenance facilities dedicated to high-speed trains or other types of rolling stock requiring specific facilities

The network operated by "Infrastructure of Serbian Railways" JSC currently does not have any maintenance facilities dedicated to high speed trains or other types of rolling stock requiring specific facilities providing the respective ancillary services.

5.5.6 Other ancillary services

IŽS provides other ancillary services:

• Staff training and testing.



6. PRINCIPLES OF LEVYING CHARGES AND SERVICE PRICES, LEVEL OF CHARGES INCLUDING THE METHOD OF THEIR CALCULATION

The basic principles underpinning the charging regime for the use of infrastructure are set forth in the Methodology for valuation of elements for determining the charges for the use of railway infrastructure ("Official Gazette of RS" No 122/14, dated November 11, 2014). The Methodology is defining, in more detail, valuation of elements for determining the level of charge for minimum package of services and package for track access to service facilities and provision of services in service facilities.

The methodology is based on the principle that railway undertakings should only bear the justified cost of IM operations and the costs arising from the efficient provision of services requested by the users.

This methodology is based on the economic principle of valuation of elements for determining of charge level known as marginal cost plus (MC+). It is a charge setting principle based on marginal costs increased by the mark-up. The selected principle enables covering of justified costs arising in provision of requested services and is favourable for the so called "network systems" (systems that require major capital investments such as telecommunications, energy, natural gas transportation, road transport and other means of transport).

Marginal costs are estimated based on the variable costs which, within the Methodology, include:

short-term marginal costs: track wearing, train movement control and signalling, consumption of energy sources and overheads.

The charge is set based on the following elements: line category (main, regional or local) used by train, use of railway nodes, train category (passenger or freight) and traction type (electrical or diesel).

The components of the total charge include charge for the minimum package of services (category I), charge for track access to service facilities (category IIa), charge for providing the services in service facilities (category IIb), charge for providing the additional services in service facilities (category III) and charge for providing the ancillary services in service facilities (category IV).

6.1 Charing principles

6.1.1 Charge for the minimum package of services (category I)

Charges for the minimum package of services for infrastructure access are defined based on the costs of railway traffic management and infrastructure capacities maintenance.

The level of unit charges is determined in relation to line category (main, regional, local), train category (passenger trains, freight trains) and traction type (diesel, electrical).

The charging units are:

- 1) Train km;
- 2) Gross tonne km.

6.1.2 Charge for track access and use of service facilities (categories IIa and IIb)

Charges for track access and use of service facilities are defined based on the costs of railway traffic regulation and infrastructure capacities maintenance.

The level of unit charges is determined in relation to railway node (Subotica, Novi Sad, Beograd, Lapovo, Niš, Pančevo), train category (passenger trains, freight trains) and traction type (diesel, electrical).

The charging units are:

- 1) Number of trains;
- 2) Gross tonne km;
- 3) Number of serviced trains.



The charge is levied for the trains starting and finishing their running in the railway node, that is, transiting the railway nodes, as well as for the trains in railway nodes.

Serviced train is a train to which a service of using the service facilities in a railway node has been provided aiming to use the services of technical-wagon unit in train inspection, maintenance of wagons, railway vehicles and machinery.

6.1.3 Charge for additional services (category III)

The level of charges for additional services provided by Infrastructure Manager is determined based on the costs incurred during the provision of these services.

Charges for using the additional services are applied in a non-discriminatory manner for all the railway undertakings, that is, service users.

6.1.4 Charge for ancillary services (category IV)

The level of charges for ancillary services provided by Infrastructure Manager is determined based on the costs incurred during the provision of these services.

Charges for using the ancillary services are applied in a non-discriminatory manner for all the railway undertakings, that is, service users.

6.2 Charging system

Charging system for the use of railway infrastructure is determined in accordance with the provisions of the Law on the Railways; the detailed description of the method of calculation of charges and parameters required for the calculation, depending on the type of service, is presented in item 6.3 of this document.

6.3 Tariff system

IŽS charges fee for the train path allocation procedure costs as follows:

- for the allocation of annual train paths for the 2019/2020 Timetable nor for the allocation of train paths under the requests for amendment of annual 2019/2020 Timetable performed within the deadlines prescribed in Appendix 4.4, IŽS will not charge procedure costs.
- for allocation of train path under the extraordinary request for amendment of the annual timetable amount to 17.137,00 RSD per train path.
- for allocation of ad-hoc train path amount to 12.213,00 RSD per train path.

6.3.1. Minimum package of services (category I)

Charge for minimum package of services (NKI) is determined according to the following formula:

$$NKI = (\sum VKM_{ijk} \cdot C_{VKM_{ijk}}) + F \cdot (\sum BRTKM_{ij} \cdot C_{BRTKM_{ij}})$$

Key:

i – Line category (main, regional, local)

j – Train category (passenger trains, freight trains)

k – Traction type (diesel, electrical)



 $(\sum VKM_{ijk} \cdot C_{VKM_{ijk}})$ - charge for the use of infrastructure capacities for the minimum package of services in relation to line category (i), train category (j) and traction type (k)

VKM is - number of train km on the network in relation to line category (i), train category (j) and traction type (k)

 $^{C_{\textit{VKM}}}$ - charge per one train km in relation to line category (i), train category (j) and traction type (k)

F - factor depending on the train category (factor level depends on the train category impact on the level of infrastructure maintenance costs or the applied strategy for development of a particular segment of railway market)

 $(\sum BRTKM_{ij} \cdot C_{BRTKM_{ij}})$ - charge for wearing out of line and tracks during train passing in relation to line category (i) and train category (j)

 BRTKM $_{ij}$ - number of gross-tonne km on the network in relation to line category (i) and category of the train (j)

 C BRTEM g - charge per one gross-tone km in the function from the line category (i) and train category (j)

The level of charge for the path of one train depends on the train gross mass. Gross-tonne km, in the sense of the calculation of the level of charge for the path of one train, is defined as a product of train km and train gross mass, which implies the total mass of all working locomotives and the total mass of all hauled stock.

Freight trains with electrical traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tonne km [RSD/GTKM]
Main line	93,50	0,0858
Regional line	63,77	0,0781
Local line	10,53	0,0361

Freight trains with diesel traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tone km [RSD/GTKM]
Main line	79,04	0,0858
Regional line	51,24	0,0781
Local line	10,07	0,0361

Passenger trains with electrical traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tone km [RSD/GTKM]
Main line	62,33	0,0686
Regional line	42,51	0,0625
Local line	7,02	0,0289



Passenger trains with diesel traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tone km [RSD/GTKM]
Main line	52,69	0,0686
Regional line	34,16	0,0625
Local line	6,71	0,0289

Factor depending on the train category [F] – applied to all types of freight trains and passenger trains and it amounts to 1.0.

6.3.2. Track access and use of service facilities (categories IIa and IIb)

Charge for use of infrastructure when the trains are starting and finishing their running in the node, that is, when they are transiting railway nodes (NKIIa), as well as for servicing of the trains in the railway nodes (NKIIb) is determined as follows:

$$NKII = NKIIa + NKIIb$$

Key:

$$NKIIa = \left(\sum Va_{lmn} \cdot C_{Va_{lmn}}\right) + \left(\sum BRTKM_{lm} \cdot C_{BRTKM_{lm}}\right)$$

$$NKIIb = \sum_{l} Vb_{lm} \cdot C_{Vb_{lm}}$$

1 - Node (Subotica (1), Novi Sad (2), Beograd (3), Lapovo (4), Niš (5), Pančevo (6))

m – Train category (passenger trains, freight trains)

n – Traction type (diesel, electrical)

 $(\sum Va_{lmm} \cdot C_{Va_{lmm}})$ - charge for the use of infrastructure capacities in the node for the package of services IIa in relation to node (1), train category (m) and traction type (n)

 Va_{mn} - number of trains in the node in relation to node (1), train category (m) and traction type (n)

 C_{Valim} - charge per one train of used infrastructure capacities in the node, in relation to node (l), train category (m) and traction type (n)

 $(\sum \textit{BRTKM}_{lm} \cdot \textit{C}_{\textit{BRTKM}_{lm}})$ - charge for wearing out of railway line and railway track when using the infrastructure capacities in the node, for package of the services IIa in relation to node (l) and train category (m)

BRTKM _{Im} - number of gross-tonne km in the node, in relation to node (1) and train category (m)

C_{BRTKM} - charge per one gross-tonne km in the node in relation to node (1) and train category (m)

 $\sum_{l}^{Vb} V_{lm} + C_{Vb} V_{lm}$ - charge for providing the services of train "servicing" in the node, for package of services IIb, in relation to node (l) and train category (m)

 Vb - the number of trains which were provided the service (which were "serviced") in the node, in relation to node (1) and train category (m)

 C_{Vb} - charge per one train, "serviced" in the node, in relation to node (1) and train category (m)



Freight trains with electrical traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tonne km in the node [RSD/GTKM]
Novi Sad	3.658,76	0,0801
Beograd	4.302,04	0,0894
Lapovo	4.987,87	0,0744
Niš	5.422,50	0,1171
Pančevo	3.257,01	0,0911
Subotica	4.097,11	0,0497

Freight trains with diesel traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tonne km in the node [RSD/GTKM]
Novi Sad	3.607,21	0,0801
Beograd	4.145,57	0,0894
Lapovo	4.935,40	0,0744
Niš	5.293,94	0,1171
Pančevo	3.196,24	0,0911
Subotica	3.944,07	0,0497

Passenger trains with electrical traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tone km in the node [RSD/GTKM]
Novi Sad	2.439,17	0,0534
Beograd	2.868,03	0,0596
Lapovo	3.325,25	0,0496
Niš	3.615,00	0,0781
Pančevo	2.171,34	0,0607
Subotica	2.731,41	0,0332

Passenger trains with diesel traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tone km in the node [RSD/GTKM]
Novi Sad	2.404,81	0,0534
Beograd	2.763,71	0,0596
Lapovo	3.290,27	0,0496
Niš	3.529,29	0,0781
Pančevo	2.130,82	0,0607
Subotica	2.629,38	0,0332



6.3.2.1 Prices for basic services in services facilities

The price for provision of basic services in services facilities is set forth based on actual costs incurred in provision of such service and it is applied in a non-discriminatory manner to all railway undertakings.

A) Service for using of wagon scales

"Infrastructure of Serbian Railways" JSC is providing the service of using the wagon scales. The amount of the price depends on whose shunting staff is hired during the use of wagon scales.

Station (wagon scales location)	Hiring of shunting staff	Price for the use of wagon scales [RSD/wagon VAT exclusive]
Beograd ranžirna, Novi Sad ranžirna, Niš ranžirna and Pančevo Glavna	From Infrastructure Manager	4.426,00
Šid, Vršac, Zrenjanin fabrika, Subotica teretna, Sombor, Požega, Čačak, Lapovo ranžirna and Dimitrovgrad	From Railway Undertaking	3.309,00

B) Service of loading and unloading using the portal crane in Aleksinac station

The service of loading and unloading using the portal crane together with the staff of public railway Infrastructure Manager is defined by means of a separate contract concluded between the public railway Infrastructure Manager and the Railway Undertaking, i.e. the user of the said service.

Unit price for the use of portal crane for loading and unloading amounts to 150,00 RSD/net tonne of goods VAT exclusive.

6.3.2.2 Price of services regarding the provision of relief

The price for providing the basic service regarding the provision of relief is determined based on the actual costs incurred during the provision of such service and it is applied in a non-discriminatory manner for all railway undertakings.

The price of transporting the auxiliary train from the domicile station to the place of work and return to the domicile

No	Means of transport	Measuring unit	Price in RSD, VAT exclusive
1	Traction vehicle - locomotive of the operator – in operation, maneuver or expectation of operation		According to the operators bill
2	Vehicle of the working unit (ZOP, ETP, SP,) within "IŽS" – trolley, truck, etc.		According to the account of the working unit "IŽS" which performed transport
3	GEISMAR road-rail vehicle type V2R-730-S – road driving	hour	15.156,00
4	GEISMAR road-rail vehicle type V2R-730-S – railway driving	hour	18.156,00
5	Traction vehicle – locomotive "IŽS" or locomotive leased (locomotive operation + staff operation + energy) -in operation	hour	41.000,00
	-in expectation of operation	hour	15.000,00



Price for equipment and tools for the operation of auxiliary train

No	Asset description	Type of work	Measu ring unit	Price in RSD, VAT exclusive
1	Auxiliary train	Expecting of work	hour	2.000,00
2	Auxiliary train	Work on preparation and retrieval of intervention equipment	hour	4.000,00
3	GEISMAR road-rail vehicle type V2R-730- S	Work during intervetion	hour	15.156,00
4	Jack EDK 1000 (99 72 9 471 001-4)	Expecting of work	hour	5.000,00
5	Jack EDK 300 (99 72 9 471 101-2)	Expecting of work	hour	5.000,00
6	Jack DHPD 65 (99 72 9 571 001-3)	Expecting of work	hour	5.000,00
7	Jack EDK 1000 (99 72 9 471 001-4)	Preparation, Work, Retrieval	hour	56.970,00
8	Jack EDK 300 (99 72 9 471 101-2)	Preparation, Work, Retrieval	hour	27.248,00
9	Jack DHPD 65 (99 72 9 571 001-3)	Preparation, Work, Retrieval	hour	30.146,00
10	LUKAS equipment	Preparation, Work, Retrieval	hour	7.066,00
11	WALTER trolley	Installation and removal	hour	6.000,00
12	WALTER trolley	Transport	hour	3.320,00
13	WALTER trolley	Remaining of trolley under the rolling stock – lump sum	hour	600,00
14	Stable power generation unit	Work	hour	2.400,00

Labour costs for auxiliary train's staff

No	Type of work	Measur ing unit	Price in RSD VAT exclusive
1	Assistant on auxiliary train	hour	704,00
2	Electromechanic	hour	981,00
3	Driver and operator of a two-way motor vehicle	hour	1.016,00
4	Rail crane operator	hour	1.027,00
5	Hydraulic equipment operator	hour	1.027,00
6	Locksmith on the auxiliary train	hour	1.027,00
7	Rail vehicle mechanic	hour	1.027,00
8	Auxiliary train manager	hour	1.126,00
9	Expert associate for circuit inspection	hour	1.175,00
10	Assistant auxiliary train chief	hour	1.282,00
11	Auxiliary train chief	hour	1.605,00
12	Employees participating in the work of auxiliary train	pcs	1.800,00

Note: operating time is calculated in full hours – each started working hour is counted as a full working hour.



6.3.2.3 Price for the service of storing and refuelling

The price for the service of fuel storing and issuing for the purposes of refuelling of traction vehicles of all railway undertakings is determined based on the actual costs incurred during the provision of this service and is applied in a non-discriminatory manner for all railway undertakings.

The service of fuel storing and issuing for the purposes of refuelling of traction vehicles amounts to 5.43 RSD per stored litre of diesel fuel VAT exclusive.

6.3.3. Prices for provision of basic services referred to in item 5.3.2

6.3.3.1 Price of shunting services and other related services

Unit price for the service for provision of shunting staff is set forth based on the actual costs incurred based on the necessary technological process of shunting upon the railway undertaking's request and according to unit prices of staff hired from the public railway infrastructure manager in line with the price schedule No 4/2019-1328-305 dated 20.02.2019 which is applied in a non-discriminatory manner to all railway undertakings.

Shunting by means of shunting or train locomotive

Type of operation and hired shunting team	Measuring Unit	Price in RSD/MU VAT exclusive	
Shunting of wagons without special shunting conditi	ons		
1 shunting operator from RU + 1 shunter	1 wagon	74,00	
1 shunting operator from RU + 2 shunters	1 wagon	148,00	
1 shunting operator+ 1 shunter	1 wagon	152,00	
1 shunting operator+ 2 shunters	1 wagon	226,00	
shunting of wagons with special shunting conditions for the respective service point (cautious, repairs, exceptional consignments, military transports)			
1 shunting operator from RU + 1 shunter	1 wagon	163,00	
1 shunting operator from RU + 2 shunters	1 wagon	299,00	
1 shunting operator+ 1 shunter	1 wagon	335,00	
1 shunting operator+ 2 shunters	1 wagon	457,00	

Shunting operations in marshalling and train formation in stations

Operation type	Traffic staff work by operations	Measuring unit	Price in RSD, VAT exclusive
Prior operations	 uncoupling of train locomotive from the train preparation of shunting composition for marshalling (air discharge, decoupling of semi- couplings and coupling loosening) 	1 train (in arrival)	598,00
Main and final operations	 transferring of shunting locomotive to shunting composition and coupling pushing and marshalling of shunting composition via the processing facility (hump/shunting track) closing up and coupling of wagons 	1 train/composition (marshalled via processing facility)	1.733,00

Remark: Removal of tail light from trains in arrival i.e. coupling of train locomotive and placing of tail light to trains in dispatching is performed by the qualified staff from the railway undertaking at train formation stations.



6.3.3.2 Prices for provision of other services

Поседање непоседнутих службених места

Manning of unmanned service points

Structure of manning of non-manned service points, upon the railway undertaking's request, consists of:

- manning of service points of public railway infrastructure manager upon the railway undertaking's request in function of traffic management or shunting movements in such service points outside the working hours for such service point, and
- manning of service points of the railway undertaking upon its request in function of traffic management or shunting movements in such service points because the railway undertaking does not possess adequate traffic staff.

Charge for manning of service points by traffic staff amounts to:

Work place	Train dispatcher	Switch operator
Price in RSD/hour VAT exclusive	1.236,00	955,00

Calculation for periods of manning of non-manned service points starts from the moment of takeover of service at the service point until the moment of handover of service for the purposes of train operation i.e. shunting movement of railway undertaking's train set, and in case of temporarily manned stations (station working hours with interruption) not taking into account the period when the station is manned during the working hours according to the timetable booklet.

In the stations where it is necessary to perform manning with the train dispatcher and the switch operator, the manning period is the same for both employees given the responsibility of both worker during the setting up of a train route.

The price for provision of basic services in other technical facilities is determined based on the actual costs incurred during the provision of such service and is applied in a non-discriminatory manner for all railway undertakings.

6.3.4. Additional services (category III)

When determining the level of prices the time norms for performing of tasks were used in accordance with the Methodology for determining the required number of workers for performing the planned scope of work ("Official Gazette of ŽTP Beograd" 10/85) and the price for hiring of staff according to the Methodology for calculation of labour sales price per effective hour for the employees of "Infrastructure of Serbian Railways" (Decision of the Board of Directors 4/2015-53-17 dated 29.12.2015) and other valid railway regulations and documents.

The prices of additional services are determined in accordance with the Methodology for valuation of elements for determining the charges for the use of railway infrastructure. The levels of prices for additional services are determined as a product of standardized period for service performing and price of effective working hour of staff hired to provide the service, and they are solely based on the actual cost of work incurred during the provision of the particular service or directly determined by means of the Infrastructure Manager's separate decision.

Additional services are provided upon the Railway Undertaking's request, and the prices are applied in a non-discriminatory manner for all railway undertakings. Railway Undertakings will pay such prices according to the actual level of use.



6.3.4.1 Prices of traction electricity

The prices of traction electricity depend on the prices of electricity determined by the supplier (currently JP Elektroprivreda Srbije), actual consumption costs, gross tonne km and train type. The calculation method is provided in Appendix 9.

6.3.4.2. Preheating of passenger trains

The service of preheating of passenger trains is provided by "Srbija Voz" a.d.

More information regarding the preheating of passenger trains are available at:

"Srbija Voz" a.d. 6, Nemanjina St. 11 000 Belgrade, Serbia Tel: +381 11 3614 811 Fax: +381 11 3614 811

Email: putnik.info@srbvoz.rs

6.3.4.3 Services of transport of exceptional consignments and dangerous goods

The unit price of additional services regarding the transport of exceptional consignments and dangerous goods is determined based on the actual costs incurred in provision of such service and unit prices of staff hired from the public railway infrastructure manager according to the price schedule No 4/2019-1328-305 dated 20.02.2019 which is applied in a non-discriminatory manner to all railway undertakings.

Issuing of approvals for transport of exceptional consignments

Operation	Measuring unit	Price in RSD VAT exclusive
Processing of request, issuing of conditions and informing by means of telegramme for the purposes transport of exceptional consignments	Request for transport of exceptional consignment	12.976,00

Accompanying the trains with exceptional consignments:

Accompanying the consignments by professional railway staff, as necessary, according to type and complexity of exceptional consignment transport as set out in the Regulations on transport of exceptional consignments.

Unit price for this service is determined according to effective working hours of hiring of the employee and number of persons accompanying the exceptional consignment.

Operation - operators	Measuring unit	Price in RSD VAT exclusive
Accompanying performed by an employee from traffic department	Effective hour of accompanying	1.844,00
Accompanying performed by an employee from civil engineering department	Effective hour of accompanying	1.339,00
Accompanying performed by an employee from electrical engineering department	Effective hour of accompanying	1.453,00



If the employee accompanying the consignment is entitled to daily allowance for the business trip in the country, the service price should also include the cost of realized daily allowances. The amount of daily allowances is determined in the Collective Agreement of the public railway Infrastructure Manger.

Transport of exceptional consignments with exceeded axle-loading

The unit price for approving the transport of exceptional consignment with exceeded axle-loading is 59,00 RSD/net tonnes VAT exclusive.

6.3.5. Ancillary services (category IV)

Ancillary services can be the ones according to point 5.5 of this Network Statement. Given that the Infrastructure Manager is not obliged to provide these services, the prices for ancillary services provided by "Infrastructure of Serbian Railways" JSC will be determined based on the actual costs incurred during the provision of the said service and will be a subject to a separate contract concluded between the interested parties.

6.3.5.1 Prices for other accompanying services

Staff training and testing

This additional service is provided in case of a request for training and testing of knowledge of the staff of the user of services provided by public railway Infrastructure Manager. The price for training and testing of interested users is determined as follows:

$$Cpp = Tpo + Tto + Tpz + Tos$$

This price includes:

- cost of practical training Tpo performed by minimum one expert from the Infrastructure Manager (familiarizing the candidates with the local conditions and technical capacities);
- cost of theoretical training Tto performed by minimum two lecturers (familiarizing with signalling and traffic regulations, special measures for occupational safety and protection as well as all important normative acts provisions of station regulations, technological work process etc., and if necessary provisions in connection to the transport of dangerous goods);
- cost of testing Tpz taking of expert exam regarding the familiarity with railway infrastructure performed by minimum four members of expert committee (president, 2 examiners from the expert field and 1 examiner on the provisions of measures for occupational safety and protection);
- cost of staff Tos hired for the provision of respective service according to the actual level of realization (daily allowances, travelling expenses, submission of required materials etc.)

The price for this service is determined in accordance with the separate Contract between IŽS and the interested party and specification of costs is provided in a descriptive manner and expressed according to the number of candidates and hired experts from the Infrastructure Manager involved in provision of this service.

6.4 Efficiency scheme

One of the most important indicators of efficient network operations, both for Railway Undertaking and Infrastructure Manager, is train delay.

Train delays are monitored related to the causes of delays. Accordingly, the delays can be primary and secondary.

Primary delays are all train delays caused by interference or disturbance which led to the delay and that were not caused by delay or cancellation of other train.



Secondary delays are train delays caused by already existing earlier delay.

Overview of primary and secondary causes of train delays is presented in Appendix 7 of the Network Statement.

IŽS keeps a record of movements of all trains on its network and determines the causes of delay.

Delays can be caused by the following:

- Infrastructure Manager,
- Railway Undertaking,
- external factor.

Number of minutes of train delay is determined on the basis of deviation of train actual running time compared to the train running time envisaged by the Timetable.

The compensation for all primary train delays is calculated on the basis of the number of minutes of train delay and charged between IŽS and RU, if agreed under the Contract for the use of railway infrastructure. The reason for this is to motivate the Railway Undertaking and the Infrastructure Manager to minimize the Timetable deviations on the network and to increase the quality of transport service offered to the end users.

The compensation for delay is 0.1% of the charge for the entire train path, for every minute of delay. The total amount of the delay compensation for every individual train can be maximally up to 5% of the charge for the entire train path, for each party responsible.

For the delays of passenger trains less than 10 min per 100 km of allocated train path, that is, for the delays of freight trains of less than 40 min per 100 km of allocated train path, the charging between IŽS and RU is not performed. Calculation is performed solely for the entire train path, not for the particular parts of the path.

For the train paths shorter than 100 km the permitted delay is determined proportionally to the actual path length.

If the Railway Undertaking does not start the train 300 minutes after the prescribed departure according to the Timetable, it will be deemed that the train path of that train has been automatically cancelled for that day.

Train delays, caused by accidents or incidents, in respect of which the responsibility for the delay cannot be determined with certainty without the investigation procedure, will be calculated subsequently.

Delays caused by the external factor arise from the circumstances which are not under influence of the Infrastructure Manager or the Railway Undertaking. Delays caused by the external factor are the delays caused by the force majeure, or the delays caused by the third parties.

6.5 Modification of charges for the use of infrastructure

Charges for the minimum package of services and track access to service facilities, as well as charges for additional and ancillary services, can be modified depending on the conditions on the market of the railway services, in which case it must be published at least six months in advance.

6.6 Discounts

"Infrastructure of Serbian Railways" JSC is not approving quantity discounts.

6.7 Billing arrangements

Method and time schedule for calculation and payment of charges, as well as instruments for securing the payment, will be determined in detail in the contract between the Infrastructure Manager and the Railway Undertaking.




APPENDICES

- 1. Organizational chart of "Infrastructure of Serbian Railways" JSC
- 2. List of internal regulations (documents) and technological procedures
- 3.1 Loading gauge JŽ I
- 3.2 Loading gauge UIC-GA
- 3.3 Loading gauge UIC-GB
- 3.4 Electrified lines
- 3.5 Power supply facilities
- 3.6 Overview of signalling & safety devices equipping level
- 3.7 Overview of telecommunication devices equipping level
- 3.8 List of stations with industrial sidings on which it is possible to handle dangerous goods (RID goods)
- 3.8 b List of service points where it is possible to perform transhipment of dangerous goods
- 3.9 Alternative transport routes
- 3.10 Facilities for rolling stock maintenance
- 3.11 Railway infrastructure development projects
- 4.1 Request for train path allocation (form)
- 4.2 Instructions for completion of Request for train path allocation (form)
- 4.3 Deadlines for annual 2019/2020 Timetable preparation
- 4.4 Deadlines for amendment of annual 2019/2020 Timetable
- 5.1. Overview of railway lines on which train running is possible when they are manned only with engine driver
- 5.2. Overview of the lines fulfilling the conditions for train running with an engine driver only
- 5.3. Geometry of pantograph (current collector) TYPE POS 254/III used on IŽS network
- 6. Register of infrastructure data
- 7. Overview of primary train delay causes
- 8. Overview of platforms and arranged surfaces in service points
- 9. Method for calculation of electricity consumption for train traction
- 10. Railway node boundaries



Appendix 1: Organizational chart of "Infrastructure of Serbian Railways" JSC





Appendix 2: List of internal regulations (documents) and technological procedures:

Internal documents – regulations taken over in accordance with the Law on Safety and Interoperability of Railways – Article 152 para 2

- 1) Regulations on special train operations ("Official Gazette of ZJŽ", No 9/78);
- 2) Instructions for control of Timetable implementation and applying of traffic-technical regulations ("Official Gazette of ZJŽ", No 3/84 and 2/87);
- 3) Regulations on parlour car operations ("Official Gazette of ZJŽ", No 2/80);
- 4) Instructions on technical norms and data for drafting and implementation of Timetable with appendices 1, 2 and 3 ("Official Gazette or ZJŽ No 9/89, 6/91, 8-9/91, 4/92 and 9/92);
- 5) erased
- 6) erased
- 7) Instructions for preparation of technological process for operation of marshalling and distribution yards ("Official Gazette or ZJŽ, No 6/72);
- 8) Guidelines for sending of telegrams on JŽ in domestic and international railway telecommunication traffic ("Official Gazette of ZJŽ", No 11/93 and 4/96);
- 9) Instructions for wagon inventory taking on JŽ lines ("Official Gazette of ZJŽ", No 3/85, 2/89, 14/90 and 8/94);
- 10) Instructions for processing of data obtained in wagon inventory taking on JŽ lines ("Official Gazette of ZJŽ", No 7/85, 2/89, 14/90 and 8/94);
- 11) Instructions on the use of wagons and loading tackle ("Official Gazette of ZJŽ", No 3/97);
- 12) Regulations on the method for equipping the wagons with fire extinguishers containing chemical fire extinguishing agents ("Official Gazette of ZJŽ", No 6/92);
- 13) Regulations on the compensation of damages occurring on transport means in railway traffic ("Official Gazette of ZJŽ", No 2/96);
- 14) Regulations on welding works performed on rolling stock ("Official Gazette of ZJŽ", No 5/81);
- 15) Regulations on use of electric traction stable facilities on JŽ ("Official Gazette of ZJŽ", No 2/85);
- 16) Instructions on operation of JŽ controlling and acceptance bodies ("Official Gazette of ZJŽ", No 1/03);
- 17) Instructions on safety measures on JŽ electrified lines ("Official Gazette of ZJŽ", No 8/88);
- 18) Regulations for applying the electricity safety measures on OCL single phase system 25 kV, 50Hz of JŽ ("Official Gazette of ZJŽ", No 5/79);
- 19) Instructions for performing the operations on JŽ electrified lines equipped with single phase system 25 kV, 50Hz ("Official Gazette of ZJŽ", No 4/90);
- 20) Instructions on operating the speedometers on traction and other stock and processing of recording tape ("Official Gazette of ZJŽ", No 6/80 and 8/90);
- 21) Regulations on technical and wagon operations ("Official Gazette of ZJŽ", No 6/88);
- 22) Instructions for measurement of ohm resistance on railway vehicle wheel-set ("Official Gazette of ZJŽ", No 4/78);
- 23) Instructions for operation and maintenance of bogies type Y-25 and Y-27 adopted on Yugoslav Railways ("Official Gazette of ZJŽ", No 2/87);



- 24) Instructions for operation and inspection of electrical devices on coaches ("Official Gazette of ZJŽ", No 3/02);
- 25) Instructions for repairing of wheel-sets and axle bearings for JŽ wagons ("Official Gazette of ZJŽ", No 2/00);
- 26) Instructions for operation of motor trains ("Official Gazette of ZJŽ", No 6/82 and 10/82);
- 27) Instructions for wagon lubricating operations ("Official Gazette of ZJŽ", No 1/55);
- 28) Instructions for wagon inspectors ("Official Gazette of ZJŽ", No 2/06);
- 29) Instructions for technical-wagon service record taking and technical data on JŽ wagons (with collection of TK forms) ("Official Gazette of ZJŽ", No 3/02);
- 30) Regulations on cleaning of coaches/wagons and motor trains ("Official Gazette of ZJŽ", No 6/88);
- 31) Interim special conditions on inclusion of wagons for transport of passenger cars in passenger and high speed trains on JŽ lines ("Official Gazette of ZJŽ", No 6/70, 8/71);
- 32) Instructions on transport of M-84 tank and its modifications ("Official Gazette of ZJŽ", No 1/88);
- 33) Instructions on quality guarantee for repairs performed on rolling stock ("Official Gazette of ZJŽ", No 7/79);
- 34) Instructions for regular repair of buffing and draw gear ("Official Gazette of ZJŽ", No 10/92);
- 35) Instructions for the use of Soviet (SŽD) tank wagons on JŽ lines ("Official Gazette of ZJŽ", No 6/88);
- 36) Instructions on storing of technical documents on JŽ ("Official Gazette of ZJŽ", No 3/88);
- 37) Instructions on the procedure in case of damaging of foreign wagons on JŽ lines ("Official Gazette of ZJŽ", No 5/03);
- 38) erased
- 39) Regulations for thermic processing of turnout elements and rail ends for insulated rail joints ("Official Gazette of ZJŽ", No 4/86);
- 40) Regulations on the measures for traffic safety and safety of workers performing the trackside works ("Official Gazette of ZJŽ", No 6/92);
- 41) Instructions for securing of traffic in winter conditions ("Official Gazette of ZJŽ", No 1/04);
- 42) Instructions for welding of railway rails in aluminum-thermic procedure ("Official Gazette of ZJŽ", No 10/86);
- 43) Instructions for controlling the compacting degree of railway line substructure applying the dynamic method on JŽ network ("Official Gazette of ZJŽ", No 1/06);
- 44) Instructions for uniform criteria for controlling the line condition on JŽ network ("Official Gazette of ZJŽ", No 6/01 and 4/04);
- 45) Instructions for delivery, installation and maintenance of *Kraiburg* rubber panels for level crossings on JŽ network ("Official Gazette of ZJŽ", No 4/03);
- 46) Instructions for delivery, installation and maintenance of *Pandroll k-lock* track fastening on JŽ network ("Official Gazette of ZJŽ", No 3/04);
- 47) Instructions for delivery, installation and maintenance of *Pandrol-Fastclip* fastenings on JŽ network ("Official Gazette of ZJŽ", No 1/03);
- 48) Instructions for delivery, installation and maintenance of *Pandroll* elastic fastenings on JŽ network ("Official Gazette of ZJŽ", No 8-9/87);



- 49) Instructions for delivery, installation and maintenance of SKL-2 elastic clamp on JŽ network ("Official Gazette of ZJŽ", No 8-9/87);
- 50) Instructions on technological procedure for protection against corrosion of rails, turnouts, bridges, jack and W-shape supports ("Official Gazette of ZJŽ", No 11/87);
- 51) Instructions for manufacturing, control and acceptance of *Walter BAU-AG* single unit pre-stressed concrete sleepers on JŽ network ("Official Gazette of ZJŽ", No 5/04);
- 52) Instructions for delivery, installation and maintenance of turnouts on concrete sleepers manufactured by *Walter BAU-AG* on JŽ network ("Official Gazette of ZJŽ", No 2/05);
- 53) Instructions for manufacturing, control and acceptance of *PFLEIDERER* pre-stressed concrete sleepers for turnouts and crossings on JŽ network ("Official Gazette of ZJŽ", No 4/05);
- 54) Instructions for delivery, installation and maintenance of *Tensar* two-axle geonet on JŽ network ("Official Gazette of ZJŽ", No 5/05);
- 55) Instructions for manufacturing and implementation of clamps for S-49 and UIC 60 rails on JŽ network ("Official Gazette of ZJŽ", No 1/06);
- 56) Instructions for operation of inductive auto-stop device I 60 ("Official Gazette of ZJŽ", No 2/75, 7/78, 8/81 and 8/89);
- 57) Instructions on technical inspection of signalling and safety devices ("Official Gazette of ZJŽ", No 10/78);
- 58) Instructions on the types and use of telecommunication devices and connections (1977);
- 59) Regulations on company clothing on Yugoslav Railways ("Official Gazette of ZJŽ", No 4/88, 13/89, 6/92 and 6/93);
- 60) Instructions for proving the presence of alcohol in the employee's organism during the work on JŽ ("Official Gazette of ZJŽ", No 5/67);
- 61) Regulations for calculation and determination of train running duration (1956);

The company is also applying other internal documents – Regulations, Instructions, Permanent Orders, General Orders and other orders

- 1) Internal Rules of Procedure of Company's Shareholders Meeting ("Official Gazette of Serbian Railways" No 28/15);
- 2) Internal Rules of Procedure of Company's Board of Directors ("Official Gazette of Serbian Railways" No 15/15);
- 3) Regulations on organization and systematization of jobs in Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade ("Official Gazette of Serbian Railways" No 55/18, 67/18, 9/19, 10/19, 11/19, 12/19, 14/19, 16/19, 23/19, 25/19, 30/19, 33/19, 39/19, 43/19, 46/19, 48/19);
- 4) Instructions on organization and work procedures of operational service in the area covered by "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 21/2017, 37/18);
- 5) Instructions for restricted speed running procedures in the area covered by "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 21/2017);
- 6) Instructions for the preparation of Station Regulations in the area covered by "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 21/2017, 7/18);
- 7) Instructions on procedures in case of incidents and accidents in the area covered by "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 52/18);




- 8) Instructions for regulation and management of train movements on lines equipped with traffic remote control as well as for operation of FLEXICODE 560/I system remote control devices;
- 9) Instructions for traffic organization, performing of traffic operations and operating of traffic remote control devices on Batajnica Stara Pazova Ruma Šid railway line;
- 10) Instructions on traffic organization, performing of traffic operations and operating of traffic remote control devices on Belgrade (Resnik) Požega Vrbnica railway line and on the (Belgrade) Resnik-Požega-Vrbnica-State Border (Bijelo Polje) railway line ("Official Gazette of Serbian Railways" No 53/18);
- 11) Several instructions for use of radio connection on particular railway lines (Lapovo-Kraljevo, Crveni Krst-Zaječar and other railway lines);
- 12) Regulations on organization and performing of internal control and monitoring operations in Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade ("Official Gazette of Serbian Railways" No 13/2017);
- 13) Rules on office and archive administration in Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade ("Official Gazette of Serbian Railways" No 34/19);
- 14) Regulations on fire protection of public company "Serbian Railways" ("Official Gazette of Serbian Railways" No 4/2007);
- 15) Collective agreement for "Serbian Railways" Joint Stock Company ("Official Gazette of Serbian Railways" No 25/18);
- 16) Instructions for implementation of employee rights to compensation of costs for arriving to work and returning from work ("Official Gazette of Serbian Railways" No 7/15);
- 17) Regulations on scholarships ("Official Gazette of Serbian Railways" No 7/15);
- 18) Regulations on operation of fund for allocation of funds for preserving of work and health capacities of employees ("Official Gazette of Serbian Railways" No 8/15);
- 19) Instructions on the procedures for determining the responsibility for occurrence of damages inflicted by employees, while deciding on the rights, obligations and responsibilities, to other employees ("Official Gazette of Serbian Railways" No 10/15);
- 20) Regulations on the procedure for internal whistle blowing with the employer Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade ("Official Gazette of Serbian Railways" No 30/15);
- 21) Regulations on leasing of business premises, advertising space and space for accommodation of devices for telecommunication operators by "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 12/16);
- 22) Internal Audit Charter for "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 2/18);
- 23) Regulations on inventory taking and reconciliation of accounting condition with the actual condition ("Official Gazette of Serbian Railways" No 25/17);
- 24) Plan for optimization of staff numbers with the employer Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade ("Official Gazette of Serbian Railways" No 29/17);
- 25) Instructions for classification of used wooden railway sleepers of "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 32/17);
- 26) Instructions for organization and recording of working hours ("Official Gazette of Serbian Railways" No 35/17);



- 27) Regulations on conditions for the use and maintenance of company vehicles of "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 38/17);
- 28) Statutes of Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade ("Official Gazette of RS" No 60/15, 73/15 and "Official Gazette of Serbian Railways" No 14/17);
- 29) Long-term and medium-term plan for business strategy and development adopted by the Government of the Republic of Serbia ("Official Gazette of RS" No 82/17);
- 30) Regulations for more detailed regulation of public procurement procedure ("Official Gazette of Serbian Railways" No 16/16 and 66/17);
- 31) Internal plan for prevention of corruption in public procurements ("Official Gazette of Serbian Railways" No 16/16);
- 32) Regulations on recording, storing, movement and sales of inactive stocks and material obtained in the work process ("Official Gazette of Serbian Railways" No 16/16);
- 33) Instructions on the method for handling, warehousing, sales and handover of dangerous waste material ("Official Gazette of Serbian Railways" No 16/16);
- 34) Act on safety of ICT system of "Infrastructure of Serbian Railways" ("Official Gazette of Serbian Railways" No 18/18);
- 35) Instructions for safe and healthy work of employees with another employer, pupils and students in manufacturing work, professional practice, practical education and persons attending professional training at Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade ("Official Gazette of Serbian Railways" No 12/18);
- 36) Instructions for maintenance of rolling stock operated by "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 7/18);
- 37) Instructions for drafting, adopting and publishing of internal documents ("Official Gazette of Serbian Railways" No 35/18);
- 38) Regulations on applying fire protection measures at locations of temporary welding, cutting and soldering at "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 35/18);
- 39) Regulations on combined transport terminals on railway network and road routes for transport to and from combined transport terminals ("Official Gazette of RS" No 26/2018);
- 40) Regulations on types, marking method and more detailed technical conditions to be fulfilled by loading units, rolling stock and railway infrastructure in combined transport ("Official Gazette of RS" No 70/2018).




Appendix 3.1. Loading Gauge ZS I






Appendix 3.2. Loading Gauge UIC-GA





Appendix 3.3. Loading Gauge UIC-GB





Appendix 3.4. Electrified lines

Main lines:

- 1. Beograd Centar Stara Pazova Šid State Border (Tovarnik)
- 2. Beograd Centar Rasputnica G Rakovica Mladenovac Lapovo Niš Preševo State Border (Tabanovce)
- 3. (Beograd Centar) Rakovica Jajinci Mala Krsna Velika Plana
- 4. (Jagodina) Rasputnica Ćuprija Ćuprija Paraćin
- 5. (Beograd Centar) Stara Pazova Novi Sad Subotica State Border (Kelebia)
- 6. Niš Dimitrovgrad State Border (Dragoman):
 - electrified on section Dimitrovgrad State Border
- 7. Beograd Centar Pančevo glavna stanica Vršac State Border (Stamora Moravita):
 - electrified on section Beograd Centar Pančevo varoš
- 8. (Beograd Centar) Resnik Požega Vrbnica State Border (Bijelo Polje)
- 9. Beograd Ranžirna "A" Ostružnica Batajnica
- 10. Beograd Ranžirna "B" Ostružnica
- 11. Beograd Ranžirna "A" Rasputnica "B" Rasputnica "K/K1" Resnik
- 12. Ostružnica Rasputnica "B" (Rasputnica "K/K1")
- 13. Beograd Ranžirna "B" Rasputnica "R" Rasputnica "A" (Resnik)
- 14. (Beograd Ranžirna "B") Rasputnica "R" Rakovica
- 15. Beograd Ranžirna "A" Rasputnica "T" Rakovica
- 16. Beograd Ranžirna "B" Rasputnica "T" (Rakovica)
- 17. connecting track in the area of Rasputnica "K/K1": (Rasputnica "B") skretica "K" skretnica "K1" (Jajinci)
- 18. (Rasputnica Pančevački most) Rasputnica Karađorđev park Rasputnica Dedinje (Rasputnica G)
- 19. Inđija Golubinci
- 20. Novi Sad Novi Sad Ranžirna Rasputnica Sajlovo
- 21. bypass track of station Mala Krsna: (Kolari) branching turnout 1 branching turnout 28 (Osipaonica)
- 22. Rasputnica Lapovo Varoš Lapovo ranžirna Lapovo
- 23. Trupale Niš ranžirna Međurovo
- 24. Crveni krst Niš ranžirna
- 25. Niš Rasputnica most (Niš ranžirna)

Regional lines:

- 1. Topčider Putnička (4+195) Rasputnica G Rakovica
- 2. Novi Sad Odžaci Bogojevo:
 - > electrified on section Novi Sad Sajlovo
- 3. Stalać Kraljevo Požega:
 - electrified on section Kraljevo Požega
- 4. connecting track to station Požega: (Uzići) branching turnout No 53 branching turnout No 54 (Dragačevo)
- 5. Smederevo Rasputnica Jezava Radinac Mala Krsna
- 6. Mala Krsna Bor Rasputnica 2 (Vražogrnac):
 - > electrified on section Mala Krsna Požarevac

Local lines:

- 1. Novi Sad Novi Sad ložionica:
 - electrified on section Novi Sad Blok 3 Novi Sad
- 2. Pančevo Varoš Pančevo Vojlovica



Appendix 3.5 Power supply facilities

No	Facilities	Chainage
	ine 1. Beograd Centar – Stara Pazova – Šid – State Border– (Tovarnik)	
1.	EVP Zemun	009+671
2.	PSN Batajnica	021+735
3.	PS Stara Pazova	035+000
4.	EVP Indija	043+015
5.	PS Putinci	053+600
6.	PSN Ruma	066+245
7.	PS Sremska Mitrovica	081+700
8.	EVP Martinci	094+200
9.	PS Kukujevci	105+000
10.	PS Šid	116+400
	ine 2. Beograd Centar – Mladenovac – Lapovo – Niš – Preševo – State Bo	
11.	PSN Košutnjak	007+726
12.	PS Rakovica	008+656
13.	PS Kijevo	010+128
14.	EVP Resnik	010+128
15.	PS Klenje	024+800
16.	PSN Ralja	032+340
17.	PS Sopot Kosmajski	041+565
18.	EVP Mladenovac	053+100
19.	PS Glibovac	074+000
20.	PSN Mala Plana	084+350
21.	PS Plana	084+330
22.	EVP Markovac	099 +345
23.	PS Lapovo Varoš	106+309
24.	PS Lapovo Putnička	100+309
25.	PSN Bagrdan	119+122
26.	EVP Jagodina	136+262
27.	PS Ćuprija	148+200
28.	PS Paraćin	154+971
29.	PSN Sikirica	165+025
30.	PS Stalać	176+154
31.	PS Braljina	186+600
32.	EVP Đunis	195+130
33.	PS Korman	205+540
34.	PS Aleksinac	214+077
35.	PSN Grejač	223+479
36.	PS Trupale	234+104
37.	PS Niš	243+287
38.	EVP Niš	248+755
39.	PS Doljevac	261+410
40.	PSN Pečenjevce	276+752
	v	
41.	PS Leskovac	287+910
42.	EVP Grdelica	300+580
43.	PS Džep	319+561
44.	PSN Suva Morava	332+860
45.	PS Vranjska Banja	347+765
46.	EVP Ristovac	365+370
47.	PS Bukarevac	386+617
48.	PSN Tabanovci	400+060



Main	Line3. (Beograd Centar) – Rakovica – Jajinci – Mala Krsna – Velik	a Plana
49.	PS Beli Potok	017+800
50.	PSN Vrčin	026+400
51.	PSMali Požarevac	042+800
52.	EVP Vodanj	056+700
53.	PS Mala Krsna	070+600
54.	PSN Lozovik	086+000
	Line 4. (Beograd Centar) – Stara Pazova – Novi Sad – Subotica – S	
55.	PS Indija	042+230
56.	PSN Beška	051+880
57.	PS Sremski Karlovci	066+480
58.	PS Novi Sad	077+670
59.	EVP Novi Sad	081+0209
60.	PS Kisač	091+602
61.	PSN Zmajevo	105+045
62.	EVP Vrbas	120+135
63.	PS Lovéenac	127+824
64.	PSN Bačka Topola	142+745
65.	PS Žednik	157+926
66.	EVP Naumovićevo	168+590
67.	PS Subotica	177+262
68.	PSN Kelebija	184+398
	Line 6. Beograd Centar – Pančevo glavna stanica – Vršac – State Bo	
69.	PS Beograd Centar	000+000
70.	PS Pančevački Most	004+687
	Line 7. (Beograd Centar) – Resnik – Požega – Vrbnica – State Bord	
71.	PS Barajevo	015+420
72.	PSN Stepojevac	029+610
73.	PS Lazarevac	045+310
74.	EVP Slovac	059+248
75.	PS Valjevo	077+905
76.	PSN Lastra	093+056
77.	PS Ražana	111+239
78.	EVP Kosjerić	118+229
79.	PS Požega	140+420
80.	PSN Uzići	150+295
81.	PS Užice – teretna	162+319
82.	EVP Sušica	178+379
83.	PS Zlatibor	193+407
84.	PSN Jablanica	206+350
85.	PS Priboj	225+338
86.	EVP Pribojska Banja	232+750
87.	PS Bistrica	241+248
88.	PSN Prijepolje	257+226
89.	PS Lučica	264+695
90.	EVP Brodarevo	273+360
91.	PS Vrbnica	285+096
	Line 12. Beograd Ranžirna "A" – Ostružnica – Batajnica	203 1070
92.	PS Železnik – ulaz	001+290
93.	PS Železnik – ulaz PS Železnik – izlaz	001+290
93.	PSN Surčin	013+485
94 .	ron ouicili	013+483



Regional Line 11. Stalać – Kraljevo – Požega		
95.	EVP Kraljevo	080+565
96.	PSN Ovčar Banja	120+900

Remote	control centers	
97.	Centar DU Beograd	M2: 005+145
98.	Centar DU Niš	M2: 243+560
99.	Centar DU Novi Sad	M4: 078+038

Abbreviations:

EVP - Electric traction substation

PSN - Track sectioning post with neutral line

PS - Track sectioning post

CDU - Remote control center



Appendix 3.6 Overview of signaling & safety devices equipping level

		_	_	_	_	_	_		_		_	_	_	_	_		_	_	_	_	_			_				_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	—	_
	stuomus to gainoitiend Positioning of tumoral and no	24	12																																										
g yards	Ccentral positioning of turnout	23	0.00																																										
Devices in marshalling yards	To gainoitised officerotude of quant officerotude of the partial o	22	9.00			T								Ī		55			T												Ī						T								
Devices	Marshalling yards without authorite marshalling	21	19			T		П						Ī		1			T		П								Ī	1	T						T								
	Marshalling yards with guilleds and guilleds and chamotus	20	2																																										
	S lengislasinadooM 2	10	À			I													I										I								I								
Signal	lengis Idgi.J	18	91	263	200	170	187	Ц	Ξ	203			9	2 =	2	9	2	2	,	1	9	9	2			4		7	=	-										L					∞
	Mochanical signal	17	-	L			5	20			30	91		L	Ц						Ц		Ц										47	20	0	٥	×	=		6		=			
Signal type	2 lengis Idgi J	16 17	217	107	130	8	73	6	103	177	12	13	2	٥	Ц	4	2	-	-	-	Ц		Ц		6	4	- 4	L	28	106	3 6			Ξ	S	,	-	4	-	=	Ц	43			3
Sign	Meechanical signal	15	1	L	_	1	2	20	19		37	49	Ц	╽	Ц		L		1	Ц	Ц		Ц				Щ	L	╽	Ц	\perp		1	26	7	۰	×	=	1	10	Ц	Ξ			
Ľ	E lengis Idgi J	14	182	917	415	091	292	25	113	307	20	18	9	21	2	9	2	2	,	1	9	9	2		9	4	- 4	- 71	8	3	4			17	16	2	2	∞		23	Ц	9			16
Turnout heating	Gas	13	CT.		1	1																															1								
Tumo	Electrical Electrical	12	40	701	130	79	85	Ц	79	104	L			1		-	L		1			ю	Ц			2	\parallel	L		-	ļ	3			L		\downarrow		_	L	L	\downarrow		\perp	2
Á	On-site control and interlocking by means of turnout lock	=	192	100	190		138	Ц	87		247	83		ļ		15			\downarrow						39+6		77		36		L		27	253	32	9	66	73	2	92		195			32
rlocking	On-site control and interlocking by means of electrical controller	10					25																																	L					
Turnout inter	Central control desk and interlocking by means of mechanical devices	0					+		∞			63																					4		7			∞							
	Central control desk and interlocking by means of electrical positioning devices	×	341	059	650	151	171		116	306	16	19		32	2				-	3	132	60				4			44	100	+			7	19	0	6			00		22			22
Γ.	Mechanical devices without signal turnout dependence	1-			T	T	-	9	\$		15		T	T			Ī		T		П								Ī		T		-	6	9	,	,	00		2	T	-			
	Electrical devices without signal- turnout dependence	9	-	-	-		2	12	-		7	1		Ī											1		-							3	-	,	7	1		7		-			
ų	Electrical-mechanical devices with signal-tumout dependence	5	,	-	1			27	1		1	8													2				1				1		1			2		2		7			-
	gnistochomi yalor oralqmooni z	7																																	-										
10	Complete interlocking with relay of electronic devices	c.	2	3	8	2	17	2	9	34	2	-		2		1				-	-	1							2	-	-			-	-	-	-			-		œ			-
	RAILWAY LINES	,	Beognd - Stara Pazova - Šid - State Border - (Tovamik)	Beograd - Miadenovae - Lapovo - Niš - Preševo - State Border -	(Tabanovce)	(Beograd) - Kakovica - Jajinci - Mala Kisna - Velika Plana (Beograd) - Stara Pazova - Novi Sad - Subotica - State Border -	(Kelebia)	Niš - Dimitrovgrad - State Border - (Dragoman)	Beograd Centar - Pančevo glavna stanica - Vršac - State Border - (Stamora Monavita)	(Beograd) - Resnik - Požega - Vrbnica - State Border - (Bijelo Polje)	Lapovo - Kraljevo - Lešak - Kosovo Polje - Đeneral Janković - State Bodov - Ovelkovo	Subotica - Bagojevo - State Border - (Erdut)	Beograd Centar - Novi Beograd	Beograd Centar - Kasputinca G - (Kakovica) Beograd Ranžima "A" - Ostružnica - Batainica	Beograd Ranžima "B" - Ostružnica	Beograd Ranžima "A" - Rasputnica "B" - Rasputnica "K/K1" - Resnik	Ostružnica - Rasputnica "B" - (Rasputnica "K/K1")	Beograd Ranžima "B" - Rasputnica "R" - Rasputnica "A" - (Resnik)	Recorad Ranžima "B") - Rasputnica "R" - Rakovica	Beograd Ranžima "A" - Rasputnica "T" - Rakovica	Beognad Ranzirna "B" - Rasputnica "T" - (Rakovica)	vezni kolosek na području Rasputnice "K/K1": (Rasputnica "B") - skretnica "K" - skretnica "K1" - (Jajinci)	Topčider - Rasputnica Savski most - (Novi Beograd)	Topcider - Beograd spojina - Beograd Dunav - Rasputnica Pancevacki most	obilazni kolosek stanice Beograd Spoljna: (Topčider) - Blok 1 "Obala" - Blok 2 "Prelaz" - (Beograd donji grad)	(Rasputnica Pančevački most) - Rasputnica Karadordev park - Rasputnica Dedinie - (Rasputnica G)	Indija - Golubinci Novi Sad - Novi Sad Ranžima - Rasmunica Sailovo	obitazni kolosek stance Mala Krsna: (Kolari) - odvojna skretnica I -	odvojna skremica zv (Osipatonica) Rasputnica Lapovo Varoš - Lapovo ranžirna - Lapovo	Trupale - Niš ranžima - Medurovo	Creen kist - nis ranzama Niš - Rasputnica most - (Niš ranzima)	Spojni kolosek stanice Niš: (Crveni krst) - odvojna skretnica 2 - odvojna skretnica 2 - odvojna	Subotica - Horgoš - State Border - (Roszke)	Pančevo Glavna stanica - Zrenjanin - Kikinda - State Border - (Jimbolia)	Banatsko Miloševo - Senta - Subotica	Pančevo Varoš - Rasputnica 2a - (Jabuka)	Novi Sad - Odzaci - Bogojevo	(Novi Sad) - Rasputnica Sajlovo - Rimski šančevi - Orlovat stajalište	Novi Sad Ranžima - Sajlovo Rasputnica Orlovat - Rasputnica 1a - (Lukidovo)	Ruma - Sabac - Rasputnica Donja Borina - State Border - (Zvornik	Novi) (Platičevo) - Rasputnica 1 - Rasputnica 3 - (Štitar)	Stalać - Kraljevo - Požega	spojin kotosek stanice Kratjevo. (watatuska banja) - odvojna skietinea broj 72 - odvojna skretnica broj 73 - (Adrani)	spojni kolosek stanice Požega: (Uziči) - odvojna skretnica broj 53 - odvojna skretnica broj 54 - (Draeačevo)	Smederevo - Mala Krsna
	Railway Line No	2	Т	$\overline{}$	$\overline{}$	_	50	105	901	107	108	109	\Box	112	13	114	115	116	12	\blacksquare	119	120	121	122	28	31 (125 1		128 F	129 7	$\overline{}$	132	201	202	203 E	$\overline{}$	_	\neg	207	_	210 (_	212	_	214 8
	οN	-	-	,	7 (0	4	2	9	7	00	6	01	- 2	13	±	13	91	1	8	61	20	21	22	23	24	25	27	28	29	31	32	33	34	35	36	+	\rightarrow	39	_	42	_	‡	$\overline{}$	46



	_		_	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_	_	_	T	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_	$\overline{}$	_	_
		Shoomut To gainotitisog lisunaM amuf adi no	2	24											L					\downarrow			L						\downarrow								\downarrow	\downarrow	\downarrow	L		Ц		\downarrow	0
	ig yards	Ceentral positioning of turnout	히	23																																									0
	Devices in marshalling yards	Po gainoisied positioning of quind add no thoronal 2	Ӆ	22																																		T	Ī						55
	Devices	Marshalling yards without automatic marshalling	Stations	21			T	Ī						T					1							1	T		T	T					1		Ť	T	T	T				T	2
		Marshalling yards with automatic marshalling	Number of	20			T					1	T		Ī				1	T	T					1	T		T	T					1	1	T	T	T	T				T	0
Pounium	AS	Mechanicalsignal	Sallses	19	1	T	T	T			T	1	T	T	T			1	1	Ť	Ť	Ī	T			1	T	T	T	T	T			1	T	T	Ť	T	T	T	Г		T	T	0
Sional	with AS	lengis idgi.d 2	Ξſ	18	ç																																I								1212
	Other	Mechanical signal	S	17	4	22	51	3	3					-	L			4	2				12			2			-	1)	-						\rfloor	floor	$oxed{L}$	L			\prod	$oxed{T}$	263
Sional type	Ō	Isngis 1dgi J	or Sign	91	5	4	1	L	L	Ц		-	1	-	L	Ц	2	4	4	,	7	\downarrow	L	2		6	m	L	1	1	L		\perp	1	1	1	1	\downarrow	\downarrow	ļ	L	Ц	\perp	\downarrow	1217
Sion	Main	Mechanical signal	i i	+	2	35	3,6	8	e	Ц	4	4	1	-	1	Ц	Ц	4	2	4	\downarrow	\downarrow	15	Ц	\downarrow	2	1	Ļ		- 2	-		Ц	4	4	4	\downarrow	\downarrow	\downarrow	\downarrow	-	Ц	4	1	338
L	~	Light signal		4 5	1/8	22	67		L	Ц		-	1	-	L	Ц	2	∞	4	,	7	\downarrow	L	2		3	m	_	_	1	L		\perp	1	4	4	\downarrow	\downarrow	\downarrow	\downarrow	L	Ц	\perp	1	2123
Turnout heating				13		_						_		ļ	L			\downarrow		1	1					_	1	L	\downarrow					4			1	\downarrow	1	L	L	Ц	_	\downarrow	0
Turn		Electrical	Ollino	12	+ 7	_	~					\downarrow	1	ļ	L				4	\downarrow		L	L			4	1	L	1	1	L				4	1	\downarrow	\downarrow	\downarrow	ļ	L	Ц	_	1	630
	Λq	On-site control and interlocking means of turnout lock		11	130	127	50	10	3			7	2	-	4		84	49	56	19	101	TO	52	16		4	=		,	0 79	17		14			20	9		l	L	-	7	4	4	2574
locking	1	On-site control and interlocking by means of electrical controller	smonus	10			9																																						31
Turnout interlocking		Central control desk and interlocking by means of mechanical devices	Number of t	6	1	∞																																							103
	ls	Central control deak and interlocking by means of electrics positioning devices	٥	» (00	15	00	-										4																				T	Ī						2349
ľ	-ls	Mechanical devices without signa turnout dependence		7	2	14	T	-	1			1	Ī	-				1	3	-	- -		9			-			T	,	1					,	7	T	T	T		-		T	94
ľ		Electrical devices without signal- turnout dependence	SHOLLS	9	٥	-		T				-	T	Ī	Ī				1	-	-			1		_	-		T	4				1	Ì	1	Ť	T	T	T	Ī		Ī	Ť	55
	фi	Electrical-mechanical devices wi	Number of stat.	s .	-	2		-	-																		T										T	T	T	Ī				T	09
		Incomplete relay interlocking	- 1	4	4	2	-																														I	I							8
	10 /	Complete interlocking with relay electronic devices	,	m 5	OI	2	4	-										2																											187
		RAILWAY LINES		2	Maia Krsna - Bor - Kasputnica 2 - (Vrazogrnac)	Crveni krst - Zaječar - Prahovo pristanište	(ngotina) - nasputinca 3 - nasputinca 1 - (1111avac) Dolievac - Kastrat - Kosovo Polie	Kuršumlija - Kastrat	(Barlovo) - Rasputnica 1 - Kuršumlija	Kosovo Polje - Metohija - Peć	Kosovo Polje Teretna - Rasputnica 1 - (Drenica).	Subotica - Subotica fabrika	Subotica - Subotica bolnica	Novi Sad - Novi Sad ložionica	(Podbara) - Rasputnica 3 - Rasputnica 2 - (Kać)	Rimski šančevi) - Rasputnica 1 - Rasputnica 3 - (Podbara)	Rimski šančevi - Bečej	Vrbas - Sombor	Petrovaradin - Beočin	xpatin Fabrika - Strilić - Sombor	Date - Natavilkovo Bakin Bolonin Gaidahan	Backa radanka - Cajuotta Brasina) - Rasmutnica Donia Borina - Zvornik Grad	Šid - Sremska Rača Nova - State Border - (Bijeljina)	Kikinda - Banatsko Arandelovo	Sečanj - Jaša Tomić	Zrenjanin Fabrika - Vršac - Bela Crkva	Pančevo Varoš - Pančevo Vojlovica (Hlima) - Raemitnica A - Raemitnica B - (Jaconovo)	spojni kolosek stanice Senta: (Čoka) - odvojna skretnica 22 - odvojna	skretnica 23 - (Orom)	(FOZAREVAC) - RASPILITICA SOPOL FOZAREVACKI - NOSLOJAC	Ovča - Padinska Skela	Metohija - Prizren.	Bečej - Vrbas	Vršac - Vršac Vašarište	Alibunar - Seleuš	Vladimirovac - Kovin	Coka - Novi Kneževac Krivinda - Motanolsko siráchni Lomploks (Em 6+413)	Kikinda - Metanoisko sircetni kompieks (km 0+413) Bogojevo - Dinavska obala	Bogojevo - Duravska obała Sombor) - Rasputnica Strilić - Bački breg	Sombor - Ridica	Višnjićevo) - Rasputnica Rača - Sremska Rača	Paraćin - Stari Popovac	Surčin - Jakovo Bečmen	(Beograd spoljna) - km 2+290 odvojna skretnica - Fabrika šećera Šaroanska osmica	Total:
r		Railway Line No	1	$\overline{}$	_	216 C	$\overline{}$	-	1			\neg	302 S	+	_	ř	307 R	\neg	$\overline{}$	310 A	_	+		315 K		- 1	318 P	$\overline{}$	S	322	$\overline{}$	324 N	_		\neg	_	-	400 407 B	+	-1	-	Н		413 (0	$\overline{}$
		oN		- !	4	8 4	50	51	52	53	54	55	56	28	59	09	19	62	63	64	60	20	89	69	70	71	73	2 2	15	27	77	28	42	80	81	82	83	85	8	87	88	68	06	91	2



											INTER	LOCKI	NG FAC	CILITIE	S								
				2011	20170-11									crossing		devices						_	
			Intersta	tion deper device	ndence		Autor	matic t	oloc		Auton	natic posi	itioning o	of level	Man	al positi		f level	Traf	fic remote	contro	l devi	ices
		RAILWAY LINE	ne	ine	ween	ne	ine			ped with	ba	arrier or rier udinal	only o	colour		trical		nanical rices	ne	ine	ol centers	ol stations	ntrolled
	Railway Line No		cngth of single track line	Length of double track line	Number of distances between stations	Length of signle track line	Length of double track line	Number of block points	Number of signals	Number of signals equipped with auto-stop devices	in station	on track	in station	on track	n station	on track	in station	on track	cength of signle track line	Length of double track line	Number of remote control centers	Number of remote control stations	Number of remotely controlled stations
No			kı		kom	k							pcs			_				m		pcs	3
1	la	2 Beograd - Stara Pazova - Šid - državna granica -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	101	(Tovarnik)						61	120	120	14	12								97+918	1	5	6
2	102	Beograd - Mladenovac - Lapovo - Niš - Preševo - državna granica - (Tabanovce)	6+000		1		14+150	195	443	289	37	53	1	1	2		8	4			2	38	15
3	103	(Beograd) - Rakovica - Jajinci - Mala Krsna - Velika				93+143		41	81	81	11	3					1				1	12	4
	104	Plana (Beograd) - Stara Pazova - Novi Sad - Subotica -	15+020		4	133+722		61	121	121	15	8			2	1	1	2					
5	104	državna granica - (Kelebia) Niš - Dimitrovgrad - državna granica - (Dragoman	15+020	-	*	16+100		6	111	121	5	7			3	4	7	4					
	106	Beograd Centar - Pančevo glavna stanica - Vršac -	82+200	19+070	14	10 - 100	19+600	10	26	26	4	2			,	1	8	1				П	
7	107	državna granica - (Stamora Moravita) (Beograd) - Resnik - Požega - Vrbnica - državna granica - (Bijelo Polje)	287+013		33						3	9	1	15					287+013		1	26	9
	108	Lapovo - Kraljevo - Lešak - Kosovo Polje - Đeneral								-	3		2		ī		7	4					
9	109	Janković - državna granica - (Volkovo Subotica - Bogojevo - državna granica - (Erdut	69+820	\vdash	11						1	5	1		•		11	10				Н	
10	110	Beograd Centar - Novi Beograd	-20				2+887	2	4	4												F	
12		Beograd Centar - Rasputnica G - (Rakovica) Beograd Ranžima "A" - Ostružnica - Batajnica				25+658	4+416	4 14	8 26	8 26	1	1									1		2
13		Beograd Ranžima "B" - Ostružnica Beograd Ranžima "A" - Rasputnica "B" - Rasputnica				5+902		2	2	2													
14	114	"K/K1" - Resnik				10+419		4	8	8	1						1					1	1
15		Ostružnica - Rasputnica "B" - (Rasputnica "K/K1") Beograd Ranžima "B" - Rasputnica "R" - Rasputnica				2+121		1	2	2												H	
16	116	"A" - (Resnik)				4+538		2	2	2													
17 18		(Beograd Ranžirna "B") - Rasputnica "R" - Rakovica Beograd Ranžirna "A" - Rasputnica "T" - Rakovica				1+149 0+709																	
19		Beograd Ranžirna "B" - Rasputnica "T" - (Rakovica)				8+379		3	5	5													
	120	vezni kolosek na području Rasputnice "K/K1": (Rasputnica "B") - skretnica "K" - skretnica "K1" -				0+463																	
20	121	(Jajinci) Topčider - Rasputnica Savski most - (Novi Beograd				3+578		1	1														
22	122	Topčider - Beograd spoljna - Beograd Dunay - Rasputnica Pančevački mos				6+257	4+519	•								1	0	0					
23	123	obilazni kolosek stanice Beograd Spoljna: (Topčider) - Blok 1 "Obala" - Blok 2 "Prelaz" - (Beograd donji grad)				1+757											1						
24	124	(Rasputnica Pančevački most) - Rasputnica Karadorđev park - Rasputnica Dedinje - (Rasputnica G)					1+591																
25		Indija - Golubinci	4+020		1	4+020		2	4	4													
26		Novi Sad - Novi Sad Ranžirna - Rasputnica Sajlovo obilazni kolosek stanice Mala Krsna: (Kolari) - odvojna	3+749		2	2.205					١.												
27	127	skretnica 1 - odvojna skretnica 28 - (Osipaonica)				2+387					1												
28		Rasputnica Lapovo Varoš - Lapovo ranžirna - Lapovo					3+788															Ш	
29 30	130	Trupale - Niš ranžirna - Međurovo Crveni krst - Niš ranžirna				1+220 17+100	1	2	2	1													
31		Niš - Rasputnica most - (Niš ranžirna) Spojni kolosek stanice Niš: (Crveni krst) - odvojna				4+990		4	7		1	1										П	
32	132 201	Spojni kološek stanice Niš. (Crveni krst) - odvojna skretnica 2 - odvojna skretnica 4 - (Ćele kula) Subotica - Horgoš - državna granica - (Roszke	24+351		5	0+500					3	2					2	2				Щ	
	201	Pančevo Glavna stanica - Zrenjanin - Kikinda - državna	131+318		14						4	10			ī		11	4				П	
34 35		granica - (Jimbolia) Banatsko Miloševo - Senta - Subotica	80+264		14						<u> </u>	1			_		2	2				\vdash	
36	204	Pančevo Varoš - Rasputnica 2a - (Jabuka)	1+600		1																		
37		Novi Sad - Odžaci - Bogojevc (Novi Sad) - Rasputnica Sajlovo - Rimski šančevi -	89+457		10						\vdash	1			1		7	4				Н	
38 39	206	Orlovat stajalište Novi Sad Ranžirna - Sajlovo Rasputnica	65+405 2+502	_	11						_	1					4	3				Н	
40		Orlovat - Rasputnica 1a - (Lukićevo)	0+630		1																		
41	209	Ruma - Šabac - Rasputnica Donja Borina - državna granica - (Zvornik Novi)				101+951						3			4	3	3	6					
42	210	(Platičevo) - Rasputnica 1 - Rasputnica 3 - (Štitar)																					
43	211	Stalać - Kraljevo - Požega spojni kolosek stanice Kraljevo: (Mataruška Banja) -				135+733						2	1		2		4	5					
44	212	odvojna skretnica broj 72 - odvojna skretnica broj 73 - (Adrani)																					
45	213	spojni kolosek stanice Požega: (Uzići) - odvojna skretnica broj 53 - odvojna skretnica broj 54 -																					
46		(Dragačevo) Smederevo - Mala Krsna				11+742					1		1		1		2	2					
		Mala Krsna - Bor - Rasputnica 2 - (Vražogrnac) Crveni krst - Zaječar - Prahovo pristanište										1			1		7	1				\vdash	
49	217	(Rgotina) - Rasputnica 3 - Rasputnica 1 - (Trnavac)										Ĺ					,	Ė					
		Doljevac - Kastrat - Kosovo Polje Kuršumlija - Kastrat													1								
-1	417	procumija - trastiat																				لسا	



	I									INTER	LOCKI	NG FAC	CILITIE	S							_	\neg
												Level	crossing	safety o	levices						_	
			tion deper device	ndence		Auto	matic b	oloc		Auton		itioning o	of level	Mam	al positi	ioning of	level	Traf	fic remote	contro	l devi	ces
	RAILWAY LINE	line	k line	oetween	line	k line	ıts		uipped with	ba	rrier or rier ndinal	only o	colour	elect	rical		anical ices	line	k line	ntrol centers	ntrol stations	ontrolled
No Railway Line No		Length of single track line	Length of double track line	Number of distances between stations	Length of signle track line	Length of double track line	Number of block points	Number of signals	Number of signals equipped with auto-stop devices	in station	on track	in station	on track	in station	on track	in station	on track	Length of signle track line	Length of double track line	Number of remote control centers	Number of remote control stations	Number of remotely controlled stations
		kr		kom	kı	m -		0	10		12	pcs	1.1	1.5	16	1.7	10		m ao	21	pcs	22
1 la	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
52 220 53 221	(Barlovo) - Rasputnica 1 - Kuršumlija									\vdash										\vdash	\vdash	\dashv
54 222																				\vdash	\vdash	\dashv
	Subotica - Subotica fabrika	4+100		1			\vdash		\vdash	\vdash			1				4			\vdash	\vdash	\dashv
	Subotica - Subotica bolnica	2+745		1																\vdash	\vdash	\dashv
	Kanjiža - Horgoš	2.173		1																\vdash	\vdash	\dashv
58 304		2+870		1										2			1			Н	\Box	\neg
59 305		3+659		2																\Box	\Box	
200	(Dimelii čančavi) - Daenutnica 1 - Daenutnica 2 -	0+910		,																	П	
60 306	(Podbara)	0+910		1																		
61 307	Rimski šančevi - Bečej													1		9						
62 308										1	1			2		1	1				\Box	
	Petrovaradin - Beočir	17+035		3												2	2			\perp	ш	
	Apatin Fabrika - Strilić - Sombor	38+304		4			_							-		1	2			\vdash	\vdash	-
	Bač - Karavukovo	13+420		2			_							1		1				\vdash	\vdash	-
	Bačka Palanka - Gajdobra	14+422	_	2	6:010		_		_	_	_	_		_		2	4			\vdash	\vdash	-
67 313	(Brasina) - Rasputnica Donja Borina - Zvornik Grac		-	-	6+818	_	_		_											\vdash	\vdash	-
68 314				ļ.,	25+612												2			Ш	Ш	
	Kikinda - Banatsko Aranđelovc	12+916	_	4			_									2				\vdash	\vdash	-
	Sečanj - Jaša Tomić	10+363	_	1		_	_		_	_	,	_				,				\vdash	\vdash	-
	Zrenjanin Fabrika - Vršac - Bela Crkvε	65+3348 2+907		2			_				1			1	3	4				\vdash	\vdash	-
	Pančevo Varoš - Pančevo Vojlovica (Uljma) - Rasputnica A - Rasputnica B - (Jasenovo)	0+488	_	1							1			1	3					\vdash	\vdash	-
74 320	spojni kolosek stanice Senta: (Čoka) - odvojna skretnica 22 - odvojna skretnica 23 - (Orom)	01400		1																П	П	\Box
221	(Požarevac) - Rasputnica Sopot Požarevački - Kostolac				9+900															Н	\sqcap	\neg
13					**.**		_										.			\vdash	\vdash	-
76 322 77 324		18+580	_	,	53+250	_			\vdash	\vdash	1	—	1	1	_	3	4	_		\vdash	\vdash	\dashv
	Ovča - Padinska Skela	18+580		1	18+580		<u> </u>										_			\vdash	\vdash	-
	Metohija - Prizren. Bečej - Vrbas															1				\vdash	\vdash	\dashv
	Vršac - Vršac Vašarište						 			_						1				\vdash	\vdash	\dashv
81 403		8+386		1					\vdash	\vdash										\vdash	\vdash	\dashv
	Vladimirovac - Kovin	43+030		1													2			\vdash	\vdash	\neg
	Čoka - Novi Kneževac	12+300		2												1				\vdash	\Box	\neg
84 406	Kikinda - Metanolsko sirćetni kompleks (km 6+413)	7+255		1																		
	Bogojevo - Dunavska obala	2+733		1																		
	(Sombor) - Rasputnica Strilić - Bački breg	28+090		1																		
	Sombor - Ridica	32+741		1																	Ш	
	(Višnjićevo) - Rasputnica Rača - Sremska Rača				3+830															\sqcup	Ш	
	Paraćin - Stari Popovac					<u> </u>	<u> </u>		_	1						1		_		\vdash	Ш	
90 412	Surčin - Jakovo Bečmei			-	4+400	-	_			_					-	-		_		\vdash	\vdash	
91 413	(Beograd spoljna) - km 2+290 odvojna skretnica - Fabrika šećera				0+600																Ш	
92 501	Šarganska osmica			***		_	***	0.00	COO	40=		-	40	**	- 40						0.0	
	Total		L	161	L	L	416	876	699	107	127	7	18	28	12	115	76			6	82	37



Appendix 3.7 Overview of telecommunication devices equipping

							HINAL T	HNAL TERMINAL DEVICES	DEVICES						Ľ		$\ $	Ш		EXCHANGE UNITS	UNITS		Ш	П	Н	П
		-	-	-	-	-	Telephon						Tek	lde2	_		-		Telephone	-	-		Teleg	raph	_	
							Traff.ren	sete control sks		Trackside	elephones															
	RAILWAY LINE	LB telephone devices	CB telephone devices				srafnaa gnirfateqsib lenoiteraqo 1A		stengis yitnə 1A	slangia itzə 1A			Teleprinters	Telefixes	Sound signalling devices	mops.és "dops Áq dops.		Сгозь-Бш	EMD with electric motor dialler	ESK		olnomool3	motove "moto vel moto"		Бівраісһіпд схейапдея	Station dispatching devices
1		bcs	⊦	⊦	H	H	┝	bcs	bcs	H	┞	H	bcs	bos	bcs	type		H	type	type	bcs	H	┞	SOC	bos	soc
1	2		⊦	⊦	⊦	H	┝	01	=	┝	╀	⊦	16	17	18	61	t	H	23	╁	┞	┝	├	30	31	32
	3GD-Sid-State Border	55	Н	Н	1	0	Н	13	35	Н	Н	Н	9	0	18		2	-			3	0	Н	-	0	15
1	BGD-Madenovac-Nis-Prefevo-State Border. BRGD-Rakovica-Jajinci-M.Krsma-V.Plana	31	Н	Н	+	+	= 0	90	38	-	Н		31	2 0	4 00		4 -	2 0			10	0 0	+	r2 -	s 0	37
	(BGD)-S.Pazova-Indija-Subotica-State Border.	88	\vdash	⊢	H		4	61	39	H	\vdash	⊢		0	3	cb5 fb5	\vdash	\vdash			- 61	0	\vdash	-		56
	Vis-Dimitrovgrad-State Barder.	2	Н	Н	0 11	0	0	4	7	Н	Н	Н	0	0	6		0	-			Н	H	H	0	0	0
	3GD Centar-Paneeve-Vrsac-State Border.	99	+	+	+	+	- 4	7	30	+	+	+	9	0	Ť		0	0	4	,	+	4	+	0	_ ,	9
	BGD)-Resnik-Podgonca-Bar arcon. Kerlistoch Indepolis-State Border	68 59	+	+	+	+	74 0	35	% ×	+	+	+	5 0	0 0	Ť	SKRA	72 -	0	+	0	+	100 s	TW-39	- 0	~ 0	37
	subotica-Bogojevo-State Border.	23	H	H	H	H	0	0	-	\vdash	\vdash	H	0	0	3		. 0	0			H	mi s3		0	0	0
	Scognad Centar-Novi Beognad	9 8	Н	Н	Н		0 0	- 0	2 9	8 8	_ 4	0 0	- 0	0 0	- 0	+	0 0	- 0			0 0	0 0		0 0	0 0	
	GD Ranzirna "A"-Ostrużnica-Batajnica	0	Н	Н	Н	0	0	2	9	\$	7	H	-	0	0		0	0			0	0		0	0	0
	GD Ranžima. "B"-Ostružnika	0	+	+	+	0	0	0	0	0	2	0	0	0	0	+	0	0			0	0	_	0	0	0
	GD Kanzima "A"-Rasp. 18"-Rasp. KResnik ktružnica-Rasn. "B"-(Rasn."K"-Resnik)	2	0 0	+	+	0 0	0 0	0 0	- 2	0 0	- 00	0 0	0 0	0 0	0 0	+	0 0	0 0	1		0 0	0 0	_	0 0	0 0	0 0
1	GD Ranzirna "B"-Rasp."R"-Rasp."A"	9	Н	╀	H		4	47	4	3	2	0	2	_	0	+	0	-			0	0		0	0	0
	GD Ranžima "B") Rasp."R"-Rakovica	-	Н	Н	Н	H	0	0	0	0		0	0	0	0	H	0	0			0	0		0	0	0
1	GD) BGD Ranzirna "A"-Rasp, "T"-Rakovica		+	+	+	+	0	0	0 -	0	0 -	0	0	0	0	+	0	0 0			0 0	0 0	1	0	0 0	0 0
1	GD Ranzima B - Kasputhka 1 - (Kanowka) GD Ranz, "A"-Ras B)-Ras K-Ras K1-Jajinci	3 6	+	+	+	H	0	0	- 47	0	- 0	+	2	-	0	+	0	0			0	0	_	0		00
1	ppcider-Rasp, Savski Most-(Novi BGD)		\vdash	Н	\mathbb{H}		0 0	- 0	en -	0 0	- 0	0 0	0 (0 0	0 0	\parallel	0 0	0 0			0 0	0 0		0 0	0 0	0 0
	opč-Blok 10bala-BGD Spolina-Blok 2 prel	-	╀	╀	╀	H	0	0		0	0	╀	0	0	0	+		0				0	ļ	0	0	0
1	ukov Sp.)-Ras.K.Purk-Ras.Dedinje-(Rakov.)	.1	Н	Н	Н	Н	0	0	0	0	0	H	0	0	0	\parallel	0	0		_	0	0		0	0	0
1	tija-Golubinei	0 4	+	+	+	+	0	0	2 0	+	+	+	0	0	0 -	+	0	0 0			0 0	0 0	1	0	0 0	0 0
	illazni kolosek Mala Krsna	0	Н	Н	Н	Н	0	0	0	\mathbb{H}	Н	Н	0	0	0		0	0			0	0		0	0	0 0
1	povo Varoš-Lapovo Ranžirna-Lapovo	7	Н	Н	Н	Н	0	2	*7	0	0		-	0	-		0	0			0	0		0	0	0
1	upale-Nis Ranžima-Medurovo	21	+	+	+	+	0	4	2.	0	0	+	2	0	0	+	0	- <			0 0	0	1	0	0 0	4
1	Neth Krst-Nis Kanzima R. Raentnica Most-(Nik Ranžima)	0 -	+	+	+	+	0	0 0	- 0	0 0	0	+	0 0	0	0 0			0 0				0 0	_	0 0	0 0	0 0
13 10 10 10 10 10 10 10	r.Kist-Skr.2)-Skr.3-Skr.4(Cele Kula)	0	H	H	H	H	0	0	0	0	0	H	0	0	0	H	0	0			0	0		0	0	0
4 10 2 10 10 10 10 10 10	botica-Horgos-State Border.	13	Н	Н	Н	Н	0	0	-	0	0	H	-	0	2		0	0			0	0		0	0	0
4. A control of the c	neevo Glavna-Zrettjanin-Kikinda-State Border.	7	+	+	+	+	0	- <	٥.	0 0	0 0	+	- <	٥	2	IBS	-	-			0 0	0 0	À	- 0	0 0	0 0
Second Color Col	anatsko Milosevo-Senta-Subotica mečevo Varoš-Raspatnica "2a"-(Jabuka)	0	+	+	+	+	0	0	- -	0		+	0	0	0	+						0	1	0		
Helical-Tromatile 6 0 0 5 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Sad-Sallovo Rasputnica-Bogojevo	0	0	╀	H	H	0	0	2	-	0	H	0	0	- 2	+	0	-		_	0	0	L	0	0	0
1	.Sad)-Sajl.RaspR.SančOrl.staj(Toma3)	9	0	2	Н	Н	0	0	0	0	0	Н	0	0	0	H	0	0			0	0		0	0	0
History Redection 1 of 1 of 2 of 0	Sad Ranzirna-Sajlevo Rasputnica	0	Н	Н	Н	Н	0	0	0	0	0	Н	0	0	0		0	0			0	0		0	0	0
11 12 13 14 15 15 15 15 15 15 15	dovat-Rasputnica "la" (Lukicevo)	0 3	+	+	+	+	0	0	0	0	0	+	0	0	0	+	0	0			0 0	0	1	0	0	0 0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	ima-Sabac-Kasp. Donja Borma-State Border.	2 5	+	+	+	+	0	×	2	0 0		+	0 0	0	0	+	-	-					1	0 0		o o
Avadegment) 266 of 135 of 20 d 4 of 0 10 3 of 16 of 0 0 10 10 10 10 10 10 10 10 10 10 10 10	nothern-Mala Krana	1 2	+	╀	╀	H	0	2	2 49	1 4		H	9 0	0	,	+	- 0	- 0				0	ļ	0		
ista discrepancy (12) of 250 2 is in 0 of 1 of 2 of 0	Krsna-Bor-Rasoutnica "2" (Vražogmac)	36	H	+	H	-	, 0	0	-	F	+	+	2	, _	12	+	-	0	-		, 0	0	-	, 0		0
Months:	s-Zaječar- Prahovo pristanište	12	0	00	91 2	0	0	-	2	_	0	0	0	0	0	H	-	0			0	0	ļ	0	0	0
6 6 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	i3)-Doljevac-Kastrat-Kosovo Polje	7	0	3	H		0	0	0	0	0	0	0	0	0	-	0	0			0	0		0	0	0
Company Comp	risumlija-Kastrat	0	0	Н	H		0	0	0	0	0		0	0	0		0	0			0	0		0	0	0
	arlovo)-Rasputnica "1"-Kuršumlija	0	Н	Н	Н		0	0	0	0	0	0	0	0	0		0	0			0	0		0	0	0
	botica-Subotica fabrika	0	0	0	_	0	0	0	0	0	0	0	0	0	0	H	0	0		_	0	0		0	0	0
4 0 30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	botica-Subotica bolnica	0	0	Н	Н		0	0	0	0	٥	0	0	0	0		0	0			0	0		0	0	0
4 0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	anjiža-Horgoš	0	+	4	+		0	0	0	0	٥	0	0	0	0	+	0	0			0	0	4	0	0	0
	dovi Sad-Novi Sad ložionica	4	Н	Н	H	0	0	0	-	0	0	0	0	0	-	+	0	0			0	0		0	0	0



Γ			Station dispatching devices	bcs	32	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	181
	r		Dispatching exchanges	bcs	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	10
	h			bcs	30	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	7
	Telegraph		mstys "q system	type	56	†	T	t									t	İ			1		t	t						1	
				sod	28	0		0	0	0	0	0	0	0	0	0		0	0	0	0	0 0		0	0	0	0	0	0	0	s
			Electronic	+	+	+	+	H			H	_	_	+	+	+	+	-			+		t	H				_		-	
				type	27	1	1	L									1	L			1		1	L		L					
EXCHANGE UNITS			- ЕЗК	bcs	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	17
CHANG				type	25			L										L								L					
EX	ne			bcs	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	7
	Telephone		EMD with electric motor dialler	type	23																										
				+	+	+	+	ŀ								+	+	H			+	+	+	H		L					
			Cross-bar	7	+	0		0	0	0	0	0	0	0	0	0		0	0	0	0	0 0		0	0	0	0	0	0	0	12
				type	21	+	+	ŀ			Ц			4	4	+	+	ļ			+	+	+	ļ		L				4	
			"Şıcb pλ sıcb" sλsıcın	bcs	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0		0	0	0	0	0	0	0	11
				type	16	+	+	t		H	Н		\parallel	+	+	+	+	H		H	+	\dagger	+	t		H		-	H	+	
H	L			+	+	0 0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0 0		0	0	0	0	0	0	0	951
H				+	+	+		╀	0	0	0	0		+	\perp	+		H	0	Н	+	0 0	+	╀	0	0	0	0	0	0	=
	Telegraph	_		+	+	+	+	╀	H	Н	Н	_	\Box	+	+	+	+	╀		Н	+	+	+	╀	\vdash	H	Н	H	Н	+	
				7	+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0		0	0	0	0	0	0	0	88
			Orhers	bcs	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	126
		phones	At automatic block (APB)	bcs	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	397
		Trackside telenhones	At level crossings (PP)	bcs	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	284
s		Trac	Ar exit signals	bcs	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	351
DEVICE			At entry signals	bcs	=	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	415
L TERMINAL DEVICES		remote control	snoitets yewlies 1A	bcs	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	201
FINAL TER	Telephone	Traff.remote		bcs	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0		0	0	0	0	0	0	0	24
FI	Te	-	sənohqələr Aq	bcs	×	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0		0	0	0	0	0	0	0	×
			səuoqdələ1 Vdd	bcs	7	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	3	0	0	0 0			0	0	0	0	0	0	96
					9	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0 0		0	0	0	0	0	0	0	182
					+	+	0 0	╁	0	0	0	0		0	0	+	0 0	H	+	0	+	0 0	ł	╀	0	0	0	0	0	0	1288
				+	+	+	+	╀	0) 0	0	0		+	+	+	0 0	0	0	0	+	0 0	+	╀	0	0		0	0	0	
				7	+	+	+	╀		Н	Н			+	+	+	+	╀			+	+	ł	╀	H	L	0			+	0 262
_			LB telephone devices	bcs	3	0		0	0	0	0	0	0	0	0	3		0	6	0		0		0	0	0	0	0	0	0	880
			RAILWAY LINE		2	306 (Rim. Sančevi)-Rasput "1"-Rasput. "3"-(Podb.)	308 Vrbas-Sombor 309 Petrovaradin-Beočin	Sonta-Apatin fabrika-Strilić-(Sombor)		312 Bačka Palanka-Gajdobra				Sečanj-Jaša Tomić	317 (Zrenjanin)-Zrenjanin fabr. Vršac-Bela Crkva	Pancevo Varos-Pancevo Vojlovica	(Uljma)-KaspA-RaspB-(Jasenovo) Senta-Odvoina skr. 22 Senta		Markovac-Resavica		Alibunar-Seleus	Vadimirovac-Kovin	406 Klyinda-MK Cind belood)	Bogojevo-Dunavska obala	Sombor-Bački Breg	Sombor-Ridica	410 (Višnjićevo)-Rasput.Rača-Sremska Rača	411 Paraćin-Stari Popovac	Surčin-Jakovo-Bečmen-(Boljevci)	413 (Bgd spoljna)-km 2+290-Fabrika šećera	Total:
L			ol online No	+	+	+	+	+-	311	Н	313	314	\rightarrow	\dashv	-	+	320	+	322	$\overline{}$	$\overline{}$	404	+	+	+	-	Н	-	-	-	
L			o	N	-	45	55	74	54	55	46	52	09	71	20	19	8 8	70	63	99	23	80	3	28	72	73	79	89	11	57	



												THER TI	OTHER TELECOMMUNICATION DEVICES	IUNICA	TION DEV	TCES									
		Device	s for reco	Devices for recording of transmitted statements	ansmitted		Devices displaying accurate time	alaying acc	urate time			PA devices	s		In	Interphones			Power supply devices	oly devices		Passeng	Passenger visual information display	nformatio	displays
oV anii yewlis	RAILWAY LINE	8 channels	12 channels	16 channels	5+ channels	snoitsts to redninV	Clock exchange units	Master clocks	Impulse regenerators			Amplifiers	Speakers Microphone console			For indoor installation	Tor outdoor installation	Acummulator batteries	Rctiffers	Сопчейегя	Motor electric generator units	Sumber of stations	Control desks	sysiqsib noinsmnoini	Information kiosks
N -	3	pcs 33	pcs 34	pcs 35	pcs 36	pcs 37	pcs 38	pcs 30	pcs 40	pcs I	pcs p	pcs pcs	cs pcs	s pcs	s pcs	+	pcs 49	pcs \$0	pcs	pcs 42	pcs 53	pcs 54	pcs	sze 49	pcs 57
	order	1	-	0	0	3	2	-	13	Н	Н	Н	Н	Н	Н	0	Н	16	16	0	0	10	0	0	0
П	BGD-Mladenovac-Niš-Preševo-State Border.	9	2	0	-	9	2	21	78	323	20	50 32	325 20	9	4	38	17	72	71	0	-	-	-	4	0
4 103 (BGD)-Rakovica	(BGD)-Rakovica-Jajinci-M.Krsna-V.Plana (BGD)-S Pazova-Indiia-Subotica-State Border		0 -	0 -	0 -	20	0 0	3	20	133	- "	1 6	6 1	0 -	0 0	0 -	0 0	25	25	0 0	0 %	0 -	0 0	0 0	0 0
	1-State Border.	-	0	0	0	0	0	2	3	20	1	H	\mathbb{H}	0	0	0	0	7	13	0	0	0	0	0	0
6 106 BGD Centar-Pančevo-Vršac-S 1 107 (BGD)-Resnik-Podgorica-Bar	BGD Centar-Pančevo-Vršac-State Border. (BGD)-Resnik-Podgorica-Bar	1 2	0 0		0 0	34	0	34	34 8	92	7 2	7 72	131 3			3 56	1 0	3 62x12V 222x2V	47	0 0	0 0	0 5	0	93	0
20 108 Lapovo-Kraljevo	-Ð.Janković-State Border.	-	0	0	0	3	0	3	0	18	6	3 2,	0	0	0	0	0	16x6V 28	26	-	0	0	0	0	0
109	vo-State Border.	0 0	0 0	0 0	0 0	0 0	0 0	0 -	0 -	0 0		+	0 0	0 0	0 0	0 0	0 0	ε 4	m oc	0 0	0 0	0 0	0 0	0 0	0 0
111	BGD Centar-Rasputnica"("(Rakovica)	0	0	0	0	0	0	0	0	0	0	Н	0	0	0	0	0	0	0	0	0	0	0	0	0
15 112 BGD Ranžima "A"-Ostnižnica	BGD Ranžima "A"-Ostružnica-Batajnica BGD Banžima "B". Oetmžnica	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	4 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	e 0	2 0	0	0 0	0 0	0 0	0 0	0
114	BGD Ranzima. ARasp. BRasp. "K"-Resnik	0	0	0	0	0	0	0	0	0	H		0	0	0	0	0			0	0	0	0	0	0
25 115 Ostružnica-Rasp. 10 116 BGD Ranžima "F	Ostrużnica-Rasp. "B"-(Rasp. "K"-Resnik) RGD Ranžirna "R"-Rasn "R"-Rasn "A"	0 0	0 0	0 0	0	0 0	0 0	0 -	0 0	000	0 0	0 0 0	0 0	٥١٥	0 0	0 0	0 0	0 -	0 %	0 0	0 0	0 0	0 0	0 0	0 0
117	(BGD Ranžima "B")-Rasp."R"-Rakovica	0	0	0	0	0	0	0	0	0	H	Н	H	0	0	0	0	0	0	0	0	0	0	0	0
9 118 (BGD)-BGD Ran 12 119 BGD Ranžima "F	(BGD)-BGD Ranžima "A"-Rasp."T"-Rakovica BGD Ranžima "B"-Rasputnica "T"-(Rakovica)	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
120	Ras.B)-Ras.K-Ras.K1-Jajinci	0	0	0	0	3	0	3	0	10	0	4 3	1 2	0	0	0	0	1	2	0	0	0	0	0	0
29 121 Topčider-Rasp.Sc	Topčider-Rasp. Savski Most-(Novi BGD) Toxx. Blob 10kele, Blob 2 and 10kele Blob 3 a	0	0	0	0	0	0	0	0	0 6	0	0	0	0 0	0	0	0	2	- 0	0	0	0	0	0	0
123	ala-BGD Spolina-Blok 2 prel	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
124	(Vukov Sp.)-Ras.K.Park-Ras.Dedinje-(Rakov.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24 126 N.Sad-N.Sad Rar	indija-Colubinci N.Sad-N.Sad Ranžirna-Sajlovo Rasp.	0	0	0	0	0	0	0	1	10	0	0 0	0	0	0	0	0	1	-	0	0	0	0	0	0
127	Mala Krsna	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lapovo Varoš-Lapovo Kanžima-Lapovo Trupale-Niš Ranžima-Međurovo	0	0 0	0 0	0 0	0 0	0	7	0	3 26		33	1 2	0	0 0	0 0	0 0	2 3	m m	0 0	0 0	0 0	0 0	0	0 0
130	Ranžirna	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23 131 Niš-Rasputnica N 18 132 (Cr.Krst-Skr.2)-S	Niŝ-Rasputnica Most-(Niŝ Ranžirna) (Cr.Krst-Skr.2)-Skr.3-Skr.4-(Čele Kula)	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
51 201 Subotica-Horgoš-State Border	-State Border.	0 -	0	0	0	0	0	- 0	0	8	0	1	1 0	0 0	0	0	0	2	2	0	0	0	0	0	0
202	Fancevo Giavna-Zienjanin-Kikinda-State Border. Banatsko Miloševo-Senta-Subotica	0	0	0	0	0	0	0	0	0	7 0	0 0	0 0	0	0	0	0	0	0	0	0	0	0	0	0
204	Pančevo Varoš-Rasputnica "2a"-(Jabuka)	0	0	0	0	0	0	0	0	0	+	+	0	0	0	0	0	0	0	0	0	0	0	0	0
40 206 (N.Sad)-Sajil.Rasj	N.Sad-Sajlovo Kaspumca-Dogojevo (N.Sad)-Sajl.RaspR.ŠančOri.staj(Tomaš)	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0
	N.Sad Ranžima-Sajlovo Rasputnica	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0
209	p.Donja Borina-State Border.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 211 Stalać-Kraljevo-Požega 49 214 Smederevo-Mala Krsna	Požega Krena	0 0	0 0	0 0	0	2	0 0	2		14	3	2 2	20 1	0 0	0	0	0	17	20	0	0	0 0	0	0	0
215	M.Krsna-Bor-Rasputnica "2"-(Vražogrnac)	0	0	0	0	2 00	0	2	7	10	3	4 2.	22 3	0	0	0	0	18	10	0	0	0	0	0	0
35 216 Niš-Zaječar- Prahovo pristanište	Nis-Zaječar- Prahovo pristanište	0	0	0 0	0	- 0	0	- 0	0 0	0 0		2 2	20 1	0 0	0 0	0 0	0 0	800	- 0	0 0	0	0 0	0	0	0
219	at at	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
220	(Barlovo)-Rasputnica "1"-Kuršumlija	0	0	0	0	0	0	0	0	0	H		0	0	0	0	0	0	0	0	0	0	0	0	0
301	a fabrika	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0
	a Dolling	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
304	ad ložionica	0	0	0	0	0	0	0	0	0	0	0	0 (0	0	0	0	1	-	0	0	0	0	0	0
37 305 Podbara-Rasput. 45 306 (Rim Šančevi)-R:	Podbara-Rasput. "3"-Rasput. "2"-(Kać) Rim Šančevi)-Rasput "1"-Rasput "3"-(Podh.)	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	٥١٥	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
308	appur r scapur s (cono.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
309	öčin	0	0	0	0	0	0	0	0	0	+			+	0	0	0	0	0	0	0	0	0	0	0
311	Sonta-Apatin Iabrika-Strinc-(Sombor) Bač-Karivukovo	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0
55 312 Bačka Palanka-Gajdobra	iajdobra	0	0	0	0	0	0	0	0	0	-	0	0	H	0	0	0	0	0	0	0	0	0	0	0



	ays		ISO.	_																							
	lon displ	Information kiosks	bcs	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Passenger visual information displays	syslqsib noihsmo1n1	bcs	99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	76
	ger visual	Control desks	bcs	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
	Passeng	Number of stations	bcs	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14
		Motor electric generator units	bcs	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
	devices	Сопуенегя	bcs	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	Power supply devices	Rctifiers	bcs	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	379
	Por	Acummulator batteries	bcs	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	328
		For outdoor installation	bcs	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18
SS	hones	For indoor installation	bcs	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	86
OTHER TELECOMMUNICATION DEVICES	Interphones	Interphone exchange units	bcs	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9
IICATION		Number of stations	bcs	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
OMMUN		Microphone console	bcs	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	76
R TELEC	vices	Speakers	bcs	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1886
OTHE	PA devices	zıəñilqm∆	bcs	43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	183
		Number of statons	bcs	42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	<i>L</i> 9
	ne	Auxiliary clocks	bcs	41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	941
	curate tir	Impulse regenerators	bcs	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	178
	Devices displaying accurate time	Masiet clocks	bcs	39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	101
	evices dis	Clock exchange units	bcs	38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
	Д	Number of stations	sod	37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7 6
	nsmitted	24 channels	bcs	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
	ling of tra nents	16 channels	bcs	35	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	32
	Devices for recording of transmitted statements	12 channels	bcs	34	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	S
	Devices	8 channels	bcs	33	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	91
		RAILWAY LINE		2	(Ruma)-Rasp.Donja Borina-Zvornik Grad	Šid-Sremska Rača Nova-State Border.	315 Kikinda-Banatsko Arandelovo	316 Sečanj-Jaša Tomić	(Zrenjanin)-Zrenjanin fabr. Vršac-Bela Crkva	Pančevo Varoš-Pančevo Vojlovica		Senta-Odvojna skr. 22 Senta	(Požarevac)-Rasput.Sopot PožKostolac	Markovac-Resavica	Ovča-Padinska Skela	Alibunar-Seleuš	Vladimirovac-Kovin	Čoka-Novi Kneževac	406 Kikinda-MKS (ind.kolosek)		Sombor-Bački Breg	Sombor-Ridica	(Višnjićevo)-Rasput.Rača-Sremska Rača	Paraćin-Stari Popovac	Surčin-Jakovo-Bečmen-(Boljevci)	413 (Bgd spoljna)-km 2+290-Fabrika šećera	Total:
		oM anil yewli	Кз	L	313	314	Н	316	317	318	319	320	321	322	323	403	404	405	406	407	408	409	410	411	412	\vdash	
			οN	-	46	52	09	71	81	29	78	48	20	63	99	53	80	59	61	58	72	73	42	89	11	57	



		srəfilqms bnuorg-nl	-	+	+	+	+	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	+	0	0 0	0	0	0	0	0	
$\ $		Above ground amplifiers	bcs	-		+	+	0	0	0	0	0 0	0	0	0	0	+	0	Н	4	0	0	0 0	0	0	0	\vdash	0	0	0	0	0	0	+	Н	0 0	Н	0	+	Н	0	+
			bcs	3	_	\rightarrow	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	
	Digital telephone	s/tidM eet	type	74	KeymileUMUX	STM-1				KeymileUMUX STM-1																																
	Digital	s\tidM 8	type pcs	2 23	0	0	0	0	0	0		0 0	0	0	0	0	0	0 0	0	0	0 0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0 0	
			pcs tyl	7 7	0 0	0 0	0	0	0	0	0	0 0	0	0	0	0	0	0 0	0	0	0 0	0	0 0	0	0	0	0	0	0	0 0	0	0	0	0	0	0 0	0	0 0	0	0	0 0	
ICES		s\tidM S	type	70		siemens				siemens											Ī											İ						Ī			T	
C DEV			bcs	2 0	+	CI ,	2	4	0	0	9	0 0	0	0	0	0	0		-	0	0	0	0 0	0	0	0	- 0	0	0	0 0	0	0	0	0	0	00	0		0	0	0	
MULTI-CHANNEL DE		flqsтgэlэТ		81		1	ıskra	AUSO UTB ISKRA		iskra	siemens-WT100 EI		iskra	iskra		iskra											iskra											iskra	iskid			
ľ		eround amplifiers	bcs	-	0 2	0 0		0	0	0	28	0 0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	,
		Prove ground amplifiers	bcs	9	0 8	87	0	11	0	0	4	0 0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	
	ne	Over 12 channels	pcs	7		_	0	0	0	0	\perp	0 0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	
	lephor	olemnodo (1 sey()	type	47200	V 300	v 300					V300													$\lfloor \rfloor$													$\lfloor \rfloor$					
	Analogue telephone		pcs	5	0 ;	o ,		4	0	0	2	- 0	0	0	0	0	0	0	2	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0 0	0	0	0 0	
	Analc	Up to 12 channels	type	7 12	212	217	Z 12 FPD12	Z12	VZ12k	Ausso	Z 12	Z 12								\int												\prod				Z12		\int			\int	
		nb to 3 channels	type pcs		0 0	+	0	0	0	0 As	-	3t	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0 0		0	0	0	Н	2 0 3F 2	₩	+	+	0	٥	
7			H		+	6 Z S S S S		00	57	000 Z3F	H	47 z3f			1				529					0	00			200		51	60 Kt3-1	_	5,		П	0 Z3F	H	73E	÷		<u> </u>	
		Pocal	H	6	$^{+}$	111,88	+	71,00	3,67		63,144		H		0		0		22,		0 0		0 0	Н	7	0		31,500	\top	4,451		0	+	0		27	\mathbb{H}	0 47 000	t		0 0	+
	Cable lines	Fiber optic	kn	× ×	_		+	0	0	0	Н	0 0	H	0	0 0	Н	0	+	0	+		0	0 0	Ц	4	0	0	+		0 0		0	0	0	0	72.95	\mathbb{H}	0 0		0	0 0	
TEMS	Cab	ATS	km		0	102,917	105,043	15,878	0	26,000	0	5,350	3,648	0	11,755	34,460	0	0	0	0	2,130	0	0 0	9,536	0	0	0	17,257	0	0	0	0	0	0	0	70.40	26,4	0	0	0	0 0	
CABLE SYS		STKA	km			384,108	0	135,857	12,479	0	370,388	0 0	0	0	0	0	0	0	0	0	0	0	0 0	0	2,000	0	0	0	0	1,5	0	0	0	0	0	0	0	0	0	0	0	
	sa	Overhead cables	km	0	0	0 0	0	0	74,00	13,00	0	90,34	0	0	0	0	0	0 0	0	0	0 0	0	0 0	0	0	0	0	0	0	41,2	0	0	0	0	0	14.6	0	0	0	0	0	
	Overhead lines	Two wire overhead lines	km	4 0	0	0 0	0	0	0	0	0	0 0	0	0	0	0	0	0 0	0	0	0 0	0	0 0	0	0	0	0	0	0	2,65	0	0	29	0	0	0 0	0	0	0	0	0	
		Two-wire overhead lines SiBr	km	2	0 0	0 0	5	0	0	2,00	0	0 0	0	0	0	0	0	0 0	0	0		0	0 0	0	0	0	0	0	0	0 0	0	0	0	0	0	0 0	0	0	0	0	0	
			+	\dagger	$^{+}$	\dagger	$^{+}$		\forall		\forall	+	t	\forall	\dagger	Н	\dagger	\dagger	Н	\dagger	\dagger	\forall	\dagger	H	\dagger	\dagger	Н	+	\forall	\dagger		Н	\dashv			\dagger	\forall	\dagger	\dagger	\forall	\dagger	+
		RAILWAY LINE	ć	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	BGD-Sid-State Border	BGD-Madehovac-Nis-Presevo-State Border.	(BGD)-Kakovica-Jajinci-M.Krsna-V.Plana	(BGD)-S.Pazova-Indija-Subotica-State Border.	Niš-Dimitrovgrad-State Border.	BGD Centar-Pančevo-Vršac-State Border.	(BGD)-Resnik-Podgorica-Bar	Lapovo-Kraljevo-D.Janković-State Border.	Beograd Centar-Novi Beograd	BGD Centar-Rasputnica"G"-(Rakovica)	BOD Kanzima A -Ostruzmea-Batajmea BGD Ranžima, "B"-Ostružnica	BGD Ranžima "A"-Rasp."B"-Rasp."K"-Resnik	Ostružnica-Rasp."B"-(Rasp."K"-Resnik)	BOD Kanzima B -kasp. K -kasp. A (BGD Ranžima "B")-Rasp "R"-Rakovica	(BGD)-BGD Ranžirna "A"-Rasp. "T"-Rakovica	BGD Ranžima "B"-Rasputnica "T"-(Rakovica)	(BGD Ranz."A"-Ras.B)-Ras.R-Ras.R1-Jajıncı Topčider-Rasp.Savski Most-(Novi BGD)	TopčBlok 1Obala-Blok 2 prelRas.Pan.Most	(Topč.)-Blok 1 Obala-BGD Spoljna-Blok 2 prel Vukov Sp. J-Ras, K. Park-Ras, Dedinie-(Rakov.)	ndija-Golubinci	N.Sad-N.Sad Ranžirna-Sajlovo Rasp.	Obliazni kolosek Mala Krsha Lapovo Varoš-Lapovo Ranžirna-Lapovo	Trupale-Niš Ranžima-Međurovo	Crveni Krst-inis Kanzima Niš-Rasputnica Most-(Niš Ranžima)	(Cr.Krst-Skr.2)-Skr.3-Skr.4-(Cele Kula)	Subotica-Horgos-Mate Border. Pančevo Glavna-Zrenjanin-Kikinda-State Border.	Banatsko Miloševo-Senta-Subotica	Pančevo Varoš-Rasputnica "2a"-(Jabuka)	N.Sad-Sajlovo Rasputnica-Bogojevo	N.Sad Ranžirna-Sajlovo Rasputnica	Orlovat-Rasputnica "1a"-(Lukićevo)	Ruma-Sabac-Rasp.Donja Borina-State Border. Stalać-Kralievo-Požega	Smederevo-Mala Krsna	M.Krsna-Bor-Rasputnica "2"-(Vražogrnac)	Ništ-Dolievac-Kastrat-Kosovo Polie	Kuršumlija-Kastrat	(Barlovo)-Rasputnica "1"-Kuršumlija Subotica Subotica fabrika	Subotica-Subotica bolnica
_		lway line No	Kai			-	_	104 (B	105 Ni	106 BC	_	108 La		111 BC		-		110 BY	-		120 (B	+-+	123 (T	125 Inc		128 La	129 Tr		132 (C		203 Ba	204 Pa	205 N.		0	209 Rt	-	_	_		220 (B	
L			o _N .	+	_	\neg	+	2 10	22	9	++	20 10	+	+	1 1	\vdash	+		+	\rightarrow	29	\vdash	31 1	19 1	\rightarrow	21 1	\vdash	+		43 2	-	44 2	39 2	_	\vdash	50 2	+	+	64 2	-	26 27	+



П	П	In-ground amplifiers	pcs	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Above ground amplifiers	bcs 1	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ш		3000	bcs 1	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Digital telephone	s/JidM 22.1	type	24																														
	Digital	s/tidM/8	type pcs	22 23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			pcs ty	21 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SVICES		s\vidM S	type	20																														
EL DE	Г		pcs	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31
MULTI-CHANNEL DEVICES		Перепри	type	18																														
Ш	П	eroniiquis binorg-nl	pcs	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
		Above ground amplifiers	bcs	91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20
			bcs	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8
	phone	Over 12 channels	type	14	Г		Г		П											Г						Г		П		П				П
	Analogue telephone		pcs ty	13	0	0	0	0	0	6	6	0	0	6	0	0	0	0	0	0	6	6	0	0	0	0	6	0	0	0	6	6	0	28
	alogn	Up to 12 channels	Н	1				_		_	_	_	_	_	_	_		_	_		_	_	_	_	_		_	_	_			_	_	2
	An		type	12																														
Ш			bcs	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
		up to 3 channels	type	10	Г																													
		Local		6	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	427,07
	lines	Fiber optic	km	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72,950
STEMS	Cable lines	ATS	km	7	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	507,024
ABLE SYST		SIKY	km	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1041,453
CABLE SY	ines	Оverhead cables	km	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	263,142
	Overhead lines	Two wire overhead lines noti-	km	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31,650
		Two-wire overhead lines SiBt	km	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,000
		RAILWAY LINE		2	305 Podbara-Rasput. "3"-Rasput. "2"-(Kać)	6 (Rim.Šančevi)-Rasput "1"-Rasput. "3"-(Podb.)	8 Vrbas-Sombor		0 Sonta-Apatin fabrika-Strilić-(Sombor)	1 Bač-Karavukovo	2 Bačka Palanka-Gajdobra	3 (Ruma)-Rasp.Donja Borina-Zvornik Grad	4 Šid-Sremska Rača Nova-State Border.	5 Kikinda-Banatsko Arandelovo	6 Sečanj-Jaša Tomić	7 (Zrenjanin)-Zrenjanin fabr. Vršac-Bela Crkva	8 Pančevo Varoš-Pančevo Vojlovica	9 (Uljma)-RaspA-RaspB-(Jasenovo)	0 Senta-Odvojna skr. 22 Senta	1 (Požarevac)-Rasput.Sopot PožKostolac	2 Markovac-Resavica	3 Ovča-Padinska Skela	3 Alibunar-Seleuš	4 Vladimirovac-Kovin	5 Čoka-Novi Kneževac	6 Kikinda-MKS (ind.kolosek)		8 Sombor-Bački Breg	9 Sombor-Ridica	0 (Višnjićevo)-Rasput.Rača-Sremska Rača	1 Paraćin-Stari Popovac	2 Surčin-Jakovo-Bečmen-(Boljevci)	413 (Bgd spoljna)-km 2+290-Fabrika šećera	Total
		oN ənil yewi	Rai		305	306	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	403	404	405	406	407	408	409	410	411	412	413	
L			οN	_	37	45	33	69	74	54	55	46	52	09	71	81	29	28	48	70	63	99	53	80	59	61	28	72	73	79	89	77	57	



									RAD	IO DE	VICE						
			Loc	omotive radio c		ching		Traffic	running	g netwo	rks (2m)	Sta	tion rad	lio netw	orks (0	,7m)
	Railway line No	RAILWAY LINE	Exchange units (with railway line splitter)	Length of covered railway line	Trackside stations	Locomotive stations	Number of networks	Radio link	Repeaters	Fixed stations	Mobile stations	Movable stations	Number of networks	Repeaters	Fixed stations	Mobile stations	Movable stations
oN 1	Ra	2	pcs 28	km 29	pcs 30	pcs 31	pcs 32	pcs 33	pes 34	pes 35	pcs 36	pes 37	pcs 38	pcs 39	pcs 40	pcs 41	pcs 42
5		BGD-Šid-State Border	1	100	8	0	0	0	0	0	0	0	8	0	8	0	21
4		BGD-Mladenovac-Niš-Preševo-State Border. (BGD)-Rakovica-Jajinci-M.Krsna-V.Plana	3	377 100	12	8	0	0	0	0	0	0	17	0	19	0	53
22		(BGD)-S.Pazova-Inđija-Subotica-State Border. Niš-Dimitrovgrad-State Border.	0	155	10	4	0	0	0	0	0	5	7	0	16	0	74 12
6	106	BGD Centar-Pančevo-Vršac-State Border.	0	20	4	0	1	0	1	13	0	4	4	0	4	0	11
20	107 108	(BGD)-Resnik-Podgorica-Bar Lapovo-Kraljevo-Đ.Janković-State Border.	0	176 0	35 0	0	0	0	0	0 16	0	0	14	0	13	0	35 0
26 7	109	Subotica-Bogojevo-State Border. Beograd Centar-Novi Beograd	0	0 10	0	0 164	0	0	0	0	0	0	0	0	0	10	0
8	111	BGD Centar-Rasputnica"G"-(Rakovica)	0	10	2	0	0	0	0	0	0	0	0	0	0	0	0
15 14	113	BGD Ranžirna "A"-Ostružnica-Batajnica BGD Ranžirna."B"-Ostružnica	0	20 0	0	0	0	0	0	0	0	0	0	0	0	0	0
13 25		BGD Ranžirna "A"-Rasp."B"-Rasp."K"-Resnik Ostružnica-Rasp."B"-(Rasp."K"-Resnik)	1	20	3	0	0	0	0	0	0	0	0	0	0	0	0
10	116	BGD Ranžirna "B"-Rasp."R"-Rasp."A"	0	8	4	0	0	0	0	0	0	0	6	1	3	0	19
9		(BGD Ranžirna "B")-Rasp."R"-Rakovica (BGD)-BGD Ranžirna "A"-Rasp."T"-Rakovica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12 16	119	BGD Ranžirna "B"-Rasputnica "T"-(Rakovica) (BGD Ranz."A"-Ras.B)-Ras.K-Ras.K1-Jajinci	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0 12
29	121	Topčider-Rasp.Savski Most-(Novi BGD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28		TopčBlok 1Obala-Blok 2 prelRas.Pan.Most (Topč)-Blok 1Obala-BGD Spoljna-Blok 2 prel	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	124	(Vukov Sp.)-Ras.K.Park-Ras.Dedinje-(Rakov.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19 24		Indija-Golubinci N.Sad-N.Sad Ranžirna-Sajlovo Rasp.	0	0	0	0	0	0	0	0	0	0	4	0	0 4	0	0 11
41 21	127 128	Obilazni kolosek Mala Krsna Lapovo Varoš-Lapovo Ranžirna-Lapovo	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	129	Trupale-Niš Ranžirna-Međurovo	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17 23		Crveni Krst-Niš Ranžirna Niš-Rasputnica Most-(Niš Ranžirna)	0	0	0	0	0	0	0	0	0	0	5	0	8	0	19
18 51	132 201	(Cr.Krst-Skr.2)-Skr.3-Skr.4-(Čele Kula) Subotica-Horgoš-State Border.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
43		Pančevo Glavna-Zrenjanin-Kikinda-State Border.	0	0	0	0	1	0	2	11	0	2	0	0	0	0	0
32 44		Banatsko Miloševo-Senta-Subotica Pančevo Varoš-Rasputnica "2a"-(Jabuka)	0	0	0	0	0	0	0	8	0	6	0	0	0	0	0
39	205	N.Sad-Sajlovo Rasputnica-Bogojevo	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2
40 38		(N.Sad)-Sajl.RaspR.ŠančOrl.staj(Tomaš) N.Sad Ranžirna-Sajlovo Rasputnica	0	0	0	0	0	0	0	18 0	0	0	0	0	0	0	0
42	208 209	Orlovat-Rasputnica "1a"-(Lukićevo) Ruma-Šabac-Rasp.Donja Borina-State Border.	0	0	0	0	1	0	0	1 8	0	0	0	0	0	0	5
50	211	Stalać-Kraljevo-Požega	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
49 34	214	Smederevo-Mala Krsna M.Krsna-Bor-Rasputnica "2"-(Vražogrnac)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12 0
35 64		Niš-Zaječar- Prahovo pristanište (Niš)-Doljevac-Kastrat-Kosovo Polje	0	0	0	0	0	0	0	14 0	0	4	3	0	0	0	5
62	219	Kuršumlija-Kastrat	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
56 76		(Barlovo)-Rasputnica "1"-Kuršumlija Subotica-Subotica fabrika	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
75	302	Subotica-Subotica bolnica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 36	304	Kanjiža-Horgoš Novi Sad-Novi Sad ložionica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
37 45		Podbara-Rasput. "3"-Rasput. "2"-(Kać) (Rim.Šančevi)-Rasput "1"-Rasput. "3"-(Podb.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33	308	Vrbas-Sombor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
74	310	Petrovaradin-Beočin Sonta-Apatin fabrika-Strilić-(Sombor)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54 55		Bač-Karavukovo Bačka Palanka-Gajdobra	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	313	(Ruma)-Rasp.Donja Borina-Zvornik Grad	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52 60		Šid-Sremska Rača Nova-State Border. Kikinda-Banatsko Aranđelovo	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
71 81	316 317	Sečanj-Jaša Tomić (Zrenjanin)-Zrenjanin fabr.Vršac-Bela Crkva	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
67	318	Pančevo Varoš-Pančevo Vojlovica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
78 48	320	(Uljma)-RaspA-RaspB-(Jasenovo) Senta-Odvojna skr. 22 Senta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 63	321 322	(Požarevac)-Rasput.Sopot PožKostolac Markovac-Resavica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
66	323	Ovča-Padinska Skela	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53 80	403 404	Alibunar-Seleuš Vladimirovac-Kovin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
59 61	405	Čoka-Novi Kneževac Kikinda-MKS (ind.kolosek)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58	407	Bogojevo-Dunavska obala	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
72 73	408 409	Sombor-Bački Breg Sombor-Riđica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
79 68	410	(Višnjićevo)-Rasput.Rača-Sremska Rača	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
77	412	Paraćin-Stari Popovac Surčin-Jakovo-Bečmen-(Boljevci)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
57	413	(Bgd spoljna)-km 2+290-Fabrika šećera Total:	9	996	0 122	0 176	0 8	2	0 11	0 89	0	0 27	0 83	6	95	0 20	0 298
<u> Ш</u>		ı yıaı.	9	770	122	1/0			_ 11	09		41	6.5	U	93	20	270



Appendix 3.8. List of stations with industrial sidings on which it is possible to handle dangerous goods (RID goods)

This appendix contains the list of industrial sidings where it is possible to handle dangerous goods in case the conditions stipulated by law are met (licenses issued by competent bodies and institutions are mandatory).

The table contains the names and codes of the stations that industrial sidings are connected to, the names of the owners and co-users of industrial sidings as well as the names of dangerous goods under RID with UN number.

No	Name and code of the station	Name of industrial siding	Type of goods under RID
1	2	3	4
1	Beograd Dunav	IBL "Duga" JSC	• TURPENTINE OIL, REPLACEMENT, UN 1300/30-CLASS 3 • XYLENES UN 1307/30 - CLASS 3
		TP "Tehnohemija" DD	* The table of RID goods, which manipulation is possible on this track, is on the end of the list
2	Bor Freight	RTB Bor - Group	SULPHURIC ACID WITH MORE THAN 51% OF ACID, UN 1830/80 - CLASS 8 AMMONIUM NITRATE FERTILIZERS, UN 2067/50- CLASS 5.1 AMMONIUM NITRATE, UN 1942/50 - CLASS 5.1
3	Vrbas	Sugar Factory "Bačka" Sunoko ltd.	• SULPHUR DIOXIDE, UN 1079/268 – CLASS 2 • FORMALDEHYDE SOLUTION WITH AT LEAST 25% OF FORMALDEHYDE, UN 2209/80 - CLASS 8 • DIESEL FUEL, UN 1202/30 - CLASS 3
4	Vreoci	PE TE "Nikola Tesla"	HEATING OIL, UN 1202/30 – CLASS 3 SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, IF NOT STATED OTHERWISE (E.G. OIL FUEL), UN 3082/90-CLASS 9 HYDROSHLORIC ACID, UN 1789/80 – CLASS 8
5	Vršac	JSC "VIK"	AMMONIUM NITRATE FERTILIZERS, UN 2067/50- CLASS 5.1 AMMONIUM NITRATE, UN 1942/50 - CLASS 5.1
6	Dedina	"BIN Commerce"d.o.o. Belgrade"	 CHLORINE, UN 1017/265 - Class 2 SULPHURIC ACID with more than 51% of acid, UN 1830/80 - Class 8 ISOBUTANOL (ISOBUTYL ALCOHOL), UN 1212/30 - Class 3 HYDROSHLORIC ACID, UN 1789/80 - Class 8 SODIUM HYDROXIDE, SOLUTION, UN 1824/80- Class 8 CARBONILE SULPHIDE, UN 2204/263 - Class 2 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 CARBON DISULFIDE, UN 1131/336 - Class 3 FERTILIZERS BASED ON AMMONIUM NITRATE, UN 2067/50- Class 5.1 SODIUM CYANIDE, UN 1689, Class 6.1 POTASSIUM HYDROXIDE, SOLID, UN 1813/80 Class 8 POTASSIUM HYDROXIDE, SOLUTION, UN 1814/80, Class 8 POTASSIUM HYDROXIDE, SOLUTION, UN 1814/80, Class 8 PENTANOLS, UN 1105, Class 5
		JSC "Henkel-Merima"	• SODIUM HYDROXIDE, SOLUTION, UN 1824/80 - Class 8
		TRAYAL Corporation	• PENTA ERITRIT TETRANITRATE, UN 0150/1.1D - Class 1
7	Doljevac	JSC "Beopetrol" (Lukoil – Beograd)	• DIESEL FUEL (euro diesel), UN 1202/30 - Class 3



8	Dragačevo	"Milan Blagojević" Namenska - Lučani	• SULPHURIC ACID, SMOKY, UN 1831/X 886 - Class 8 • NITRIC ACID, SMOKY, UN 2032/856 - Class 8 • ETHANOL, SOLUTION (ETHYL ALCOHOL, SOLUTION), UN 1170/33 - Class 3 • NITRIC ACID, UN 2031/8856- Class 8
9	Elemir	NIS-TNG RC Zrenjanin	 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 PETROL UN 1203/33 - Class 3
		HIP "Petrohemija" FSK Elemir	 BUTADIENE, STABILIZED, OR MIXTURE OF BUTADIENE AND HYDROCARBONS, STABILIZED, UN 1010/239 - Class 2 METHANOL, UN 1230/336 - Class 3 STYRENE, MONOMER, STABILIZED, UN 2055/39- Class 3 MIXTURE OF HYDROCARBONS, TRANSFORMED INTO LIQUID CONDITION; if not stated otherwise, UN 1965/23 - Class 2 SULPHURIC ACID, UN 1830/80 - Class 8 PHOSPHORIC ACID, SOLUTION, UN 1805/80 - Class 8
10	Zrenjanin Factory	PE "TE-TO"	• SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise., (e.g. oil fuel) UN 3082/90- Class 9
10	Zienjamii i actory	JSC "Dijamant"	• SULPHURIC ACID with more than 51% of acid, UN 1830/80 - Class 8
11	Jagodina	JSC "Beopetrol"(Lukoil – Beograd)	• Oil and oil derivatives– Class 2 and 3
12	Bagrdan	Company Milojević PP "Gile gas", co-user: "EURO GAS", JSC	MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23- Class 2 PROPANE, UN 1978, Class 2 BUTANE, UN 1011, Class 2 ISOBUTANE, UN 1969, Class 2 PROPYLENE, UN 1077, Class 2
		Company Milojević PP "Gile gas"	• CALCIUM CARBIDE UN 1402/423 - Class 4.3
13	Kaona	US Steel "Serbia" "Balkan" (Branch Kučevo)	• DIESEL FUEL, UN 1202/30 - Class 3
14	Kikinda	JSC "MSK"	 ACETIC ACID, GLACIAL, UN 2789/83 - Class 8 METHANOL, UN 1230/336 - Class 3
15	Kovačica	T.P. "ATAKO" ltd.	• MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2
16	Kosjerić	Cement factory JSC "Titan – Kosjerić"	• SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise (e.g. heavy fuel oil), UN 3082/90 – Class 9
17	Kragujevac	"ZASTAVA Energetika" Ltd. (Energetika Ltd. in the process of restructuring) Žitoprodukt JSC	 SULPHURIC ACID with more than 51% of acid, UN 1830/80 - Class 8 HYDROCOLIC ACID, UN 1789/80 - Class 8 SODIUM HYDROXIDE, SOLUTION, UN 1824/80 - Class 8 SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise, UN 3082/90 - Class 9 FLAMMABLE LIQUIDS, if not stated otherwise, UN 1933/33 - Class 3 TYPE OF GOODS UNDER RID, Class 3, Class 6.1, Class 8, Class 9, Class 5.1
18	Guberevac	Guberevac - Column code 01 (Tariff Spt 37. Part 6a)	 PETROL, UN 1203/33 - Class 3 DIESEL FUEL, UN 1202/30 - Class 3 KEROSENE, UN 1223/30 - Class 3
19	Kruševac	NIS Lubricants factory	 DIESEL FUEL, UN 1202/30 - Class 3 CRUDE OIL DISTILLATES, if not stated otherwise, UN 1268/33 - Class 3



		T	
		"BIN Commerce"d.o.o. Belgrade JSC "Henkel-Merima"	 CHLORINE, UN 1017/265 - Class 2 SULPHURIC ACID with more than 51% of acid, UN 1830/80 - Class 8 ISOBUTANOL (ISOBUTYL ALCOHOL), UN 1212/30 - Class 3 HYDROSHLORIC ACID, UN 1789/80 - Class 8 SODIUM HYDROXIDE, SOLUTION, UN 1824/80- Class 8 CARBONILE SULPHIDE, UN 2204/263 - Class 2 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 CARBON DOSULFIDE, UN 1131/336 - Class 3 AMMONIUM NITRATE BASED FERTILIZERS, UN 2067/50- Class 5.1 SODIUM CYANIDE, UN 1689, Class 6.1 POTASSIUM-HYDROXIDE, SOLUTION, UN 1813/80, Class 8 POTASSIUM-HYDROXIDE, SOLUTION, UN 1814/80, Class 8 PENTANOLS, UN 1105, Class 5" SODIUM HYDROXIDE, SOLUTION, UN 1824/80 - Class 8
		TRAYAL Corporation	• PENTA ERITRIT TETRANITRATE, UN 0150/1.1D - Class 1
			AMMONIUM NITRATE BASED FERTILIZERS, UN 2067/50- Class
		"Metalpromet" JSC	• AMMONIUM NITRATE, UN 1942/50 - Class 5.1
20	Koševi	DP Oil Factory (Plima M)	• CRUDE OIL DISTILLATES, if not stated otherwise, UN 1268/33 - Class 3
21	Majdanpek	RTB Bor, Rudnik Majdanpek (RBM Majdanpek)	•AMMONIUM NITRATE BASED FERTILIZERS, UN 2067/50 - Class 5.1 • AMMONIUM NITRATE, UN 1942/50 - Class 5.1
22	Mladenovac	DP "Keramika", co-user "Inter gas" Ltd	MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - CLASS 2
23	Naumovićevo	DP "Azotara"	 AMMONIUM NITRATE, UN 1942/50 – Class 5.1 HYDROSHLORIC ACID, UN 1789/80 - Class 8 SODIUM HYDROXIDE, SOLUTION, UN 1824/80- Class 8 AMMONIA, WATERLESS, UN 1005/268 - Class 2
24	Ćele Kula	EI-KKC Ltd	 SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise (e.g. fuel oil), UN 3082/90 - Class 9 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2
25	Novi Sad Marshalling Yard	SARTID Limprodukt (Limprodukt)	• MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2
		Port of Novi Sad JSC	• Class 2 until 9, except Class 7



26	Podbara	NIS-TNG RC Novi Sad	 Oil and oil derivatives- Class 2 and 3 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise, (e.g. heavy fuel oil), UN 3082/90 - Class 9
27	Ovča	 NIS -TNG, RC Beograd Sugar Factory "Dimitrije Tucović" 	MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2
28	Odzaci	JSC "HIPOL"	 PROPYLENE, UN 1077/23 - Class 2 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 BUTANE, UN 1011/23 - Class 2 PROPANE, UN 1978/23 - Class 2
329	Pančevo Varoš	JSC "Graneksport"	• AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1 • AMMONIUM NITRATE, UN 1942/50 - Class 5.1
		DD "Port of Danube"	 AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 CRUDE OIL, UN 1267/33 - Class 3 DIESEL FUEL, UN 1202/30 - Class 3 SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise (e.g. heavy fuel oil), UN 3082/90- Class 9 dangerous substances, that remain in any packaging form, during handling (bottles, barrels, etc.) possible transhipment of loaded containers: AMMONIUM NITRATE FERTILIZERS, in bags, UN 2067/50 - Class 5.1 PATRONES FOR WEAPONS WITH INTERNAL MISSILE, in boxes, UN 0012/1.4S - Class 1
		HIP "Azotara" and co- user: HIP "Petrohemija"	 AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 CRUDE OIL, UN 1267/33 - Class 3 DIESEL FUEL, UN 1202/30 - Class 3 AMMONIA, WATERLESS, UN 1005/268 - Class 2



		T			
			• SODIUM HYDROXIDE, SOLUTION UN 1824/80- Class 8		
			• SODIUM HYDROXIDE, SOLID UN 1823/80- Class 8		
			• PHOSPHORIC ACID, SOLUTION, UN 1805/80- Class 8		
			• HYDROCHLORIC ACID, UN 1789/80 - Class 8		
			• POTASSIUM HYDROXIDE, SOLID UN 1813/80- Class 8		
			• POTASSIUM HYDROXIDE, SOLUTION, UN 1814/80- Class 8		
			• TRICHLOROETHYLENE, UN 1710/60 - Class 6.1		
			• TETRACHLORETHYLENE, UN 1897/60 - Class 6.1		
		"Utva"	• HYDROGEN PEROXIDE, UN 1490/50 - Class 5.1		
			• IRON (III) CLASS (FERICHLORIDE), SOLUTION,		
			UN 2582/80 - Class 8		
			• HYPOCHLORITE, SOLUTION UN 1791/80 - Class 8		
			• NITRIC ACID, UN 2031/80 - Class 8		
			• NITRIC ACID, UN 2031/885 - Class 8		
			• NITRIC ACID, UN 2031/85 - Class 8		
		NIS "Oil Rafinery"-	·		
		Pančevo	• Class 2 and 3		
30	Paraćin	JSC "SFS" (for "Euro gas")	MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2		
		on "Triangla" for VRP "Company"	• MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2		
31	Petrovaradin	MK Komerc "Pobeda"	◆ AMMONIUM NITRATE FERTILIZERS, UN 2067/50- Class 5.1 ◆ AMMONIUM NITRATE, UN 1942/50 - Class 5.1		
32	Pirot	JSC "Tigar"	• SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise (e.g. fuel oil), UN 3082/90 - Class 9		
33	Požega		 PETROL OR FUEL FOR OTTO ENGINES, UN 1203/33 - Class 3 DIESEL FUEL, UN 1202/30 - Class 3 		
34	Prahovo	IHP Holding "Prahovo"	 SULPHURIC ACID with more than 51% of acid, UN 1830/80 - Class 8 PHOSPHORIC ACID, SOLUTION, UN 1805/80 - Class 8 SODIUM HYDROXIDE, SOLID, UN 1823/80 - Class 8 SODIUM HYDROXIDE, SOLUTION UN 1824/80 - Class 8 FLUOROSILICIC ACID, UN 1778/80 - Class 8 AMMONIA, WATERLESS, UN 1005/268 - Class 2 AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1 		
35	Prahovo Port	"Jugopetrol", Oil Industry of Serbia	• oil and oil derivatives - Class 2 and 3		
36	Prijepolje Freight	JSC "Elan"	 ETHYL METHYL KETONE , (methyl ethyl ketone), UN 1193/33 - Class 3 METHYL ACETATE, UN 1231/33 - Class 3 		
37	Prokuplje	DP "Topličanka" (Topličanka - MB Gas)	MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2		
38	Radinac	U.S. Steel "Srbija" Ltd.	• HYDROSHLORIC ACID, UN 1789/80 - Class 8 • AMMONIA, WATERLESS,UN 1005/268 - Class 2		



			• AMMONIUM NITRATE, UN 1942/50 - Class 5.1
39	Senta	Sugar Factory "Kristal" (co-user: "Potisje")	MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1
		DP Public Warehouses	 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 BUTANE, UN 1011/23 - Class 2 ISOBUTANE, UN 1969/23 - Class 2 PROPANE, UN 1978/23 - Class 2 DIESEL FUEL (EURO DIESEL), UN 1202/30- Class 3
40	Subotica	"Ingrad" Ltd.	 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 BUTANE, UN 1011/23 - Class 2 ISOBUTANE, UN 1969/23 - Class 2 PROPANE, UN 1978/23 - Class 2 DIESEL FUEL (EURO DIESEL), UN 1202/30- Class 3
		"Integral - Betonirci"JSC. (co-user EURO GAS)	 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 BUTANE, UN 1011/23 - Class 2 ISOBUTANE, UN 1969/23 - Class 2 PROPANE, UN 1978/23 - Class 2 DIESEL FUEL (EURO DIESEL), UN 1202/30- Class 9 EXPENDED POLYMER PALLETS, UN 2211/90- Class 9 PROPYLENE UN 1077/23 - Class 2
		NIS TNG RC (Branch NIS TNG RC Subotica)	 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 BUTANE, UN 1011/23 - Class 2 ISOBUTANE, UN 1969/23 - Class 2 PROPANE, UN 1978/23 - Class 2
		"C - Market" ("Centroprom" lessee Belhatrade)	• MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2
41	41 Surčin	Jakovo – VML / Co-user EURO GAS	• oil and oil derivatives - Class 2 and 3
42	Ćićevac	DP for impregnation and wood processing - Ćićevac	• SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise, (e.g. creosote oil) UN 3082/90 - Class 9
12	43 Crveni Krst	"Jugopetrol", Oil Industry of Serbia	 PETROL, UN 1203/33 - Class 3 DIESEL FUEL, UN 1202/30 - Class 3
43		NIS TNG RC Niš	• MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2
44	Čačak	NIS TNG RC Čačak	 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 PROPANE, UN 1978/23 - Class 2 BUTANE, UN 1011/23 - Class 2 PROPYLENE UN 1077/23 - Class 2 HEATING OIL, LIGHT, UN 1202/30 - Class 3



45	Šabac	HK "ZORKA" JSC ("Zorka transport" Šabac)	 SULPHURIC ACID with more than 51% of acid, UN 1830/80 - Class 8 SODIUM HYDROXIDE, SOLUTION UN 1824/80 - Class 8 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2 LEADSULPHATE, UN 1794/80 - Class 8 (WASTE) PHOSPHORIC ACID, SOLUTION, UN 1805/80 - Class 8 AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 AMMONIA, WATERLESS, UN 1005/268 -Class 2 AMMONIA, SOLUTION, UN 2672/80 - Class 8
		Oil Factory "Mladost" (JSC "Mladost" Šid)	• METHANOL, UN 1230/336 - Class 3
46	Šid	(Hempro - Color doo Šid)	 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 AMMONIUM NITRATE FERTILIZERS, UN 2067/50- Class 5.1 hazardous material- Class 3 XANTHATES, UN 3342 - Class 4.2 LIGHTERS OR LIGHTER FLUIDS, UN 1057/23 - Class 2; SAFE MATCHES, UN 1944/40 - Class 4.1; WAX MATCHES, UN 1945/40 - Class 4.1; PARFUME PRODUCTS, UN 1266/33 - Class 3; PARFUME PRODUCTS, UN 1266/30 - Class 3; ETHANOL (ETHYL ALCOHOL) or ETHANOL, SOLUTION (ETHYL ALCOHOL, SOLUTION), UN 1170/30 - Class 3; COLOURS or ADDITIONAL MATERIALS FOR THE COLOURS, UN 1263/33 - Class 3; COLOURS or ADDITIONAL MATERIALS FOR THE COLOURS, UN 1263/30 - Class 3; GLACIAL ACETIC ACID or SOLUTION OF ACETIC ACID UN 2789/83 - Class 8 PYRETHRIN BASED INSECTICIDE, POISONOUS, SOLID, UN 3349 - Class 6.1 ORGANIC POISONOUS SOLID MATTERS H.J.H., UN 2811 - Class 6.1 TRICHLOROETHYLENE, UN 1710 - Class 6.1 SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise, UN 3082/90 - Class 9 SUBSTANCES THAT ENDANGER ENVIRONMENT, FLUIDAL, if not stated otherwise, UN 3077- Class 9
		Mlintest Port Holding	AMMONIUM NITRATE FERTILIZERS, UN 2067, Class 5.1 MIXTURE OF GASEOUS HYDROCARBONS TRANSFORMED
47	Zaječar	"Kristal" JSC Industry of glass and crystal	INTO LIQUID CONDITION, if not stated otherwise, UN 1965/23 - Class 2
48	Sremska Mitrovica	RTC "LUKA LEGET"	 Class 2 (gases) and Class 3 (flammable fluid materials) AMMONIUM NITRATE FERTILIZERS, UN 2067/50 - Class 5.1 AMMONIUM NITRATE, UN 1942/50 - Class 5.1 Corrosive materials - Class 8 CELLULOID, WASTE, UN 2002/40 - Class 4.2 Class 9 TRICHLOROETHYLENE, UN 1710 - Class 6.1



			• AMMONIUM NITRATE FERTILIZERS, UN 2067/50 -
		"Agrium d.o.o."	Class 5.1
			• AMMONIUM NITRATE, UN 1942/50 - Class 5.1
			• DIESEL FUEL or HEATING OIL, LIGHT, UN 1202/30 - Class 3
49	Valjevo	"Pubilk" d.o.o.	• LIGHTERS or LIGHTER FLUID, lighters with flammable gas UN 1057-Class 2
			• AMMONIUM NITRATE FERTILIZERS, UN 2067/50 -
50	Uljma	"Igma a.d" (GRANIMPEKS doo)	Class 5.1
			• AMMONIUM NITRATE, UN 1942/50 - Class 5.1
51	Smederevo	"Utva" IBZ Ltd., co-user PETROL LPG Ltd.	• BUTANE, UN 1011/23 - Class 2
52	Odžaci Kalvarija	Dijamant JSC, Zrenjanin	• AMMONIUM NITRATE, UN 1942/50 - Class 5.1
53	Zemun	"ZMAJ III"	• Gases - Class 2 • Flammable liquids - Class 3



*List of RID goods whichof handling is not possible on an industrial sidings TP "Tehnohemija" DD - Belgrade Dunav station

- HYDROSHLORIC ACID, UN 1789/80 class 8
- IRON (III) CLASS CHLORIDE (FERICHLORIDE), SOLUTION, UN 2582/80 - class 8
- AMMONIA, SOLUTION, UN 2672/80 class 8
- AMONIUM HYDROGEN DIFLUORIDE, SOLUTION, UN 2817/86- class 8
- SULPHURIC ACID, UN 1830/80 class 8
- SULPHURIC ACID, USED, UN 1832/80 class 8
- NITRIC ACID, UN 2031/85 class 8
- NITRIC ACID, UN 2031/80 class 8
- SODIUM HYDROXIDE, SOLUTION, UN 1824/80 class 8
- ACETIC ACID, GLACIAL OR SOLUTION OF GLACIAL ACID, UN 2789/83 class 8
- ACETIC ACID, SOLUTION, UN 2790/80 class 8
- HYPOCHLORITE, SOLUTION, UN 1791/80 class 8
- BISULFITES, WATER SOLUTION, if not stated otherwise, UN 1791/80 class 8
- HYDROGEN PEROXIDE, AQUEOUS SOLUTION, if not stated otherwise, UN 2014/58 class 5
- HYDROGEN PEROXIDE, AQUEOUS SOLUTION, if not stated otherwise, UN 2984/50 class 5
- ALUMINUMBROMIDE, SOLUTION, U 2580/58 - class 8
- ALUMINUM CHLORIDE, SOLUTION, UN 2581/80 class 8
- CHLOROACETIC ACID, SOLUTION, UN 1750/68 class 6
- CHROMIC ACID, SOLUTION, UN 1755/80 class 8
- POTASSIUM HYDROXIDE, SOLUTION, UN 1814/80 class 8
- FORMIC ACID, UN 1779/83 class 8
- SODIUM SULFITE, HYDRATE, UN 1849/80
- CHROMIUM FLUORIDE, SOLUTION, UN 1757/80- class 8
- PERCHLORATES, INORGANIC, N.O.S., UN 1481/50 class 5
- ANTIMONY PENTAFLUORIDE, UN 1732/86 class 8
- FLUOROBORIC ACID, UN 1775/80 class 8
- PEROXIDES, INORGANIC, N.O.S., UN 1483/50 class 5

- SODIUM ALUMINATE, SOLUTION, UN 1819/80 - class 8
- POTASSIUM CHLORATE, AQUEOUS SOLUTION, UN 2427/50 - class 5
- SODIUM CHLORATE, AQUEOUS SOLUTION, UN 2428/50 class 5
- CALCIUM CHLORATE, AQUEOUS SOLUTION, UN 2429/50 class 5
- PHOSPHORIC ACID, SOLUTION, UN 1805/80class 8
- DISINFECTANT AGENT, CAUSTIC, LIQUID n.o.s., UN 1903/88 class 8
- DISINFECTANT AGENT, CAUSTIC, LIQUID n.o.s., UN 1903/80 class 8
- CAUSTIC LIQUID SUBSTANCE n.o.s., UN 1760/80 class 8
- CAUSTIC LIQUID SUBSTANCE n.o.s., UN 1760/80 class 8
- FLUOROSILICID ACID, UN 1778/80 class 8
- POISONOUS INORGANIC LIQUID, n.o.s., UN 3287/66 class 6
- CAUSTIC ACID INORGANIC LIQUID, n.o.s., UN 3264/88 class 8
- CAUSTIC ACID INORGANIC LIQUID, n.o.s., UN 3264/80 class 8
- CAUSTIC BASE INORGANIC LIQUID, n.o.s., UN 3266/88 class 8
- CAUSTIC BASE INORGANIC LIQUID, n.o.s., UN 3266/80 class 8
- PERMANGANATES, INORGANIC, AQUEOUS SOLUTIONS, n.o.s., UN 3214/50 class 5
- PERSULFATES, INORGANIC, AQUEOUS SOLUTIONS, n.o.s., UN 3216/50 class 5
- NITRATES, INORGANIC, AQUEOUS SOLUTIONS, n.o.s., UN 3218/50 class 5
- NITRITES, INORGANIC, AQUEOUS SOLUTIONS, n.o.s., UN 3219/50 - class 5
- CAUSTIC LIQUID, POISONOUS, n.o.s., UN 2922/86 class 8
- HYDRAZINE, AQUEOUS SOLUTION, UN 2030/86 class 8
- HYDRAZINE, AQUEOUS SOLUTION UN 3293/60 - class 6



Appendix 3.8.b List of service points where it is possible to perform the transhipment of dangerous goods

The user or the authorized person is liable for safe transhipment and provision of required permits for transhipment issued by the competent authorities (ministry, local self-government, etc.) in case such permits are prescribed by law or by-laws. The Infrastructure Manager is not obliged to control permits and approvals issued by the competent authorities. In case of an accident during transhipment, the user or authorized person undertakes all necessary measures for making handling point functional.

Transhipment of the respective dangerous goods may be carried out on the handling point (handling area, ramp), i.e. the facility placed beside the track referred to in column 3, Table 1 of this Appendix. Transhipment shall be performed in compliance with the applicable regulations of the Republic of Serbia in the field of transport of dangerous goods, health and safety at work, environmental protection, waste treatment, fire protection, etc., complying with the essential safety measures which shall be provided as follows:

Keeping, disposal and storage of dangerous goods in the area of service point, including handling point is prohibitied.

The handling point where transhipment is carried out must be enclosed or in any other way separated from passenger transport or from the handling point (loading, unloading, transhipment) with the goods not classified as dangerous (not RID). If a handling point is not enclosed, the client must mount movable fence which shall be removed upon handling (made of plastic orange material used in construction).

The handling point where transhipment is carried out shall have "RID – warning plate on the handling point". In case an IZS' service point, within which there is the place of handling with dangerous goods, does not have "RID – warning plate on the handling point", the user of the handling point (consignee, consignor or authorized person) is obliged to provide the said plate at their own expense during the entire period of handling. The plate shall be made of sheet, with red colour base, on which the text with white letter is inscribed. The text shall read: RID WARNING – HANDLING WITH DANGEROUS GOODS. Minimum plate size is 600x500 mm. The plate shall look like as indicated:

RID
WARNING
HANDLING WITH DANGEROUS GOODS

Transhipment of the dangerous goods is carried out during the visible part of day, but it may be performed at night, with electrical lighting whereby the electrical devices that cannot cause fire or explosion may be used. In case an IZS service point, within which there is the point of handling with dangerous goods does not have capacity for electrical lighting, the user of the handling point shall be obliged to provide necessary lighting at their own expense during the entire period of handling.

In case that said track is under OCL, during transhipment the voltage must be turned off and the track shall be secured in a duly manner.

Road vehicle engine shall be turned off during transhipment.

The disposal of the flammable and material which may cause or intensify fire is prohibited. Furthermore, it is forbidden to dirty the handling area with oil or oil derivatives (out of road freight vehicle).



Fire lighting or work with any open flame, use of tools which sparks and the devices with burner as well as smoking are forbidden during transhipment.

The user of the handling point (consignee, consignor or the authorized person) is obliged to perform cleaning and remove waste, which has been generated during the process of handling with dangerous goods, to the dumpsite, upon the completion of handling activities, in accordance with the Law on Waste Management, Law on Environmental Protection and other legislation and bylaws in the field of environmental protection. In case the user of authoried person does not clean the area after transhipment and does not take waste to the respective dumpsite outside the station, the railway undertaking shall perform cleaning.

The user of the handling point is obliged that, in the process of handling with dangerous goods, comply with the Law on Transport of Dangerous Goods and Law on Protection at Work (to take care on safety and health at work of their employees on the handling point), and particularly to get them acquainted, in a proven manner, with the hazards of stay in railway area (general safety of movement in IZS's service points, way of conduct in service points, restrictions in movement, hazards from high voltage and other hazards).

Simultaneous transhipment at the same place of handling with dangerous goods of different classes is forbidden.

The service points where transhipment of certain dangerous goods from railway wagons into road vehicle and vice versa is performed are given in the Table of this Appendix.

Upon the request of the interested parties, Infrastructure of Serbian Railways JSC may approve transhipment of other dangerous goods, as well as in service points not given in the Table of this Appendix, in case there are conditions met for handling in the service point, and if the approval of the competent authority is provided for the goods that are being transhipped if it is prescribed by the law (ministries, local self-government units, , i.e. the Ministry of Interior's services).

For more information please contact:

"Infrastructure of Serbian Railways" JSC Department for Traffic Operations 6 Nemanjina St., 11000 Belgrade, Serbia Phone/Fax:+381 11 36 18 214 E-mail:sektor.sp@srbrail.rs

The table consists of 8 columns, with the following content:

- column No 1 ,,ordinal No";
- column No 2 "Name of a service point", contains the name and code of the station or transport dispatching point, i.e. the name and code of the unmanned loading point whereby the content in brackets indicates the name and code of its control/supervisory station;
- column No 3 "Track", contains ordinal number or name of track in accordance with Station regulations (transport dispatching point or loading point);
- Columns.4, 5 and 6 "Dangerous goods", contain NHM code, UN item/number for indication of hazards and class of dangerous goods, whichof transhipment may be carried out;
- column No 7 "Notes", contains specific information relating to specific boxes.

Table: List of service points open for transhipment of dangerous goods

			Dangerous goo	ds		
No	Name of service point	Track	NHM	UN / number for hazards indication	Class	Notes
1	2	3	4	5	6	7



1.	Adrovac	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
2.	Aleksinac	1	3105 20	2067/50	5.1	
	11415114	-	3102 30	1942/50	5.1	
3.	Bagrdan	6	3105 20	2067/50	5.1	
٥.	Bugitain		3102 30	1942/50	5.1	
4.	Bačka Topola	1, 5, 7	3105 20	2067/50	5.1	
ļ.,	Bucku Topolu	1, 5, 7	3102 30	1942/50	5.1	
5.	Bor Freight	1	3105 20	2067/50	5.1	
J.	Borrieight	1	3102 30	1942/50	5.1	
6.	Valjevo	II line	3105 20	2067/50	5.1	
<u> </u>	, azje, e		3102 30	1942/50	5.1	
7.	Velika Plana	1	3105 20	2067/50	5.1	
<i>,</i> .	1 011100 1 101100		3102 30	1942/50	5.1	
8.	Vranje	1	3105 20	2067/50	5.1	
	, 500-50		3102 30	1942/50	5.1	
9.	Vršac	11, 19	3105 20	2067/50	5.1	
	11500		3102 30	1942/50	5.1	
10.	Grejač	1	3105 20	2067/50	5.1	
10.	213,00	-	3102 30	1942/50	5.1	
11.	Žednik	1, 6a	3105 20	2067/50	5.1	
11.		•	3102 30	1942/50	5.1	
12.	Zmajevo	5	3105 20	2067/50	5.1	
12.			3102 30	1942/50	5.1	
13.	Zrenjanin	1, 10	3105 20	2067/50	5.1	
15.	Zionjamii	1, 10	3102 30	1942/50	5.1	
14.	Zrenjanin Factory	1	3105 20	2067/50	5.1	
	Zi engammi i wevery	-	3102 30	1942/50	5.1	
15.	Jagodina	1, 8	3105 20	2067/50	5.1	
		, -	3102 30	1942/50	5.1	
16.	Kikinda	20, 21	3105 20	2067/50	5.1	
		- ,	3102 30	1942/50	5.1	
17.	Kula	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
18.	Lapovo	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
19.	Lapovo marshalling yard	Station for	3105 20	2067/50	5.1	
<u> </u>		disinfecting	3102 30	1942/50	5.1	
20.	Leskovac	New track	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
21.	Lešak	1 short	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
22.	Mala Krsna	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
23.	Mladenovac	1, 7	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
			3105 20 3102 30	2067/50	5.1	
			2807 00	1942/50 1830/80	5.1 8	
		2, 3, 4, 7	2807 00	1830/80	8	
24.	Novi Sad Marshalling	Locomotive and	2815 12	1824/80	8	
∠4.	Yard	freight stations	2808 00	2031/80	8	
		moight stations	2809 20	1805/80	8	
			2815 11	1823/80	8	
1			2828 90	1791/80	8	
<u></u>			2020 70	1//1/00	U	



	I		3105 20	2067/50	5.1	
25.	Ostružnica	1	3103 20	2067/30 1942/50	5.1	
			3105 20	2067/50	5.1	
26.	Palanka	1	3102 30	1942/50	5.1	
			3105 20	2067/50	5.1	
27.	Pančevo varoš	1	3102 30	1942/50	5.1	
			3105 20	2067/50	5.1	
28.	Pančevo Main St.	20, 21	3102 30	1942/50	5.1	
•	D ()		3105 20	2067/50	5.1	
29.	Paraćin	1	3102 30	1942/50	5.1	
20	D:	1	3105 20	2067/50	5.1	
30.	Pirot	1	3102 30	1942/50	5.1	
2.1	Dožemskie	1	3105 20	2067/50	5.1	
31.	Požarevac	1	3102 30	1942/50	5.1	
			3105 20	2067/50	5.1	
32.	Požega	19	3102 30	1942/50	5.1	
			3102 30	1942/30		
33.	Prijepolje Freight	13	3105 20	2067/50	5.1	
<i>55</i> .	rinchone treight	1.0	3102 30	1942/50	5.1	
34.	Prokuplje	1	3105 20	2067/50	5.1	
J . .	1 Tokupijo		3102 30	1942/50	5.1	
35.	Resavica	Right dead-end	3105 20	2067/50	5.1	
33.	resuriou	track	3102 30	1942/50	5.1	
36.	Ruma	1, 2	3105 20	2067/50	5.1	
		-, -	3102 30	1942/50	5.1	
37.	Svilajnac	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
38.	Senta	1, 10,11	3105 20	2067/50	5.1	
		, ,	3102 30	1942/50	5.1	
39.	Sombor	20, 21	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
			3102 30	2067/50	5.1	
40.	Sremska Mitrovica	1,9	3103 20	1942/50	5.1	
			3105 20	2067/50	5.1	
41.	Stalać	1 short track	3102 30	1942/50	5.1	
		1, 33, 34 and 36	3105 20	2067/50	5.1	
42.	Subotica	freight station	3102 30	1942/50	5.1	
	4		3105 20	2067/50	5.1	
43.	Ćićevac	1	3102 30	1942/50	5.1	
4.4	á	1	3105 20	2067/50	5.1	
44.	Ćuprija	1	3102 30	1942/50	5.1	
15	II¥ioo Ensi-14	1	3105 20	2067/50	5.1	
45.	Užice Freight	1	3102 30	1942/50	5.1	
46.	Čačak	1-dead-end track	3105 20	2067/50	5.1	
40.	Cacak	1-ucau-chu hack	3102 30	1942/50	5.1	
47.	Šabac	1,7	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
48.	Stara Pazova	7	3102 30	1942/50	5.1	
49.	Kruševac	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
50.	Vrbas	10,11	3105 20	2067/50	5.1	
51.	Bajmok	1	3105 20	2067/50	5.1	Only for goods
	,		3102 30	1942/50	5.1	in sacks
52.	Futog	1	3105 20	2067/50	5.1	
			3102 30		5.1	



Appendix 3.9. Alternative transport routes

No	Regular route	Distance (km)	Alternative route	Distance (km)
1	Subotica-Novi Sad	98.5	Subotica-Sombor-Vrbas-Novi Sad	150.5
2	Subotica-Novi Sad	98.5	Subotica-Sombor-Bogojevo-Novi Sad	165.4
3	Subotica-Novi Sad	98.5	Subotica-Zrenjanin-N.Sad	230.6
4	Subotica-Belgrade	175.6	Subotica-Zrenjanin-Pančevo- Belgrade	234.6
5	Novi Sad-Belgrade	77.1	Novi sad-Orlovat-Pančevo-Belgrade	148
6	Kikinda-Subotica	96.4	Kikinda-Orlovat-N.Sad-Subotica	271
7	Belgrade-Lapovo	109.6	Belgrade-Požega-Kraljevo-Lapovo	306.1
8	Belgrade-Lapovo-Kraljevo	194.3	Belgrade-Požega-Kraljevo	221.4
9	Belgrade-Niš	243.5	Belgrade-Požarevac-Zaječar-Niš	372.9
10	Belgrade-Požega	154.9	Belgrade-Lapovo-Kraljevo-Požega	260.8
11	Belgrade-Požega-Vrbnica(ŽCG)	299.3	Belgrade-Lapovo-Kraljevo-Požega- Vrbnica(ŽCG)	405.2
12	Belgrade-Smederevo	83.1	Belgrade-Mladenovac-V.Plana- Smederevo	132.8

Note: For departure/terminal station the names of the nodes are given, and various service points may be comprised within the respective node.



Appendix 3.10. Facilities for rolling stock maintenance

Maintenance of railway vehicles is performed in accordance with the Rulebook on Railway Vehicle Maintenance (Official Gazette of the Republic of Serbia, No 101/2015, 24/16 and 36/17).

Service facilities for provision of the basic services- where the works on the maintenance of vehicles are executed, and which are not carried out regularly as the part of daily activities requiring the vehicle to be detached from traffic are the organizational units of the other companies and Infrastructure of Serbian Railways JSC does not provide this type of services.

In accordance with the available data, service facilities and basic maintenance services provided by the Joint Stock Company for Passenger Railway Transport "Srbija Voz", Belgrade are as follows:

Location	Address	Facility	Primary Purpose	Basic Information
	Milana	Depot Zemun	Maintenance of electric rolling stock and passenger coaches	Area: 10.200 m2 6 tracks of unit length 220 m
Zemun	Rešetara bb	Depot for underfloor wheel lathe	Wheel processing of rolling stock	Area: 350 m2 It has underfloor wheel lathe without dismantling of wheel-sets
		Workshop	Regular maintenance of electric and diesel locomotives	Area: 85 m2 Disposes of service canal of 36m and platform but without a canopy
Lapovo	Lava Tolstoja 10	Maintenance depot	Maintenance of electric and diesel locomotives and motor trains	Area: 1.part 1088 m2 and second part 625 m2 It has two running lines 2 out of which there are two canals on one line in the length of 50m and 20m. It disposes of single-axle weighbridge for measuring and adjusting the axle load of the rolling stock.
Sombor	Braće Miladinom 1	Hangar Depot for	Maintenance of DMUs, and may be used for maintenance of freight wagons and diesel locomotives	Area:1337,5 m2 It has two tracks of the length 78 m and 24 m; it disposes of underfloor wheel lathe for wheel processing on rolling stock without dismantling. Area: 687 m2 има 1 колосек дужине
		railbuses	Maintenance of railbuses and	78 m Area: 277 m2
7	Dr Vase	Depot for railbuses	replacement of wheel-sets of 711 DMUs	1 canal in the length of 27 m
Zrenjanin	Stajica 2	Depot for DMUs	Maintenance of DMUs	Area: 432 m2 1 track in the length of 34 m
Vršac	Pavliški put bb	Depot for maintenance of rolling	Inspections and extraordinary repairs of smaller scope on diesel traction units and	Area: 787 m2 Two tracks in the length of 40 m



		stock	DMUs, as well as the overhauls of freight wagons	
Zaječar	Železnička bb	Workshop for repair of locomotives	Maintenance of diesel traction units and freight wagons	Area: 1250 m2 4 track out of which two are, unit length- 50 m

For more information on the provision of basic services in the above facilities responsible is their user in "Srbija Voz", Belgrade, Department for Rolling Stock Maintenance.

Contact point: Director of Department for Rolling Stock Maintenance - Mr. Vladan Petrović

Address: 6 Nemanjina St. 11000 Belgrade, Serbia

E-mail: vladan.petrovic@srbrail.rs

Phone: +381 64 845 22 64

Information on service facilities and services provided by the Joint Stock Company for Freight Railway Transport "Srbija Kargo", may be found on the web-site: www.srbcargo.rs/usluge.



Appendix 3.10a. Information on the service facility managed by Special Port d.o.o.



Специјална лука д.о.о. БРОЈ: 1384

ДАТУМ: 7. 1, 17. 2020 ПАНЧЕВО, Спољностарчевачка 80

Панчево, 13. 07 2020. године

Каталог података индустријског колосека – Специјална лука д.о.о. Панчево

1. Општи подаци

Власник индустријског колосека:	Специјална лука д.о.о. Панчево, Спољностарчевачка 80, 26000 Панчево		
Правилник којим се утврђује начин организовања и регулисања маневарског рада, одржавања и заштите индустријског	Број сагласности Министарства за инфраструктуру	Датум:19. 12. 2019. год.	
колосека лица одговорног за спровођење акта, одржавања железничких возних средстава и других средстава која се користе на индустријском колосеку Специјална лука д.о.о. Панчево	340/1687-2/2019	19.12.2019.године	
Назив колосека:	Индустријски колосек Специјалне луке д.о.о. Панчево		
Колосек отвоен за манипулације:	а, б, ц, д, е		
Назив пруге/деонице са које се колосек одваја	Панчево Варош – Панчево Војловица		
Назив службеног места/надзорне станице/одвојне скретнице	Панчево Варош скретница број 7		
Стационажа – км положај одвојне скретнице	km 2+988,5		
Број колосека на индустријском колосеку	24		
Достава брута до/од јавне железничке инфрас	труктуре власник инд	дустријског колосека	
Специјална лука обавља сопственим вучним г		erennere in te udisminas errennia (Albes)	
Дозвола грађевинска издата од:	бр. 0332-10/91 од дана 01.11.1991. године.		
Дозвола употребна издата од:	04-351/2171-69-71 0	5.04.1971.	

2. Карактеристике индустријског колосека

Година градње последњи ремонт	1970/56 2014. година
Минимални пречник кривине (m)	160
Стварна дужина колосека (m)	13.414,61
Корисна дужина колосека (m)	11.016,4
Манипилативна дужина колосека (m)	550
Сигнално сигурносна опрема:	кључевна
Број скретница / тип:	36 - тип 49, 14 – тип 35.
Број путних прелаза / стационажа / врста осигурања:	 Преко свих путних прелаза сабраћај је обезбеђен друмским саобраћајним знаковима "СТОП" и "АНДРЕЈИН КРСТ".
Максимално дозвољен осовински притисак:	20 t / os, 6,4 тона по дужном метру
Максимална дозвољена брзина:	20 km / h
Колска вага t/m	100 т / 2 0м
Тарифни профил:	Да



3. Управљање и одржавање индусријским колосеком

Управљање ин	ндустријским колосеком		
Одговорно лице за управљање инд. колосеком	Јакша Балчаковић		
Седиште:	Спољностарчевача 80, 26000 Панчево		
Функција: Директор лучких и железничких опер			
Телефон:	013 / 308 200		
Одржавање и	идустријског колосека		
Колосек одржава:	Триопројект д.о.о. Београд		
Број уговора о одржавању: број 153/IV од 16.04.2016. године			

Напомене:

	Локомотива.серије 733 ДХЛ-600 ОП					
Вучна возила:	ЛОК.ДИЗ. ДХЛ-300 Е 005					
	ЛОК.ДИЗ. ДХЛ-300 Е 004					
Дозвола за коришћењу у саобраћају локомотиве:	AZOTP-A3OTO 98 72 3 733003 – 8 (733 -003) број дозволе 340-556-04/2010 од 23.092010.					
Дозвола за коришћењу у саобраћају локомотиве:	ДХЛ-300Е 98 72 8722005-5 број дозволе 340-06-15/2018-01 од 08. 02.2008.					
	Возовођа смене- 3					
	Руковаоц маневре – 4					
Ангажовано особље:	Маневриста – 6					
	Машиновођа - 4					
	Дежурни радник на Ранж.станици - 5					

Напомена:

У прилогу важећи ценовник Специјалне луке д.о.о. Панчево.



Одељак III

ЦЕНЕ УСЛУГЕ ПРЕТОВАРА И МАНИПУЛАЦИЈЕ НА ЖЕЛЕЗНИЦИ

РБ	ВРСТА УСЛУГЕ	опис услуге	ЦЕН	А УСЛУГЕ
1	ЖЕЛЕЗНИЧКА УСЛУГА	Коришћење железничке инфраструктуре специјалне луке, за пролаз вагона и вагон цистерни	2.00	EUR/bruto t
		Манипулација вагон цистернама са опасним материјама, дизел-хидрауличном локомотивом, са вагањем вагон цистерни	3.90	EUR/bruto t
		Манипулација вагонима са расутим и упакованим теретом, као што су: ђубрива, житарице, грађевински материјал и слично	2.00	EUR/ t
		Прихват вагона и вагон цистерни на инфрструктуру Специјалне луке	7.00	EUR/kola
		Гарирање вагона и вагонцистерни на инфраструктури Специјалне луке	0.07	EUR/h
		Најам локомотиве за маневрисање на индустријском колосеку Наручиоца са машиновођом, за сваких започетих пола сата рада - минимални најам 20 часова рада локомотиве до 5 радних дана	50.50	EUR/30мин
		Стајање локомотиве током најама локомотиве за маневрисање на индустријском колосеку Наручиоца са машиновођом.	8.50	EUR/h
2	Вагање железничких вагона и цистерни	По захтеву корисника	15.00	EUR/kola
3	НАЈАМ ИНФРАСТРУКТУРЕ И РАДИОНИЦЕ ЗА СЕРВИС ВУЧНИХ СРЕДСТАВА	Најам радионице са каналом, за одржавање вучних средстава - локомотива - збрињавање свих отпада обавеза корисника услуге	100.00	EUR/h
		Најам колосека, за одржавање вучних средстава - локомотива - збрињавање свих отпада обавеза корисника услуге	50.00	EUR/12h

- Приказане цене су без ПДВ-а
- Обрачунски курс је средњи курс НБС на дан фактурисања

СПЕЦИЈАЛНА ЛУКА доо Факс: 013 / 308 320 ПАНЧЕВО, 07.04.2020. ПАНЧЕВО Спољностарчевачка 80 Тел: 013 / 308 200 вапса Intesa A.D. Beograd, 160-0000000437858-76 Mail: info@specijalnaluka.rs



Appendix 3.11. Railway infrastructure development projects

The National Assembly, upon the proposal of the Government, passes the National Program for the railway infrastructure, which contains:

- 1. the existing characteristics and condition of the railway infrastructure of the Republic of Serbia;
- 2. strategy for construction, reconstruction and maintenance of the railway infrastructure;
- 3. development components in the construction of the new infrastructure capacities of special significance for the Republic of Serbia;
- 4. defining of the structure, time schedule for realization of priorities, level and sources of the financial assets needed for completion of the National Program activities.

National Program is passed for a five-year period.

Based on the National Program, the Infrastructure Manager prepares the annual program for construction, reconstruction and maintenance of the railway infrastructure, organization and regulation of the railway traffic.

	o Project			Estmated	Dumatica	Works'
No				of works (date	Duration of works	execution method
				or quarter)	WOIKS	memou
	Modernization (construction and reconstruction) of the railway line Belgrade -Subotica -state	Stage 1: Belgrade Center (excl.) –Zemun (incl.)	left	05.07.2018.	01.10.2020.	Works are executed with interruption of traffic along the right track during time interval from 10:00 pm to 05:00 am NOTE: Because of works in Zemun station, since May 15 th 2019 traffic is performed by a single track, at the right track only.
			right	Upon completion of reconstruction of the left track Belgrade Center – Zemun	Q2 2021	Works are executed with interruption of traffic along the reconstructed left track during time interval from 10:00 pm to 05:00 am
1	border (Kelebia) section Belgrade Center – Stara Pazova	Stage 2:	left	16.08.2019.	Q1 2021	Works are executed with interruption of traffic along the right track during time interval from 10:00 pm to 05:00 am
		Batajnica (incl.)- Stara Pazova incl.)	right	Upon completion of reconstruction of the left track Batajnica – Stara Pazova	Q2 2021	Works are executed with interruption of traffic along the reconstructed left track during time interval from 10:00 pm to 05:00 am
		Stage 3: Zemun (excl.)- Batajnica (excl.)	right	Upon completion of reconstruction of the left track Zemun - Batajnica	Q2 2021	Works are executed with interruption of traffic along the left track during time interval from 10:00 pm to 05:00 am
		 	left	16.08.2019.	Q1 2021	Works are executed



				with interruption of traffic along the reconstructed right track during time interval from 10:00 pm to 05:00 am
2	Modernization (construction and reconstruction) of the railway line Belgrade –Subotica –state border (Kelebia) section Stara Pazova- Novi Sad	01.02.2019.	Q4 2021	on the construction of the tunnel and viaduct, as well as on the new track, with traffic interruption between stations Inđija (incl.) – Novi Sad (excl.)
3	Modernization (construction and reconstruction) of the railway line Belgrade –Subotica –state border (Kelebia) section Novi Sad - Subotica	Q2 2021	Q4 2022	Traffic interruption on the part of the line Belgrade – Subotica – state border between stations Novi Sad (excl.)-Subotica (excl.)
4	Reconstruction of the section tunnel Straževica (entrance) – Jajinci – Mala Krsna (excl.) from km 9+896 to km 67+800 and reconstruction of Mala Krsna station	15.05.2019.	Q2 2021	With complete traffic interruption on the respective section. During the execution of works on the reconstruction of Mala Krsna station, traffic towards Radinac and Požarevac from the Velika Plana direction will be enabled.
5	Civil engineering reconstruction of the Niš – Dimitrovgrad railway line, section Sićevo - Dimitrovgrad	Q3 2021	Estimated duration of the works: end of 2023.	Execution of the works and traffic performance according to the schedule: 36/36/36/60
6	Electrification of the Niš – Dimitrovgrad railway line, section Sićevo - Dimitrovgrad	Q4 2021	Estimated duration of the works: end of 2023.	Execution of the works and traffic performance will be realized alternately in intervals agreed with the Contractor.
7	Reconstruction of the section Niš- Brestovac, from km 244+600 (exit from Niš station) to km 267+430 (entrance into Brestovac station)	March 2021	Estimated duration of the works: Q1 2023.	Execution of the works and traffic performance according to the schedule: 36/36/36/60
8	Regular investment maintenance of the Niš – Crveni Krst– Zaječar – Prahovo port railway line, section Crveni Krst- Zaječar	25.02.2019.	Q1 2021	Works are executed with interruption of traffic between stations Crveni Krts-Zaječar
9	Rehabilitation of the section Senta- Subotica on	01.04.2019.	Estimated	Passing of freight



	the railway lin	e Banatsko	Miloševo-	Senta-	duration of	trains when
	Subotica				the works:	necessary
					31.10.2020.	-

Note: Since the works under the No. 5. and 7. will be executed at the same time and in accordance with the same time schedule (36 hours of traffic – 36 hours of line closure) traffic of trains will be organized alternately (traffic on the relation Niš – Brestovac will be organized during the closure of Niš – Dimitrovgrad, and vice versa).



Appendix 4.1. Request for train path allocation (form)

Application form for train path allocation

	ertaking - oper	rator:						
Address:								
Contact person	on:							
Γel.		Fax.			e-mai	il:		
Place and dat	te:							
1 D (GIG)	DIEODI (A EL		OLIEGEED	TD ADID	A TOLL			
1. BASIC	INFORMATIO	ON ON THE RE	Desired tir		Route			
Train type		Train No in the previous timetable	departure	arrival	from	to	via	
NOTES								
2. TRAIN	TIMETABLE	INFORMATIO	N					
Stops in se	rvice points	Staying time points [min]	in service	Running	calendar			
3. TRAIN	INFORMATI	ON						
Type of					Brakin	g		
traction, serial No of traction unit, route	units, serial No of traction unit, function in the train, route	Series and No of the wagon /motor unit	Train mass [t]	Train length [m]	Туре	Percentage [%]	Maximum train speed [km/h]	
4 07777	DECLUES: 5			<u> </u>				
4. OTHER	REQUIREM	ENTS						
						L.S. SI	GNATURE	
						2.5. 51	O. WILLOW	



Appendix 4.1a. Request for train path allocation (e-papir)

Republic of serbia JSC "Infrastructure of Serbian Railways" Rail Infrastructure Accsess Department www.infrazs.rs

REQUEST

FOR TRAIN PATH ALLOCATION

Basic information about the applicant																
Bussines name / title																
Head office																
Contact phone																
Name and surname of the representative	ne															
Identification number							I	PIB								
Email address																
	Basi	c data	a on	the re	equ	ired to	raii	n path								
	Number	per of D		Desir	esired time						Ro	ute				
Train type	train previous		dep	arture		arriva	1	from		to)			via	a	
				Not	e											
Train timetable data																
Stops in service points Staying time in service points [min]						Rui	nnin	ıg ca	len	dar						



Train data									
Type of traction, serial No of traction unit, route	Additional traction units, serial No of traction unit, function in the train, route	Series and No of the wagon /motor unit	Train mass [t]	Train lenght [m]	Туре	Percentage [%]	Maximum train speed [km/h]		
			Special	note					

I am aware that, if I do not submit the stated data, necessary for the decision-making of the body within 8 days, the request for initiating the procedure will be considered irregular.

The request can also be submitted on sektor.pzi@srbrail.rs

In	, on	
		Applicant's signature



INFORMATION FOR THE APPLICANT

Deadline for resolving the submitted	20. 1 1 5 4145-41 4:4-1-1-
request	30 days before the start of the timetable



Appendix 4.2. Instruction for completion of the Request for train path allocation

	T	
		Specify train category:
	Train type	Passenger train (EuroCity, InterCity, express, fast, semi-fast, passenger, cross-border, suburban, train of accompanied motorcars, travel agent's train, empty train);
1		Freight train (single type of load train, single wagon load train, intermodal train, express, fast, direct, sectional, block train, pick-up goods train, circuit-working train, industrial, military, train with empty wagons, locomotive, test)
1.	Train No in the previous timetable	Specify the number of the train from the previous timetable, whose path elements match applicant's request (eg. 541, 40760,)
	Desired time	Specify the desired time of the train departure from the origin station or the time of arrival to the destination station
	Route	Specify the origin and destination station of the train route and characteristic service point between those two stations which define the train route
	Stops in service points	Specify all service points where the train needs to stop
2.	Staying time in service points	Specify the needed staying time in each service point, in minutes
2.	Running calendar	Specify the days of the train running. For the trains whose running calendar covers several days, indicate the calendar on the entire route. In case a train path for an optional train is requested, indicate "Optional".
	Type of traction, serial No of traction unit, route	Specify traction type (electric or diesel), serial number of traction (operating) locomotive if there is change of traction on the required route
	Additional traction units, serial No of traction unit, function in the train, route	Specify number of additional traction units, traction units type (electric or diesel), serial number, position on the train (engine, double heading, banking,) additional traction unit running route
3.	Series and No of the wagon/motor unit	Specify wagon series (letter designation of wagon series) and number of wagons of the train i.e. series, number and serial number of multiple-unit sets (DMU/EMU)
	Train mass	Specify weight of all vehicles on the train including weight of operating locomotives
	Train length	Specify train length in metres without the length of operating locomotives



		Braking type: specify braking type (G, P, R, Mg,)
	Braking	Braking percentage: specify braking percentage which has to be considered during timetabling
	Maximum train speed	Specify maximum train speed considering characteristics of vehicles on the train
4.	Other requirements	Specify other requirements of the train such as: shunting of vehicles, change of train composition, connection, staff shift, type of intermodal transport unit, dangerous goods type, special consignments, hand-over procedures on border crossings, trains hand-over on mutual confidence, technical stops (inspection, water supply, waste handling and similar) and time period required, need for additional track capacities (side tracking, pre-heating/cooling, forming of trains and similar), need for access to other additional service facilities and similar.



Appendix 4.3. Deadlines for annual 2019/2020 timetable preparation

Phase	Authority	Deadline
International annual capacity allocation requests	RU	14.02.2019.
Regular deadline for submitting allocation requests for annual train timetable	IM	17.12.2018. – 09.04.2019.
Coordination and harmonization of requests	IM/RU	10.04.2019. – 04.06.2019.
Presentation of the First Draft timetable to RU	IM	20.06.2019.
Draft review – remarks, suggestions, proposals and opinions	IM/RU	24.06-20.07.2019.
Draft timetable 2019/2020	IM	30.07.2019.
Solving of problems and questions	IM	01.0830.08.2019.
Capacity allocation and contracting	IM / RU	01.1014.10.2019.
Extraordinary requests (remaining capacities)	RU	21.10.2019.
Timetable coming into effect	IM	15.12.2019.



Appendix 4.4. Deadlines for amendments to annual 2019/2020 Timetable

Submission date of requests for amendments to annual timetable	Deadline for capacity allocation	Application date for amendments to annual timetable
27.12.2019.	17.01.2020.	03.02.2020.
24.02.2020.	16.03.2020.	06.04.2020.
27.04.2020.	18.05.2020.	14.06.2020.
20.07.2020.	24.08.2020.	07.09.2020.
28.08.2020.	21.09.2020.	05.10.2020.



Appendix 5.1. Overview of railway lines on which train running is possible when they are manned only with engine driver

Train running with engine driver only in a traction unit, without train crew (engine driver – without train crew), can be performed on the following lines:

- Belgrade-Stara Pazova Šid state border (Tovarnik);
- (Belgrade) Stara Pazova -Novi Sad Subotica state border (Kelebija);
- Belgrade Mladenovac-Lapovo-Niš-Preševo state border (Tabanovci);
- Belgrade Rakovica Jajinci Mala krsna Velika Plana;
- Belgrade Centar Pančevo Varoš (Vršac);
- Belgrade Resnik Požega Belgrade-Stara Pazova Šid state border (Tovarnik);
- (Belgrade) Stara Pazova -Novi Sad Subotica state border (Kelebija);
- Belgrade Mladenovac-Lapovo-Niš-Preševo state border (Tabanovci);
- Belgrade) Rakovica Jajinci Mala krsna Velika Plana;
- Belgrade Centar Pančevo Varoš (Vršac);
- Belgrade Resnik Požega Vrbnica- state border- (Bijelo Polje)- section Resnik- Požega- Užice;
- Inđija Golubinci;
- Novi Sad Novi Sad Marshalling Yard Open line junction Sajlovo;
- Belgrade Centar Novi Belgrade;
- Belgrade Centar Open line junction G (Rakovica);
- Belgrade Marshalling Yard "A" Ostružnica Batajnica;
- Belgrade Marshalling Yard "B"- Ostružnica;
- Belgrade Marshalling Yard "A"-Open line junction "B"-Open line junction "K/K1"- Resnik;
- Ostružnica Open line junction "B" (Open line junction"K/K1");
- Belgrade Marshalling Yard "B" Open line junction "R"-Open line junction "A"-(Resnik);
- (Belgrade Marshalling Yard ,,B") Open line junction ,,R" –Rakovica;
- Belgrade Marshalling Yard "A" Open line junction "T" Rakovica;
- Belgrade Marshalling Yard "B" Open line junction "T" (Rakovica);
- Connecting line in the area of Open line junction "K/K1": (Open line junction "B") switch "K" switch "K1" (Jajinci);
- Topčider Open line junction Savski most Novi Belgrade;
- (Open line junction Pančevački most) Open line junction Karađorđev park Open line junction Dedinje – (Open line junction G);
- By-pass line of Mala Krsna station: (Kolari) junction points 1 junction points 28 (Osipaonica);
- Open line junction Lapovo Varoš Lapovo Marshalling Yard Lapovo;
- Trupale Niš Marshalling Yard Međurovo;
- Crveni krst Niš Marshalling Yard;
- Niš Open line junction bridge (Niš Marshalling Yard);
- Mala Krsna Požarevac (Bor);
- Pančevo Varoš Pančevo Vojlovica;
- Smederevo Mala Krsna;
- Novi Sad Marshalling yard Open line junction Sajlovo.

On the other lines, in particular cases, train running can be performed with engine driver – without train crew in compliance with terms stipulated in the Annex II of the Traffic Rulebook– Rulebook 2 ("Official Gazette of the Community of Yugoslav Railways", No 3/94, 4/94,5/94,4/96 and 6/03).




Appendix 5.2. Overview of the lines fulfilling the conditions for train running with an engine driver only

List of Serbian Railways Infrastructure lines that do not meet the conditions for operation of traction units with an engine driver only (other lines meet the conditions):

➤ (Belgrade) – Resnik – Požega- Vrbnica- state border (Bijelo Polje) - Užice – Vrbnica section.



Appendix 5.3. Geometry of pantograph (current collector) TIP POS - 254/III used on IŽS network





Appendix 6. Register of infrastructure data

	əburirlA	30							100	79,11	101.57	6,96	102,00	100,96	84.77	81,77	84,66	0.00	87,28	86,71	96,2	84,93																					
	Loading gauge	29			ŽS-I	ŻS-I	ŽS-I	ŽS-I	7.5.7	78.1	ŽS-I	ŽS-I	ŻS-I	ZS-I	ŽS-I	ŽS-I	ZS-I	ZS-I	78.1	ŽS-I	ŽS-I	ŽS-I		×	ZS-I	ŽS-I	ŽS-I	75.1	ŻS-I	ŽS-I	ZS-1	1-57	75.1	78.1	ŽS.1	ŽS-I	ŻS-I	ŻS-I	ŽS-I	ZS-I	75.1	ŻS-I	ŻS-I
of the line [daN		28		L	10		٠	2	7 -			2	Н	9 6	+	\vdash	3	,	2	L	Н	4		П	7	,	\prod	Ţ	4	·	4	•	•	14	+	4	9	2		4	4	-	7
Ruling resistanc	→	6 27		H	10	,	0		, ,	→ e	9	- 2	Н	9 0	2 0	+	3	-	7	╀	3.4	4		Н	10	9	\dashv	+	3 7	0	+	+	0 0	+	┿	4	5		-	6	4	4	2
Ruling gradien	Incline	-		H	0	+	2	+	0 -	- (*	+	-	Н	9 0	+	\vdash	-	1	71	+	4	-		Н	00	\vdash	+	+	9	9	+	+	× 2	+	₩	₩	21	-	\vdash	6	-		2
[%] u	Gradient of the statio	-		0.0	0.0	26	1,0	2,0	0,1	0,0	0.0	0,0	0,0	0,0	0.0	0,0	0,0	0,0	0,0	0,0	0,0	П		0,0	Ť	1,5	T	Ť	7,9	5,5	-	0,0	4,7	7.2	8,4	3.5	2,3	0,3	,	1,3	=	6.5	7,0
sr	Minimum curve radiu	23			009	700	700	800	00001	3000	2500	3000	4000	3000	10000	1300	10000	10000	1500	3	15000	15000			300	300			400	300		300	300	300	400	800	200	520	0	200	800	200	950
reighF Franspor	I/ rəgnəssen ror nəqO	22		<u>a</u>		Ь	P/F1)	P/F1)	P/F1)	P/F P/F	Ь	Ь	Ь	P/F	P/F		Ь	5	P/F		P/F			Ь	I	Ь	Ь	۵	P/F		5	P/F	ء ۽	P/F	P/F	P/F	P/F	Ь	Ь	P/F	۵ ۵	P/F	Ь
	Occupancy of service			Δ.	-	1	Н	+	+	۵, ۵	+	-	ш	а 2	+	+	Ц		1	╀	Б	Н		Ы	+	Ы	4	+	۵	Þ	-	+	=	+	+		⊢	Þ	\vdash	+	1=	┰	-
mioin	Freight car scales Side-/end-loading pla	-		H	╀	\vdash	S	S	N G	y v	2	S	Н	S/E	S	-	Н	+	+	╀	Yes S/E	Н		Н	+	┝	\dashv	+	\vdash	Н	-	^	+	0.	S	S	S	Н	-	S	+	S	S
OIIC	Service point code - U	П		16052	16003	16012	16002	10001	16204	10501	16505	16506	16507	16550	16509	16510	16511	16512	16513	16515	П	16517		16052	t	16103	16102	10191	15501	15401	15408	20401	15403	15405	15406	15407	15460	13701	13702	13703	13705	13706	13707
ne service point	Manner of securing th	1		Ē		1	_				-	_				-	_	- -	_	-	_	\exists			-	_	_ - -	-	-	_	-	1	_ -				-	_	H	7	-		-
	Manner of traffic reg	16			station distance	station distance	station distance	station distance	station distance	station distance	station distance	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	station distance	ly 102 Beograd Centar - Rasputnica G - Rakovica - Mladenovac - Lapovo - Niš - Preševo - State Border - (Tabanovce)		AB with TWT	with	AB with TWT	AB with TWT	AB with TWT	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	
	acceptance of the longest trains	15	ik)	5 H 6	Т		7 и 8	1и2	1,	4 11 5	+	Н	Н	4 11 5	+	H	2и3	+	4и5	T	4и5		state Borde	5и6	t	2	\dagger	\dagger	3	1 и 2	\dagger	†	· -	2	2 2	4	6	3	,	2	,,		
- Direction B→	Maximum permitted train length Tracks for	14	r - (Tovarn	506	╁		548	713	292	457	749	786		653	+		299	-	673	T	707		Preševo - S	506	†	702	\dagger	\dagger	730	707	-	18/	01/	692	189	656	649	838		969	707	642	742.
	acceptance of the longest trains	13	101 Beograd Centar - Stara Pazova - Šid - State Border - (Tovarnik)	5и6			1и2	3 и 4	5 (5	2и3	2 и 3	2и3		2и3	4 H S		4и5	-	2 и 3		2и3	\parallel	ovo - Niš -	5и6	\dagger	4	+	+	3	1и2	+	4 6	e -	2	2 62	4	е е	3	 	2	,,	3	
←A noitəəriQ.	train length Tracks for	12 MAIN LINES	wa - Sid -	506	$^{+}$		Н	029	+	+	+	269	\forall	712	-	t	614	+	252	t	999		ovac - Lap	808	\dagger	702	+	\dagger	730	400	-	111	753	602	81	67	651	38	1	693	708	647	46
	Maximum permitted		a Pazc	Ľ	ľ		S	9	<u> </u>	٥) 0	°		- 1			Ů	ľ			°	Ц	Maden	5		7			7	7	Ľ	1			1	ľ	ľ	∞	Ш`	1	,	ľ	-
permitted spec	Гең изск	=	r - Star				9	>			80						100						vica - N		70	80		70		20			70							100			
mumixsM	Right track	10	Centa				4	,			000		120		20			ç	30			80	Rako		0/	80		70		S			7							ĭ			
1	Railway line category	6	eograd		D4	D4	D4	<u>7</u>	\$ 2	i i	ß B	D3	D3	2 2	2 2	D3	D3	2	2 2	D3	D3	D3	ica G		<u>5</u>	D4	<u>7</u>	3 2	D4	Ď	7	\$ 2	3 2	2 2	<u>D</u>	7	<u>P</u>	D4	D4	7 2	3 2	7	2
	Class of railway line	∞	101 B		M	×	×	Z,	Ξ)	ΣZ	Z	×	M	Σ	ΞZ	×	×	≥	Σ	Z	×	×	asputr		ΣΣ	M	Z,	Z >	×	Σ	≅ ;	Ξ,	2	ΞZ	×	Σ	Σ	×	Σ,	ΣZ	Σ	×	×
əu	Single/double-track li	7		Γ	S	S	s	S	y c	n v	S	D	D	م م	م	Ω	Ω	ء م	ء د	۵	Ω	Q	ntar - R		م م	Ω	Q s		Q	s	S	2	N o	0 00	S	S	s	s	S	S	~ ×	S	v
	Type of service point	9		-	-	6	-				-	-	9		-	8	_	ю.	- (*		_	15	eograd Ce	-	9 9	-	6	0 ("	-	2	e .	-	-	-	-	-	-	-	ε,	-,	2 0	-	-
	Distance in km Chainage	3 4 5		6 0+000 BEOGRAD CENTAR	*3.172	2,400 7+165	3,539 10+704	3,169 13+873	6,827 20+700	5 6,443 Z7+143 NOVA PAZOVA 7 801 34+944 STARA PAZOVA	44+361	53+713	29+800	5,055 64+855 RUMA	81+721		94+076	99+200	5,818 105+018 KUKUJEVCI/EKDEVIK 4 082 109+100 RAČINCI	112+700	Ш	5,585 121+950 DRŽAVNA GRANICA	open for train trainer to the needs of work on the reconstruction and construction of the failway	0+000 BEOGRAD CENTAR	3.079 4+416[RASPUTNICA GEDINJE		10+700	0,180 10+880 KASPUINICA A 0,849 11+729 KHEVO	14+059	17+930	20+121	⊥	3,443 24+760 KLENJE	34+730	41+508		53+110	950+09	62+925	\perp	3 680 74+000 GHBOVAC	78+564	85+570
	NADIO MACI	73	1	7	86 I	.07			£88		001390	1.8	881	15	10			168	0.18	1.70			=1	1		758	81.6	0.50)	ı						1							
public transport	Left track		1	90	0.50	121	.01	4	1.12	10	R	1										_ 4	žI.	£60 c0.6	zl							03.09	1884			1			- 3	03.09	1884		



	əbutitlA	30	П	103.9	102.6		105,4	T	107,4			6,611		126,3	T	134.6		136,4	144.6	144, 0		148,5	T	Τ	164		173,4				184,9	T		190,5	188,8	1	183,3	104 1	174,1	Γ	194			201,6	211.5			217,9
	Loading gauge	56	ZS-I	-5 2	ZS-I	ZS-1	ZS-I	-S2-	ZS-1	ZS-I	ZS-I	-52-I	ŽS-I	ZS-1	-52	ZS-I	ZS-I	ZS-I	-52	78-1	ŽS-I	ZS-I	-S2-	78-1	ZS-I	ZS-I	-52	ZS-1	ŢS-I	ZS-I	-52	78-1	ŽS-I	ŽS-I	ZS-I	ZS-I	ZS-1	1.52	75.1	ZS-I	ŽS-I	ŢS-I	ZS-1	ZS-1	-S2-	ZS-1	ZS-1	ZS-I
of the line [daN]	←	28		9	9		9	1	ю		,	1		6	İ	4			'n	4	3	9	İ	İ	2	ŀ	4 v	,		ŀ	1	İ			2	,	0 1	-	1	İ	2			·	Ē	Ι		•
Ruling resistance		27	4	v	+	Ц	4	4	4	Ц	<u> </u>	7	Ц	S	4	4	Ц	m	٥	7	4	4	4	+	7	Н	, "	Н	Ц	+	٥	1	L	Ц	S	4	, ,	n (1	Ļ	4	Ц	_ (2	v	Н	\vdash	61
Ruling gradient	Incline	\vdash	+	+	0 4	H	4	+	4	Н	,	7	Н	5	+	4	Н	3	v .	2	3	3	+	+	5 2	\vdash	0 c	+		+	0	+	\vdash	Н	5 2	+	+	4 (+	- 2	4	-	2 0	- 0	2 5	2 0	\vdash	2
[%] t	Gradient of the station	24		4.0	3.0		0,0		0,0		-	C.T	Ш	0,0	T	4.4		0,0	0,0	0,4	1,0	1,0			0,0	,	0,0	Š		-	0,0			0,0	5,48		2,86	1,04	1,00		0,71		_	0,91	2.44			1,71
s	Minimum curve radiu:	23	945	700	700	800	200	1000	800	800	800	480	400	350	2000	1150	1000	1000	300	350	350	009	200	200	2000	700	700	1000	10000	1200	1200	700	1500		950	550	295	300	2000	2000	700	0	4000	20000	1000	1600	0	0
Troqener TransporF	Open for passenger /fr	22		P/F	P/F		P/F		P/F		27/12	EVE		P/F		P/F		P/F	P/C	FIF	Ь	P/F			P/F	9	P/F	474		4	P/F			P/F	P/F	9	P/F	P/F	YVY		P/F		0.00	P/F	P/F		3	P/F
	Occupancy of service	1	\Box	۵	+	Н	Ь	4	Ь	П	2	+	Н	Ь	1	Þ	Н	+	=		D	D	4	Ŧ	D	Η.		Н	Ц	+	-	Ŧ	L	Ь	+	_	_	<u> </u>	+	L	Ь	Н	:	0	D	Н	_;	Þ
шор	Freight car scales Side-/end-loading plat	\vdash	+	v.	+	Н	S	+	+	Н	- 6	1	Н	S	+	s	Н	S	+	+	Н	S	+	+	S	,	y v	2	Н	- 6	2	+	\vdash	S	S	- 6	S/E	200	1	+	S	Н	-	S	S	H	Н	_
ııc	Service point code - U	Н	13402	13403	13405	13406	13450	13301	13303	13304	13305	13307		13310	13317	13313	13314	13352	12501	12517	12503	12504	12505	12519	12507	12508	12509	12520	12511	12512	12513	12515	12518	12516	12550		12551	12301	12304	12303	110011	11002	11003	11004	11006	11007	11009	11008
e service point	Manner of securing th	17	+	+	-	Н	_	+	-	Н	+	+	-	-	+	+	Н	_	- -	+	-	_	+	+	-	Η,	+	+	Н	+	+	+	\vdash	-	_	_	+	+	+	+	-	Н	+	+	+	Н	Н	=
		П	T	Ť	T	П	П	†	Ť	П	Ť	Ť	П	١,	AB AB	9 P	9	e e	9 9	9 19	B	e l	<u> </u>		WT	T.M.	- I	WT	WT	Į.	Z 5	1 5	TWT	WT	T	Į.	ş	-	9 9	9	B	B	AB	S S	S S	9	B	_ e
noinsi	Manner of traffic regu	16	AB	AB	AB	AB	AB	AB	AB	AB	AB S	AB	AB	AB:	RC with A	N.	with	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with TW	RC with TW	RC with TW	RC with TW	RC with TWT	RC with TWT	RC with TWT	RC with TW	RC with TWT	RC with TW	RC with TV	RC with TWT			AB with TWT	AB DC mith AB	RC with AB	RC with AB	RC with AB	with	with	MIT.	RC with A	with	RC with AB	RC with AB
	acceptance of the longest trains		1	5	,	Н	4и5	†	4 H S		,	4 11 3		и 4	\dagger	4 H S		2	- ,	Ť	1	2и3		T	2 и 3	Н	3 H 4	Н		+	3 11 4			4	3	1		-	+	t	3		1	2 и 3	2	H		_
A←B noitsoniO	train length Tracks for			2	-	Н		+	+		+	+		6	+	+	Н	9	4 (1	7	+	+	+	Н	Н	+	Н		+	+	t		8	2	-		5 4	,	H	-			+	2	H		6
	longest trains Maximum permitted	٦		812	-		657	+	626		210		Н	629		620	Н	825	+	+	677	+	-		208	H	498	H		+	699			738	99	-	488	543	5		109			623	632	\parallel		759
B←A noitostid	Tracks for	13		4			2и3	1	2и3			2 H 3		5и6		2 и 3		3и4	2 2 2	5 H 4	2	4и5	1		4и5	ļ	4 11 5				2 и 3			3	3	ľ	e .	- -			4		ļ	2 и 3	2			-
	Maximum permitted frignel nisth			855			530		710		900	00/		702		615		559	174	040	677	999			574		753				271			744	989	4	490	080	000		009		000	809	639		i	723
peeds peed	Left track	=	- ;	20	Γ	100	$ \top $	5	2	Γ	00	Τ	120	T	8	2	02	2		Τ		$ \top $			100			Г			100					30							_					_
mumixsM	Right track	10			00		7	9	3		20	T	120	T	9	3	001	201	99		85	Ī			100			T			100				7(30							70					
	Railway line category	6	7	<u> </u>	7	D4	D4	3 2	4	7	7 2	3 2	<u>7</u>	<u>7</u>	<u> </u>	Z	<u>7</u>	7	\$ 2	3 2	D4	7	\$ 2	2 2	<u>D</u> 4	<u>5</u>	2 2	74	D4	<u>7</u>	3 2	2 2	<u>7</u>	D4	D4	7	ž 2	3 2	2	7	74	D4	<u>7</u>	2 2	3 2	D4	<u>7</u>	ğ
	Class of railway line	00	×	×××××××××××××××××××××××××××××××××××××××	×	M	W	×	×	M	Σ:	Σ	M	M :	Σ	×	M	W.	Σ	Σ×	M	M ;	Σ	Σ×	M	M :	Z Z	M	M	M :	2	Z	M	M	M	×.	Σ,	Σ	2	×	M	M	M	Σ	Σ×	M	W	Σ
əu	Single/double-track lin	7	Δ	ء ء		Ω	Ω	٥	۵	Δ	ء ۵		Ω	Ω			Δ	Ω	n 0	o o	s	S	ء د	٥	Ω	Ω		Ω	D	Ω	٥		D	Ω	s	Ω	ء ۾	n o	2 00	S	s	s	s	s o	n v	S	S	S
	Type of service point	9	~	e -	7	е	-	m "	n -	6	e -	- (*)	9	_ ,	~ ~	, -		_	72 -	- 60	2	-	m "	2 60	-	е.	- -			ε,	- ,		3	-	-	14	-	- ,	4 (*	3	-	3	е.	- ,	-	3	6	2
	Name of service point	5																																														
	Chainage Name O'r			97+725 NOVO SELO 100+302 MARKOVAC			109+600 LAPOVO	114+100 BRZAN	120+300 BAGRDAN	126+950 LANIŠTE	131+395 BUKOVCE	1357-237 JACODINA 140+700 GILJE	145+981 RASPUTNICA ĆUPRIJA		165+670 SIKIRICA/RATAR	171+600 CICEVAC	173+600 LUČINA		182+000 STEVANAC	190+400 CEROVO/RAŽANJ	192+216 STARO TRUBAREVO	_	199+193 VITKOVAC	203+500 GORNII LIUBEŠ		208+000 TRNJANI	210+480 ADROVAC 214+197 AT FK SINAC			222+070 TESICA	222+705 GREJAC		232+590 VRTIŠTE					249+462 MEDUROVO	255+441 CAPLINAC	257+010 MALOŠIŠTE	261+451 DOLJEVAC		265+854 PUKOVAC	257+942 BRESTOVAC	2/0+834 LIPOVICA 275+564 PEČENJEVCE		280+300 PRIBOJ LESKOVAČKI	281+975 VINARCI
	Distance in km	3	3,566	3,725	6.011	1,688	1,599	4,500	3,325	Ш	4,445	┸	5,281	6,664	285,282	┸	2,000	2,710	3,690	3.914	Ш	2,723	4,254	2,100	Ш	Ц	3 717	ш	Ш		0,635	┸	3,281	Ш	990,9		_	9,879	┸	┸	Ш	1,810	2,593			Ш		1,675
public transport	Гей изск	(0)		_	_	.1/8	81.6	50°ε	0	Н	 	+		-	188	.6.E	7.9	58		03.09.	1884	+		.000	51.8	0.10		ľ		1/88	81'6	0.50)		9.1884.	188	,		_	_	1	Ц	1888.		_	ш	_	-
Date of handover to	Right track	-	·t	£61.	\$0°6	50	126	1.10	0.80	£2617£	0.55 8	1973.		7	.961	50.82	.6.			Ö				.484	31.6	0.50	'	L		.866	51.8	0.62	-		03.09.	60.3							-		_	_		_



	shuitilA	30	220,0	248,2	667	282,6	297,2	306,9	324.4	333,3	T	346.7	367,5	371,9	383.0	397,7		427,2	439,2			0 001	148,8		124,6	13,4	178,6	157,0	135,4		123,4	2 001	08.0	(0)		83,0	T	83.1			936	83,0	92,6	8,66	111,4
	Loading gauge	56	ŽS-I	1.52	1-07	ŽS-I	ŽS-I	ZS-1	1-SZ	ŽS-I	1-SZ-1	78.1	ŽS-I	ZS-I	ZS-1	ZS-I	ŢS-I	ZS-I	1-62		,	ZS-1	ZS-1	ŻS-I	ŽS-1	1-SZ	ŽS-I	ZS-1	ŽS-I	ŽS-I	ZS-1	7.S-I	1.07	ZS-1	ŻS-I	ŽS-I	ZS-1	78.1	ŽS-I	ŽS-I	1-S2-	1-SZ	ŽS-I	ŽS-I	ŽS-I
Ruling resistance of the line [daN]	←	28		- (7		•	4	ŀ	7	1	4	- 21		"	-		-	- 12	- 1	\Box	, ,	1 9		01	1	Н	6	6	П	S	ı	- 4			2	#	1	4	П	-	1	₩	4	4
Duling contribut	→ adol2	26 27	0 .	~ ·		3 7	1	+	1 0	7 7	0 0	2 2	3 2	4	4 %	3 0	2	+	3 5	4 1	\rightarrow	0 5	+	H	+	•	Н	6	· ∞	Н	4	-	0 4	+	Н	4	+	+	3	Н	-	+	₩	8	4
Ruling gradient	Incline	Н			0 1		9	~ 1	- ∞	7	v d	,	7	S	v 4	_	œ	-	<u> </u>		_	-	2 00	-	0		6	'n	0	-	0	<				0	1	1	2		-	1		000	~
	Gradient of the station		- 1		4,51	4,04	5,65	3,7	5,45			2 60	_	0,92	7.5	2,09		0,11	1,1		4,9	10		ш		2	8,7		0,8	ш	2,2		0,0	_		0,7	_		1,4	Ц		0,0	4,6	ш	
s	Minimum curve radiu	23	2000	2500	300	290	300	300	300	300	950	1001	400	45(350	350	450	00	300		_ ;	350	298		300	NC.	275	32(350		700	,	1000			280			700		7001	1000	800	800	700
Troqensт Trigion	Open for passenger /fi	22	P/F	P/F	FIF	P/F	Ь	۵	P/F	P/F		۵	P/F	P/F	D/E	P/F		d Da	FIF		Ь	٥	۵.		а г	4	Ы	۵. ۵	. 4	Ь	Ь	0	4 0	. 4		P/F	-	4 4	P/F	Ь	۵,	۵.	Ы	Ь	P/F
	Occupancy of service		+) i	+	-	Ü	Þ	Д	₩	Ŧ	+	F	Ь	۵	+	Ц	0 6	+]	Ь	9	10		D :		Ū	Д	D	Н	b	1	٥	1	H	Ь	Ŧ	Ŧ	U	П	F	Ŧ	D	Ω	P
шод	Freight car scales Side-/end-loading plat	\vdash	S	0	1	S/E	Н	+	S	Н	+	-	S	S	+	S	Н	- 6	1	$\ $	+	+	+	Н	+	+	Н	+	+	Н	+	+	+	+	Н	Н	+	+	\vdash	Н	+	+	Н	\dashv	Ξ.
IIC	J - aboo tniog asivias	Н	11050	01011	11011	11013	11014	11015	11016	11011	11018	11010	11020	11021	11022	11024	11025	11026	11028		16103	00991	15603	15615	15604	15606	15607	15616	15609	15610	15611	15612	15614	13509		13551	10500	13501	13503	13508	13510	13504	13506	13507	13401
taiog point	Manner of securing th	17		- -	+	-	-	-	+	-	+	+	-	-	+	-	Н	- -	+	$\ $	_			Н		+	-	+	-	Н	-	+		+	-	_	+	+	-	Н	-	+	-	_	1
noinslı	Manner of traffic regu	16	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	station distance			AB	원활	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	AB	AB	AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB
	acceptance of the longest trains	Н	+		\dagger	3	3	†	3	_	+	†	2 2	6	,,				0 28	11	2	+	t		2	,	2	†	8		3	+	000	$^{+}$		4	1	Ť	2		\dagger	,	Н	2	_
Pirection B→A	train length Tracks for	4	92 9	2 2	8	· ·	.2	<u>@</u>	92	9	+			Н		9		3 2		- Mala Krsna - Velika Plana	2	4	2 5		+	,	3	9	6	Н	7	9	9 9	2		9	+	+	5	Н		+	9.	63	9
	longest trains Maximum permitted		648	069	75	99	632	20	99	865	\downarrow	199	648	99	5	603		684	00	Krsna - V	702	1	573		801	1	613	9	619	Н	617	5	970	-		633	\downarrow	\downarrow	545	Н	19	010	476	28	98
B←A noticerion A→B	Tracks for acceptance of the	2	4	<u> </u>	4	6	3	61	6	-	1	,	1 (1	67	"	-		-	1		4	_	t m		- (1	-	(1	6		6	,	9 6	1		4	1	1	61		,	2	ю	2	9
	Maximum permitted Maximum permitted	12	969	686	166	889	969	200	572	828		159	648	648	819	643		687	010	- Rakovica - Jajinci	702	210	643		815	1	909	296	624		612	000	009	200		629			545		909	800	581	594	785
Maximum permitted speed	Гей изск	=	100	3	co	20	30	3		90		_	75		06	09	95	T	20	Centar) - Rako	80	9	3	_			20			_	1		98	3		20	20				100	_	_	_	1
	Railway line category	ш	D4	4 2	± 2	<u>7</u>	D4	D4	<u>5</u> 5	D4	<u></u>	5 2	D4	D4	D 2	D4	D4	± 2	2 2		D4	<u>5</u> 5	7 7	D4	D4	7 7	D4	<u> </u>	7	D4	D4	2 2	1 2	<u>5</u>	D4	D4	Δ 2 2	± 2	D4	D4	2 2	<u> </u>	4	D4	D4
	Class of railway line	∞	×:	Z :	Z >	M	M	×	Z Z	M	×	2 2	M	M	ZZ	×	M	Z :	Z >	03 (Beograd	-	×	Z	M	M :	Σ×	M	×	×	M	Z :	Z	2 2	×	M	W.	Z :	Σ×	M	W	Z	Z Z	M	M	M
əu	Single/double-track li	7	S	s o	0	S	s	s c	o s	S	s o	0 0	s s	s	s s	s	s	s o	0 00		S	s o	o s	s	S	o s	s	s v	o s	s	S	20	0	S	s	S	s o	200	s	S	S o	n s	S	s	S
	Type of service point	9	_ ,	7 -	- ~	, _	2	2,		-	е,	, ,	1 -	-	m -	-	3	7.	- 51		_	٥.		3	2 ,	- 60	2	- "	, -	3	_,	m c	₂ -		14	- ;	4 ,	n (-	3	· -	- 65	-	_	_
	point																																												
	Name of service point		LESKOVAC	BORDEVO CERCETICA	DALOISKA ROSIII IA	PREDEJANE	DŽEP	MOMIN KAMEN	VLADIČIN HAN	SUVA MORAVA	LEPENICKI MOST	PRIBOLVB ANISKI	VRANJSKA BANJA	VRANJE	NERADOVAC RISTOVAC		LETOVICA	BUKAREVAC	PRESEVO DRŽAVNA GRANICA		0+706 RAKOVICA	3+708 RASPUTNICA KI	BELI POTOK	ZUCE	ZUCE	27+840 KASAPOVAC	LIPE	MALA IVANCA BRESTOVI	MALI POŽAREVAC	DRAŽANI/ŠEPŠIN	UMCARI	ZIVKOVAC	VODAN) KOLARI	RALJA SMEDEREVSKA	ODV. SKR. 1 MALA KRSNA	MALA KRSNA		14+500 SKOBAL) 17+200 OSIPAONICA	OSIPAONICA	LUGAVČINA	SARAORCI	25+050 LOZOVINSARAORUI 29+400 MILOŠEVAC	KRNJEVO/TRNOVČE	VELIKO ORAŠJE	VELIKA PLANA
	Chainage	4	287+568		308+610	312+725	319+671	322+886	329+591		336+135	341+437	348+015	354+206	361+415		380+712	386+550	400+452		0+106	3+708	16+277	20+350	21+242	27+840	31+265	36+894	41+300	43+167	47+771	52+315		66+570	008+29	70+264		17+200	18+494	20+100	23+700	29+400	32+512	36+945	41+679
	Distance in km	3	5,593	8,211	6 747	4,115	6,946	3,215	3,452	4,475	2,069	2,380	6,578	6,191	7,209	7,967	7,020	5,838	8.143			3,002	*5,419	4,073	0,892	2,955	3,425	5,629	1,700	1,867	4,604	4,544	5 300	5,961	1,230	2,464	*0,020	2 900	1,294	1,606	3,600	4,350	3,112	4,433	4,734
public transport	Left track	2	_		_		_		1		1888.	_	_			_			_		-	20.10. 1988.	Ť	_					01.06	. FZ4.			_	_	_	7	_	_	_	10.12.	1886.			_	1
Date of handover to	Right track	-									ĩ											20.10							0	=							_			10	ĩ				



	əbminlA	30		119,8	1.60,0	84,96	134,8	133,8	108.5	79	79,5	82	82.6	84,5	83,3	83,5	83,6	107.4	966	109,4	110,2	109.9	108,1	110,3	110,5	113,2	128	001	100,3	Γ		199		207,2	T	226.2	233,3	Τ	265	П	267	286,9
	Loading gauge	59	,	ZS-1	1.07	ŽS.I	ŽS-I	ŽS-I	28.1	ŽS-I	ŽS-I	ZS-I	78.1	ŽS-I	ZS-I	ŽS-I	ŽS-I	1-67	ŽS-I	ŽS-I	ZS-I	1-87 28-1	ŽS-I	ŽS-I	7.S-1	ŽS-I	ŽS-I	ŀ	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	7. S-1	1.02	1.82	ŽS-I	ŽS-I	ZS-1	ŻS-I
of the line [daN]	←	28		1		,		\vdash	0	15	Н	4	0	+	\vdash		1	\neg	4	Н	m	2	+	8		2	1	t	Ī			4		-		,	,	1	1		1	7
Ruling resistance	\rightarrow	27	\vdash	6		٧	+	Н	4		c	C1	00	₩	9	\Box		t ^		9	~	2	+	e	\perp	9	9		ļ	L		9		4		+	e l	ļ	7	Ц	61	9
Ruling gradient	Incline	\dashv	\vdash	o ø	$\ \ $	0	+	9 9	2	0 13	0	-	9	╀	5	\dashv		+	1	Н	6	2 2	+	3	+	9	6	+	2	⊢	5 0	2 5	0	4	9	+	0 0	+	0	₩	0 0	0 0
[%] u	Gradient of the station	\dashv	П	+	\parallel	0,0			2,0	2,0	0,4	0,0	0	_	0,0	0,0		0,0	2	\rightarrow	1,5	0.0	_	1,0	0	3,3	Н	ŀ	+			2,2	ш	2,5	+		3,09	+	0,0	-	0,0	6,4
si	Minimum curve radiu	23				0001	400	300	300	300	300	400	400	700	2500	2500	3000	200	1600		1500					009	2000		300	200	200	2000	3000	1000	310	300	300	300	200	450	200	497
Troqsnsr TransporF	Open for passenger /I	22	8	P/F D/F		P/F P/F	P/F	P/F	٠	Ь	P/F	P/F	Д		P/F		P/F	P/F	Ь	Ь	P/F	P/F		P/F	Ĺ	P/F		5	T/T			P/F		P/F		D/G	F/F		Ь		Ь	P/F
tnioq	Occupancy of service	21	\rightarrow	۵ ۵		αа	ь	Д,	-	Ь	ш	۵,	۵		Д	\Box	Ь	۵ م	1	Д	۵.	۵	1	Ы	-	ы		-		L		Ь		Ы	1	٩	1	ļ	Д	П	Д	М
шюд	Freight car scales Side-/end-loading pla	19 20		s v	2	S	╀	S	+	H	S	S/E	ĮT.	1	S	\dashv	S	0		Н	+	S.	1	Н		S	Н	2/3	9	┞	Н	H	Н	S	+	+	+	+	\vdash	Н	S	S
nc	Service point code - J	┪	H	13351	OTOG	16503	16518	16802	16803	16805	90891	16807	16808	23301	23302	23303	23304	23300	23402	23403	3404	23407	3408	23409	_	\top	23499	1220	10071	12401		12402		12404	12405	12406	12407	12409	12410	12426	2411	12413
зегуісе роіпі	Manner of securing th	7	ш	9 -	4 1		\perp		- -	_	_	_	+		1 2	1 2	1 2	1 0	1 64	2	-1	1 0	- 1	Н	+	1 4	2	-		-	Н	_	Н	_	4	4	,	+	6	Ш	6	9
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,		$\overline{}$		- 1		+	Н	†		Н	\dagger	+	t			H	+	+	Н	+	$^{+}$	+	Н	\pm	+	agu	ŀ		t	Н		Н		+	+	+	2 2	+	↤	+	+
noitsla	Manner of traffic regu	16		station distance	ration alsta	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB AB	AB	AB	AB	AB AB	AB	AB	block post distar	block post distance	station distance		AB	AB	AB	AB	AB	AB	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
	acceptance of the longest trains	15	П	2 4	ebia	4 n S	1и2	2и3	и 5	1и2	2и3	4 и	4 14 5		2и3		3и4	3 2 4		1и2	2и3	3 и 4	+	2и3	+	2и3 в	s	,	T	t		3		4	s	†	7	, ,	2и3 в	Н	2и3 в	2 8
Pirection B→A	Tracks for		Н	+	3order -	+	+	Н	+	╁	Н	+	+	╁	Н	\dashv	+	+	+	Н	+		+	Н		+	Н	_	+	╀	Н		Н	_	+	+	+	+	+	Н	+	\dashv
	Maximum permitted train length	14 riia - Paraćin		167	- St	659	803	590	613	699	999	718	493		785		812	766	3	959	793	731		780	+	594		Dragoman	100	L		900		009	_	203	524		603	Ц	614	791
B←A noirection A→B	Tracks for seceptance of the longest trains	13 rriia – Cun		3 н 4	d - Subotica	2и3	1и2	2и3	1и2	1и2	2и3	3 и 4	4 14 5		2и3		3 и 4	3 14 4		1и2	2и3	3 и 4		2и3	13 m 14	2и3		Border - (L		3		4		,	7		2и3		2и3	2
	Maximum permitted train length	1 12 13 Rasputnica Ćuprija		240	1.1	616	799	599	617	029	859	715	492		772		816	764	5	663	792	731		777	503	594		Niš - Dimitrovgrad - State Border - (Dragoman	430			009		599		103	524		603		614	791
peeds petimited	Left track	- 1		100	Stara Pazova	100	8		- 02		80	82	_		08			00	3		_		40		_	•	50	Simitrovs	35	Ī			50	_	_	Ş	9	30		Γ	50	
mumixeM	Railway line category Right track	9 10 04 (Jacodina)		D4	╛	D3	L	\perp		_	Ц		2 2	_	_	2	\perp		L	D3	2 2	_	_	D3	2 2	D3		06 Niš - I	D3	2	D3	D3	_	2	20	1	1	_	D3	20	_	D3 D3
	Class of railway line	7	\vdash	M	밀		\top	M :	\top	\vdash	П	\top	\top	\top	M	П	\vdash	Z Z	\top	П	M :	\top	\top	Н	M	\top	M	-	M	\vdash	П	П	П	M	\dashv	\top	\top	Z Z	\top	П	\top	M M
211	_		\vdash	+		_	+	Н	+	\vdash	Н	+	+	+	Н	Н	+	+	+	Н	+	+	╀	Н	+	+	Н	+		╀	Н	Н	Н	\dashv	+	+	+	+	+	Н	+	Н
	Single/double-track li	7	Н	S S	105 (B	7	+	S	N V	\vdash	S	+	* ×	+	S	\dashv	S	00	+	Н	S S	o s	+	S	S S	o S	Н	ŀ	T.	╀	S	S	Н	S	+	+	0	0 00	+	Н	S	o o
	Type of service point	9	9	-		- -	- 21		- ("	2	_	- -	14 L	4		3		1-		2	- (2 -	3	-	S -	-	15	ŀ	141		3	_	3	_	3	2 -	,	9 (5)	2 2	3	- () -
	Chainage Name of service point		Ш	0,500 0+500 CUPRIJA 7+420 DAB AČIN	7.1	36+061 STARA PAZOVA 6 800 42+861 INPITA		52+952	3,389 56+341 CORTANOVCI 2,244 58+785 CORTANOVCI DIJNAV	ı	66+571		5,791 //+688 BLOK I NOVI SAD 0.351 78+039 NOVI SAD	L			103+538	13,207 110+743 VKBAS 11,373 128+118 LOVĆENAC	132+820	Ш		8,002 132+800 MALI BEOGRAD 5 018 157+818 ZEDNIK		167+180	4,782 171+962 ALEKSANDROVO PREDGRAĐE	176+474	8,108 184+582 DRŽAVNA GRANICA	Širo o	0.495 0+736 ODV. SKR. 4 NIŠ	1+766	,634 3+400 VOJNA BOLNICA	5+461		10+500		\perp	5,361 22+309 USTROVICA 1,350 23+750 MAIDAN OSTBOXICA	1,250 23+739 MADDAIN OSTNOVICA 5.741 29+500 RADOV DOI.	31+700	Ш	36+426	5,232 44+912 BELA PALANKA
transport	Distance in km	3	L	0,5	Š	89	5,1	4,5	3,5	3,5	4,2	5,3	<u> </u>	H	Н	9,9	5,4	13,5	4.7	3,3	9,6	9,0	5,1	4,2	6,4	0,8	Ц	-	0.4	0,1	1,6	2,0	0,7	4,3	4,2	2,4	2,0	5.7	2,2	2,6	2,1	5,2
handover to public	Right track Left track	1						10.12.	1883.				23.10.1961	31.05.1964.						05.03	1883.						05.12.1882.								01.06	1887.						
Pate of		\perp			Ш							\perp	4	Ľ	\perp												<u>ا ۱</u>															



The control of the		əbutitlA	30		314	Τ	Τ	341,6		368,5	Τ	416.5			450	T			T	T	Τ	Τ		77,0	104.0	146,0	120,0	95,4	87.6			82.0		105,3	1/1,1	153.3	2	117,9		35,3	100 5	100,3	110,9	123,6		145	Τ	186,4
The property of the property o		Loading gauge	56	ZS-1	1-S2	-52	1-67	ZS-1	ZS-1	ZS-1	-S2-	1-SZ	[-SZ	[-S2	1-SZ	1-67	r	Ţ-SZ	[-SZ	-S2-	100	1-SZ	[-SZ	1-SZ	- S- Z- Z- S- Z- S- Z- S- Z- S- Z- S- Z- S- Z- Z- S- Z- Z- S- Z- Z- S- Z	[-SZ	[-SZ	ZS-1	-52	[-SZ	ZS-1	-52-I			-W-1	-S2-1	I-SZ	[-S2	[-S2	1-SZ	-S2-	1-52	1-SZ	-S2-1	ZS-1	ZS-1	1-52	ZS-1
	of the line [daN]		↤		•			,		•		-		\rightarrow	\rightarrow	Η.		-	\rightarrow	-	+	+	-	+	7 9	62	Ξ	\rightarrow	1		\vdash	-	11		1	+	+	6		S	+	+	-	e		-	Ī	-
	Ruling resistance	-	\vdash	\Box	7	Ţ	I	7	П	7	Ţ	000			-	_	Г	•		4	-	1	-	7	. 6	10	Н	S	9	,	,	- 6		5	77	9	,	ŀ		8	n v	٥	4	4	ľ	7	I	∞
Second Control Part of the Control Par	Ruling gradient		₩	9	9	+	+	S	7	9.	+	+	5	9	2	-		0			-	-	-		0 8	8	Н	m			,	- 60	11	:	+	+	┿	Н		6 .	+	+	-	4		7	\pm	7
Secondary Control of the control o	[%] t	Gradient of the station	ш	_	_	1		┺	ш	\rightarrow	1	┸	ш	_			0,0	ш		1			Ш	-1		3,5	5,2	_		_	ш		J			ľ		°	Ц	٥,		1	_	Ш	Ц	27	\perp	_
	s	Minimum curve radiu	23	350	300	400	909	495	300	200	250	3000	700	200	200	300		300	909	000	300	56		507	300	200	350	350	009	009	200	1905		Š	300	400		400		400	450	10+	200	450		200		009
The control of the	Troqens1 TransporF	Open for passenger /A	22		۵			╄		P/F		P/F		Ц	4		۵	Д	۵,	ء ا	4 0		P/F	P/F	FIF	P/F	P/F		4	╄	Ц	+		4		L	L				J/Q	I/I	╀	Н	Ь	P/F		╄
Secondary Control of Seconda			Н	\dashv	_	+	+	-	Н	<u>م</u>	+	~	\perp		_	+	4	힏	۵ ا	-	100	+	4	-	<u>- ا</u>	-	Δ.	<u>ت</u>	+	-	—	_	$\ \cdot \ $	-	+		+	, C	Н	<u>ا د</u>	+	+	+	Н	H	<u> </u>	+	+
Secondary Control of the control o	шод		₩	\dashv	+	+	+	0,	Н	<i>S</i> .	+	10.	Н			+	\vdash	Н	+	+	+	+	Н	-	. 0.	0.	V.	-	+				$\ \cdot \ $	+	+	+	+	ν.	Н	-	7	+	10.	\ \frac{1}{2}	H	+	+	0.
1 1 1 1 1 1 1 1 1 1	IIC		Н	12414	12415	12416	12427	12418	12419	12420	12421	12423	12424	\neg	\neg	12490	16052	16053	16054	16013	01001	90091	16007	\top	21002	21003	21004	21005	21007	21008	\Box	-		15501	10201	15203	15204	15205	15206	15207	15250	60751	15260	15211	15212	15213	15214	15251
19 19 19 19 19 19 19 19	e service point	Manner of securing th	17	\dashv	6	+	+	6	Н	9	+	9	+	+	9	+	-	-	+	+	+	+	-	4	+	╀	Н	4	+	╄	Н	+	╢		+	+	+	-	Н	_	- -	+	+	H	Н	+	+	-
19 19 19 19 19 19 19 19	noiisli	Manner of traffic regu	16	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance		AB with TWT	AB with TWT	AB with TWT	AB	AB	AB	AB	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance			RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance DC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance Dr with earling distance	RC with station distance
1.00 1.00		acceptance of the	15		e			$^{+}$		_			H		†		3	П	1	†	,	4	7	+	+	+	Н	+	+	t	П	$^{+}$	- 1		1	6	,	3		е,	4 (4	4	3	,	0	T	4
1.00 1.00	A←B noitoniO	train length	4	\dashv	+		+	+		624	+	626			711	(Stamora	400		+	+	209	160	594	+	+	+	Н	+	+	H	Н	+	rder - (Bije	730	666	768	2	574		594	90/	700	652	109		209	\dagger	593
1.00 1.00		ongest trains	Н		н 3	+	\dagger	и3		и3	\dagger	и 3			7	to Border	и 10		+	\dagger	,,	+	3	и 2	и3	и3	и 4	и3	и 3			CH	- State Bo	6	1	6		3		ε,	4 (1	4	3		9	\dagger	4
1.00 1.00	B←A noitostiO		2	1	3			H	Н	+		$^{+}$			0	Vršag St	8		+		2	_	3	+	+	+	Н	+	\dagger	t	Н	+	a - Vrbnica	0 ;	-		+	.2		4 6	6 5	-	6;	8		9	$\frac{1}{1}$	9
1.00 1.00		Maximum permitted	1		7			62	Ц	62		62			7	main et	36	Ц	_	+		+	Ц	4	2 99	83	74	8	99			+	7 1	73	6	77		57	Ц	8	8 8	8	49	59		9		89
1.00 1.00			Н			50			30	3			100		8	Danženio	000	\dashv	_	+	7	_	ž	2 5	20			9	001			80	ar) - Resni	70			82			06		95				100		
10 19 19 19 19 19 19 19		Railway line category	6	D3	D3	D3	3 2	D3	Ď3	- Di-		D4	D4	2 2	3 2	7	D4	<u>7</u>	D2	DZ	D2	D2	D2	D2	D2	D2	Cent	2	3 2	7	D4	D4	D4	<u>5</u>	2 2	2 2	7	D4	D4	D4	3 2	D4						
111 2485 2480 CREVICA 3 4 4 5 5 5 5 5 5 5 5		Class of railway line	∞	M	N.	Z Z	2 >	M	M	⊠ ;	Z Z	2 >	M	M	×	M	nn-Good	M	M	×	Z Z	×	M	≅ :	Σ×	×	×	≅ :	Σ×	┖	Ш			;	Z Z	×	×	M	M	×:	Z	Z	N	M	×,	×	Σ×	×
11.1 19.10 19.20	pu	Single/double-track li	7	s	S	N o	o o	S	s	S	s o	o v	s	s	S	o 101		Ω			1	۵	Ω	٥	n v	S	s	S	N N	S	S	N N	108	ç	0	o o	S	s	s	S	s o	o o	S	S	S	S	n so	s
1.00 1.00		Type of service point	9	3	2	e (n (r	2	8	- (e (n -	3	6	- ;	c	-	7	3	,	٠,	1 10	-		- -	-	-	- 4	e -	3	9	12			- "	2	1 (5)	2	3	-		- 0	_	-		- ,-	2 6	-
1 1 1 1 1 1 1 1 1 1	родения	Distance in km Chainage	4	48+500	53+500	008+99	61+900		67+300	72+93	76+90	86+19	90+50	Ц				1,232	1,568	1,888		186+6	12+492	6,825 19+317	15.801 34+007	45+855	53+554	59+041	70+337	75+300	81+797	15.461		0+425	4 568 12+205	3.503 15+708	2,192	23+09	27+73	30+62	6,635 37+26	1,514	┖	Ш	Ш			
	handover to public		1						1.11.	1887.							\vdash			+	.25.	61.1	TT		26.08	1896.			08.12.	1894.		20.07.1858			20 11	1958.			20 11	1958.		07.07.	1968.			29.11.	1906.	



	əbuitilA	30	264	2000	588,5	201	487,1	411,9	352.1		Τ	311,6	П	T	Τ	П	363,2	418 4	520.5	П		631	784	П	612,5	531,5	000	390,3		447,7	-	453,2	T	505,2	561,5	553,7	Τ	П	109	120 5	25.02	П		153,0
	Loading gauge	59	ŽS-I	ZS-1	1-57	1-S2-I	ZS-I	ŽS-I	-S2-I	₩	-S2	ŽS-I	ŽS-I	1-52	1-SZ	ZS-I	ZS-1	1-52-1	1-SZ	ŽS-I	ZS-1	- S-1 28-1	ZS-I	Н	ZS-1	\vdash	ŽS-1	1.52	ŽS-I	Н	+	ZS-1	1-07	ZS-1	ŽS-I	ŽS-I	1-87	۲	ŽS-I	ZS-1	ŽS-I	ŽS-I	ZS-I	ZS-I
of the line [daN]	←	28	٠	I	·	•	91	91	6	++	#	8		1	7	П	·	•	•	П	Ī	•	2	\rightarrow	8	16	:	-	İ	4	+	4 0	0	-	·	9	n	-	ю	ŀ	L	П	1	4 "
Ruling resistance	→ adol2	26 27	0 17	+	+	0	10	- 51	- 00	H	+	9	+	-	•	Н	+	0 0	+	₩	+	0 0	2 16	Н	- 12	16	-	<u>'</u>	\perp	8	- 1	2 2	-	2	6 0	\vdash	×	\vdash	2	9	,	Н	\rightarrow	3 0
Ruling gradient	Incline	Н	\rightarrow	-	+	9	-	0	0	₩	\dagger	0	\top	+		Н	4 ;	= 2	+	₩	-	2 2	-	₩	0	0	4	+		œ	,	0 0		01	\vdash	\vdash	×	\vdash	7		,	Н	1	× ×
[%] t	Gradient of the station	ш	1,2			2,2	_	2	2	Ш	I	7,5		I	I		1,5		2.3	ш		c,	2	ш	2,5	2	ď	\perp		1,5		\perp	c,	1.5		0		ш	2,4	3.2	1			2.0
s	Minimum curve radiu:	23	300	200	300	300	300	300	500			500					200	400	350		707	400	400		300	300	000	200		300		350	204	350	400	400		L	250	550				550
Troqensı Trigisi	ni/ nognosseq not noqO	22	Ь	۵,			Ь	P/F		а г	-	P/F		ء ء		Ь	Ы	P/F	ь	۵	a 6	۵. ۵		Ь	۵.	Ь	Ь	P	Ь	P/F	Ы	- L	P		Ь	Ь		П	P/F	۵ ۵	۵.	۵.	Ы	P/F
	Occupancy of service		ū	1);		D	Д	D	П	۵	Н	\Box	1		П		T)	4 0		;) =	Þ	П	Þ	U	-	+	L	Þ		+	1	D	ū	М	7	Н	Ы	1		П	7	0 4
шоп	Freight car scales Side-/end-loading plat	\vdash	+	+	+	+	+	S	+	Н	Yes	-	+	+	+	Н	- 2	S/E	+	Н	+	+	+	Н	+	+	•	^	+	Н	+	-	^	+		H	+	S	S	+	+	Н	+	· ·
IIC	U - aboo inioq asivias	Н	15101	15112	20101	15103	15105	15106	15109	15116	5115	15150	-	111121	15114	15115	15108	15151	15701	15716	15717	15702	15704	15705	15706	15707	15720	15722	15709	15710	15718	117711	15710	15713	15714	15715	15723	13450	13201	13202	13204	13205	13206	13207
service point	Manner of securing th	17	-	+	- -	+	-	-	+	Н	+	-	-	+	+	Н	_,	- -		Н	+			Н	-	-	Η.	+	\vdash	-	+	_	+	-	_	-	+	_	6	0	+	Н	4	6 9
noitsli	Manner of traffic regu	16	RC with station distance	RC with station distance	RC with station distance	RC with station distance RC with station distance	RC with station distance	RC with station distance	RC with station distance RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance BC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	station distance		station distance	station distance	station distance	station distance	station distance	station distance
	Tracks for acceptance of the longest trains	15	2	,	, e	8	3	9	3		5	3	Ħ	,	2	H	е,	e -	-		,	e (c			2	-	Ħ.	4	T	3	1	5	,	3	-	3	Border - (Volkovo)	5и6	2		,		7	m m
A←B noitsertion B→A			520	222	200	244	552	544	549		649	349	\dagger	653	222		563	346	547		003	486	531		536	572		200	t	549		307	664	552	969	544	- State Bord	563	099	722		H		734
	acceptance of the longest trains	Н	2	,	· ,	6	6	9	6		·	3	\parallel	,	,	Н	е (n -	+		,	m (*			13	_	 	4	H	3	+	60 0	,	9	_	3	Deneral Janković -	2и3	23	,,	,	H	-	mm
B←A noitostiO	train length Tracks for	П	3	+	, s		4	4	+	H	7	. 2	\parallel	+	<u> </u>	Н	9 0	» «	0 80		-	200				4	Η,	+	H	_	+	,	+		8	7			٥		+	H	+	4 4
	Maximum permitted	-	553	072	8 3	543	554	54	551		647	292		122	c c		200	50 %	545		5	486	53		550	574		8		551	- 1	307	492	55	738	54	ešak - Kosovo Polie -	530	099	722				734
Maximum permitted speed		Н						20							100		8	96		20			70		50		30		95	30					20		šak - Ko				40			
	Railway line category	6	D4	4 2	\$ 2	2 2	<u>5</u>	D4	2 2	D4	\$	D4	D4	\$ 2	2 2	D4	D4	\$ 2	2 2	D4	4	2 2	7	D4	2 2	D4	D4	\$ 2	D4	D4	4	<u> </u>	3 2	7	D4	D4	ᆛᅽ	╙	ව	3 3	ව	చ	చ	8 8
	Class of railway line	∞	M	Z :	Σ,	Σ×	M	M :	ΣΣ	M :	Z	M	M	Z	Σ×	M	Σ:	ΣZ	Σ×	M	Σ:	ΣÞ	×	M	Z Z	M	M	Σ×	M	M	Z :	Σ,	ΞZ	Σ	M	M :	S M D4	Г	Σ.	ΣÞ	×	Σ	Z.	ΣZ
əu	Single/double-track lin	7	s	s o	ν c	N N	S	S	s s	S	,	s	S	o o	o s	s	S	n 0	o s	s	S	y v	s	s	s o	s	S	n v	s	s	S	S C	200	s s	s	S	Sapovo	r	S	s s	S	s	S	s s
	Type of service point	9	2	e -	- ,	77 (*	, -	_,	· -	ε,	,	_	14	n (4 m	e		- -	- 2	6	e (7 -	-	6	7 0	. 2	ε,	- (-		-	е.	- -	- "	2 61	2	- :	1001	-	_,	e -		е	6	- -
	point																																											
	Name of service point		70 VALJEVSKI GRADAC	91+600 LESKOVICE		45 SAMARI 78 DRENOVAČKI KIK	32 RAŽANA	KOSJERIĆ	00 TUBICI 42 KALENIĆI	133+600 OTANJ	POZEGA (freight st.)	POŽEGA (PUTNIČKA)	99 ODV. SKR. 53 POŽEGA	00 KASNA			74 SEVOJNO	00 UZICE freight st.	44 STAPARI	00 RISTANOVIĆA POLJE		SØ SUSICA 25 BRANFŠCI	220 ZLATIBOR	200 RIBNICA ZLATIBORSKA	205+407 JABLANICA	32 STRPCI		NO POLITICE	PRIBOJSKA BANJA	78 BISTRICA NA LIMU	246+300 DZUROVO	252+616 PRIJEPOLJE	SO PRIJEPOLJE ITEIGNI St.	11 LUČICE	229 BRODAREVO	VRBNICA	287+438 DRZAVNA GRANICA	0+666 LAPOVO		00 GRADAC 84 BADNIEVAC	15+800 RESNIK KRAGUJEVAČKI	51 MILATOVAC	00 CVETOJEVAC	22+335 JOVANOVAC 28+829 KRAGUJEVAC
	Chainage	Ш	Ш		Ľ	3 107+678		118+881			0 135+800		142+489			_		161+900		Ш		75 185+225		ш		ш			0 232+800	ш		_						Ш		12+284		Ш		
	Distance in km	Н	6,846	7,030	2,448	9,097	3,67	7,529	6.44	3,758	2,200	4,987	1,702	3,11	2,238	2,700	2,77	1 920	6.76	2,756	2,60	2,350	8,09	86'9	5,107	3,232	4,668	30,0	4,500	8,478	5,022	6,316	3,240	5,04	8,688	11,864	2,24	L	2,739	3 984	3,51	2,651	2,14	1,735
handover to public transport	Joest the I	Н								25.07.	1972.											0.5	1976.									21.05.	.0/61								03.03.	1887.		



	ShutulA	30	236.5		241,9	216	010	6,013	187,7	Τ	02,4	7	ŧ,	233,4	262,7	2,40	343,1	9	3 /9,8	393	406 3	2100	16,5	П	1	144	454	Т	470	П	491	495	П	497	93,7	85,1	85,3	998	87,8	88,2	868	18.3	124,6
	Loading gauge		Н	ŽS-1	ŽS-1 22	ZS-1	ŽS-1	+	ŽS-1 13	<u> </u>	S-1 2	ŽS-1	7 J.	3-1	S-1 2) []	ŽS-1 3-	Н	2S-1	7.	ZS-1	\vdash	ŽS-1 4	ŽS-1	ŽS-1	<u> </u>	7.7	ŽS-1	2S-1	ŽS-I	ŽS-1	ZS-1	ŽS-1	<u></u>	F	Ц	1	1	Ш	Ц	-	1-	Ц
[visin] ann ann io	← ←	28 2	Z Z	Z	12 28	+	, Z	-	8 25	25-	8 ŽS-I	ZS-1	22	5 ZS	- Z	Z Z	- Z	Z	ZZ -	- ZS-1	Z Z	Z	6 Zs	Z	Ž	- 1	4 ŽS	Ž,	4 Z	-	+	5 Z Z	ŞŽ	ž	\vdash	5 Ž	- Z	7 -	5 ŽS-I	5 Zs	1 2	5 Z	т
Ruling resistance [Msb] of the line	\rightarrow	27	∞ =		12	t (C)		2	1	\dagger	∞		۰	S	∞ 0	,	oo		o v	S	·	,	9	Н		×	∞	\dagger	∞		7	v 4	Н			٠	-	"	3	9	6 4	9 %	Н
Ruling gradient	Incline Slope	25 26	7 0	₩	12 10	. 8	,	+	0 7	+	7 1	4	0	5	9 -	-	0 9		0 0	4 0	-		4	\blacksquare		0	6 2	\perp	5		5 1	3 4	П	-	F	0 5	-	-	3 .	9		3 5	Н
[%] u	Gradient of the station	24	4,3	2	4,2	2,0	3 4	C,	1,8	T	1,0	3	4,0	-		0,1	7,0	;	4,	2,2	0.4	,	4.8	П	0	0,0	0,0	T	0.0		2,0	0,0	П			0,2	0,2	0 0	0,4	0,0	6,0	1.3	П
SI	Minimum curve radiu	23	300		300	300	300	300	300		290	000	300	300	300	750	300	020	300	250	300		300		000	300	300		300		300	300		300		3000	2000	2000	1900	1090	3000	3000	1900
TroqensrT Trlgier	Then for passenger /T	22 P	P/F P	ь Ь	P/F p	P/F	а а	ь	ы	4 4	P/F	20/00	P/F	Ь	Ы	4	P/F	Ь	P/F	P/F	P/F	Ь	P/F	Ь	Ь	P/F	P/F	Ы	P/F	Ь	P/F	P/F P/F		Ь		P/F	P/F	P/F	P/F	P/F	P/F P/F	P/F	
	Occupancy of service	-	A D		<u>م</u> 1	0 04	=		Δ.	+	ЕР	٩	4	-	D :	1	Δ.	E .	- 1-	Д	Δ.	1	-	Н	-	1	Д	+	2	Н	D :		-	S	\vdash	Δ.	Þ	-		Е) E	Н
mioji	Freight car scales Side-/end-loading pla	-	S S		S o	o s	0	2	S	+	S/E	H	0	S	+	+	S	Η,	^	Н	-	1	·	Н	Н	+	Н	+	S	Н	S	s s	Н	S	\vdash	S	S	· ·	H	Yes S/E	S	0 00	Н
nc	Service point code - J	2	13210	13212	13213	13215	13221	13217	13218	13220	13251	10101	12102	12103	12104	12116	12106	12115	12108	12109	12110	12112	12113	12117	12114	12002	12003	12021	12005	12019	12006	12007		12022	25471	25470	25501	25502	25503	П	24401	24404	24405
ne service point	Manner of securing th	17	0 0	,	6 0	×	o	^	6	1	4	-	^	4	4 (2	2	-	y (c)	6	,	,	6		-	+	-	1	-		_	-=	П	=		-	S	v	· v	4	s s	0 %	П
noitslı	Manner of traffic regu	16 station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance						
	Tracks for longest trains	15	2 2	1	2 0	7 E	,	7	2		4	,	2	2	2 0	7	2	,	n -	2	,		2			7	3		c		3	-		_		3 и 4	2 и 3	2 и 3	2 и 3	3 и 4	2 н 3	3 11 4	
A←B noitsoriG	Maximum permitted train length		558		614	999	502	29.1	746	T	738	167	160	727	630	900	586	-	1005	576	229		638		6	4/3	579	Ī	576		539	545		140	- (Erdut)	732	573	511	623	505	524	506	
	Tracks for acceptance of the longest trains	13	2 2	•	7 (3 6	,	7	2	T	4	,	,	2	2 0	7	2	,	n -	2	,		2		,	7	2 и 3	T	3		3	- -		- 1	Border - (3 и 4	2и3	2 и 3	2 и 3	3 и 4	2 и 3	3 11 4	
8←A noitserid	Maximum permitted train length		558	1	670	2070	502	397	746	T	738	167	160	727	630	929	586	-	1005	576	259		889		000	4/4	619	T	587		540	630		137	Subotica - Bogojevo - State Border	730	513	488	623	505	524	525	
	Гей таск	=	Ш	Ш	Ш	Ш		\perp	Ш		Н	Н	_	Ш	_	_	Н	Ш	_	Ш		Ш	Ш	Н	Ш	_	Ш			Ш	Ш		Н	۽ ا	- Bogc	Н		_	Ц	Ц	_	\perp	۲
Maximum booqs bottimred	Right track	Н				40	2							9						09								9	90					2	upotice	30 (20)			08) 03	00 (80)			
	Railway line category	₩	ខខ	CS	S	3 8	5 5	38	8	3 8	င္ပ	ဗေ	3 8	బ	88	3 8	ဌ	S	3 8	క	88	S	88	3 3	S	3 2	D3	D3	2 2	D3	D3	<u> </u>	D3	D3		C3	E 2	3 2	D3	D3	D3	2 2	<u>B</u>
	Class of railway line	\vdash	\vdash	N	×	×	×	M	Σ:	ZZ	M	\vdash	+	H	$^{+}$	+	Н	\vdash	+	×	Z Z	M	M	M	M :	Z	×	Z :	Σ×	×	M :	Σ×	H	┪	r	M	×	2 2	×	H	+	+	M
əu	Single/double-track li	7 S	s s	s	s o	o S	s o	o s	S	o s	S	S	o s	s	s o	n so	s	S	o s	s	s s	s	s s	s	S	0	s	s o	o s	s	S	s s	s	s	r	s	s o	0 00	s s	S	s s	o s	s
	Type of service point	9 %		9		-	е -	- 6	- 4	n m	-	4 -	- (*)	-	7 -	- 6	-	ε,	- 00	-	e -	3	- 4	3	ε,	- (-	. –	m (n -	ю	-	∞ –	14		15	-	- 4	0 -		-		-	3
	Chainage Name of service point	4 31+300[ZAVOD	34+100	44+600	86 47+586 KNIC			70+081	254 73+935 VITANOVAC	81+90	84+74	70 85+714 ODV. SKR. 72 KRALJEVO	97+40	100+89	108+86	52 118+113 POLUMIK 87 123+600 PUSTO POLJE	127+293	I I	23 150+125 JUSANICKA BANJA 90 138+313 PISKANJA		147+600	157+700	88 161+988 RUDNICA 12 164+400 ADMINISTRATIVNA LINITA	165+600	Ш	177+500	182+800	188+000	00 192+300 IBARSKA SLATINA	195+700	202+000	00	213+267		41+074 DRŽAVNA GRANICA	41 43+815 BOGOJEVO	90+09	58+63	44 66+080 BUKOVAČKI SALAŠI	73+45			73 111+845 SKENDEREVO
transport	Left track Distance in km	Н	2,800	5,049	2,986	Ш	Ш	3,746	3,854	2,800	2,844	0,970	9.6	3,499	_	\perp	3,0	5,507	2,323	5,140	4,147	5,390	4,288	12	3,324	2,0	4,5	5,200	\perp	Ш	6,300	6,200	2,367	*0,120	-	2,741	9	8	7,444	7,379	9,	7,671	6,673
Date of handover to public	Right track	-				22.12	1929.					24.05	1931.		07.08	1931.			07.08	1951.		20 01	1931.					00 01	1931.								20.11	1870.			11.11.	1869.	



opniiide ⊗	2 2	24,5	127	119,3	4,01	П	П	П	П	Τ	П	П	Т	П	Т	П	П	Т	П	Т	П	Т	П	Т	П	П	Т	П	\top	П	Т	П		82,0	84,5	
	1		Ц		4	Ц	17 7	7 17				Ц		-	\mid	Ц				ŀ	Ţ	-	1 -	-	Щ	{	Ļ				<u></u>	1 17		\perp	Ц	Щ
Coading gauge	r	-	ŽS-I	ZS-I	Η.	\vdash	ŽS-I	+		ŽS-I		Ž	+	I ŽS-I	-	ŽS-I		ŽS-I	ŽS-I	ŀ	ŽS-I	75.1	+	ŽS-I	ŽS-I	1	ŽS.I	1 1	ŽS-I		Ž	+		ŽS-I	ŽS-I	2 J.Ж-I
Ruling resistance Ruling resistance Of the line [daN]	+	+	6	,	Η.	⊢	+	2 7	╟	9			10 8	_	\vdash	3 4	╟	- 9	4	ŀ	7 5	+	+	8	9	1			4	╁		7 7	╟	3	3	-
Solope	+	1	ю	4	>	Г	- 4	0 9	╽	-		<	+	6	r	ъ		-	-	r	S	t	9	∞	-	11	0	1	2			5		-	2	2
S Incline Ruling gradient	_	_	т	,,				2 0		7		-	6	-		2		9	ш		7		е	е	ς,] [٥	JI	7		_	3		ر ما	m	0
Sradient of the station [%]	2 6	6,2	2,5	-		ш	ш	0,0		Ļ		Ļ	0	0	L			0 7,0	5,6	ļ		-			Щ		00	IJ			Ļ	0,0		0,0	0 4,5	Щ
Minimum curve radius	57			019	5	L,	009	300		300		350	500	35		900		400			300		500	300	L		009		180		200	3000		400	700	1000
Open for passenger /freighF FransporF	77 D/E	I/L	P/F	D/C	1/1		H 1	P/F		4 4		ı		P/F	[Z.		,	-			М	Ė		۵								Ь		14		
Occupancy of service point	\pm		Þ	٥	_	Ь	Ы	4 04	-	<u>م</u>		<u>م</u> ۵	ь	Ы	۵	+	lŀ	۵.	Ц	L	Д	۵		Д	۵	1	4		_	1	4	Ы		۵	۵	\perp
Freight car scales Side-/end-loading platform	+	\mathbb{H}	Н	S/S	5	Н	S	o s		Y cs		+	╀	Н	S	Н	L	Xcs Xcs	Н	ŀ	Н	\perp	Н	\dashv	Yes	╁	+	┦╏	+	┨┠	+	\mathbb{H}		Yes	Н	
Service point code - UIC Freight car scales	$^{+}$	24407	24408	24409	200	16201	16202	16204		16201 16202		16201	t	15501	16202			16201 Y	Н	ŀ	16103	16031	170	16103	16201 Y.	\parallel	\dagger	\parallel	16053		16801	16505	┟	16871 Y		\parallel
	4	\perp	Н	+	4	16,	16.	Н		+		16	\perp	15	16	Н		16.	Ц	L	16	16		16	Щ		1		1 16		91	Ш		+	Н	\perp
Manner of securing the service point	- 4	-	s S	9 8	Η.	듸	2 3	3 8	ŀ	- - 8		_ -	3 3	ce 1	F	- P	ľ	- - 8	s 1	F	3	F	- - 8	3	- -		- -	3		 		-	ľ	3 4	Н	- -
Manner of traffic regulation	otation dietan	station distance	station distance	station distance	Station distant		station distance	station distance		station distance		etation dietanea	station distant	station distance		station distance		station distance	station distance		station distance		station distance	station distance	station distance	"K1" - (Jajinci)	station distance	- (Rasputnica G)	AB with TWT		AB	AB		station distance	block post distance	RC with AB
Tracks for acceptance of the longest trains	2.1.2	C H 2	2и3	2 11 3	C H 7	7 и 8	2и3	o 4		2	l" - Resnik	6и7		3	2.3 и 4		- (Resnik)			g	S	a 8 0	C III O	2 (8		- skretnica		Decinje - (Ras			3	4и5	0	1и2		
A←B nection IDirection B→A A A B A A B A A A A A A A A A A A A	417	/10	733	504	- Batajnica	789	750	862	nica	†	Ϋ́	789		730	"K/K1")	Н	A			"R" - Rakovica	702	- Rakovica	601	702 - (Rakovica)		- skretica "K"	†	- Rasputnica Dec	\dagger		919	749	- Rasputnica Sajlovo	862		- branching turnout 28
longest trains	,,	,	6	-,-	žnica -	Н	+	Н	Ostruž	+	Rasputnica	+	+			Н	- Raspu	+			Н	nica "T	Н	- ₽	╨		+		+	╁	+	3	Rasput	2	l I-	-l I
Tracks for	5	2 H 3	2 и 3	2 11 3	- Ostru		,	9 (5)	1 "B" -		a "B" -			3	- (Kasputnica		ca "R"			- Rasputnica	4	- Rasputnica		4 asmitn		tnica "		ev park		ibinci	2	2и3	Yard -	1и2		turnor
bətirinin permitted finan histil ar—A noitəərid	21	01/	716	504	11 Beograd Marshalling Yard "A" - Ostružnica		433	853	Beograd Marshalling Yard "B" – Ostružnica	750	- Rasputnica				- Kasputnica "B"		Beograd Marshalling Yard "B" - Rasputnica "R" - Rasputnica			(Beograd Marshalling Yard "B") -		Marshalling Yard "A" -]		702 4 Vard "B" - Rasnutnica		"K/K1": (Rasputnica "B")		ca Parčevački most) - Rasputnica Karadordev park		Indija - Golubinci	919	655	Sad Marshalling Yard	798		- branching turnout
Left track permitted speed	=		5		rshallir	ľ	_		d Mar	_	rd "A"		_			٦	ard "B		٦	halling		halling		allino			_	sputni	75	121		_	vi Sad	_		Krsna: (Koları)
Right track Maximum permitted speed	2	8/ 09	00 (90)		rad Ma		20		Beogra	20	ling Ya	9	3	20	Ostružnica	20	Iling Y	20		Mars	20	Mars	20	Marsh	30	asputni	9	st) - Re	75	11	100	3	d - Novi	20		80 80
Railway line category	7 2	3 2	D3	200	Beogn	┢	7 2	2 2	112	7	Marshalling Yard	2	7	<u>7</u>	14 Ost	D4	Marsha	7	74	eograc	4	Beograd	7	D4 Beograd Marshalling	D4	area of Rasputnica	2	ki mo	<u>5</u>	╁	č	D3	Novi Sad	D3	D3	Mala K D4
oc Class of railway line	$^{+}$	\top	Н	\top	12		Z :	\top		M	Beograd M	>	\top	M	1	M	ograd)	M	M	116 (B	M	117 B	\vdash	M 118	>		>	nčevač	M		>	Н	122 N	M	Σ	M
Single/double-track line	, ,	o s	s	S		H	S	o s	╟	s	3 Beo	0	s s	S	\vdash	S	15 Be	s	s	H	s	,	s s	S	S	ack in	v	nica Pa	D	╁	,	S	╟	s	S .	S S
	+	+	Н	+		Ь			╟	T	=	$\overline{}$	+		\vdash	Н	-	\top	Н	L	Н	-	Н		\vdash	cting tr	\top	asbn	$\overline{}$	╁	Т	+		4 -		ass trac
Type of service point	1	3	-	8 -	-	Н	-1	1-	ŀ	- -		- 4	9	$\overline{-}$	F	9		9	9	4	1	-	9	7	- 9	119 connecting track	9 9	120 (7		- "	1-		-	4	123 bypass track of station Mala 14 S M D4
Name of service point	c			DE		Yard A			u F-20	Yard B		Yard A						Yard B				Vard A	Chie		Yard B									Yard		
	115+374 TAVANKIT	118+557 LJUTOVO	123+761 SEBEŠIĆ	128+221 SUBOTICA PREDGRADE	VOID GOOD SEC.	0+000 BEOGRAD Marshalling Yard A	3+300 OSTRUŽNICA	25+658 BATAJNICA	H 1 Marabora	5+902 OSTRUŽNICA		0+000 BEOGRAD Marshalling Yard A	8+857 RASPUTNICA K	10+419 RESNIK	0+000 OSTRUŽNICA	2+121 RASPUTNICA B		1+772 BEOGRAD Marshalling Yard B 4+895 RASPUTNICA R	+309 RASPUTNICA A	-805 D A CDITTNICA D	5+798 RAKOVICA	2350 BEOGRAD Marshalling	0+000 RASPUTNICA T	+612 RAKOVICA	1+774 BEOGRAD Marshalling Yard B 2+483 RASPUTNICA T		8+872 RASPUTNICA K 9+335 RASPITINICA K1	TALLOW TOWN OF THE	0+000 KARAĐORĐEV PARK 1+491 DEDINJE	7 3 3 4 5 5 7 7 7	0+684 INDIJA	4+704 GOLUBINCI		1+849 NOVI SAD Marshalling Yard	3+819 SAJLOVO	0+000 ODV. SKR. 1 MALA KRSNA 2+387 ODB. SKR. 28 MALA KRSNA
Chainage	┸		ш			П							\perp		ő	Ш			П	-	Ш	2	Ш			П		╽╽							Н	
Distance in km	3 570	3,183	5,204	4,460	10,0	L	3,300	11,158		5,902		2776	6,081	1,562		2,121		3,123	1,414		0,903		5,250	*3,129	0.709		0.463	2,	1,491		9100	3,104		*2,130	1,970	2,387
- Right track handover to handover to handover to public track track transport	7	11.11	1869.				28.05.	1907.	00 00	1970.		02.08.	28.05.	1967.	28.05	1967.		02.08	1970.	20.10	1988.		02.03.		02.03.		28.05.				10.12.	1883.		09.12.	1992.	



Altitude	3	102,6	105,5		П	Τ	П	188.8	187,7	Τ		Τ	Π		113.0	110.4	106,8	105,3	102,6	85.8		77	77	80	82	105	70	78,0	81.0	81.0	81,3	78,9	78,9	80.8	80.8	77,5	80,8	80,4	78.9	80,0	80,5	П
S Loading gauge	ì	ŽS-I	ZS-I		že i	I-SZ	ŽS-I	r	ŽS-I	r	ŽS-I	r	ŽS-I		70.1	1.52	ŽS-I	ŽS-1	1-52	1-SZ		ŽS-I	ŽS-I	ŽS-I	ZS-1	ZS-I	ŽS-I	ZS-1	1-07	78.1	ŽS-I	ŽS-I	ZS-I	7.S-1	ZS-I	ŻS-I	ŢS-I	ZS-1	1-SZ-1	ŽS-I	ŽS-I	ŽS-I
Ruling resistance Ruling resistance	- 1				_	٥	S	F	S	F	7	F	9		F	٧		-	4 4	4 0		#	2	-	- 5		3	4	1	2	4	7	,	7	-	2		m c	7	9	-	·
S Slope	4 H	0	+		_	4 K	9	\vdash	10 2	\vdash	5 2	\vdash	5		\mid	4	3	,	4 4	4 6		+	2	1	- -	. 0	8	4 0	2	2 5	2 2	4	,	+	-	2	3	2 0	7	9	-	0
S Incline Ruling gradient		-	3 -		_	20			0	F	S	ļ	S			-	-	,	S 6	2 60			-	2		0	4	·	+	20	2	3		^	21	0	2	21 -	-	4	-	0
[%] Gradient of the station [%]		3.0	500 0,0			000	20	F	605 4,0	F	400	-	293		-	300	ш	Ţ,	_	0061		350	\perp		500 0,5	┸	ш	300	1		400 3,0	ш	-	200	_	550 2,0	ш		475 0.0			Н
Minimum curve radius		- 5	8 80			100	4		ŏ	L	4		55			~	3800	3800	ř	190		*	3	ĕ	S 2	2	9	ĭ i	7	6 9	4	ĕ	2 2	201	5 8	55	34	× ×	1 4	30	190	Ц
TroqenarT Treight Fransport	1	ţ×.	Ρ/F		2/0	474		P/F	P/F	P/F							P/F	ş	PIE	INF.		P/F			D/E	P/F	Œ	P/F	١.	P/F	P/F	P/F	14.	F/F	۵.	Ь	J/d	d Da	J.L	P/F	ĸ	
Occupancy of service point		<u>a</u> a	-		+	4	S	<u>a</u>	-	ЕР	Н	-	\sqcup		_	1)	n	;	+			<u>م</u> :	D	\vdash	5	+	₩	a a	4	-	4	Ы	Ξ.	+	-	L	\vdash	D a	+	+	Н	Н
Freight car scales Side-/end-loading platform		Yes	S		8	Yes	S	S	Yes	S/E	Н	+	Н		0	NE NE	S	+	-	^		Yes	+	S	s s	S	S	~	+	S	Yes	Н	S.E	1	100	S	S	+	n	S	S	Н
Service point code - UIC ≅		13405				17071	12301	12550	12601	12551					23.450	23706	23704	23703	23702	23199		22001	22002	22003	22004	22006	22201	22202	57777	22204	22501	22550	00200	22503	22504	22505	22506	22508	22801	22850	22803	22899
Manner of securing the service point		- 4	-			1 1	-	-	-	-	-	-			-	7	S	:	= 0	^		4 4	6	6	6 -	6	6	∞ :	=	- 0	4	∞	1	+	6	6	∞	6 0	0	4	10	Н
Manner of traffic regulation ≂		station distance	station distance		9	AB	AB		AB		AB	- (Cele Kula)	AB			station distance	station distance	station distance	station distance	station distance		etation distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
Tracks for acceptance of the longest trains	0.00	9 и 10	9		4 0	,	-		6	3		nica broj 4	Π		611	2 H 3	3 и 4		2 H S	5 H 4	olia)	4и5	2 и 3	2и3	2 и 3	2 и 3	2 и 3	2 и 3	7 H Z	2и3	2и3	2 и 3		2 и 3	2и3	2 и 3	2и3	2и3	2 H 3	1и2	Т	П
Maximum permitted rain length A←B nitection B←B	Rasputnica Lapovo Varoš - Lapovo Marshalling Yard - Lapovo	836	563	furovo	738	688	543	299	888	488		- odvojna skretnica broj			zke)	524	630		75/	18/	Zrenjanin - Kikinda - State Border - (Jimbolia)	835	249	473	537	534	617	965	607	524	633	285	000	629	647	519	276	537	/40	842	619	П
longest trains	shalling)	7 18 8	2 %	Mec	Т			ing Yard		3 488	l l	m	Н		ler - (Röszke	2 H 3	3 H 4	,	2 H 3	†	state Bor	4 H S	н3	2 и 3	2 H 3	2 H 3	2 и 3	2 H 3	7 11	2 и 3	2 H 3	2 H 3	2 и 3	H 3	и3	2 и 3	2 H 3	2 H 3	2 H 3	и2	2 и 3	Н
B←A noirection A→B Tracks for	povo Mar	+	t	alling Yard -	+	+	H	krst - Niš Marshalling			H	- odvojna skretnica broj	\mathbb{H}	TINES	state Be	$^{+}$	Н	+	\dagger	t	Cikinda - S	+	+	Н	+	t	Н	+	+	+	t	Н	+	$^{+}$	+	H	Н	+	$^{+}$	+	H	Н
betrimper mumixeM	/aroš - La	840	664	Niš Marshalling	744	66/	280	krst - Ni 686	733	- Kasputnica most - (Nis	L,	odvojna	Ц	REGIONAL	Horgoš - S	560	633		10,1	18/	enjanin - F	842	409	473	537	534	617	965	Ç2	524	633	585	937	629	647	519	576	537	140	842	619	Ц
Ekight track Maximum permitted speed	Lapovo	10		Frupale - 1	90	30	20	26 Crveni	20	s - Kaspur	oc .	न्न	30	-	Subotica -		80			20	main st Zr	9	2	70		(02/03	(0/) 00			30 (50)	(64) 64		30 (40)	30	200	30 (40)	30	20		(00) 00	(08) 09	
© Railway line category	sputnica		4	1257	- 2	<u>5</u> 6	D4	-	D4	SIN /71		Niš: (Cr	D4		201 S	ő	3	చి క	3 -	< <	Pančevo ma	6	D2	D2	< <	<	<	2 2	7 V	<	B2	B2	B2	B3	B2	B2	٧	< <	< ວິ	ව	బ	
∞ Class of railway line		Σ	M		- ;	M	Н		M	r	M	anice N	М		ľ		П	\top	×	××	202 Pan	2	2	~	2 0	2	~	× a	× ~	4 ~	~	×	2	× 2	4 2	~	×	× 0	× ×	2	×	×
- Single/double-track line		0	۵		0	s s	s	r	s	r	S	olosek stanice	s		r	v	s	S	× 0	n s	1	9	s	S	s s	S	s	s s	0	0 00	s	s	S	n 0	o so	s	s	s o	0 00	S	s	s
Type of service point	,	7	-			- 9	-	-	1-	-			14		-	-	-	∞ :	≘ -	- 51		- 4	, _	-	- -	-	-	_ ,	7 9	-	-	-	- -	- 0	, -	-	-	= -	- (*		_	15
												128 Spojni k																														
Name of service point 5	,	VAROŠ Marshalline Yard	3+788 LAPOVO		- November - November	alling Yard	0.0	RST	alling Yard		IICA MOST	3 NIÈ	t 4 NIŠ			A A JAVNA SKLADIŠTA	7+657 PALIĆ	000	NOGIKADI	23+323 HORGOS 159+712 DRŽAVNA GRANICA) main st.	100 T T T T T T T T T T T T T T T T T T	0/	X.	Y.		VAC	64+045 OKLOVAL STAJALISTE 64+760 RASPITVICA 1a	O O	84+398 ZRENJANIN FABRIKA	N	89+703 ZRENJANIN freight st.	ad oo	O L)EI	BANATSKO MILOSEVO POLJE	141+291 BAINATSNO MILOSEVO 148+600 DERIĆ		11+099 BANATSKO VELIKO SELO	A GRANICA
		0+000 LAPOVO VAROŠ 2+100 LAPOVO Marshall	LAPOVO		235+243 TRUPALE	RASPUTN	241+268 MEĐUROVO	CRVENIK	3+233 NIŠ Marshalling Yard	NIŠ	247+632 RASPUTNICA MOST	ODV SKR	0+572 ODV. SKR. 4 NIŠ		eriboric	2+273 SUBOTICA	PALIC	8+250 HAJDUKOVO	BACKIVI	DRŽAVN/		16+196 PANCEVO main st 17+659 R ASPLITNICA 2a	22+334 JABUKA	KAČAREVO	33+858 CREPAJA 41+324 DEBEI IAČA	KOVAČICA	56+271 UZDIN	61+939 TOMASEVAC	RASPITTA	LIKICEVO	ZRENJAN	ZRENJANIN	ZRENJAN	ELEMIK	MELENCI	KUMANE	NOVI BEČE	BANATS	DERIC	KIKINDA	BANATSK	DRŽAVN
ogsnisad 4						- 1	1 1	0+0	Ш	244+632	1 1	0+0	Ш		00010		П		- 1		ΙI						Ш		┸	⊥		Ш		102+000			Ш				П	ш
w Distance in km	,	2.100	1,688		, 200	1,103	1,988		3,134		3,000		0,572			2.273	5,384	0,593	7,167	*4,524		1 463	4,675	4,465	7,059	4,510	10,436	5,668	0.715	10.835	8,803	4,397	0,908	1,772	3,815	6,887	8,922	15,514	7,309	11,514	*10,398	3,324
Bight track handover to public track handover to public track trac		1943	7.41			1942.			1942.	900	1942.	01 06	1887.				1191	1870.								09.04	1884.					04.05.1889.				.08.07	1883.				511 1067	15.111.1857.



	S Altitude	П	Т	Τ	Τ	П	Τ	Τ	79,3		82,0	84.8		82,5	83,1	83,6	9,68	103,9	08.4	9,601	109,4	П	77	П	82,6	Τ	П	81,3	84,9	9,4,0	85.0	85,7	84,4	82	85,4	П	П	Т	86,4	Г	83,1
	S Loading gauge		ZS-I	ZS-I	100	Н	ZS-1	1.00	ŽS.I	Н	4	ŽS-I	Ш	ŽS-I	ŽS-I	S.I	Ц	ŽS-I 1	1		ŽS-I I	11	ŽS-I			ZS-1	S.I	ŽS-I	ZS-I	ŽS.1	75.1	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	S-I		Ш	L	ŽS-I
of the line [daN]	- 82		Z	- Z	٦.	НŤ	7 -	1	*	+	4 Z	5 2	Ž	13 Ž	13 Z	Ž	Ž	- Z	2 2	2 Ž	2 Ž	1 1	1 Ž		Ť	1	Ž	\neg	\neg	t "	+	Ż	2 Ž	1 Ž	- Ž	Ž	2 Ž		h	Ž	5 Ž
Ruling resistance	→ ⁷²		+	∞ 4	4	П	"		,	1	9 0	1 0	Н	2 -	- 2			7	c	3	2 9		-		1	"	П	-	v, v		+	-	-	'n	3		3		Г		9
Ruling gradient	% Incline Slope		-	0 0	Η.	Н	0	+		1	4 c	2 9	Н	0 -	101	Н	Н	7	2	-	2 2	1 1	-		+	0	Н	. 3	4 4	1 -		0	1 2	0	1	Н	2 2		Н	H	5 5
[%] u	Gradient of the statio		8,0	1,4		4,9	1		0,0		0,0	2,5	0,0	0,0	Ť			3,0	3.2		0		0,45		0,0	İ			0,0	٦°					2,0				4,0		2,0
sr	Minimum curve radio								400		500	800	300	300	300		400	1000	1000	3000	005		200		400	100		100	300	450	000		300	300	300					500	450
TroqsnsrT Hdgiəri	Nopen for passenger /		H.	P/F		Ь			P/F P/F		d a	P/F		3/Q	E/E			Ь	P/F		D/F		P/F		۵			P/F	P/F	P/F	d	P/F	P/F	P/F	Ь						P/F
	Occupancy of service		_	D 4		<u>a</u>	+	-	△ :	+	1) H	Н	٥	+	Н	Ц	D	Þ		0	JL	۵.	łł	Δ.	۵	Н	+	D =	+	+	D	Д	D	Ь	Ц	۵.		۵	D	S
щош			S/E	+	+	Э	+	+	S S	Н	S S	o s	Н	0	٥	Н	Н	+	S		S/F		S S		Э	+	Н	S	S o	0 00	1	S	S	S	S	Н	S		Н	H	S
OIIC	Service point code - J		16051	16005	CTOOL	16104	\dagger	1	22509	22602	22603	22605	Н	23001	1000		23802	23803	23805	23806	23807		21001		80891	23301		24003	24004	24001	25001	25002	25003	25401	25402	25403	25470		23301		23001
ne service point			+	e =	-	Н	e -		8 E	\sqcup	0 =	2	Н		1-	2	Н	9	4	=	II 4	4 1	+			-1-	Н	\dashv	4 :	- 0	╀	4	⊢	⊢	-	``			-	4	⊢
			_	+	-	Н	+	Η.	\vdash	+	istance	+-	istance	istance	listance	Н	\rightarrow	\rightarrow	istance	-	-	4 H	listance		_		listance	\rightarrow	+	+	+	+	-	-	listance	listance	istance		ľ	_	-
noitelu	Ranner of traffic reg	sst		station distance	Stations		station distance	Station	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance		station distance			AB	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance		L	station distance	station distance
	Tracks for	evački mo	3	4		2	12		2и3		2и3	3 н 4		6::0	C H 2			2 и 3	2и3		2 11 3		2и3		4и5			2и3	2и3	2 8 3	2	2 и 3	2и3	1и2	2и3		3 и 4	ialište	Janore		2и3
Pirection B→A	betrimred mumixeM 4	7+041) - Beograd Dunav - Rasputnica Pančevački mos	947	672	- Rakovica	583	615		740	8	523	619	П	503	C7C			528	009		504	(Jabuka)	206		493	Ť		544	624	387		744	457	240	693		732	208 (Novi Sad) - Rasputnica Sailovo - Rimski Šančevi - Orlovat Staialište	Ollovan Co.		558
	ञ acceptance of the longest trains	av - Raspı	e .	4	- Rasputnica G -	2	\dagger	- Subotica	2и3		2и3	3 и 4		,;;	0 10			2 и 3	2и3		2 14 3	2a - (Jabu	и 3	- Bogojevo	4и5	t		2 и 3	2 и 3	2 11 3		2и3	2 и 3	1и2	2и3		3 и 4	Sančevi - (James		2и3
B←A noiteerion	Tracks for	grad Dun	+	+			+	vo - Senta -	+	Н	+	+	Н	+	+	Н	Н	+	+	H		asputnica	2		+	+	Н	+	+	+	+	+	H	\vdash	\vdash	Н	Н	- Rimski	Million		\vdash
	Maximum permitted	141) - Bec	947	199	ka (4+19	583		co Miloševo			523	919	Ц	503	26.			528	009		204	Varoš - R	200	Sad	492			544	624	387		744	457	240	989	Ш	730	a Sailovo	a callect		558
mumixaM beeds bettimned	S Kight track	i (km 7+0	,	10	204 Topčider Putnička (4+195)		30	205 Banatsko	(08) 09	(2)	(08) 09	(00) 00	60 (75)					20 (30)				06 Pančevo Varoš - Rasputnica 2a -	20	207 Novi	08	99	8	8			100			37	00	901	2	2 asmutnic	- mandeny	40	
,	□ Railway line category □	nji Gra	_	2 2	Topči		# Z	Н.,	_	\rightarrow	8 8	3 8	Ш	< <	< <	<	V	∢.	< <	<	4 4	[61]	D2			D3	ဌ	ຣ	2 2	3 2	<u></u>	ñ	D31)	D31)	D31)	D31)	D3	Sad) -	- Jan	ຣ	ဌ
	∞ Class of railway line	Beograd Donji Grad (km		~ ~			~ ~	1	_	П	~ 0	t	Н	~ -	4 24	×	N.	~ .	× ×	~	~ ~	1	~	11	٥	-	Н	T	†	4 2	\top	т			П	~	П	Novi			~
əui			,	s s	,	Г		7	-	S	s s	s s	s	S	o s	s	S	S	0 00	s	S	,	s	11	0	200	s	S	s s	0 00	, ,	S	s	s	s	s	s	208	-	s	s
	Type of service point	203	-			-	- 9	,	- «	3	- 0		6	4 -	- 41	9	3	2 0	n -	~	8 -	1	- 9		- 2	<u> </u>		_	- 5	= -		-	-	10	_	3	-		4	_	-
	11																																								
	Name of service point 5		7+700 BEOGRAD DONJI GRAD	9+866 BEOGRAD DUNAV 10+776 PANČEVAČKI MOST	TO THE PARTY OF TH	ČIDER	6+421 TOPCIDER freight st. 6+795 RASPUTNICA G	20000	0+356 BANATSKO MILOŠEVO 5+105 ROČAR	ER	PADEJ	A	35+187 PB	38+407 ODV. SKR. 22 SENTA	ODV. SKR. 23 SENTA	40+759 RASPUTNICA SENTA (UKINUTA)	INJI BREG	ARAS	INE M	IRIC	OVO		0+275 PANCEVO VAROS 1+539 RASPUTNICA 2a		TI SAD	3+595 SAILOVO	ERNIK	0G	25+111 PETROVAC-GLOZAN	DOBRA	AGE	KOVO	ACI	61+240 ODŽACI KALVARIJA	AVUKOVO	72+471 BOGOJEVO SELO	OJEVO	kovo, A category	000	6+700 GORNJE SAJLOVO	SKI ŠANČEVI
	əgsnisdƏ 4					Ш			Ш		18+063	31+176	Ш		1+391		Ц	49+210	5 58+048 OROM	62+071	64+592 BIKOVO						П			36+092						Ш	76+685 BOGOJEVO	 Stations Gajdobra, Odżaci and Karavukovo, A category 	Ш	Ш	l
	Distance in km			2,166	0,71	ㄴ	1,305	100	4 740	5,595	7,363	5,946	4,011	3,220	1,082	*1,595	1,534	6,917	3.825	4,023	2,521		1,264		2 017	0.177	5,505	3,454	12,557	6.550	8 132	6,223	8,556	2,237	4,208	7,023	4,214	rajdobra,	L	1,794	3,448
Date of handover to public transport	– Right track					.4.	0.71 691 0.60 881	-	15.09.	1896.	15.09.	1896.		1915.				14.11.	1889.				09.04. 1894.					14 00	1895						24.12.	1908.	Constitution of the) Stations C	30.15	31.05.	1904.



4	•Niitude	30	Τ	81,8	81,5	81	78,6	88.4	77,4	77,4	82.8	80,5	80	Τ	П	T	80,3	80,9	0101	80,9	91,6	80,0	79,2	78.5		79,1	Τ	82,4	85,5	90,8	96,2	6,101	100,2	14,4	122,3	10.8	135,6	134,6	136,9		6	6,67
	gnibso.J	59	ZS-1	ZS-1	ŽS-I	7.S-1	1-52	1-52	ŽS-1	ŽS-1	15/5	ZS-I	7S-1	\mid	ŽS-I	ŽS-I	\vdash	ŽS-I	F	ŽS-I	ZS-1	ZS-1	ZS-I	152	7-S-1	1-SZ-1	152	ŽS-I	Ž8-1	I-SZ	ZS-I	ZS-1	1-67	7S-1	ŽS-I	ZS-1	ŽS-I	ZS-1	ZS-1	ZS-1	╟	ŽS-I
Of the line [daN]		82		S	4		4	6		\vdash	2 6	5	2	\vdash	Ĭ		\vdash	-	r	7	e c	7		7		7		-		1			,		4		-	S	,	9	╟	,
→ Kuling resistance		27	1	4	21	0	61	50		Ŀ	= 5	4	9			4		S			m c	4	\Box	7		I	I	2	,	1	cı	,	0	I	4			S	4	1		,
tneiberg gniluA	Incline	25 26	+	3	2 4	2 0	2	8	,	\vdash	0 %	8	9	\mid	Н	3	\vdash	2 0	H	9 0	- 12	-	Н	7 7	Н	+	+	3	-	1	2	,	o م	+	4 2	,	4	2	0	+		0
it of the station [%]		Н		1,0	0,0	0,0	0,0	0,0	0,0	3,0	0,0	0,0	ш.				0,0	0,0	0.0	0,0	0,0	0,0	\forall	0.0	П	+	Ť	0,0		T	1,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1	П		П
im curve radius	uminiM	23		1000	1000	1000	200	450	700	950	400	400	300					300		300	500	500	400	300		000	300		700	000	700	700	200	700	700	200	500	700	700	300		300
Hoqsneri HreighF FransporF	oì nəqO	22		P/F	Ь	Ы	<u>.</u>	P/F	Ь	Ь	۵, ۵		Ь	μ					P/F	Ь	Ъ	Ь		P/F				P/F	Ъ	P	P/F	Ъ	P/F		P/F	۵ ۵	P/F	P/F	<u> </u>	-		
ncy of service point		\rightarrow	\perp	I	Þ	T		Ε		Н	+	Þ	Н	L		Ь	Þ	-	Ы	Þ	٥	+	Ц	σ.	Н	4	\perp	Ь	-		Þ	2	4	\perp	Ь	=		а	۵	Ш		Н
car scales		\vdash	+	s	Н	S	+	S	Н		o o	S S	Н	Voe		\dashv	S	Н	S	S	S o	o s	Н	S/E	Н	+	+	Н	+	+	Н	+	+	+	S	+	+	S	+	Н		\mathbb{H}
Dint code - UIC		П	\dagger	22311	22310	52309	20307	22306	22305	22304	22303	22301	22203	V 15871 V	П	23301	22301		16550	10991	16602	16604	1	16350		†	16300	16301	16302	16304	16305	16306	16308	16309	16310	16311	16313	16314	16315	16319		\parallel
of securing the service point	Manner	17	=	6	Н	6	+	4			0 0	1 =	Ξ	4	Н	_	=	Ш	-	m	= -	2	_	2 2	Н	_	+	6	-	+	6	+	4	+	4	4		4		Н	-	
noitsluger officer fo		$\overline{}$	station distance	-	₩	station distance	station distance	station distance	station distance	station distance	station distance	station distance	stance	a Sajlovo	station distance	block post distance		station distance		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	Н	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance		station distance
eqt to eon	Tracks f acceptar longest	15	T	2 и 3	2 и 3	2н3	T	2 и 3		ļ	2 н 3	2н3	1 11 2	- Kasputnica Sajlovo			2 и 3		S IIG	2н3	,::	5 H 3	T	Ť		T	T	1и2	00	2 H 3	2н3		2 H 3	T	2н3	2 11 3	C H Z	3 и 4	T	П		
A←B noirection B→A	train len	14	1	593	533	248	Ť	573			787	555	253	Lokoteretna		٦,	555		er - (Zvorn 639	607	009	070		Ť		Ť	T	614	407	(A)	542	113	410	Ť	853	574		819		T	- (Štitar)	
ance of the		13	+	2и3	2и3	2и3	\dagger	2и3			2и3	2н3	1и2	Novi Sad L		- Diskoning	2 и 3		State Bord	2и3	,:,	5 H 2		2и3		†	t	1и2	00	C 11 2	2и3		2 11 3	t	2и3	2 11 3	6 11 7	3 и 4	\dagger	H	Rasputnica 3 -	
B←A noitoerion A→B	Maximu train len Tracks f	12		t	Н	548	\dagger	573	Н	Н	804	+	H,	÷H		Orleans Bosonias 15	<u>-</u>		- Kasputnica Donja Borina - State Border - (Zvornik Novi 639 5 n 6 639 5 n 6	209	867	070		467		†		614	407	1447	542	100	6]4	\dagger	853	574		819		H		\dagger
		Н		L	Ш				\mathbb{H}			L	H.	skretni	Ш	- ا	- Lag	Ц	ica Dor				4		Ш		+	Ц	\perp		Ш				Ц			Ш		Н	Rasput	Щ
Maximum Maximum	Right tra	Н			(08) 09	(00) 00				0.00	20 (00)		30	odvojna skretnica broj	20	2	5 5	30	Kasputr		70 (80)				20		000	70 (80)			(08) 09						(08) 09			90	212 (Platičevo) - Rasputnica	20
line category		Н	8	4	<	∢.	< -	< <	. <	۷.	< <		7	Yard	ຣ	8	+		- Sabac	D3	2 2	D3	D3	2 2	4	202	3 2	D3	۷.		~	۷.	< 2	2 2	<	< -		20	D3	: 8	12 (Pla	D3
railway line	Class of	Н	+	~	~	~ :	≃ □	× ×	~	~ :	× ~	2	<u>~</u>	Sad Marshalling Yard	~	П	r	$\overline{}$	Kuma -		~ 0	$^{+}$	H	+	~	$^{+}$	+	Н	~ :	4 2	~	~ :	†	4 2	~	~ ~	2 22	Н	~ ~	П	2	~
double-track line	b/əlgni2	7	S	s	S	s	s o	o so	s	S	n 00	S	s	sad Ma	s	s	\vdash		¥ -	s	s o	o s	S	o o	s	s s	o so	s	s o	o s	s	s o	00	o so	s	s s	s s	S	s s	S	╟	s
service point		Н	9	-	10	- :	0 ~	2 -		ε,	+	-	Н.	209 Novi 2	П	4	-	9	-	-	_∞ -	3	9	0 -	Н	9	3 0	2	e -	- 60		e -		n (n	-	e -	3	-	e 4	15		0 0
														20																												
	Name of service point		14+608 RASPUTNICA 1 15+751 RASPUTNICA 2	Ç	DISAVA	ŠAJKAŠ	COVOGARDINGVCI	EL	NJI TITEL	IĆANIN	PEKLEZ FARKAŽDIN	75+381 ORLOVAT	LOVAT STAJALIŠTE	VI SAD Marshallino Yard	1+595 NOVI SAD LOKOfreight st.	ILOVO	LOVAT	76+545 RASPUTNICA ORLOVAT	MA	11+344 BUÐANOVCI	NIKINCI BI ATIČEVO	ENAK	31+373 RASPUTNICA 1	31+952 KASPUINICA 2 32+715 ŠABAC	ŠABAC (kraj Km)	RASPUTNICA 2	JUR	TAR	14+300 DUBLJE MAČVANSKO	RIBARI	28+713 PRNJAVOR MAČVANSKI	DRINSKO NOVO SELO	33+000 LESNICA 38+000 LADARSKA STRAŽA	NICA	LOZNICA	LOZNICA FABRIKA KOVII JAČA	61+700 GORNJA KOVILJAČA	ASINA	67+800 DONJA BORINA 68+685 R ASPITINICA DONIA BORINA	0+800 DRŽAVNA GRANICA	ONE HEALT OF A	04675 RASPUTNICA 3
ai ai	SeniedO		1+608 RA +751 RA	20+569 KAC	25+218 BUDISAVA	32+224 ŠAJ	8+394 VII	49+432 TITEL	51+132 DONJI TITEI		58+175 PEF 65+522 FAF	75+381 ORI	5+256 OR	+141 NO	+595 NO	3+185 SA	75+915 ORLOVAT	5+545 RA	0+517 RUMA	+344 BU	16+675 NIK	28+900 KLENAK	+373 RA	31+952 KA 32+715 ŠAF	33+695 ŠAI	0+712 RA	4+000 MAJUR	7+725 ŠTITAR	1+300 DU	25+800 RIB	3+713 PR1	33+300 PODRINS	+000 LE	45+400 LIPNICA		53+400 LOZ 56+183 KO	+700 GO	65+354 BRASINA	7+800 DO	H800 DR	4 4 0000	H675 RA
			*2,984 14			7,006 32		5,587 49	Ш	2,713 53		9,859 75	Ш		0,454		75	0,630 76				7,556 28	П		0,980		2,606 4	Ш			2,913 28	\perp	3 000 38		Ш	2,004 53				*0,800		0,675 0
	Distance	9	*,	4,	4,	7,	9	o v	-	2,	4, 1	6	0		0,	*2,	L	_	L	10,	5,	7,	,2	0	0	-	2,5	3,	9	· (e)	6	4,	- "	9	5,	4,0	i v	33	2,0	*0*		0,0
public transport	թեմ քեշվ	61		02.07.	ď		7.	1889.	15.07.	1927.	0	1925.						11.09. 1935.		05 11	1901		١,	1934.							10	1950.						- [,	15.05.	09.03.1978.		



Second content of the content of t		Shirite	30	T				144	1	147,4		153,4	167.5		169,5	174,8	T	186.8			195,2	202 4		198	7,010	4,717	228,7	1000	+,022	237,3	000	201.5	2,1,0	298,2		T	T	T			T	Τ	Τ		70,9	Τ	85,1
Compose Comp		Loading gauge	29	T	ŽS-I	ŽS-I	ZS-1	ZS-1	1-SZ	ŽS-1	ŢS-I	ZS-1	-52	ZS-I	ZS-I	ZS-1	-67	ZS-1	ZS-I	ŽS-I	ZS-1	75-1	ZS-I	ZS-I	ZS-1	1-SZ	ŽS-I	ŽS-1	-52-I	ŽS-I	ZS-1	-02	ŽS-1	ŽS-I	ŽS-1	ZS-1	75.1	1-07	r	ŽS-1	Ì	75.1	1-07	ľ	ŽS-1	ZS-1	ŽS-1
	of the line [daN]	←			I		\vdash	-	4	7	\neg	\neg	7		S	S	İ	+	-		4	7		\vdash	+	+	∞	ŀ	7	S	ı	+	_			İ	4	9			İ	I	1		İ	İ	∞
	Ruling resistance	→	—	-	\perp	L	+	+	4	7	_	S	7	_	Н	S	+	+	⊢	Н	+	1		e	+	+	∞	H	7	Н	1	+	+	S	\perp	4	-	-	H	Ц	-	+	\downarrow	H	+	\downarrow	14
	Ruling gradient		-	ŀ			1	۲,		9		2	7		Н	4	†	9		ш	4	+	₩	ш	+	+	7	ш		s	-	0 00	,	4		1	_	_			ŀ	\pm	$\frac{1}{2}$		\pm	\pm	12 7
	[%]	Gradient of the station	24				ш	_		\perp		5,3	0.8	210	6,2	5,3				_	_			Ш	,		ш	щ	+			3.0	20	3,3												I	
	s	мілітит сигче гадіи	23					200	067	250		700	200		200	200		200			200	300		300	003	000	009	8	900	200														L	185		250
	TransporF TransporF	Open for passenger /fi	22		Д	Ь	Ь	P/F	P	Ь	Ь	۵,	4 4	Ь	P/F	a a	4 0	. 4	Ь	Ь	P/F	P/F		P/F	۵, ۵	4 4	Ь	а с	4 4	P/F	Ы	P P	ь	P/F	Ь	۵									\perp	۵	P/F
			Н	\vdash	+	H	Н	+	+	D	\dashv	-	=	-	E	<u>ا</u> د	+	12	-	Н	Þ	_	_	Н	+	+	Þ	1		Н	1	=	1	Н	\dashv	+	^	4	Н	Н	\perp	+	+	Н	۵	+	ы
Companies of the comp	tuo,		Н	-	1	H	H	3,10	1	, ,	\dashv	-	ť	+	0.	+	+	10.	╁	Н	3	O.		0.	+	+	0.	Н,	+	-	+	+	+	0.2	+	+	2	8 0	Н	Н	\mathbf{l}	+	+	Н	+	+	Н
1.152 1.15	IIC		П	13352	12219	12201	12202	12203	12218	12205	12206	12207	12220	12209	12210	12211	71771	12213	12217	12214	12215	13251		13001	13002	13004	13005	13014	13012	П	13010	13008	13013	13009	13015	13011	_	TRAFF		П	ľ	Ť			13670	13602	13603
1.152 1.15	service point	Manner of securing th	17	-	-	H	1	6 1	7	2	\dashv	61	,	+	2	61	$^{+}$	2	+	Н	2	44	+	С	,	2	9	,	4	6	,	n (*	,	3	+	+	- -	- 10 - 10 - 10	\vdash	Н	+	- -	1	Н	-	$^{+}$	H
1.15 1.15	noinsli	Manner of traffic regu	91		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	ani) RAII, CLOSE	station distance	station distance	4 - (Dragačevo)				station distance	station distance	station distance
1.15 1.15		acceptance of the	2	ľ	T		H	†	t	t		0			3	m	T				3	†	t	Н	†	2	3	H,	,	Н	,	t	t	3		1	Ť	73 - (Adr		Н	ŝΓ	T	1		3	T	3
1.15 1.15	A←B notion	train length	4	r				412	+1	586		625	600		693	089	T	647			657	738		909	202	900	909	000	700	877	313	200	(20)	819		1	\dagger	furmout N				T	Aala Krsna		458	T	743
1.15 1.15		acceptance of the	13	Požega 4	,			7 7	7	2		0			3	6		60			3	4		3	,	2	3		Z H 3	2	,	, ,	1	3			\dagger	- branchine			No 53 -	\dagger		\vdash	0	t	3
1,000 1,00	B←A noirserion	train length	12	- Kraljevo -	707		-	412	+1/	586		625	209		693	089		647			657	738		909	303	900	909	007	700	877	200	210	100	819		1	\dagger	mout No 72			ching turnot	\dagger	ica Jezava –		458	T	711
1,000 1,00		אבון ווקרע		Stalac	L	Ш	Ш	_	+		Ш	_	_	L	Ш	_	_	\perp	L	Ш	_	_	+	Ш	_	\perp	Ш	Ш	\perp	Н		_	+	Ш	Ц	_	_	hing tu		- 1	1		asputn	dash	\perp	\perp	Ц
1,025 14-027 14				213		(05/02	(00) 00									25 (40)										1	80				5	3			100			- branc		.	(Uzići)	20	30 - R		20	2	
Distance in the point Distance Distanc			Н	\mid	55	_	_	: ::	2 22	22	22	21	2 2	1 21	_	_	2 2	1 2	22	21	21	2 2	4	4	4 2	1 2	4	4 2	1 4	4	4 2	1 2	4	4	4	4 2	1 2	Rania)				7	meder	H	4 2	1 2	4
Distance in the point Distance Distanc			Н	\vdash		Н	\forall	\top	$^{+}$	†	\forall	\forall	+	$^{+}$	Н	+	$^{+}$	$^{+}$	$^{-}$	П	\neg	\top	T	П	\top	\top	П	\vdash	\top	П	\top	\top	\top	П	\neg	\top	\top	uniška 1	_				719	\vdash	\top	$^{+}$	Н
Comparison	-		Н	\mid		H	Н	+	+	\vdash	+	+	+	+	Н	+	+	+	┝	Н	+	+	+	Н	+	+	Н	Н	+	Н	+	+	+	Н	+	+	+			\dashv	₽-	_	-	H	+	+	Н
1026 1024			7	\mid	T	s	S	S	° S	S	S	S	200	S	S	S	7	3 8	s	S	S	200	S	S	S	o s	S	S	o s	S	SIG	200	S	S	S	S	200	ralievo		S	ing trac	т	2	H	S 3	3 8	S
Barrier Barr		Type of service point	9	-		3	3	- -	- (5)	-	3	-	8 -		-	- (2 6	1-	6	3		2 -	14	-	e -	- 6	=	. 3	3	-	e -		1 (0	-	3	e :	1 -			14	15 connecti	14	1		- 4	2 (0	-
		Сћајпаде	4	0+374 STALAĆ	1+400	3+887	8+970	11+923	19+400	21+384	25+308	29+017	35+700	38+949	42+455	49+200	867+66	57+651	86+63	62+225	65+881	71+621	72+538	78+637	81+528	88+610	92+260	94+500	99+000	Ш		\perp	┸	128+366	129+900	133+700	136+107	130+101 FOZEOA	0+444 ODV. SKR. 72 KRALJEVO	0+000 ODV. SKR. 73 KRALJEVO				Ш			Ш
10 10 10 10 10 10 10 10	иansport		Н	-	1,0	2,4	5,0	2,2	4.8	1,5	3,5	ć,	2, -	3,6	3,5	9	4, 0	2.0	2,2	2,2	3,6	2.7	0,0	9,0	2,5	4	3,6	2,7	2.6	6,3	4,	7,7	6,7	Ш	Ц	3,5	0.0	50	L	*0,4	-		5		3,0	*1.4	3,5
	pilduq		Н			15.05.	1909.								01 12	1958.										29.09.	1955.				28.11.	1976.			28.11.	1976.						5.09, 200			10.11.	1888.	



	əbutitlA	30	Τ	83.0		П	Τ	П	83,0	Τ	Γ	П	76,2	123.1	1,0	75,3	129,2	П	105,3	Τ	127,0	П	53,0	154,1	Τ		210,0	Τ	289.2		376,9	Τ		6,4/4	Τ	518.3			426,1	1	9,64,6	278.7	501.6	52,1	П	
	Loading gauge		ZS-I	7.S-I		Н	+	$\ \cdot \ $	Ш	1-S2-1	ŽS-I	ŽS-I	ZS-I	1-67	╀		ŽS-I]	ŽS-I	ZS-1	1-87	ZS-I 1	I-SZ	4	1-87	ZS-1	ŽS-I	4	1-87	+	╄	ŽS-I 3	ZS-I	ZS-I	+	1-0	2S-1	╄	ŽS-I	Н	ZS-I	\perp	7S-1	ŽS-I	ŽS-I	ŽS-I	.S-I
of the line [daN]	←	28	7	4	1	H	\dagger	$\dagger \dagger$	T	7	-	₩	10	2 6	+	+	10 2	Ž	10		2 2	Н	2 2	7	2	Ž	- 2	7 10	,	2	- 2	7	N F		1	10	+-	Ž	15 2	-	+	16	-	-		6 2
Ruling resistance	\rightarrow	27	1	7			I	1	1	-		œ	•	9		=	2		7	I	6		= (∞		6	1	0		15	1	1	9	I	15	₩		·	1	۱,	٠ ،	Ŀ	•	·	⊡
Ruling gradient	Incline	\rightarrow	+	4	-	Н	+	$\ \cdot\ $	+	9	_	Н	0	0	┿	0	2 10	Н	2 10	+	8	Н	10	-	8	Н	-	+	7	-	14	+	+	0	+	10	₩	H	0 14	4	0 13	0 15	+	Н	6 0	9 0
[%] t	Gradient of the station	\rightarrow	+	0.7		Н	$^{+}$	$\ \cdot\ $	0,7	2.6		ш	0,0	0 0	_		0,0	0,0	8,5	$^{+}$	0,0	ш		0,8	1.5	Н	0,0	$^{+}$	0.0	-	2,0	+	_	0,0	$^{+}$	╀	+	H	2,0	_	_	0, 0	_	\perp	Ĭ	Ĭ
	Minimum curve radiu	H	†	450		H	T	11		350			300	800					400	Ť	450	H	400	300	T		300	T	300		350	†	000	300	T	Ť	t		350		350	250	250	300		d
Troqens14 Hdgiər	Tyen for passenger /T	22	-	P/F		Н	+	1	P/F	P/F	_	Ы	<u>ا</u> ه	P/E	-	<u>a</u>	Ь	P/F	<u>a</u> e			Ь	P/F	P/F D		Ь	<u>ا</u> ه	2 0	P/F	+	Ь	+	10.00	F/F	\dagger	\dagger	H		P/F		_ L	L 0	P/F	P/F		
inioq	Occupancy of service	21	+	_		Н	+	$\ \cdot\ $	Д	_	+	Þ	b	E	+	D	D	n	D	+	Þ	Н	4	1	$^{+}$	Н	D	+	_	+	D	+		+	+	-	-	H	D	+	D =	<u>ا</u> ا	+	Н	Н	Н
щоц	Side-/end-loading pla	20	1	İ			İ	1		İ	İ		1	İ	İ				1	İ	İ		1	İ	İ		1	İ	v		s	1		'n	İ	İ	İ		s		0	,	S	S		
	Freight car scales	19	4	+	$\ $	Н	+	$\ \ $	+	+	L	Н	4	\downarrow	\perp	L	Н	Н	+	+	\perp	Н	4	+	+	Н	4	+	\downarrow	L	Н	4	+	+	\downarrow	+	\vdash	L	Н	4	+	+	\downarrow	H	Н	Н
nc	Service point code - J	18		13551					13551	14550	14606	14502	14503	14504	14506	14507	14508	14509	14510	14522	14512	14513	14514	14515	14523	14518	14519	14520	14401	14410	14402	14403	14411	14404	14408	14405	14409	14406	14407	14413	14350	14304	14303	14302		
service point	Manner of securing th	17	-	-		П	Ŧ]	-	m		Н	6	0	+	∞	4	11	6		4	11	\rightarrow	» (=		-	=	-		-					-			-			- 1		-	-	-
noinsla	Manner of traffic regu	91	station distance	station distance						station distance	station distance	station distance	station distance	station distance	station distance	station distance		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distanc	station distance	station distanc
	Tracks for sceeptance of the longest trains	15	1	4	1	П	Ť		4	2	t		1	,		2	2		3	Ť	2	П	77	7	Ť		3	Ť	3 и 4		2и3	1		2 H 3	Ť	Ť	T		-	7	$^{+}$	2 2	8	П	П	
Pirection B→A	Maximum permitted train length	14	†	633			\dagger	grnac)	633	543			†	240		533	929		604	t	520		636	700	t		292	\dagger	189		631	+	900	928	\dagger	\dagger	t		999		652	436	099	999		
	longest trains	\forall	\dagger	+	vo Luka	Н	$^{+}$	(Vražos	+	+	H	Н	+	+	t	H	Н	Н	+	$^{+}$	t	Н	+	+	t	Н	+	$^{+}$	4	+	3	+	1,	2	\dagger	+	H	H	Н	+	e .	-		6	Н	\forall
B←A noitestion A→B	Tracks for acceptance of the	13	4	4	Smedere		+	utnica 2 -	4	-	-		4	,	+	2	2	Ц		\downarrow	2	Н	77	7	ļ		3	1	3 и 4	_	2 и 3	\downarrow	-	2 H 3	1	\downarrow	ļ		_	4	2 11 3	2 2 2	2 н 3	2 н 3	Н	\exists
	Maximum permitted train length	12		629	ca Jezava			3or - Rasp	629	543				540	2	533	929		604		520		636	700			292		189		631		900	238					999		652	442	260	999		
Maximum peeds bettimined	Left track	11		30	217 Rasputnica Jezava - Smederevo Luka			218 Mala Krsna - Bor - Rasputnica 2 - (Vražogrnac)		20						(08) 09									9	90												09								
	Railway line category	\dashv	<u>ප</u>	3 8	1	L ,	# #	18 Mal	-;	± 2	22	22	B2	3 5	D3	_	D3	D3	D3	3 5	D3	V	٨.	4 4	. 4	A	۷.	< -	٠ <	8	ខ	ප	8	3 8	3 5	3 8	ອ	ຮ	ප	ප	n e	3 8	3 8	ອ	ຮ	23
	Class of railway line	\forall	<u>س</u>	+	1	Т	× ×	11		× ×	†	Н	†	× ~	t	t	R	R	N 0	†	t	2	2 2	× 0		~	+	× -	$^{+}$	t	R	†	†	<u> </u>	$^{+}$	$^{+}$	$^{+}$	Н	Н	2	$^{+}$	× ~	+	Н	2	Н
211	Single/double-track li	\dashv	S	+	$\ \ $	H	n v	┨		+	╀	Н	+	+	╀	H	Н	Н	S	+	₽	Н	+	+	+		+	+	+	╀	Н	+	+	+	+	+	H	H	Н	+	s o	+	2 00	Н	Н	Н
		\dashv	+	+	1	Н	+	4	Т	+) 	+	+	100	0.	Н	Н	-	-		0.7	7	+	+	<i>y</i>	+	+	1	100	<i>y</i> ,	+	+	1	-	100	╀	\vdash	٥,	9.	7	+	+		Н	Н
	Type of service point	9	14	E -		9	0 -			, -		7	-1	1		2	2	10	- (2 (, -	3	- -	- "	0 00	3	-1		0 -	3	2	3	e .	,	2 6	2 2	3 6	3	_	3	1	- 6	1-	_	9	9
	Chainage Name of service point	4	1,932 9+124 ODV. SKR. 64 RADINAC			0+000 RASPUTNICA JEZAVA	2,484 2+484 KASPOLNICA JOGOPETROL 1.527 4+011 SMEDEREVO LUKA	Ш	71+272	10,928 82+200 LJUBICEVSKI MOST 5.563 87+763 POŽAREVAC	89+100	060+06		5,108 100+800 BARE/NASIDOL 1 027 1 02+727 STIG	106+350	109+055	7,359 116+414 LJUBINJE		3,766 126+038 RABROVO/KLENJE	133+900	136+067		144+546	4,036 148+582 KUCEVO 5,034 153+616 NEBESNICA	156+492			3,218 166+800 BOSILJKOVAC 3,040 170+740 BLAGOIEV KAMEN		181+800	187+674	191+800	194+700	2,487 197+187 VLAULE	200+200	205+573	207+800		215+200	217+500		2,349 224+350 BOR regnt st. 6 742 231+092 BORSKA SLATINA		Ш	Ш	
transport puone	Left track	2 3	_	\perp			4 -				-	oʻ	S,	<u></u>	(6)	L	Ш	Ш	6	0 0	1 2	4,	er l	4 4	_	Ш	rí (_	2,	5,	4	ci	4 0		\perp	2,	4,	3,	cí	+	+	_	Н	Ш	Н
Date of handover to public	Right track	-	10.11	1888					01.12	1920.							12.03.	1939.							15.05.	1950.		29.09.	1958						03.04	1972.					2011	03 10	1963.	30.50	1960	TORK



	AbuitilA	30	Τ		286,6	Τ	443		374,7	Τ		245,7	216.2		2001	100,0			148	9	1761	110,1		115	T	84.4	1,1	9,99		1	56,9	20,1	Τ	39.1	40,3	55,4		T	T	Γ	П	Τ	П		
	egusg gnibso.	59	\vdash	ŽS-I	Н	ZS-1	ZS-I	ŽS-1	157	I-S-I	Ž8-1	+	ZS-1	Н	ZS-1	15	1-SZ	2S-1	ŽS-I	ŽS-1	100	1-52	1-SZ	ŽS-I	ZS-1	12	I-SZ	ŽS-I	ZS-I	ZS-1	ZS-1	78.1	1.5	78-1	2S-1	ŽS-I	ŽS-I	ZS-I	H	ŽS-I		ŽS.1	ZS-1	1	ŽS-I
of the line [daN]	←	28	\vdash	Ī	-			\vdash	13	1		13	6		+	٥			7 2	1	- 00	+		12 2	1	0	+	9		\rightarrow	4	'		4	+	-	18		H	2		-			12
Kuling resistance	\rightarrow	27		I	13	Ţ	13	ŀ	n	T	П	1	ŀ	П	c	٩			S	-	1 0	`		10	1	·	1		П	1	ıc	1	I	-	- ∞	50	-	\Box				0	,		m
Ruling gradient	Slope	$\boldsymbol{\vdash}$	\vdash	\vdash	12 0	+	0	- ;	S .	+	Н	0	0	Н	,	۰	\vdash	L	5 7	<u>'</u>	- 00	+	H	10 10	+	~		0 4	Н	+	0 0	+	+	4	8	- 2	1 17	\dashv	\vdash	0		0	+		2 10
[%] t	Gradient of the station	Н	\vdash	t	0,0	\dagger	2,0	\perp	0,0	†	ш	0,9	0.0	H	9	30	t	Н	0,0		0,0		t	3,0	\dagger	0	2	0,0	Н		0,0		t	t	0.0	_	Н	┨	r	Ī	1	Τ	H		П
SI	Minimum curve radiu	23			250	Ī	240		250			250	250		400	400			240	000	250	000		250		250	e e	250		1	250	06.7		250	250	250	250								
Troqensri Trigieri	Typen for passenger /T	22			Ь		Ь	147.00	P/F			۵	P/F		-	4			P/F	100 00	P/F P			Ь		۵		Ь			۵ ۵	-		Д	P/F	P/F	P/F								
	Occupancy of service	+	Ь		T	4	D	\vdash	4	Þ	Н	Ď	۵	П	-	+	L		D	+	4 0	+	L	Ь	4	=		Ь	Ц	4	=	+	ļ	L	Ы	⊢	₩	4		L		Þ	+	l h	T D
цош	Freight car scales Side-/end-loading pla	$\boldsymbol{\vdash}$	S		S	+	S		2	+	Н	s	S	Н	-	1	+		S	-	0	1	\vdash	Н	+	+	+	S	Н	-	S S	1	+	S	S	s	S	\dashv	H	+		9	Н	-	S S
nic	J - aboo inioq asiviaS	П	12550	14003	14001	14002	14005	14006	14007	14009	14010	14011	14013	14014	14015	14017	14018	14019	14021	14022	14301	1001		14101	14102	14103	14105	14106	14107	14108	14109	14111	14112	14113	14114	14115	14170	1		T					11113
taiog soivise si	Manner of securing th	17	-		6	\dagger	6		9	6	Н	9	-	Н	-	<u></u>	t	6	9	-	4 0	-	-	Н	6	0 0	,	6	Н	1	6 0	h	t	6	S	6	8	\exists	9	9	1	9 9	+	ŀ	9 9
noinsla	Manner of traffic reg	16		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance		station distance		station distance	Matthe alotaire		station distance
	Tracks for scceptance of the ongest trains	2	60	Ī	2 и 3		6	H	1 н 2	2 и 3	Н	63	2 и 3	Н	$^{+}$	C H 2	İ		2и3	\forall	2 11 2	+	İ	2 и 3	1	1 2	$^{+}$	2 и 3	Н	\forall	1 H 2	$^{+}$	Ť	$^{+}$	2 н 3	$^{+}$	Н	1					H		63
A←B noitsertion	Maximum permitted rigin length	Н	staniste 662		494	\dagger	470		497	511		583	617		077	000	t		959	040	878	6	H	549	+	364		721		+	511	24)	t	╁	583	╁	459		(Tmavac)	t	а	819			819
	Tracks for seceptance of the ongest trains	13	3		2и3	+	3		1и2	2и3	H	2	2и3			C H 2	İ		2и3		2 11 2	0 2	r	2и3	+	12		2и3		1	1 H 2	0 11 7	t	2и3	2и3	2и3	1и2	٦.	<u>:</u> -	t	- Kuršumli	,		strat	2
8←A noitsəriQ	Maximum permitted train length	12 ZaioXor	(Nis) - Crveni Krst - Zajecar - Prahovo Pristaniste 686 3 662		464	+	475		497	511		829	617		000	000	t		959	040	878	610	T	549	+	364	-	721			511	247	t	329	583	613	429		Kasputnica 3 - Kasputrica	T	- Rasputnica 1	819	910	Kuršumlija - Kastrat	819
	гей изск	1 2	- Krs	Ш	Ш		Ш	Ц	_	\perp	Ш		\perp	Н	_	\perp	H	L	Ш	_	_	\perp	L	Н		_	\perp	Ш	Ш	_	_	\perp	L	L	L	L	Н		rasbut	L		_		222 Kur	Н
Maximum beeqs betimined	Right track	2	Š					30 (40)							40 (50)					40 (50)										09							45			40	(Barlovo)	20		2	20
	Railway line category		SIN L	32	B2	2 2	B2	_	B2 B2	1 22	22	B2	1 2	22	_	2 2	32	22	22	_	_	3 23	8	8	n s	3 8	18	ຣ	ဗ	ප <u>:</u>	8 8	3 8	3 23	2 22	8 8	ຣ	ຣ	<u>,,, </u>	ᅿ	ຣ	221	_			-
	Class of railway line	П	7		Н	+	+	Н	+	$^{+}$	Н	~ a	$^{+}$	Н	\top	$^{+}$	T	Н	Н	\top	$^{+}$	$^{+}$	T	Н	\top	$^{+}$	+		Н	+	<u>د</u> اد	+	$^{+}$	$^{+}$	t	+	~	٦,	77	~			4 22	ŀ	~
ne	Single/double-track li	Н	\vdash	_	Н	s s	+	Н	20 0	+	Н	+	2 00	Н	+	0 00	╀	H	Н	+	0 0	+	s	Н	+	200	╀	Н	Н	+	s 0	+	+	S	╀	╀	Н	S	\vdash	s	╁	·	Н	1	s
		Н	\vdash	Т		1	+	Н	+	+		+	+	Н	+	+		H	-		1	+	\vdash	Н	+			-	Н	+	+	+	+	╀	╀	-		$\frac{1}{2}$	L	т	}	\top	\mathbb{H}	1	\forall
	Type of service point	9	-	0	_	e e	2	3		2 2	9	- "	1	8	e -	- "	3 8	∞	_		1	9	9	_	0	8 -		_	3	0	의-	- "	1	9	-	-	_	+	9	9		9 -	\mathbb{H}		- 9
	Chainage Name of service point		0+957 CR VENI KRST		12+382	263 20+645 GORNJA VREZINA 27+453 I ASENOVIK			40+018 SVRLJIG 46+010 NIŠEVAC	49+332	51+692	60+878	68+365	Ш	75+013 DONJE ZUNICE	84+45		50+96	Ш		500 111+600 ZAJECAR 118+834 VR AŽOGRNAC	121+00	000 121+900 RASPUTNICA 1	124+63		57 131+387 SOROLOVICA 200 136+166 TABAKOVAC		145+656	Ш	\perp	153+466 RAJAC	┸	163+608	167+850	174+128	182+015	ш	60I 185+079 KRAJ PRUGE	0+000 RASPUTNICA 3	139 0+439 RASPUTNICA 1		53+334 RASPUTNICA 1 550 55+854 KTIRŠI MI IIA	Ш		0+000 KURSUMLIJA 2+320 RASPUTNICA KASTRAT
transport	Distance in km	Н	-	6,536	*4,977	8,263	2,804	2,343	7,4	3,322	2,3	9,186	5.624	3,740	2,908	0,0	*3,831	7,868	*7,052	4,254	5,4	2.166	6,0	2,731	3,902	4 800	2,5	6,892	2,8	2,870	2,136	3,364	3.416	4.242	6,278	7,887	2,563	0,5	-	0,439		0,560	0,469		2,320
Date of handover to public	Right track Left track	Н						15.12.	1922.						1914.												1914.																		



	ShuitilA	30	194		T	212,3		T	Τ		241	255		248,8	200	313			T	T		381	430		200	Τ		T				T		113,2	109,2	110,3		78,8	T	75.9		T	T	
	Loading gauge	52	H	ŽS-I	ZS-1	ŽS-I	Į-SZ	ZS-I	1-SZ	ŽS-I	ZS-1	ZS-1	ŽS-I	ŽS-I	1.52	ZS-1	ŽS-I	ZS-I	ZS-I	7S-1	1-SZ	ŽS-1	ZS-1	ŽS-I	ZS-1	2S-1	ŽS-I							r	J.X.I	1.Ж.	r	ŽS-I	ZS-I	r	ŽS-I		r	ŽS-I
of the line [daN]	←	28			1	∞		1	İ		m			·	İ	İ		1	1	·	İ		ŀ		•	ŀ								L	s				╛	L	Ŀ			3
Ruling resistance	→ adam	5 27	H		1	8		_	+	Н	∞		Н	6	+	-			- 1	-	-		2	Н	2	15								L	23	\downarrow	L	Н	4	F	S		\vdash	
Ruling gradient	onilan Slope	Н.	\vdash	8 2	m c	+	9	4 0	0 50	8	+	9	Н	9	0 0	+	5 0	+	9 ,	0 0	2 0	\vdash	0 0	₩	12	-	15 0							H	2 8	+	H	Н	\exists	\vdash	4 0		H	0 3
[%] u	Gradient of the station	24	0,71		I	5,8		I	I	1 1	9,1	0,0		6,0	2.0					I		1,0	1.4		1,7	I									2,7									
SI	Minimum curve radiu	23		325	900	009	009	300	300	1000	300	1000	300	350	340	200	300	300	250	300	300	300	300	300	400	300	300								300									
Troqensi Hagist	Open for passenger /fi	22	P/F		T	P/F		T			P/F	P/F		P/F	D/F	Ь			T	T		М	۵		_	T									П					Г	П			П
tnioq :	Occupancy of service	21	ď		I	ū	П	#	İ		۵,	D		Þ	=	Þ		1	5	5	İ	Þ	Þ		Þ	İ					ICE			_	Б			Δ.			П	ICE	ļ	П
шод	Side-/end-loading plan	Н.	S	Ц	4	S	Ц	4	+	Н	S	S	Ц	S	0	2	Н	4	4	+	+	S	S	Н	4	+	Н				SERV			S/E	1	4	L	Ц	4	L	Н	SERV	\downarrow	Н
	Freight car scales	15	-	_	_	3 6	6	4 0	8 8	4	9 0	2	8	6	» c	, _	9	7	+	+	2 %	2 2	, 9	6	7 0	0 8	Н				UT OF					+	H	Н	\dashv	\vdash	Н	UT OF	\vdash	Н
OIIC	J - sboo int code - J	18	1100	11101	11121	11103	11129	11104	11105	11124	11106	11107	11108	11109	11110	E	11126	=		112	11125	11115	11116	11123	11117	11118					RAILWAY OUT OF SERVICE			2345	24313							RAILWAY OUT OF SERVICE		
te service point	Manner of securing th	12	-	Ц	#	6	П	#	#	П	4	Ξ	П	6	=	6		+	+	٥	ļ	6	6	П	6	#	П				RAILW			4	Ξ		Ξ	4	╡	Ξ	Ξ	SAILW	~	∞
noitelu	Manner of traffic regu	91		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance								station distance	station distance		station distance	station distance		station distance			station distance
	Tracks for acceptance of the longest trains	15			Ť	1 и 2		Ť	T		0	2 и 3		2 и 3		. 21		1	T	T	T	2	2 и 3		2	T								2и3	1и2			15 и 16	1	1 и 2			ľ	П
A←B noitserion	Maximum permitted train length	14	oile 601		\dagger	564		†	+		199	585		480	583	410		1	†	\dagger	T	557	565		493			(* (00)	(()					594	327	plot		416	1	445	H	100	-(Fodbara)	П
	longest trains	2000	0,080,0	Н	+	и 2	Н	$^{+}$	$^{+}$	Н	\dagger	9	Н	3	$^{+}$	t	Н	\dagger	\dagger	$^{+}$	t		6	Н	$^{+}$	$^{+}$	Н	- Peć *) 1"-(Dronica) *)		ory			ital	3	2	Sad stokehold	-	91	- (L'ac)	"2 -(Бас	Н		5" LO	Н
B←A noitsonid.	Tracks for acceptance of the	13	erdare - A	Ц	4	Г		4	_	Н	~	2 и 3		2 и 3		2 2		4	4	+	1	2	2 и 3	Н	2	+	Н		NES	vica Fact			tica Host	2 и 3	1 и 2	- Novi Sa	_	15 и 16	1,000		Ц		-Juncti	Ц
	Maximum permitted Itanin length	12 otros	Dollevac - Kastrat - Merdare - Kosovo Polje 600 4 601			564					199	585		480	583	410						557	565		493			224 Kosovo Polje - Metohija seovo Polie freight et - Lunc	LOCAL LINES	otica-Subo			rica-Subo	594	327	(km 1+042)		416	Line	-June. "5		100	Sancevi)-Junction "1 -Junction "5	
pocunitted speed	Left track	11	evac - N				40				T									8								224 Kosovo Polje	1	301 Sub	€.		302 Subo	200	,	Novi Sad (kr		20	204 (Bodham) Luna	Podpara	9		Sancevi)-	40
mumixsM	Right track	H۶	100 C77	_	_1-	-1-		_1-	-1-		_				л.	ıL.			_	_	ı,		ı.	L	JI.		Н	22 22 22 22						L	-,[-	⊣ ფ	L	_	П,	-	4		SUS (Kimski :	
	Railway line category	Н	\perp	\dashv	<u> </u>	+	Н	+	N N	Н	+		۷	+	< <	+	Α.	~ ·	+	< <	+	Н		Α	+	< <	Н	,		╟	88	1		H	4	۲	H	╛	, B2	\vdash	\dashv	5 5	<u>~</u>	3
	Class of railway line	-	\vdash	~	~ ~	1		-		-	~ 4	2 2	×	~ :	× ~	2	Ξ.	-	-	× ^	12	2 2	4 2	~	~ 0	××	~				_	-		H	-1	_	H	\dashv	1	F	1	4	\vdash	L
əu	Single/double-track li	7	L	S	S S	S	S	S o	o s	S	S	S	S	S	N V	S	S	S	S	y o	S	S	o S	S	S o	o s	S				8 0	9		L	S	×	L	S	S	L	s	S	F	s
	Type of service point	9	-	0	m "	, –	3		n (n	9		0 00	3		n «	000	3	3	9	۰, ۵	n (n	10	1-	6	000	n m	15				- -	$\frac{1}{1}$		_	1-1	+	14	-	+	F	9	9	9	9
	Distance in km Chainage Name of service point	4	0+247 DOLJEVAC	3+300	1,500 4+800 TOPLICKI BADNJEVAC	10+096	11+000	12+700	2,000 14+00 LOROMIK 1.525 16+225 PODINA	18+800	3,527 22+327 PROKUPLJE	6,720 31+734 TOPLIČKA MALA PLANA	Ш		2,856 40+700 1OPLICA MILAN 2 018 42+718 DI OČNIK	46+646	2,654 49+300 NOVOSELSKE LIVADE	52+000	53+334	1,521 54+855 RASPUTNICA KASTRAT 4 245 50+100 VISOK A	008+09	62+810	┸	Ш	2,195 75+895 KOSANCIC IVAN	\perp	1,343 84+400 ADMINISTRATIVNA LINIJA				3,708 3-100 SUBOTICA 3,708 3-100 SUBOTICA FABRIKA 3,413 (kp. 41 replice	2,431 0123 NNAS FROSE on 002+230 the maximum allowed is 20 km th	227550 the maximum anowed speed is 20 kin/ii	1+255 SUBOTICA	2,345 3+600 SUBOTICA BOLNICA	0,400 4+000 KRAJ PRUGE	1+121 BLOK 3 NOVI SAD	Ш	0,494 3+912 KRAJ PRUGE	4+413 PODBARA	Ц	1,077 7+659 RASPUTNICA 2	0+000 R ASPLITNICA 1	0,910 0+910 RASPUTNICA 3
public transport	Гей изск	2					1925.				1	04.12.	.676	04.12.	1929.	T		1930.		†	_		15.05.	1949.	_		٦				08.01.	00 mg 00	O KII O					_						01.03, 1969.
Date of handover to	Right track	-				ç	27					4 5	9	9	15		8	15					15	15				\perp			80	6	d						\perp	\perp		\rfloor		01.03



10.516 10.270 RANKEN STATES 1.540 RANKEN STA		Altitude	30	83	1,00	79,5	81,5		84,2	84.5	85	87,7	89,2	88.2	П	137,7	147.7	147,7		77	77	77	9 00	83,1	П	101	101,/	П	167	195,4	245,9		271,5	Τ	Τ	101	101	84 6	73	72	89,5	89,5	Τ	101	
Substance 1 Substance 1 Substance 2 Subst		Loading gauge	56	t	ŽS-I	ZS-I	ZS-1		, v. v.	1-07	ZS-1	ŽS-I	ZS-1	1-SZ	11	že i	1.07 ZS-1	ŽS-I			ZS-1	ZS-I	┟	ŽS-I	11	že 1	1-SZ	ŽS-I	ŽS-I	1-67	ŽS-I	ŽS-I	ŽS-1	I-S7		۲	ŽS-I	ZS-1	1.07	1.52 2.8-1	ŽS-1	ŽS-I		ŽS-I	
Part Part		←	-		Γ	·			$\overline{}$	+	+		m	-	11	I	m	\vdash			\neg	$\overline{}$		13	1		_		·	•	,			1			1	m	\top	-	-	I			╛
Manual of Secondary Company Co	Suling resistance		—	-	\perp	Н	+		+	+	+	Н	+	1-	$\ \ $	+	+	Н		4	+	+		_	JL		+	Н	+	\	=	Н	-	4		Н	4	9	9	1	+	Ц		Н	Н
Company Comp	Ruling gradient		н	+	+	Н	e -		-	4 6	+	Н	+	 -	╢	+	+	Н	ŀ	\dashv	-	-	╟	_	4 6	_	+	Н	+	+	-	ш	-	+		Н	+	4		9	+	Н		Н	Н
Comparison Com	[%] u	Oradient of the statio	24	0.0		ш			0,0	+		ΙI	- 1		1 1			ш		\perp			00	_				ш		┸		ш				ш	Ш,	64	10			Ш		2,5	
Comparison of the companion of the com	sr	Міпітит сигче гадіи	23		450	300	300			900	2009	200	200	7007		5	7007	700		_	300	250		300		930	500	200	009	000	250	400	230	700		280	300	040	300	494	300	300			
Comparison Com	Troqensı T Tagiərî	Open for passenger /ł	22	D/F		P/F	P/F		P/F	P/F	P/F	Ы	P/F	P/F		<u>a</u>	P/F	P/F		P/F	۵ ۵	4				P/F	FIF		P/F	FIF	P/F		P/F			P/F					F			Ш	
1 1 1 1 1 1 1 1 1 1			н	- 1	1	Þ	+	-	+	- [-	1	Н	+	<u>ы</u>	$\ \ $	4	F	Н	ł	\rightarrow	E			\downarrow	1 1	-	-	Н	-	1	+	Н	Η	4		ш	+	4	=	1	+	Ц		D 4	Н
1 1 1 1 1 1 1 1 1 1	щош		н	8	1	S	SS		S	0 00	s s	Н	9			+	+	Н	ľ	S	+	+	╟	+	╢	S	ñ	Н	-	1	s	Н	S	+			+	+	+	+	S	Н		cs S/I	Н
Part Part	OIIC		П	23001	23002	23003	23004	200	23306	24202	24204	24205	24206	\top	1 [91.691	16317	16317		21001	16014	10112		t		13404	13902	13903	2000	13905	13907	139C8	13909	1		П		21301	21302	21304	21305			21009 Y	
Process Proc	ne service point	Manner of securing the	17	\perp	\perp	=	+	4	Н	+	+	Н	4	+	1 1	3	4	4		+	4	╀	-		╁	- 4	0	Н	,	٥	9	Н	9	+		Н	+	+	4	┸	Ш	Н		ш	Н
Application in the control of the		_			station distance	station distance	station distance	Animor morning		station distance	station distance	station distance	station distance	-	4 1	distantian	station distance	station distance			station distance	station distance	om)	station distance			station distance	station distance		station distance	station distance	station distance	station distance	station distance			station distance	station distance	station distance	station distance	-	station distance			
1975 1975		acceptance of the	15	2 11 3	Т	Н	+	┨	Н	+	+	Н	$^{+}$	+	1 1	Ť	Ť	П	1	Т	+	+	nts 23-(Or		11	Т	2		\dagger	†	t		+			Н		1	+	$^{+}$	Н	_		4и5	
1975 1975	Pirection B→A	train length		\vdash	+	363	293		+	+	+	Н	+	+	╢	\dagger	398		╁	\dashv	+	+	unction poi	\dagger	ca)	812	/00		000	8	764		909	1		Н	\dagger	\dagger	753	60	189	Н		Н	
Distance of in html Distance of in html			\mathbb{H}	\vdash	+	Н	+	$\ $	Н	+	+	Н	+	+	lΩl	+	+	Н	11	\dashv	+	+	ts 22-J	+	(Resav	+	+	Н	+	+	+	Н	+	+		Н	+	+	+	+	Н	Н		Н	Н
Distance of in html Distance of in html	Direction A→B	acceptance of the	=	svi-Zabalj		1 н 2	2 H 3	mbor	3 H 4	2 113	2 H 3		2 н 3	2 H 3	sorina-Zvo	1	2 н 3		cevo Voji	2 и 3		6	ction poin	1	spotovac-	4 (2		,	7	63		4	izron *)	a Crkva	4 H S	_	1	1 112	4	2 и 3		E LINES Vacariere	4 N S	\exists
Distance of in km Dist			12	mski Sanc		363	293	7 Vrbas-Sc	943	404	738		625	403	nc. Donja F		398	Ш	Varos-Pai	206	174		(Coka)-Jur		ilajnac-De	855	/00		000	06/	764		909	Metobija_D	Vrsac - Bel	643			753	CC I	189		PULATIV	643	
Distance of in html Distance of in html			Н	306 R	40	20	40	30	(00000	(00) 0+			20 (40)		3rasina)-Jui	Ş	2	10	09 Pancevo	_	50		ion Senta:	20 (30)	arkovac-Sv	20	T			,	3			312	313	Γ	_		40						\$
Distance on in km Distance on in in in Distance on in in in in in in in in in in in in in			Н	\vdash	-	4			_	_	1 4	_	_		308 (1	_		Н	1		2 2	_		_	╁═┟		2		٦.		1.	I_I				H	4	41.	1.	1.		-		H	C2
1972 1972 1972 1973 1974 1974 1975			Н	\vdash			+	┨	_		, ,		$^{+}$, ,	╢	_	+	Н	1		\top	\top	ack at		╁		, ,		- 1	,	1 .		.,	,		H	-	,	,	,	Н			H	man
1972 1972 1972 1972 1972 1973 1973 1974 1973 1974	200		Н	+	_		+	+	_				+		$\ \cdot\ $	_	+	Н	ŀ	_	+	+	ction tr	_	╢	_										H	7	7	+	+		Н		H	\dashv
10 10 10 10 10 10 10 10			_	\mid	т	S	S		Τ,	100	9 00	S	+	+	┨	\top	9 00	S	1	_	S	2 00	2⊦	$\overline{}$	┨╏	T	0 00	S	S	7	3 80	S	S	_		H	7	7	7	1	Ĥ	A		Н	S
10-270 RIMSKI ŠANČEVI 10-270 RIMSKI ŠANČEVI 10-270 RIMSKI ŠANČEVI 10-270 RIMSKI ŠANČEVI 10-270 RIMSKI ŠANČEVI 10-20 34-4016 ŠABALJ TEMBRIN 7.621 27-4556 GOSPODINCT 6.661 34-4016 ŠABALJ 27-4556 GOSPODINCT 6.661 34-4016 ŠABALJ 27-4556 GOSPODINCT 6.661 34-4016 ŠABALJ 27-456 GOSPODINCT 6.661 34-4016 ŠABALJ 2.84-4716 ŠINARCEVO VAROŠ 2.84-4716 ŠINARCEVO VAROŠ 2.84-4716 ŠINARCEVO VAROŠ 2.84-4716 ŠINARCEVO VAROŠ 2.84-407 GOVOSINCK GRAD 1.614 2.9414 PANCEVO VOLICOV 0.561 34-407 GOVOSINCK GRAD 1.404-60 ČION SERAZA 2.94-400 BESPOTOVOC 2.34-400 B		Type of service point	9	-	- 00	-	- -		- -	1-	-	3	- 2	1-	$\ \ $	9 0	0 -	+	ŀ	-	e -	+	£ 13	4 4	╢	- -	- (%		- -	- (*	1-	9	-	+			9	00 (1	- (*	, -	Н		_	2
1.1 1.2 1.2 1.2 1.3	public	Ogeninage	3 4	10+220 RIMSKI ŠANČEVI	6,496	2,968	7,621	_	ш		7,705	3,024		┸	IJ	101		Ш			0,732	0,561	ADLAND ONLY CUD AS CENTRA			22	7.568 17+500	5,700 23+200	4,270			3,236				Ш	1+118	8+599 97+263	102+695	1		1 1		Ш	2,857 3+415 VRŠAC VAŠARIŠTE



	Altitude	30		80										93,8	81,4	81,4	82,1	82,1						Γ
	Loading gauge	59		\vdash	ŽS-I				H	ŽS-I	ŻS-I		H	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŻS-I	ŻS-I			H	_	H
of the line [daN]	←	28		H	1				H	6			H	S	-	7		-				H	Г	r
Ruling resistance	\rightarrow	27			•					,				1	-	7		-						
Ruling gradient	Slope	56		L	0				L	∞			L	4	-	9	L	-	L			L	L	L
	Incline	Н		L	0				L	0			L	0	-	3	L	-	L			L	L	L
[%] t	Gradient of the station	24		L	800				L	L			H	290	2	285	200	700	2			L	H	H
s	Minimum curve radiu	23		L	š				L	_			L	25	30	28	Š	7(2000			L	L	L
TroqensrT Trigier	Open for passenger /fi	22		P/F					ı				P/F											
	Occupancy of service	Н		Ь					Ы				Ы		U	Ω		D						
mon	Side-/end-loading pla	9 20		S	L				s	L	L		25	S	L	L	L	S	L			L	L	L
	Freight car scales	19	ł	Ĺ	H				F				Yes				\vdash		\vdash	ł		H	Н	H
)IC	Service point code - J	18		22850					16203	16205			16516	16701	16702	16703		16705						
e service point	Manner of securing th	17			Ξ				Ξ	Ξ			Ξ	6	6	6	6	6						L
noitsli	Manner of traffic regu	16			station distance					station distance	station distance			station distance	station distance	station distance	station distance	station distance	station distance					
	acceptance of the longest trains			2и3									5и6		2и3	2 и 3		1и2						
A←B noitestion	Maximum permitted train length Tracks for	14		842		403 Bogojevo-Dunavska Obala RAILWAY OUT OF SERVICE	ERVICE		733				869		415	473		591		RVICE				
		L		L	L	TOF	OF SI		L	L		eljina)	L			Ĺ	L	L	L	OF SE		L	L	L
	acceptance of the longest trains	13	6+413)	2и3		17 OT	OUT	cmen	e			d(Bij	5и6		2и3	2и3		1и2		100	brika			
B←A noitosriO	Тгаска for	\vdash	K(km (H	H	VILW.	WAY	vo-Be	H	\vdash		St.bor	H		H	H	\vdash	H	\vdash	WAY	itin Fa	H	Н	H
	Maximum permitted frain length	12	402 Kikinda-MSK(km 6+413)	842		Obala R/	404 Paracin-Stari Popovac RAILWAY OUT OF SERVICE	405 Surcin-Jakovo-Becmen	733			406 Sid-Sr.Raca Nova-St.bord(Bijeljina)	869		415	473		165		407 Ovca-Padinska Skela RAILWAY OUT OF SERVICE	408 Sonta - Apatin Fabrika			
permitted speed	Left track	=	02 Kik	Γ		navska	ri Popo	405 St	Г	_		I-Sr.Ra	Г			_				ıska S	408 S	Г		
mumixsM	Right track	10	4	1	8	vo-Du	in-Sta			20		106 Sic				20				a-Padii				
	Railway line category	6		r	Ą	ogoje	Parac		r	Ą	Ą	4	r	٨	Ą	Ą	4	4	4	7 Ovc		H	П	Γ
	Class of railway line	×			man	403 B	404		r	man	man			man	man	man	man	man	man	40.		Г	ман	ман
əu	Single/double-track li	7		Г	s				Г	s	s		Г	S	s	s	s	s	s			Г	Б	-
	Type of service point	9		-					-	-			-	3	-	-	9	-	15			9	3	_
	ce point																							
	Name of service point	5		0+000 KIKINDA	6+285 MSK (INDUSTRIJSKI KOLOSEK)				12+100 SURČIN	15+500 JAKOVO-BEČMEN	16+500 KRAJ PRUGE		0+440 SID	4+229 ADAŠEVCI	12+375 MOROVIĆ	19+644 VIŠNJIĆEVO	23+128 RASPUTNICA RAČA	24+187 SREMSKA RAČA NOVA	26+052 DRŽAVNA GRANICA			20+863 RASPUTNICA SONTA	27+055 SVILOJEVO	33+560 APATIN FABRIKA
	Chainage	4		0+0					12+1				0+4									20+8		
	Distance in km	3		L	6,285				L	3,400	1,000		L	3,789	8,146	7,269	3,484	1,059	1,865			L	6,192	6.505
public transport	Left track	2												22 10	1013	.71		10.01	1950.					
Date of handover to	Right track	-												5	77			10	19					

*)The lines on the territory of Kosovo and Metobija are temporarily under the supervision of UNMIK, according to the Temporary Agreement between ZTP Belgrade and UNMIK railways, dated May 31, 2002 (records No 300/2002 - 1.53 dated May 31, 2002).

Speed earlies of the territory of Kosovo and Metobija are temporarily under the supervision of UNMIK, according to the Temporary Agreement between ZTP Belgrade and UNMIK railways, dated May 31, 2002 (records No 300/2002 - 1.53 dated May 31, 2002).

2. Passing point
3. Starton
4. Open their junction and train recording point
6. Loading point and open their process of the p Train recording point and stop Open-line junction Open-line junction and stop Loading point and stop

Ordinario pointaire o dolo
 Ordinario signali point for samaphon
 Le Electrical diffusers. There is no text
 La Access signals: Turnous are seem
 Col.20. S for the service point with side-looding plan
 Col.21. P for permanently ranamed. Use permanently col.22.
 Col.22. P for permanently ranamed. Use perm
 Col.22. P for service points open for passenger, F for perm

Appendix 7. Overview of primary train delay causes

	Primary train delay causes (IŽS)
No	Name
1.	Waiting for dispatch
2.	Waiting at the automatic block signal or protective signal
3.	Dispatcher's order
4.	Delay caused by the fault of an infrastructure manager's employee
5.	Entrance/exit to a turn
6.	Traffic on the left track
7.	Speed decrease requested by the infrastructure manager
8.	Delivery of order to the train driver
9.	Unplanned line closure by the infrastructure manager
10.	Level-crossing failure
11.	Failure on the overhead contact line
12.	Extended stay of railway vehicles
13.	Delay caused by restricted-speed running
14.	Rail crack
15.	Deformed track
17.	Technically defective switch
18.	Collision, bumping, derailment, avoided collision of railway vehicles
19.	Failure of signalling-interlocking and telecommunication devices
20.	Extension of the foreseen closure (more than 30 min)

	Primary train delay causes (railway undertaking)
No	Name
1.	Increased passenger frequency
2.	Waiting for railway undertaking staff
3.	Waiting for locomotive or multiple-unit set
4.	Delay caused by the fault of an railway undertaking's employee
5.	Cleaning of wagon or multiple-unit set requested by the railway undertaking
6.	Brake test
7.	Failure of wagon, traction unit or multiple-unit set
8.	Wagon repair without de-coupling
9.	Decreased train speed due to failure of wagon/multiple-unit set/traction unit
10.	Change of composition requested by the railway undertaking
11.	Intervention of police officers, requested by train staff
13.	Waiting for shunting locomotive



15.	Shift change of railway undertaking's employees
16.	Waiting for train forming
17.	Weighing
18.	Special consignment transport
20.	Stopping for cooling of brake shoes
21.	Delay caused by turnover of the multiple-unit set/traction unit of the same composition
22.	Accident on industrial siding of the transport client
23.	Breakdown of brake system air duct
24.	Train passing by the signal which indicates that the further running is forbidden
25.	Unallowed train passing through the service point where it had to stop

	Primary train delay causes (external influences)
No	Name
1.	State needs
2.	Train accepted with delay by another railway management
3.	Train rejected by another railway management
4.	Waiting for train staff of another railway management
5.	Train incorrectly formed by another railway management
6.	Taking a defective wagon of another railway management out of service
7.	Taking an incorrectly sent wagon of another railway management out of service
8.	Another railway management's employee being late
9.	Natural disasters (landslide, flood, current, snow-drift, avalanche, fire, fog)
10.	Falling out of train
11.	Jumping in or out of train
12.	Holding of the train by police officers
13.	Holding of the train by custom-inspection officers
14.	Emergency brake abuse
15.	Emergency service intervention
16.	Level-crossing device breaking
17.	Train rocking
18.	Theft of equipment or devices owned by the infrastructure



	Secondary train delay causes
No	Name
1.	Waiting for crossing
2.	Waiting for overtaking of a train
3.	Waiting for annunciation
4.	Waiting with the train which is in delay
5.	Extended stay in the station due to waiting for regular passing
6.	Waiting for locomotive or multiple-unit set from turnover
7.	Waiting for railway undertaking's staff from turnover
8.	Delay caused by failure of another train's traction unit
9.	Waiting for train connection (passenger or goods) of another railway management
10.	Abuse of emergency brake on another train
11.	Announced strike of IŽS or RU
12.	Another train accident



Appendix 8 Overview of platforms and arranged surfaces in service points

		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
MAIN LINES						
101. Belgrade - Stara Paz	ova - Šid - state border -	(Tovarnik)				
.	next to 1st track	4+798,8-5+273,5	platform	474,70	0,35	5,60
	between 1st and 2nd track*	4+798,8-5+273,5	platform	474,70	0,35	4,00
	between 2nd and 3rd track	4+798,8-5+273,5	platform	474,70	0,35	10,60
NOVI BEOGRAD	between 3rd and 4th track*	4+798,8-5+273,5	platform	474,70	0,35	4,00
	between 4th and 5th track	4+798,8-5+273,5	platform	474,70	0,35	10,60
	next to 5th track	4+798,8-5+273,5	platform	474,70	0,35	5,60
	next to right track	7+067,5-7+175	platform	107,50	0,35	3,13
Tošin bunar	next to left track	7+060-7+170	platform	110,00	0,35	3,13
	next to 1st track	9+866,5-10+345	platform	478,50	0,40	6,00
	between 1st and 2nd track	9+952-10+345	platform	393,00	0,85	6,00
ZEMUN	between 3rd and 4th track	9+952-10+345	platform	393,00	0,85	6,00
	between 6th and 7th track	9+963,5-10+268	platform	304,00	0,85	6,00
	between 8th and 9th track	9+890-10+268	platform	378,00	0 0,85 6, 0 0,85 6, 0 0,40 1, 0 0,40 1,	6,00
GENGENIONO DOLLE	between 1st and 2nd track	13+779-13+998	platform	119,00	0,40	1,60
ZEMUNSKO POLJE	between 2nd and 3rd track	13+797-13+998	platform	201,00	0,40	1,60
	between 1st and 2nd track	20+510-20+768	platform	258,00	0 0,40 1 0 0,40 1 0 0,35 1 0 0,35 1	1,90
DATA BUCA	between 2nd and 3rd track	20+543-20+722,5	platform	179,50	0,35	1,90
BATAJNICA	between 3rd and 4th track	20+598-20+722,5	platform	124,50	0,35	1,60
	between 4th and 5th track	20+598-20+772,5	platform	124,50	0,35	1,60
	next to 1st track	27+014,69-27+124,69	platform	110,00	0,35	3,00
NOVA PAZOVA	between 2nd and 3rd track	27+030-27+280	platform	250,00	0,35	1,60
	between 4th and 5th track	27+030-27+280	platform	250,00	0,55	7,91
	next to 1st track	35+003-35+223	platform	220,00	0,55	3,00
STARA PAZOVA	between 2nd and 3rd track	35+015-35+265	platform	250,00	0,55	3,76
	between 5th and 6th track	35+015-35+265	platform	250,00	0,55	6,16
GOLUBINCI	between 2nd and 3rd track	45+767-45+914	platform	147,00	0,35	1,60
GOLOBINCI	between 3rd and 4th track	45+767-45+914	platform	147,00	0,35	1,60
PUTINCI	between 2nd and 3rd track	53+611,93-53+691,91	platform	79,98	0,35	1,60
PUTINCI	between 3rd and 4th track	53+682-53+747	platform	79,98	0,35	1,60
Kraljevci	next to right track	59+982-60+062	platform	80,00	0,55	4,00
istuijevei	next to left track	59+985-60+065	platform	80,00	0,55	4,00
	between 2nd and 3rd track	64+733-64+973	platform	240,00	0,35	1,60
RUMA	between 3rd and 4th track	64+733-64+973	platform	240,00	0,35	1,60
	between 4th and 5th track	64+821-64+937	platform	116,00	0,35	1,60



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
Tro G La V	between 2nd and 3rd track	73+368-73+518	Arranged surface	150,00	0,00	2,00
VOGANJ	between 3rd and 4th track	73+368-73+518	Arranged surface	150,00	0,00	2,00
CDEMCK A MITDOMICA	between 2nd and 3rd track	81+563-81+763	platform	200,00	0,35	1,60
SREMSKA MITROVICA	between 3rd and 4th track	81+563-81+763	platform	200,00	0,35	1,60
Laćarak	Between right and left track	86+109-86+159	platform	50,00	0,35	1,60
MARTINCI	between 2nd and 3rd track	94+059-94+159	platform	100,00	0,35	1,60
MARTINCI	between 3rd and 4th track	94+131-94+141	platform	10,00	0,35	1,60
Kuzmin	NONE					
KUKUJEVCI-ERDEVIK	between 2nd and 3rd track	104+935-105+985	platform	50,00	0,45	1,60
KUKUJEVCI-EKDEVIK	between 3rd and 4th track	104+990-105+040	platform	50,00	0,45	1,60
Bačinci	next to right track	109+070-109+097	platform	27,00	0,35	1,60
Gibarac	NONE					
	between 1st and 2nd track	116+300-116+490	Arranged surface	190,00	0,10	1,60
ŠID	between 2nd and 3rd track	116+300-116+665	platform	365,00	0,45	1,60
	between 3rd and 4th track	116+300-116+677	platform	377,00	0,45	1,60
102. Belgrade - Mladen	ovac - Lapovo - Niš - Prešo	evo - state border	- (Tabanovce)			
	next to 1st track (left)	4+978-5+218,50	platform	240,50	0,30	1,30
TOPČIDER	next to 3rd track (left)	4+960-5+234	platform	274,00	0,45	1,60
	between 3rd and 4th track	4+950-253,70	platform	303,7,00 0,4	0,45	1,60
	next to 2nd track on the right	8+460-8+786	platform	326,00	0,45 00 0,45 0 0,55	6,10
RAKOVICA	between 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
	between 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20
	next to right track	10+645-10+758	platform	113,00	0,55	1,55
Kneževac	next to left track	10+645-10+758	platform	113,00	0,55	1,55
	next to right track	11+626-11+731	platform	105,00	0,55	1,55
Kijevo	next to left track	11+713-11+819	platform	106,00	0,55	1,55
	next to 1st track	14+080-14+240	Arranged surface	160,00	0,55	4,00
RESNIK	between 1st and 2nd track	14+080-14+240	platform	160,00	0,35	1,55
	between 3rd and 4th track	13+943-14+238	platform	295,00	0,55	6,20
PINOSAVA	NONE		*			, , , , , , , , , , , , , , , , , , ,
Ripanj Kolonija	next to the line on the left	20+080-20+180	platform	100,00	0,35	1,00
	between 1st and 2nd track	21+324,00-21+356,40	platform	32,40	0,35	1,00
RIPANJ	between 2nd and 3rd track	21+265,70-21+361,20	platform	95,50	0,35	1,55
	between 3rd and 4th track	21+265,70-21+361,20	platform	95,50	0,35	1,55
	between 1st and 2nd track	24+743,40-24+804,00	platform	60,60	0,35	1,00
KLENJE	between 2nd and 3rd track	24+743,40-24+804,00	•	60,60	0,35	1,00
DIDANI TIMMEI	_	29+565-29+615		50,00	· ·	ŕ
RIPANJ TUNNEL	between 1st and 2nd track	29±303 - 29±013	platform	30,00	0,40	1,60



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
DALLA	between 1st and 2nd track	34+695-34+774	platform	79,00	0,40	1,60
RALJA	between 2nd and 3rd track	34+695-34+774	platform	79,00	0,40	1,60
SOPOT KOSMAJSKI	between 2nd and 3rd track	41+454-41+544	platform	90,00	0,40	1,60
VLAŠKO POLJE	between 3rd and 4th track	47+684-47+784	platform	100,00	0,40	1,60
MLADENOVAC	between 2nd and 3rd track	53+052-53+189	platform	187,00	0,40	1,60
WOLL ŠELL G	between 1st and 2nd track	59+954-60+109	platform	155,00	0,40	1,60
KOVAČEVAC	between 2nd and 3rd track	59+907-60+056	platform	149,00	0,40	1,60
Rabrovac	next to the line on the left	62+909-63+045	platform	136,00	0,40	1,60
WHOADAW	between 1st and 2nd track	67+497-67+650	platform	153,00	0,40	1,60
KUSADAK	between 2nd and 3rd track	67+453-67+600	platform	147,00	0,40	1,60
Ratare	next to the line on the left	70+821-70+931	platform	110,00	0,40	1,60
armorri a	between 1st and 2nd track	73+941-74+041	platform	100,00	0,50	1,50
GLIBOVAC	between 2nd and 3rd track	73+978-74+078	platform	100,00	0,50	1,50
	between 1st and 2nd track	78+476-78+586	platform	110,00	0,50	1,50
PALANKA	between 2nd and 3rd track	78+476-78+586	platform	110,00	0,50	1,50
	between 3rd and 4th track	78+476-78+586	platform	110,00	0,50	1,50
MALA PLANA	between 2nd and 3rd track	85+505-85+605	platform	100,00	0,50	1,50
	between 1st and 2nd track	90+350-90+400	platform	50,00	0,40	1,60
MET HAN DI ANIA	between 2nd and 3rd track	90+289-90+430	platform	141,00	0,40	1,60
VELIKA PLANA	between 3rd and 4th track	90+370-90+510	platform	140,00	0,40	1,60
	between 4th and 5th track	90+360-90+464	platform	104,00	0,40	1,60
~ ~ .	next to right track	94+008-94+055	platform	47,00	0,40	1,60
Staro Selo	next to left track	94+008-94+055	platform	47,00	0,40	1,60
	next to right track	97+660-97+706	platform	46,00	0,40	1,60
Novo Selo	next to left track	97+660-97+706	platform	46,00	0,40	1,60
	between 2nd and 3rd track	100+400-100+450	platform	50,00	0,40	1,60
MARKOVAC	between 3rd and 4th track	100+350-100+452	platform	102,00	0,40	1,60
	between 4th and 5th track	100+350-100+448	platform	98,00	0,40	1,60
	next to right track	106+250-106+310	platform	60,00	0,35	1,60
Lapovo Varoš	next to left track	106+250-106+310	platform	60,00	0,35	1,60
	next to right track	108+350-108+400	platform	50,00	0,35	1,60
Lapovo marshalling yard	next to left track	108+340-108+390	platform	50,00	0,35	1,60
	between 2nd and 3rd track	109+560-109+680	platform	120,00	0,35	1,60
LAPOVO	between 3rd and 4th track	109+560-109+680	platform	120,00	0,35	1,60
	next to 1st track	109+460-109+510	platform	50,00	0,35	1,60
	next to right track	114+140-114+190	platform	50,00	0,35	1,60
Brzan	next to left track	114+140-112+190	platform	50,00	0,35	1,60
Miloševo	next to right track	116+940-119+990	platform	50,00	0,35	1,60



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
	next to left track	119+940-119+990	platform	50,00	0,35	1,60
RAGPDAN	between 2nd and 3rd track	120+229-120+330	platform	101,00		1,60
BAGRDAN	between 3rd and 4th track	120+268-120+390	platform	122,00	-	1,60
	next to right track	126+920-126+970	platform	50,00		1,60
Lanište	next to left track	126+920-126+970	platform	50,00		1,60
	next to right track	131+329-131+379	platform	50,00		1,60
Bukovče	next to left track	131+329-131+379	platform	50,00		1,60
	between 2nd and 3rd track	135+122-135+364	platform	242,00	-	1,90
JAGODINA	between 3rd and 4th track	135+182-135+416	platform	234,00		1,90
	between 1st and 2nd track	135+192-135+342	platform	150,00		1,90
	next to right track	140+550-140+670	platform	120,00		3,00
Gilje	next to left track	140+550-140+670	platform	120,00		3,00
	between 1st and 2nd track	0+516-0+641	platform	125,00	-	1,60
ĆUPRIJA	between 2nd and 3rd track	0+516-0+641	platform	115,00		1,60
	between 3rd and 4th track	155+081-155+184	platform	103,00		1,60
PARAĆIN	between 4th and 5th track	155+065-155+166	platform	101,00		1,90
	next to right track	163+560-163+610	platform	50,00	Height (m)	1,60
Sikirica - Ratari	next to left track	163+565-163+615	platform	50,00		1,60
	next to right track	166+605-166+655	platform	50,00	0,35 0,35 0,20 0,20 0,20 0,35 0,35 0,35 0,36 0,20 0,36 0,20 0,35 0,35 0,35 0,35 0,35 0,35 0,35 0,3	1,60
ikirica - Ratari Orenovac	next to left track	166+605-166+655	platform	50,00		1,60
	between 2nd and 3rd track	171+550-171+640	platform	90,00		1,60
ĆIĆEVAC	between 3rd and 4th track	171+550-171+640	platform	90,00		1,60
	next to right track	173+625-173+674	platform	49,00		1,60
Lučina	next to left track	173+625-173+674	platform	49,00		1,60
	between 2nd and 3rd track	176+222-176+425	platform	203,00		6,40
STALAĆ	between 4th and 5th track	176+222-176+425	platform	203,00		1,60
2	between 6th and 7th track	176+270-176+378	platform	108,00		5,30
STEVANAC	NONE		F	1	1 -,	
515,111,116	between 2nd and 3rd track	186+443-186+563	platform	120,00	0.35	1,60
BRALJINA	between 3rd and 4th track	186+443-186+563	platform	120,00	-	1,60
Cerovo Ražanj	next to the line on the left	190+320-190+370	platform	50,00		1,60
STARO TRUBAREVO	between 1st and 2nd track	192+150-192+220	platform	70,00		1,60
	between 2nd and 3rd track	194+882-195+003	platform	121,00		1,60
UNIS	between 3rd and 4th track	194+882-195+003	platform	121,00		1,60
	next to right track	199+160-199+210	platform	50,00		1,60
Vitkovac	next to left track	199+160-199+210	platform	50,00		1,60
	next to right track	201+175-201+225	platform	50,00		1,60
Donji Ljubeš						
ب _د بر	next to left track	201+175-201+225	platform	50,00	0,35	1,60



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
C	next to right track	203+560-203+610	platform	50,00	0,35	1,60
Gornji Ljubeš	next to left track	203+560-203+610	platform	50,00	0,35	1,60
VODMAN	between 2nd and 3rd track	205+565-205+675	platform	110,00	0,35	1,60
KORMAN	between 3rd and 4th track	205+545-205+665	platform	120,00	0,35	1,60
Traioni	next to right track	208+087-208+186	platform	99,00	0,35	1,60
Trnjani	next to left track	208+087-208+186	platform	99,00	0,35	1,60
	between 1st and 2nd track	210+432-210+521	platform	89,00	0,35	1,60
ADROVAC	between 2nd and 3rd track	210+440-210+562	platform	122,00	0,35	1,60
	next to 1st track	210+445-210+530	platform	85,00	0,28	5,00
AL EKCINAC	between 2nd and 3rd track	214+067-214+277	platform	210,00	0,35	1,60
ALEKSINAC	between 3rd and 4th track	214+067-214+277	platform	210,00	0,35	1,60
NI. die	next to right track	217+400-217+500	platform	100,00	0,35	1,60
Nozrina	next to left track	217+400-217+500	platform	100,00	0,35	1,60
T . V	next to right track	218+705-218+790	platform	85,00	0,35	1,60
Lužane	next to left track	218+708-218+785	platform	77,00	0,35	1,60
T. Y.	next to right track	222+062-222+164	platform	102,00	0,35	1,60
Tešica	next to left track	222+062-222+164	platform	102,00	0,35	1,60
GREJAČ	between 2nd and 3rd track	224+656-224+758	platform	102,00	0 0,35 00 0,35 00 0,35 00 0,35 0 0,35 0 0,35	1,60
GREJAC	between 3rd and 4th track	224+656-224+708	platform	52,00	0,35	1,60
G VI:M	next to right track	228+087-228+155	platform	68,00	0,35	1,60
Supovački Most	next to left track	228+091-228+159	platform	68,00	0,35	1,60
	next to right track	229+306-229+416	platform	110,00	0,35	1,60
Mezgraja	next to left track	229+306-229+416	platform	110,00	0,35	1,60
T7	next to right track	232+544-232+631	platform	87,00	0,35	1,60
Vrtište	next to left track	232+544-232+631	platform	87,00	0,35	1,60
TRUBALE	between 2nd and 3rd track	234+893-234+994	platform	101,00	0,40	1,60
TRUPALE	between 4th and 5th track	234+893-234+994	platform	101,00	0,40	1,60
CRVENI KRST	between 2nd and 3rd track	240+842-240+994	platform	152,00	0,40	1,60
	next to 1st track	243+410-243+763	platform	353,00	0,40	5,80
	between 2nd and 3rd track	243+410-243+813	platform	403,00	0,40	8,00
NIŠ	between 4th and 5th track	243+410-243+771	platform	361,00	0,40	8,00
	between 1b and 1st track	243+643-243+763	platform	120,00	0,40	5,80
	next to 1a track	243+660-243+763	platform	103,00	0,40	1,60
MEĐUROVO	NONE	•		•		•
BELOTINCE	between 1st and 2nd track	253+906-253+987	platform	81,00	0,40	1,60
Čapljinac	next to the line on the left	255+443-255+493	platform	50,00	0,40	1,60
Malošište	next to the line on the left	257+890-257+940	platform	50,00	0,40	1,60
DOLJEVAC	between 1st and 2nd track	261+419-261+527	platform	108,00	0,40	1,60



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
	between 2nd and 3rd track	261+419-261+526	platform	107,00	0,40	1,60
	next to the line on the right	263+218-263+263	platform	45,00	0,40	1,10
Kočane	next to the line on the right	263+274-263+287	platform	13,00	0,40	1,10
	next to the line on the right	265+833-265+862	platform	29,00	0,40	1,60
Pukovac	next to the line on the right	265+870-265+897	platform	27,00	0,40	1,60
BRESTOVAC	between 2nd and 3rd track	267+906-267+971	platform	65,00	0,40	1,60
	next to the line on the left	270+819-270+844	platform	25,00	0,40	1,10
Lipovica	next to the line on the left	270+850-270+887	platform	37,00	0,40	1,10
PEČENJEVCE	between 2nd and 3rd track	275+522-275+596	platform	74,00	0,40	1,60
Živkovo	next to the line on the right	278+820-278+865	platform	45,00	0,40	1,10
Priboj Leskovački	next to the line on the right	280+440-280+480	platform	40,00	0,40	1,00
VINARCI	NONE		F		-,	-,,,,
	between 1st and 2nd track	287+460-287+679	platform	219,00	0,40	1,60
LESKOVAC	between 2nd and 3rd track	287+507-287+630	platform	123,00	0,40	1,60
ĐORĐEVO	NONE		F	,	*,**	-,00
	between 2nd and 3rd track	301+841-301+886	platform	45,00	0,40	1,60
GRDELICA	between 3rd and 4th track	301+841-301+886	platform	45,00	0,40	1,60
Palojska Rosulja	next to the line on the left	308+614-308+629	platform	15,00	0,40	1,60
PREDEJANE	between 1st and 2nd track	312+675-312+750	platform	75,00	0,40	1,60
DŽEP	between 2nd and 3rd track	319+629-319+710	platform	81,00	0,40	1,60
MOMIN KAMEN	next to the line on the left	322+900-322+930	platform	30,00	0,40	1,60
Šelince	NONE			l	I	
VLADIČIN HAN	between 1st and 2nd track	329+472-329+676	platform	204,00	0,40	1,60
SUVA MORAVA	next to 1st track	334+043-334+095	platform	52,00	0,40	1,60
Lepenički most	NONE	1			l .	
Stubal	NONE					
PRIBOJ VRANJSKI	NONE					
VRANJSKA BANJA	between 1st and 2nd track	347+958-348-080	platform	122,00	0,40	1,60
**************************************	between 1st and 2nd track	354+080-354+260	platform	180,00	0,40	1,60
VRANJE	between 2nd and 3rd track	354+125-354+242	platform	117,00	0,40	1,60
Neradovac	NONE			•		
DICTOVAC	between 1st and 2nd track	365+666-365+768	platform	102,00	0,40	1,60
RISTOVAC	between 2nd and 3rd track	365+666-365+768	platform	102,00	0,40	1,60
BUJANOVAC	between 1st and 2nd track	373+665-373+720	platform	55,00	0,40	1,60
Letovica	NONE	•	•		•	
BUKAREVAC	NONE					
PREŠEVO	between 1st and 2nd track	392+256-392+357	platform	101,00	0,40	1,60
103. (Belgrade) - Rakovic	a - Jajinci - Mala Krsna	- Velika Plana				



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
	next to 2nd track on the right	8+460-8+786	platform	326,00	0,55	6,10
RAKOVICA	between 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
	between 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20
JAJINCE	NONE		I			
DEL L DOMOLI	between 2nd and 3rd track	16+240-16+337	platform	97,00	0,40	1,60
BELI POTOK	between 3rd and 4th track	16+240-16+351	platform	111,00	0,40	1,60
Zuce staj.	next to the line on the right	20+305-20+363	platform	58,00	0,40	1,60
ZUCE	between 1st and 2nd track	21+180-21+287	platform	107,00	0,40	1,60
VDČDI	between 1st and 2nd track	24+824-24+932	platform	108,00	0,40	1,60
VRČIN	between 2nd and 3rd track	24+824-24+934	platform	110,00	0,40	1,60
Kasapovac	next to the line on the left	27+840-27+938	platform	98,00	0,40	1,60
LIPE	between 1st and 2nd track	31+208-31+316	platform	108,00	0,40	1,60
•	next to 1st track	36+858-36+925	platform	67,00	0,40	1,60
MALA IVANČA	between 1st and 2nd track	36+863-36+925	platform	62,00	0,40	1,60
Brestovi	next to the line on the left	39+208-39+305	platform	97,00	0,40	1,60
MALLDOŽADEVAC	between 1st and 2nd track	41+250-41+356	platform	106,00	0,40	1,60
MALI POŽAREVAC	between 2nd and 3rd track	41+250-41+358	platform	108,00	0,40	1,60
Dražanj-Šepšin	next to the line on the right	43+114-43+219	platform	105,00	0,40	1,60
UMČARI	between 1st and 2nd track	47+730-47+839	platform	109,00	0,40	1,60
UMCARI	between 2nd and 3rd track	47+730-47+837	platform	107,00	0,40	1,60
Živkovac	next to the line on the left	52+290-52+340	platform	50,00	0,40	1,60
VODANJ	between 2nd and 3rd track	55+130-55+229	platform	99,00	0,40	1,60
KOLARI	between 1st and 2nd track	60+558-60+656	platform	98,00	0,40	1,60
Ralja Smederevska	next to the line on the left	66+573-66+605	platform	32,00	0,40	1,60
	between 1st and 2nd track	69+030-69+175	platform	145,00	0,40	1,90
MAI A VDCNIA	between 2nd and 3rd track	69+030-69+175	platform	145,00	0,40	1,90
MALA KRSNA	between 3rd and 4th track	69+042-69+184	platform	142,00	0,40	1,90
	between 4th and 5th track	69+080-69+230	platform	150,00	0,40	1,90
Skobalj	next to the line on the left	71+981-72+015	platform	34,00	0,40	1,60
Osipaonica staj.	next to the line on the left	74+749-74+784	platform	35,00	0,40	1,60
OSIPAONICA	between 1st and 2nd track	76+168-76+231	platform	63,00	0,40	1,60
OSIF AUNICA	between 2nd and 3rd track	76+177-76+229	platform	52,00	0,40	1,60
Lugavčina	next to the line on the right	77+867-77+904	platform	37,00	0,40	1,30
Saraorci	NONE					
LOZOVIK-SARAORCI	between 2nd and 3rd track	82+710-82+812	platform	102,00	0,40	1,60
Miloševac	next to the line on the left	85+500-85+602	platform	50,00	0,40	1,60
KRNJEVO-TRNOVČE	between 2nd and 3rd track	90+248-90+348	platform	100,00	0,40	1,60



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
VELIKO ORAŠJE	between the plateau in front of the station and 2nd track	94+626,5-94+658,5	platform	32,00	0,40	1,60
	between 2nd and 3rd track	94+586,5-94+689,5	platform	100,00	0,40	1,60
	between 1st and 2nd track	90+350-90+400	platform	50,00	0,40	1,60
A TELL MANA DE ANA	between 2nd and 3rd track	90+289-90+430	platform	141,00	0,40	1,60
VELIKA PLANA	between 3rd and 4th track	90+370-90+510	platform	140,00	0,40	1,60
	between 4th and 5th track	90+360-90+464	platform	104,00	0,40	1,60
104. (Belgrade) - Stara Pa	azova - Novi Sad - Subot	ica - state border	- (Kelebia)			
	next to 1st track	35+003,51-35+223,51	platform	220,00	0,55	3,00
STARA PAZOVA	between 2nd and 3rd track	35+014,23- 35+264,23	platform	250,00	0,55	3,76
	between 5th and 6th track	35+014,23- 35+264,23	platform	250,00	0,55	6,16
INĐIJA	between 1st and 2nd track	42+840-42+970	platform	130,00	0,40	1,60
INDIJA	between 2nd and 3rd track	42+783-42+928	platform	145,00	0,40	1,60
INĐIJA PUSTARA	NONE					
BEŠKA	between 1st and 2nd track	52+864-53+042	platform	178,00	0,40	1,60
DESKA	between 2nd and 3rd track	52+864-53+042	platform	178,00	0,40	1,60
ČORTANOVCI	next to 1st track	56+520-56+557	platform	37,00	0,30	7,00
Čortanovci Dunav	NONE					
	next to 1st track	62+338-62+365	platform	27,00	0,25	7,00
KARLOVAČKI VINOGRADI	next to 1st track	62+365-62+449	platform	84,00	0,40	1,60
	between 1st and 2nd track	62+338-62+449	platform	111,00	0,40	1,60
CDEMCKI WADI OVCI	between 1st and 2nd track	66+501-66+698	platform	197,00	0,40	1,60
SREMSKI KARLOVCI	between 2nd and 3rd track	66+501-66+700	platform	199,00	0,40	1,60
DETROVADADINI	between 2nd and 3rd track	71+834-71+986	platform	152,00	0,40	1,60
PETROVARADIN	between 3rd and 4th track	71+822-71+991	platform	169,00	0,40	2,80
	next to 11th track	77+836-77+950	platform	114,00	0,40	3,00
	between 11th and 10th track	77+822-77+950	platform	128,00	0,40	3,72
	between 10th and 1st track	77+835-77+887	platform	52,00	0,40	4,20
NOVI SAD	next to 1st track	77+835-78+250	platform	415,00	0,40	4,20-8,90
	between 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75
	between 12th and 1st track	78+104-78+250	platform	146,00	0,40	8,90
	between 14th and 13th track	78+104-78+249	platform	145,00	0,40	6,46
SAJLOVO	NONE					
KISAČ	between 1st and 2nd track	91+349-91+414	platform	65,00	0,33	1,40
Stepanovićevo	next to the line on the right	98+040-98+080	platform	40,00	0,35	1,60
ZMAJEVO	between 2nd and 3rd track	103+505-103+570	platform	65,00	0,34	1,40



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
VRBAS	between 2nd and 3rd track	116+702- 116+770,30	platform	68,00	0,35	1,40
VKDAS	between 3rd and 4th track	116+702- 116+770,30	platform	68,00	0,35	1,40
LOVĆENAC	between 2nd and 3rd track	128+098-128+158	platform	60,00	0,19	1,90
Mali Iđoš	NONE					
MALI IĐOŠ POLJE	NONE	_	_		_	
BAČKA TOPOLA	between 1st and 2nd track	144+096-144+248	platform	152,00	0,15/0,40	1,60
BACKA TOPOLA	between 2nd and 3rd track	144+093-144+241	platform	148,00	0,25	1,60
Mali Belgrade	NONE					
ŽEDNIK	between 2nd and 3rd track	157+792-157+862	platform	70,00	0,20	1,90
Verušić	next to to the line on the left	162+950-162+985	platform	35,00	0,30	1,60
NAUMOVIĆEVO	between 1st and 2nd track	166+144-166+214	platform	70,00	0,30	1,60
Aleksandrovo predgrađe	next to to the line on the right	171+938-171+983	arranged surface	45,00	0,05	0,60
	between 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,05	1,70
	between 1st and 2nd track	176+414-176+487	platform	73,00	0,25	1,60
SUBOTICA	between 1st and 2nd track	176+487-176+838	arranged surface	351,00	0,05	1,70
	between 2nd and 3rd track	176+322-176+838	arranged surface	516,00	0,05	1,70
	between 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70
105. Niš - Dimitrovgrad	d - state border - (Dragoma	nn)				
	next to 1st track	243+410-243+763	platform	353,00	0,40	5,80
	between 2nd and 3rd track	243+410-243+813	platform	403,00	0,40	8,00
NIŠ	between 4th and 5th track	243+410-243+771	platform	361,00	0,40	8,00
	between 1b and 1st track	243+643-243+763	platform	120,00	0,40	5,80
	next to 1a track	243+660-243+763	platform	103,00	0,40	1,60
	next to to the line on the left	1+669-1+769	platform	100,00	0,40	1,60
Palilulska rampa	next to to the line on the left	1+809-1+875	platform	66,00	0,40	1,60
Vojna Bolnica	NONE	I		I.	l	
ĆELE KULA	between 2nd and 3rd track	5+422-5+502	platform	80,00	0,40	1,60
EI Niš	NONE			<u>I</u>	1	
NIŠKA BANJA	between 2nd and 3rd track	10+450-10+558	platform	108,00	0,40	1,60
D 1	next to to the line on the right	14+712-14+731	platform	19,00	0,40	1,60
Prosek	next to to the line on the right	14+740-14+770	platform	30,00	0,40	1,60
SIĆEVO	NONE	•			•	
OSTROVICA	between 1st and 2nd track	22+475-22+529	platform	54,00	0,40	1,60
Majdan Ostrovica	NONE	1		1		
Radov Dol	next to to the line on the left	29+494-29+520	platform	26,00	0,40	1,60
DOLAC	between 2nd and 3rd track	31+640-31+739	platform	79,00	0,40	1,60



		km position of	Platform/	Dimensions				
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)		
1	2	3	4	5	6	7		
Crveni Breg	next to to the line on the left	34+262-34+292	platform	30,00	0,40	1,60		
CRVENA REKA	between 2nd and 3rd track	36+393-36+451	platform	58,00	0,40	1,60		
Belanovac	next to to the line on the left	39+691-39+761	platform	70,00	0,40	1,60		
BELA PALANKA	between 2nd and 3rd track	44+907-44+977	platform	70,00	0,40	1,60		
Crkvica	NONE	l	I.			l		
ČIFLIK	NONE							
Sinjac	NONE							
Đurđevo Polje	NONE							
Crvenčevo	NONE							
STANIČENJE	NONE							
Sopot	NONE							
NIDOT	between 1st and 2nd track	72+901-72+989	platform	87,00	0,40	1,60		
PIROT	between 2nd and 3rd track	72+868-73+021	platform	153,00	0,40	1,60		
Božurat	NONE							
Veliki Jovanovac	NONE							
SUKOVO	NONE							
Činiglavci	NONE							
Srećkovac	NONE							
	next to 14th track	97+126-97+267	platform	141,00	0,40	1,60		
DIMITROVGRAD	between 1st and 2nd track	97+316-97+717	platform	401,00	0,40	1,60		
106. Belgrade Centar -	Pančevo Main Station - Vr	šac - state borde	r - (Stamora M	oravita)		ll.		
	next to 3rd track	0+120-0+00-0+300	platform	420,00	0,55	10,00		
	between 4th and 5th track	0+155-0+00-0+300	platform	455,00	0,55	10,00		
BELGRADE CENTAR	between 6th and 7th track	0+155-0+00-0+300	platform	455,00	0,55	10,00		
	between 8th and 9th track	0+120-0+00-0+300	platform	420,00	0,55	10,00		
	next to 10th track	0+120-0+00-0+300	platform	420,00	0,55	10,00		
V ano dondou monte	between tracks (next to the left track towards Banat)	1+123-1+215	platform	92,00	0,55	7,00		
Karađorđev park	between tracks (next to the right track towards Banat)	1+123-1+215	platform	92,00	0,55	7,00		
	between tracks	2+754,13-2+829,13	platform	75,00	0,95	18,60		
	between tracks (next to the right track towards Banat)	2+785,52-2+860,52	platform	65,00	0,95	3,50		
Vukov spomenik	between tracks (next to the right track towards Banat)	2+925,52-3+010,52	platform	85,00	0,95	3,50		
	between tracks (next to the left track towards Banat)	2+689,13-2+754,13	platform	65,00	0,95	3,50		
	between tracks (next to the left track towards Banat)	2+829,13-2+914,13	platform	85,00	0,95	3,50		
PANČEVAČKI MOST	next to 2nd track	4+694-4+845	platform	151,00	0,90	4,94		



		km position of	Platform/	Dimensi	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)	
1	2	3	4	5	6	7	
	next to 1st track	4+590-4+741	platform	151,00	0,90	4,94	
	next to the line on the right	10+500-10+600	platform	100,00	0,40	1,60	
Krnjača most	between left and right track	7+003,5-7+223,5	platform	220,00	0,60	7,00	
WDM A	next to 4th track	8+165,06-8+385,06	platform	220,00	0,55	3,00	
KRNJAČA	next to 1st track	8+182,24-8+402,24	platform	220,00	0,55	3,00	
Sebeš	next to the line on the left	9+975,05-10+085,05	platform	100,00	0,60	3,10	
	next to the line on the right	9+975,05-10+085,05	platform	100,00	0,60	3,10	
OVČA	next to 1st track	12+537,6-12+757,6	platform	220,00	0,55	4,00	
	between 4th and 5th track	12+537,6-12+757,6	platform	220,00	0,55	6,10	
	between 1st and 2nd track	15+913-16+033	platform	120,00	0,40	1,60	
DANŽENO MA DI GEATION	between 1st and 2nd track	16+090-16+210	platform	120,00	0,40	1,60	
PANČEVO MAIN STATION	between 2nd and 3rd track	15+913-16+210	platform	297,00	0,40	1,60	
	between 3rd and 4th track	15+987-16+137	platform	150,00	0,40	1,60	
PANČEVO VAROŠ	between 1st and 2nd track	18+105-18+345	platform	240,00	0,40	1,60	
	next to 1st track	18+131-18+223	station plateau	92,00	0,40	1,60	
	between 2nd and 3rd track	18+100-18+364	platform	264,00	0,40	1,60	
BANATSKO NOVO SELO	between 2nd and 3rd track	33+981-34+035	arranged surface	54,00	0,30	0,50	
VI ADIMIDOVAC	between 1st and 2nd track	45+806-45+906	arranged surface	100,00	0,00	1,30	
VLADIMIROVAC	between 2nd and 3rd track	45+806-45+906	arranged surface	100,00	0,00	1,30	
A L IDLINIA D	between 1st and 2nd track	53+503-53+603	arranged surface	100,00	0,00	1,30	
ALIBUNAR	between 2nd and 3rd track	53+503-53+603	arranged surface	100,00	0,00	1,30	
BANATSKI KARLOVAC	between 2nd and 3rd track						
Nikolinci	NONE						
ULJMA	between 2nd and 3rd track						
Vlajkovac	NONE						
VRŠAC	between 1st and 2nd track	82+807,5-82+902,5	platform	95,00	0,40	1,60	
VKSAC	between 2nd and 3rd track	82+807,5-82+902,5	platform	95,00	0,40	1,60	
107. (Belgrade) - Resnik -	- Požega - Vrbnica - state	e border - (Bijelo	Polje)				
	next to 1st track	14+080-14+240	arranged surface	160,00	0,55	4,00	
RESNIK	between 1st and 2nd track	14+080-14+240	platform	160,00	0,35	1,55	
	between 3rd and 4th track	13+943-14+238	platform	295,00	0,55	6,20	
BELA REKA	between 1st and 2nd track	7+538-7+648	platform	110,00	0,35	1,60	
Nenadovac	next to the line on the left	12+077-12+127	platform	50,00	0,35	1,60	
BARAJEVO	between 2nd and 3rd track	15+654-15+764	platform	110,00	0,35	1,60	
Barajevo Centar	next to the line on the left	17+895-18+003	platform	108,00	0,35	1,60	
VELIKI BORAK	between 1st and 2nd track	23+039-23+151	platform	112,00	0,35	1,60	
Leskovac Kolubarski	next to the line on the right	27+720-27+770	platform	50,00	0,35	1,60	
STEPOJEVAC	between 2nd and 3rd track	30+572-30+682	platform	110,00	0,35	1,60	



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
AMEGGI	between 2nd and 3rd track	37+150-37+300	platform	150,00	0,35	1,60
VREOCI	between 3rd and 4th track	37+150-37+300	platform	150,00	0,35	1,60
LAZADENAC	between 1st and 2nd track	45+311-45+462	platform	151,00	0,35	1,60
LAZAREVAC	between 2nd and 3rd track	45+311-45+462	platform	151,00	0,35	1,60
I A WOWA C	between 1st and 2nd track	52+547-52+697	platform	150,00	0,40	1,60
LAJKOVAC	between 2nd and 3rd track	52+527-52+697	platform	170,00	0,35	1,60
CLOVAC	between 1st and 2nd track	58+899-59+052	platform	153,00	0,35	1,60
SLOVAC	between 2nd and 3rd track	58+899-59+052	platform	153,00	0,35	1,60
Mlađevo	next to the line on the right	63+958-64+035	platform	77,00	0,35	1,60
DIVO	between 1st and 2nd track	67+043-67+213	platform	170,00	0,35	1,60
DIVCI	between 2nd and 3rd track	67+043-67+213	platform	170,00	0,35	1,60
Lukavac Kolubarski	next to the line on the right	69+165-69+265	platform	100,00	0,35	1,60
Iverak	next to the line on the right	72+725-72+825	platform	100,00	0,35	1,60
NALIENO	next to 1st track	77+550-77+851	platform	301,00	0,35	5,40
VALJEVO	between 2nd and 3rd track	77+562-77+863	platform	301,00	0,35	7,55
VALJEVSKI GRADAC	next to the line on the right	84+560-84+610	platform	50,00	0,35	1,60
Leskovice	next to the line on the left	91+605-91+655	platform	50,00	0,35	1,60
LASTRA	between 2nd and 3rd track	93+985-94+131	platform	146,00	0,35	1,60
SAMARI	between 2nd and 3rd track	103+118-103+168	platform	50,00	0,40	1,60
Drenovački Kik	next to the line on the right	107+700-107+750	platform	50,00	0,40	1,60
RAŽANA	between 3rd and 4th track	111+284-111+430	platform	146,00	0,35	1,60
VOCIEDIÓ	between 3rd and 4th track	118+748-118+948	platform	200,00	0,40	1,60
KOSJERIĆ	between 4th and 5th track	118+748-118+948	platform	200,00	0,40	1,60
Tubići	next to the line on the left	123+446-123+496	platform	50,00	0,35	1,60
KALENIĆI	between 3rd and 4th track	129+772-129+918	platform	146,00	0,35	1,60
Otanj	next to the line on the right	133+600-133+710	platform	110,00	0,40	1,50
Glumač	next to the line on the right	135+807-135+863	platform	56,00	0,40	1,60
POŽEGA	next to 1st track	140+720-140+975	platform	255,00	0,45	10,00
POZEGA	between 2nd and 3rd track	140+675-140+984	platform	309,00	0,45	6,20
Rasna	next to the line on the right	145+618-145+650	platform	32,00	0,40	1,00
UZIĆI	between 1st and 2nd track	149+125-149+255	platform	130,00	0,40	1,60
UZICI	between 2nd and 3rd track	149+255-149+389	platform	134,00	0,40	1,60
Zlakusa	next to the line on the right	151+536-151+566	platform	30,00	0,40	1,60
Bukovička Rampa	next to the line on the right	154+141-154+161	platform	20,00	0,40	1,60
SEVOJNO	between 1st and 2nd track	156+882-157+082	platform	202,00	0,40	1,60
UŽICE FREIGHT	between 2nd and 3rd track	161+795-161+995	platform	200,00	0,40	1,60
ULICE FREIUHT	between 1st and 2nd track	161+813-161+953	platform	140,00	0,40	1,60
UŽICE	next to 1st track	163+645-163+900	platform	255,00	0,40	3,00



		km position of	Platform/	Dimensi	ons	
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
	between 2nd and 3rd track	163+626-163+881	platform	255,00	0,60	5,10
STAPARI	between 1st and 2nd track	170+590-170+710	platform	120,00	0,40	1,60
	next to the line on the left	173+412-173+425	platform	13,00	0,40	1,60
Ristanovića Polje	next to the line on the right	173+426-173+464	platform	38,00	0,40	1,60
Tripkova	next to the line on the right	176+045-176+095	platform	50,00	0,40	1,60
SUŠICA	between 2nd and 3rd track	178+251-178+371	platform	120,00	0,40	1,60
	next to 1st track	185+181-185+291	platform	110,00	0,40	5,50
BRANEŠCI	between 1st and 2nd track	185+181-185+291	platform	110,00	0,40	1,60
	between 2nd and 3rd track	185+181-185+291	platform	110,00	0,40	1,60
ZLATIBOR	between 2nd and 3rd track	193+234-193+404	platform	170,00	0,40	1,60
Ribnica Zlatiborska	next to the line on the left	200+350-200+400	platform	50,00	0,40	1,60
JABLANICA	between 3rd and 4th track	204+405-204+550	platform	145,00	0,40	1,60
Goleš	next to the line on the right	211+590-211+616	platform	26,00	0,40	1,00
ŠTRPCI	between 2nd and 3rd track	214-755-214-900	platform	145,00	0,40	1,60
Rača	next to the line on the right	219+515-219+536	platform	21,00	0,40	1,00
DD ID O I	between 2nd and 3rd track	225+227-225+490	platform	263,00	0,50	5,10
PRIBOJ	between 6th and 7th track	225+137-225+237	platform	100,00	0,50	3,00
Poljice	next to the line on the right	228+110-228+190	platform	80,00	0,40	1,60
Pribojska Banja	next to the line on the right	232+867-232+899	platform	32,00	0,40	1,00
BISTRICA NA LIMU	between 2nd and 3rd track	241+208-241+352	platform	144,00	0,40	1,60
Džurovo	next to the line on the right	246+300-246+328	platform	28,00	0,40	1,00
DDITEDOT IE	next to 1st track	252+396-252+705	platform	309,00	0,40	4,60
PRIJEPOLJE	between 2nd and 3rd track	252+396-252+705	platform	309,00	0,40	7,00
PRIJEPOLJE FREIGHT	between 2nd and 3rd track	255+789-255+982	platform	187,00	0,35	1,60
FRIJEFOLJE FREIGHT	between 3rd and 4th track	255+789-255+982	platform	187,00	0,35	1,60
Velika Župa	next to the line on the right	259+605-259+624	platform	19,00	0,40	1,00
LUČICE	between 2nd and 3rd track	264+581-264+714	platform	133,00	0,35	1,60
BRODAREVO	between 2nd and 3rd track	273+255-273+404	platform	149,00	0,30	1,60
VRBNICA	between 1st and 2nd track	285+205-285+255	platform	50,00	0,30	1,60
VKBINICA	between 2nd and 3rd track	285+112-285+256	platform	144,00	0,30	1,60
108. Lapovo - Kraljevo -	Lešak - Kosovo Polje - Đ	eneral Janković	- state border -	(Volkovo)	
	between 2nd and 3rd track	109+560-109+680	platform	120,00	0,35	1,60
LAPOVO	between 3rd and 4th track	109+560-109+680	platform	120,00	0,35	1,60
	next to 1st track	109+460-109+510	platform	50,00	0,35	1,60
BATOČINA	between 1st and 2nd track	3+374,7-3+421,9	platform	47,20	0,12	1,30
Gradac	next to the line on the left	8+243,4-8+292,9	platform	49,50	0,30	1,05
BADNJEVAC	between 2nd and 3rd track	12+264,5-12+311,5	platform	47,00	0,14	1,80
Resnik Kragujevački	NONE					



		km position of		Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
Milatovac	next to the line on the right	18+206,9-18+253,7	platform	46,80	0,33	1,10
Cvetojevac	next to the line on the right	20+381-20+422,2	platform	41,20	0,25	1,20
JOVANOVAC	between 2nd and 3rd track	22+308-22+352	platform	44,00	0,22	1,75
	between 1st and 2nd track	28+726-28+918,7	platform	192,70	0,24	1,20
KRAGUJEVAC	between 2nd and 3rd track	28+752-28+907	platform	155,00	0,24	1,80
Zavod	next to the line on the right	31+280,5-31+288,25	platform	7,75	0,10	0,50
GROŠNICA	between 1st and 2nd track	34+062,8-34+104,3	platform	41,50	0,22	1,50
DRAGOBRAĆA	between 1st and 2nd track	39+529-39+565	platform	36,00	0,20	1,20
Vučkovica	next to the line on the right	44+513-44+538	platform	25,00	0,30	1,20
KNIĆ	between 1st and 2nd track	47+560-47+607	platform	47,00	0,30	1,40
GRUŽA	between 1st and 2nd track	53+458-53+505,5	platform	47,50	0,22	1,40
GUBEREVAC	between 1st and 2nd track	60+567-60+614	platform	47,00	0,20	1,55
Tomića Brdo	next to the line on the right	64+795-64+822,5	platform	27,50	0,35	1,00
VITKOVAC	between 1st and 2nd track	66+309-66+353	platform	44,00	0,25	1,25
Milavčići	next to the line on the left	70+141,8-70+172,8	platform	31,00	0,35	1,40
VITANOVAC	between 1st and 2nd track	73+904,3-73+948,7	platform	44,40	0,22	1,40
Šumarice	next to the line on the left	79+111-79+128,4	platform	17,40	0,25	0,50
Sirča	next to the line on the right	82+006-82+069	platform	63,00	0,35	1,90
	between 1st and 2nd track	84+649-84+733	platform	84,00	0,33	1,60
KRALJEVO	between 2nd and 3rd track	84+649-84+748	platform	99,00	0,33	1,60
MATARUŠKA BANJA	between 2nd and 3rd track	93+895-93+940	platform	45,00	0,20	1,80
Progorelica	next to the line on the left	97+352-97+386	platform	34,00	0,25	1,40
BOGUTOVAČKA BANJA	between 1st and 2nd track	100+868-100+919	platform	51,00	0,22	1,80
DOBRE STRANE	NONE		r	, , , ,		, , ,
POLUMIR	between 1st and 2nd track	118+291-118+344	platform	53,00	0,26	1,50
Pusto Polje	next to the line on the left	123+555-123+589	platform	34,00	0,25	1,00
UŠĆE	between 1st and 2nd track	127+223-127+281	platform	58,00	0,34	1,50
Lozno	next to the line on the right	132+832-132+866	platform	34,00	0,22	0,50
JOŠANIČKA BANJA	between 1st and 2nd track	136+102-136+152	platform	50,00	0,25	1,45
Piskanja	next to the line on the left	138+842-138+884	platform	42,00	0,21	1,00
BRVENIK	between 1st and 2nd track	143+481-143+528	platform	47,00	0,32	1,50
Rvati	next to the line on the left	148+258-148+304	platform	46,00	0,22	1,00
RAŠKA	between 1st and 2nd track	152+236-152+353	platform	117,00	0,32	1,80
Kaznovići	next to the line on the left	157+700-157+740	platform	40,00	0,23	1,00
RUDNICA	between 1st and 2nd track	161+970-162+022	platform	52,00	0,25	1,55
Donje Jarinje	NONE	1	_			
Jerina	next to the line on the left	168+865-168+935	arranged surface	70,00	0,20	1,60
	between 1st and 2nd track	172+294-172+394	platform	100,00	0,35	1,60
LEŠAK	between 2nd and 3rd track	172+294-172+394	platform	100,00	0,35	1,60



		km position of	Platform/	Dimensi	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)	
1	2	3	4	5	6	7	
Dren	NONE					1	
LEPOSAVIĆ	between 1st and 2nd track	182+675-182+775	platform	100,00	0,35	1,60	
Pridvorica	NONE			II.	ı	1	
Sočanica	next to the line on the left	190+000-190+040	platform	40,00	0,35	1,00	
IBARSKA SLATINA	NONE		I.				
Plandište	NONE						
BANJSKA	NONE						
Valač	between 1st and 2nd track	208+170-208+230	arranged surface	60,00	0,35	1,00	
ZVEČAN	next to 1st track	210+900-211+000	platform	100,00	0,35	1,60	
Kosovska Mitrovica North	next to the line on the left	213+390-213+440	platform	50,00	0,35	1,60	
109. Subotica - Bogojevo	- state border - (Erdut)		I	I.	II.	1	
BOGOJEVO	NONE						
SONTA	NONE						
PRICEELICA	between 1st and 2nd track	58+619-58+649	platform	30,00	0,30	1,55	
PRIGREVICA	between 2nd and 3rd track	58+619-58+649	platform	30,00	0,30	1,57	
BUKOVAČKI SALAŠI	NONE		I.				
	between 1st and 2nd track	73+417-73+477	platform	60,00	0,31	1,61	
	between 1st and 2nd track	73+584-73+612	arranged surface	28,00	0,05	1,50	
	between 1st and 2nd track	73+673-73+823	arranged surface	150,00	0,05	1,50	
SOMBOR	between 2nd and 3rd track	73+417-73+477	platform	60,00	0,38	1,61	
	between 2nd and 3rd track	73+584-73+612	arranged surface	28,00	0,05	1,50	
	between 3rd and 4th track	73+584-73+701	arranged surface	117,00	0,05	1,50	
SVETOZAR MILETIĆ	between 2nd and 3rd track	83+340-83+397	platform	56,70	0,29	1,68	
ALEKSA ŠANTIĆ	between 2nd and 3rd track	97+500-97+556	platform	55,61	0,24	1,90	
BAJMOK	between 2nd and 3rd track	105+138-105+193	platform	54,62	0,23	1,90	
Skenderevo	NONE			I	ı	1	
TAVANKUT	between 2nd and 3rd track	115+350-115+399	platform	49,26	0,30	1,80	
LJUTOVO	NONE			II.	ı	1	
ŠEBEŠIĆ	NONE						
Subotica suburbs	next to the line on the left	128+229-128+270	platform	41,00	0,25	1,60	
110. Belgrade Centar – N	ovi Beograd	,	ı	1	II.	1	
	next to 3rd track	0+120-0+00-0+300	platform	420,00	0,55	10,00	
	between 4th and 5th track	0+155-0+00-0+300	platform	455,00	0,55	10,00	
BELGRADE CENTAR	between 6th and 7th track	0+155-0+00-0+300	platform	455,00	0,55	10,00	
	between 8th and 9th track	0+120-0+00-0+300	platform	420,00	0,55	10,00	
	next to 10th track	0+120-0+00-0+300	platform	420,00	0,55	10,00	
	next to 1st track	4+798,8-5+273,5	platform	474,70	0,35	5,60	
NOVI BEOGRAD	between 1st and 2nd track*	4+798,8-5+273,5	platform	474,70	0,35	4,00	



		km position of	Platform/	Dimensions					
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)			
1	2	3	4	5	6	7			
	between 2nd and 3rd track	4+798,8-5+273,5	platform	474,70	0,35	10,60			
	between 3rd and 4th track*	4+798,8-5+273,5	platform	474,70	0,35	4,00			
	between 4th and 5th track	4+798,8-5+273,5	platform	474,70	0,35	10,60			
	next to 5th track	4+798,8-5+273,5	platform	474,70	0,35	5,60			
111. Belgrade Centar - C) Open line junction G - (Ra	akovica)							
	next to 3rd track	0+120-0+00-0+300	platform	420,00	0,55	10,00			
	between 4th and 5th track	0+155-0+00-0+300	platform	455,00	0,55	10,00			
BELGRADE CENTAR	between 6th and 7th track	0+155-0+00-0+300	platform	455,00	0,55	10,00			
	between 8th and 9th track	0+120-0+00-0+300	platform	420,00	0,55	10,00			
	next to 10th track	0+120-0+00-0+300	platform	420,00	0,55	10,00			
112. Belgrade Marshalli	ng yard "A" - Ostružnica	ı - Batajnica	•	•	•	•			
BELGRADE MARSHALLING YARD A	NONE								
OSTRUŽNICA	NONE	NONE							
SURČIN	NONE								
DATABUGA	between 1st and 2nd track	20+510-20+768	platform	258,00	0,35	1,90			
	between 2nd and 3rd track	20+543-20+722,5	platform	179,50	0,35	1,90			
BATAJNICA	between 3rd and 4th track	20+598-20+722,5	platform	124,50	0,35	1,60			
	between 4th and 5th track	20+598-20+772,5	platform	124,50	0,35	1,60			
113. Belgrade Marshalli	ng yard "B" - Ostružnica	1							
BELGRADE MARSHALLING YARD B	NONE								
OSTRUŽNICA	NONE								
114. Belgrade Marshalli	ng yard "A" - Open line	junction"B" - Op	en line junctio	n"K/K1"	- Resnik				
BELGRADE MARSHALLING YARD A	NONE	_	-						
DEGNIK	between 1st and 2nd track	14+034-14+145	platform	111,00	0,40	1,60			
RESNIK	between 3rd and 4th track	13+951-14+246	platform	295,00	0,40	6,30			
115. Ostružnica - Open l	ine junction"B" - (Open	line junction"K/I	K1")	•	•	•			
OSTRUŽNICA	NONE								
116. Belgrade Marshalli	ng yard "B" - Open line j	junction"R" - Op	en line junctio	n"A" - (R	esnik)				
BELGRADE MARSHALLING YARD B	NONE								
117. (Belgrade Marshall	ing yard "B") - Open line	e junction"R" - R	akovica						
	next to 2nd track on the right	8+460-8+786	platform	326,00	0,55	6,10			
RAKOVICA	between 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10			
	between 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20			
118. Belgrade Marshallin	ng yard "A" - Open line	junction"T" - Ra	kovica	1	1	1			
9	F (,							



	Location	km position of	Platform/	Dimensions		
Service point		the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
BELGRADE MARSHALLING YARD A	NONE					
	next to 2nd track on the right	8+460-8+786	platform	326,00	0,55	6,10
RAKOVICA	between 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
	between 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20
119. Belgrade Marshallii	ng yard "B" - Open line j	unction"T" - (Ra	akovica)	1		
BELGRADE MARSHALLING YARD B	NONE					
20. Connecting line in th 'K1" - (Jajinci)	e area of Open line junct	tion "K/K1": (O	pen line junctio	on"B") - s	switch "K	(" - swit
121. Topcider - Open lin	e junction Savski most - (Novi Belgrade)				
	next to 1st track (left)	4+978-5+218,50	platform	240,50	0,30	1,30
TOPČIDER	next to 3rd track (left)	4+960-5+234	platform	274,00	0,45	1,60
	between 3rd and 4th track	4+950-253,70	platform	303,7,00	0,45	1,60
122. Topcder - Belgrade	spoljna - Belgrade Dunav	- Open line jund	ction Pančevačl	ki most		
TOPČIDER	next to 1st track (left)	4+978-5+218,50	platform	240,50	0,30	1,30
	next to 3rd track (left)	4+960-5+234	platform	274,00	0,45	1,60
	between 3rd and 4th track	4+950-253,70	platform	303,7,00	0,45	1,60
BELGRADE SPOLJNA	NONE					
BELGRADE DONJI GRAD	NONE					
BELGRADE DUNAV	between 2nd and 3rd track	9+866-10+136	platform	277,00	4,00	7,00
	next to 2nd track	4+694-4+845	platform	151,00	0,90	4,94
PANČEVAČKI MOST	next to 1st track	4+590-4+741	platform	151,00	0,90	4,94
	next to the line on the right	10+500-10+600	platform	100,00	0,40	1,60
23. By-pass line of Belgi lonji grad)	rade External station: (T	opcider) - Block	1 "Obala" - l	Block 2 "	Prelaz" -	(Belgra
124. (Open line junction Dedinje - (Open line junc	Pančevački most) - Open ction G)	line junction Ka	rađorđev park	- Open lii	ne junctio	n
Karađorđev park	between tracks (next to the left track towards Banat)	1+123-1+215	platform	92,00		
F	between tracks (next to the right track towards Banat)	1+123-1+215	platform	92,00		
125. Inđija - Golubinci					1	_
	between 1st and 2nd track	42+840-42+970	platform	130,00	0,40	1,60
INĐIJA	between 2nd and 3rd track	42+783-42+928	platform	145,00	0,40	1,60
	between 3rd and 4th track	42+783-42+928	platform	145,00	0,40	1,60
Inđija Selo	next to the line on the right	1+540-1+590	platform	50,00	0,35	1,60
GOLUBINCI	between 2nd and 3rd track	45+726-45+876	platform	150,00	0,35	1,60
JOLOBINCI	between 3rd and 4th track	45+726-45+876	platform	150,00	0,35	1,60



		km position of	Platform/	Dimensi	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)	
1	2	3	4	5	6	7	
126. Novi Sad - Novi Sad	Marshalling yard - Oper	line junction Sa	jlovo				
	next to 11th track	77+836-77+950	platform	114,00	0,40	3,00	
	between 11th and 10th track	77+822-77+950	platform	128,00	0,40	3,72	
	between 10th and 1st track	77+835-77+887	platform	52,00	0,40	4,20	
NOVI SAD	next to 1st track	77+835-78+250	platform	415,00	0,40	4,20-8,90	
	between 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75	
	between 12th and 1st track	78+104-78+250	platform	146,00	0,40	8,90	
	between 14th and 13th track	78+104-78+249	platform	145,00	0,40	6,46	
NOVI SAD MARSHALLING YARD	NONE						
127. By-pass line of Mala	Krsna station: (Kolari) -	– junction points	1 - junction p	oints 28 - (Osipaoni	ca)	
128. Open line junction L	apovo Varoš - Lapovo m	arshalling yard -	- Lapovo				
Lanava Varaš	next to right track	106+250-106+310	platform	60,00	0,35	1,60	
Lapovo Varoš	next to left track	106+250-106+310	platform	60,00	0,35	1,60	
LAPOVO MARSHALLING YARD	NONE			,		1	
	between 2nd and 3rd track	109+560-109+680	platform	120,00	0,35	1,60	
LAPOVO	between 3rd and 4th track	109+560-109+680	platform	120,00	0,35	1,60	
	next to 1st track	109+460-109+510	platform	50,00	0,35	1,60	
129. Trupale - Niš marsha	alling yard - Međurovo						
TRUBALE	between 2nd and 3rd track	234+893-234+994	platform	101,00	0,40	1,60	
TRUPALE	between 4th and 5th track	234+893-234+994	platform	101,00	0,40	1,60	
NIŠ MARSHALLING YARD	next to 1a track	238+184-238+263	platform	79,00	0,40	1,60	
	between 2nd and 3rd track	243+410-243+813	platform	403,00	0,40	1,60	
	between 4th and 5th track	243+410-243+771	platform	361,00	0,40	1,60	
NIŠ	between 1b and 1st track	243+669-243+763	platform	94,00	0,40	1,60	
	between 1a and turnout track	243+683-243+763	platform	80,00	0,40	1,60	
130. Crveni krst - Niš ma	rshalling yard					•	
CRVENI KRST	between 2nd and 3rd track	240+842-240+994	platform	152,00	0,40	1,60	
NIŠ MARSHALLING YARD	next to 1a track	238+184-238+263	platform	79,00	0,40	1,60	
131. Niš - Open line junct	ion bridge - (Niš marsha	lling yard)					
	next to 1st track	243+410-243+763	platform	353,00	0,40	5,80	
	between 2nd and 3rd track	243+410-243+813	platform	403,00	0,40	8,00	
NIŠ	between 4th and 5th track	243+410-243+771	platform	361,00	0,40	8,00	
	between 1b and 1st track	243+643-243+763	platform	120,00	0,40	5,80	
	next to 1a track	243+660-243+763	platform	103,00	0,40	1,60	
132. Connecting track of	Niš station: (Cryoni bret)		s 2 - junction	noints 4 = 0	Ćele kula	,	



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
REGIONAL LINES					ı	
201. Subotica - Horgoš - s	tate border - (Röszke)					
	between 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,05	1,70
	between 1st and 2nd track	176+414-176+487	platform	73,00	0,25	1,60
SUBOTICA	between 1st and 2nd track	176+487-176+838	arranged surface	351,00	0,05	1,70
	between 2nd and 3rd track	176+322-176+838	arranged surface	516,00	0,05	1,70
	between 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70
Subotica public warehouses	next to the line on the right	2+283-2+392	platform	109,00	0,21	1,60
PALIĆ	between 1st and 2nd track	7+601-7+711	platform	110,00	0,26	1,60
Hajdukovo	next to the line on the left	11+703-11+813	platform	110,00	0,24	1,60
Bački Vinogradi	between 2nd and 3rd track	15+371-15+481	platform	110,00	0,23	1,60
	between 1st and 2nd track	155+792-155+838	platform	46,00	0,22	1,90
HORGOŠ	between 2nd and 3rd track	155+793-155+838	platform	45,00	0,22	1,90
202. Pančevo Main Station	n - Zrenjanin - Kikinda	- state border - (3	Jimbolia)			
	between 1st and 2nd track	15+913-16+033	platform	120,00	0,40	1,60
X	between 1st and 2nd track	16+090-16+210	platform	120,00	0,40	1,60
PANČEVO MAIN STATION	between 2nd and 3rd track	15+913-16+210	platform	297,00	0,40	1,60
	between 3rd and 4th track	15+987-16+137	platform	150,00	0,40	1,60
JABUKA	NONE		I.			
KAČAREVO	between 1st and 2nd track	26+784-26+834	platform	50,00	0,40	1,60
CREPAJA	NONE			ll.		il.
DEBELJAČA	NONE					
KOVAČICA	NONE					
UZDIN	NONE					
TOMAŠEVAC	between 1st and 2nd track	61+920-61+970	platform	50,00	0,35	1,60
TOMASEVAC	between 2nd and 3rd track	61+920-61+970	platform	50,00	0,35	1,60
ORLOVAT STOP	between 1st and 2nd track	64+025-64+075	platform	50,00	0,35	1,60
LUKIĆEVO	NONE					
ZRENJANIN PLANT	NONE					
ZRENJANIN	next to 1st track	88+705-88+776	platform	71,00	0,55	1,30
ELEMIR	NONE					
MELENCI	NONE					
KUMANE	NONE					
NOVI BEČEJ	NONE					
BANATSKO MILOŠEVO POLJE	NONE					
BANATSKO MILOŠEVO	NONE					
Derić	NONE	·		-		



		km position of	Platform/	Dimensions				
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)		
1	2	3	4	5	6	7		
	next to 1st track	160+030-160+166	platform	136,00	0,19	3,30-4,40		
KIKINDA	between 1st and 2nd track	160+064-160+190	arranged surface	126,00	0,00	1,50		
BANATSKO VELIKO SELO	NONE		I					
203. Banatsko Miloševo -	Senta - Subotica							
BANATSKO MILOŠEVO	NONE							
Bočar	NONE							
Ester	NONE							
PADEJ	NONE							
Ostojićevo	NONE							
ČOKA	NONE							
SENTA	between 1st and 2nd track	102+905-102+950	platform	45,00	0,17	1,90		
Gornji Breg	NONE							
BOGARAŠ	NONE							
Doline	NONE							
OROM	NONE							
Gabrić	NONE							
Bikovo	NONE							
	between 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,05	1,70		
	between 1st and 2nd track	176+414-176+487	platform	73,00	0,25	1,60		
SUBOTICA	between 1st and 2nd track	176+487-176+838	arranged surface	351,00	0,05	1,70		
	between 2nd and 3rd track	176+322-176+838	arranged surface	516,00	0,05	1,70		
	between 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70		
204. Pančevo Varoš – Ope	en line junction 2a - (Jab	uka)						
	next to 1st track	18+131-18+223	station plateau	92,00	0,40	1,60		
PANČEVO VAROŠ	between 1st and 2nd track	18+105-18+345	platform	240,00	0,40	1,60		
	between 2nd and 3rd track	18+100-18+364	platform	264,00	0,40	1,60		
205. Novi Sad - Odžaci - I	Bogojevo							
	next to 11th track	77+836-77+950	platform	114,00	0,40	3,00		
	between 11th and 10th track	77+822-77+950	platform	128,00	0,40	3,72		
	between 10th and 1st track	77+835-77+887	platform	52,00	0,40	4,20		
NOVI SAD	next to 1st track	77+835-78+250	platform	415,00	0,40	4,20-8,90		
	between 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75		
	between 12th and 1st track	78+104-78+250	platform	146,00	0,40	8,90		
	between 14th and 13th track	78+104-78+249	platform	145,00	0,40	6,46		
Veternik	NONE							
FUTOG	NONE							
PETROVAC-GLOŽAN	NONE							



		km position of		Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
Bački Maglić	NONE			<u>'</u>	<u>'</u>	
GAJDOBRA	NONE					
Parage	NONE					
RATKOVO	NONE					
ODŽACI	NONE					
Odžaci Kalvarija	NONE					
KARAVUKOVO	NONE					
Bogojevo Selo	NONE					
BOGOJEVO	NONE					
206. (Novi Sad) - Open lin	ne junction Sajlovo - Rim	ıski šančevi - Orl	ovat stop			
GORNJE SAJLOVO	NONE					
RIMSKI ŠANČEVI	NONE					
KAĆ	NONE					
Budisava	NONE					
ŠAJKAŠ	NONE					
Vilovo-Gardinovci	NONE					
Lok	NONE					
TITEL	NONE					
Donji Titel	NONE					
Knićanin	NONE					
PERLEZ	NONE					
FARKAŽDIN	NONE					
ORLOVAT	NONE					
ORLOVAT STOP	between 1st and 2nd track	64+025-64+075	platform	50,00	0,34	1,60
207. Novi Sad Marshallin	g yard - Sajlovo Open lii	ne junction		1	1	
NOVI SAD MARSHALLING YARD	NONE					
208. Orlovat - Open line j	unction 1a - (Lukićevo)					
ORLOVAT	NONE					
209. Ruma - Šabac - Oper	line junction Donja Bo	rina - state borde	er - (Zvornik No	ovi)		
	between 2nd and 3rd track	64+733-64+973	platform	240,00	0,35	1,60
RUMA	between 3rd and 4th track	64+733-64+973	platform	240,00	0,35	1,60
	between 4th and 5th track	64+821-64+937	platform	116,00	0,35	1,60
BUĐANOVCI	between 1st and 2nd track	11+324-11+355	platform	31,00	0,35	1,60
Nikinci	next to the line on the left	16+657,7-16+688,7	platform	31,00	0,35	1,60
PLATIČEVO	between 1st and 2nd track	21+293-21+323	platform	30,00	0,35	1,60
Klenak	next to the line on the right	28+873,15- 28+904,15	platform	31,00	0,35	1,60
ŠABAC	between 1st and 2nd track	32+684-32+738	platform	54,00	0,40	1,00



Service point Location the beginning platform arranged surface Length (m) light (m) with (m) I 2 2 4 5 6 7 Migiur next to the line on the left 3975-4925 platform 50 0.5 1 STITAR between 1st and 2nd track 7+713,7-7435,7 platform 2,00 0.5 1 PETLOVAČA NONE			km position of	Platform/	Dimensi	ons	
Majur next to the line on the left 3+978-4+02S platform \$0,00 0.35 1 STITAR between 1st and 2nd track 7+713,7-7+735.7 platform 22,00 0.35 1,60 PETLOVACA NONE 1-713,7-7+735.7 platform 22,00 0.35 1,60 PETLOVACA NONE 1-713,7-7+735.7 platform 22,00 0.35 1,60 PRNJAVOR MACVANSKI NONE	Service point	Location			_		
STITAR between 1st and 2nd track 7+713,7-7+735.7 platform 22,00 0,35 1,60 Dubly Mačvansko NONE NONE ************************************	1	2	3	4	5	6	7
Dubije Mačvansko NONE STATION NO	Majur	next to the line on the left	3+975-4+025	platform	50,00	0,35	
PETLOVAČA NONE STALAĆ NONE STALAĆ Detween 4th and 5th track Detween 6th and 7th track Detween 6th and 7th track Detween 6th and 7th track Detween 6th and 7th track Detween 6th and 7th track Detween 6th and 7th track Detween 6th and 7th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 7th and 8th track Detween 8th and 7th track Detween 8th and 8th track Detween 8th and 8th track Detween 8th and 8th track Detween 8th and 8th track Detween 8th and 8th track Detween 8th and 8th track Detween 8th	ŠTITAR	between 1st and 2nd track	7+713,7-7+735,7	platform	22,00	0,35	1,60
Ribari	Dublje Mačvansko	NONE	I	I		II.	
PRNJAVOR MAČVANSKI NONE	PETLOVAČA	NONE					
Podrinsko Novo Selo MONE	Ribari	NONE					
LEŠNICA Detween 1st and 2nd track 34+900-35+025 platform 125,00 0,55 2,40 1,6	PRNJAVOR MAČVANSKI	NONE					
Jadarska Straža next to the line on the right 38+860-38+940 platform 80,00 0,35 1,60 Lipnica NONE	Podrinsko Novo Selo	NONE					
Injunica NONE NON	LEŠNICA	between 1st and 2nd track	34+900-35+025	platform	125,00	0,55	2,40
Loznica factory NoNE Service	Jadarska Straža	next to the line on the right	38+860-38+940	platform	80,00	0,35	1,60
NONE	Lipnica	NONE			I	1	I
KOVILJAČA between 1st and 2nd track 56+170-56+213 platform 43,00 0,35 1,60 Gornja Koviljača NONE 142,00 0,35 3,20 BRASINA between 2nd and 3rd track 65+212-65+354 platform 100,00 0,35 3,20 Donja Borina next to the line on the right 68+650-68+750 platform 100,00 0,35 1,60 210. (Platičevo) - Open line junction 1 - Open line junction 3 - (Štitur) Zill Stalać - Kraljevo - Požega Usetween 2nd and 3rd track 176+222-176+425 platform 203,00 0,28 6,40 STALAĆ between 2nd and 3rd track 176+222-176+425 platform 203,00 0,28 1,60 Mrzenica next to the line on the right 176+222-176+325 platform 108,00 0,28 5,30 Mixresiane NONE DEDINA NONE RRUŠEVAC between 2nd and 3rd track 14+451-14+626 platform 175,00 0,35 1,60	LOZNICA	NONE					
Sornja Koviljača NONE Setween 2nd and 3rd track 65+212-65+354 platform 142,00 0,35 3,20 1,60	Loznica factory	NONE					
BRASINA between 2nd and 3rd track 65+212-65+354 platform 142,00 0,35 3,20	KOVILJAČA	between 1st and 2nd track	56+170-56+213	platform	43,00	0,35	1,60
Donja Borina next to the line on the right 68+650-68+750 platform 100,00 0,35 1,60	Gornja Koviljača	NONE	I	I		II.	
210. (Platičevo) - Open line junction 1 - Open line junction 3 - (Štitar)	BRASINA	between 2nd and 3rd track	65+212-65+354	platform	142,00	0,35	3,20
211. Stalać - Kraljevo - Požega STALAĆ between 2nd and 3rd track 176+222-176+425 platform 203,00 0,28 6,40 Between 2nd and 3rd track 176+222-176+425 platform 203,00 0,28 1,60 Mrzenica next to the line on the right 176+270-176+378 platform 108,00 0,28 5,30 Makrešane NONE DEDINA NONE KRUŠEVAC NONE between 2nd and 3rd track 14+451-14+626 platform 175,00 0,35 2,84 Citluk NONE KOŠEVI NONE Globoder NONE STOPANJA NONE STOPANJA NONE Donja Počekovina NONE POČEKOVINA NONE Tstenički Odžaci NONE TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,60	Donja Borina	next to the line on the right	68+650-68+750	platform	100,00	0,35	1,60
STALAĆ Detween 2nd and 3rd track 176+222-176+425 platform 203,00 0,28 6,40	210. (Platičevo) - Open lin	ne junction 1 - Open line	junction 3 - (Štit	ar)		II.	
STALAC Etween 2nd and 3rd track 176+222-176+425 platform 203,00 0,28 6,40	_			,			
STALAĆ between 4th and 5th track 176+222-176+425 platform 203,00 0,28 1,60 Mrzenica next to the line on the right 176+270-176+378 platform 108,00 0,28 5,30 Mrzenica next to the line on the right 3+868-3+910 platform 42,00 0,35 2,00 Makrešane NONE KRUŠEVAC between 2nd and 3rd track 14+451-14+626 platform 175,00 0,35 2,84 between 3rd and 4th track 14+490,3-14+610,3 platform 120,00 0,35 1,60 Čitluk NONE NONE 120,00 0,35 1,60 KOŠEVI NONE 120,00 0,35 1,60 STOPANJA NONE 120,00 0,35 1,60 Donja Počekovina NONE 120,00 0,35 1,80 Trstenički Odžaci NONE 120,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35	2110 Statute 111 angle (o 1)	1	176+222-176+425	platform	203.00	0.28	6.40
between 6th and 7th track 176+270-176+378 platform 108,00 0,28 5,30 Mrzenica next to the line on the right 3+868-3+910 platform 42,00 0,35 2,00 Makrešane NONE	STALAĆ	between 4th and 5th track	176+222-176+425	*			
Mrzenica next to the line on the right 3+868-3+910 platform 42,00 0,35 2,00 Makrešane NONE KRUŠEVAC between 2nd and 3rd track 14+451-14+626 platform 175,00 0,35 2,84 between 3rd and 4th track 14+490,3-14+610,3 platform 120,00 0,35 1,60 Čitluk NONE KOŠEVI NONE Globoder NONE STOPANJA NONE POČEKOVINA NONE Trstenički Odžaci NONE TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE		between 6th and 7th track		*			-
Makrešane NONE DEDINA NONE KRUŠEVAC between 2nd and 3rd track 14+451-14+626 platform 175,00 0,35 2,84 between 3rd and 4th track 14+490,3-14+610,3 platform 120,00 0,35 1,60 Čitluk NONE NONE VROŠEVI NONE NONE VROŠEVI NONE NONE NONE NOS 1,60 NONE NONE NONE NONE NONE NONE NONE NONE NONE NONE NONE NONE NONE NONE NO	Mrzenica	next to the line on the right		•	-		
DEDINA NONE KRUŠEVAC between 2nd and 3rd track 14+451-14+626 platform 175,00 0,35 2,84 between 3rd and 4th track 14+490,3-14+610,3 platform 120,00 0,35 1,60 Čitluk NONE KOŠEVI NONE Globoder NONE STOPANJA NONE Donja Počekovina NONE POČEKOVINA NONE Trstenički Odžaci NONE TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE				P	1-,00	3,55	_,~ ~
KRUŠEVAC between 2nd and 3rd track 14+451-14+626 platform 175,00 0,35 2,84 between 3rd and 4th track 14+490,3-14+610,3 platform 120,00 0,35 1,60 Čitluk NONE KOŠEVI NONE STOPANJA NONE POČEKOVINA NONE Trstenički Odžaci NONE TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE							
Exercise			14+451-14+626	platform	175.00	0.35	2.84
Čitluk NONE KOŠEVI NONE Globoder NONE STOPANJA NONE Donja Počekovina NONE POČEKOVINA NONE Trstenički Odžaci NONE TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE Tominac NONE	KRUŠEVAC	between 3rd and 4th track			-	-	-
KOŠEVI NONE Globoder NONE STOPANJA NONE Donja Počekovina NONE POČEKOVINA NONE Trstenički Odžaci NONE TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE Tominac NONE	Čitluk			r	.,	- 9	,
Globoder NONE STOPANJA NONE Donja Počekovina NONE POČEKOVINA NONE Trstenički Odžaci NONE TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE Tominac NONE							
STOPANJA NONE Donja Počekovina NONE POČEKOVINA NONE Trstenički Odžaci NONE TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE Tominac NONE							
Donja Počekovina NONE POČEKOVINA NONE Trstenički Odžaci NONE TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE Tominac NONE							
POČEKOVINA NONE Trstenički Odžaci NONE TRSTENIK between 2nd and 3rd track VRNJAČKA BANJA between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE Tominac NONE							
TRSTENIK between 2nd and 3rd track 42+400-42+500 platform 100,00 0,35 1,80 VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE Tominac NONE	<u> </u>						
VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE Tominac NONE	Trstenički Odžaci	NONE					
VRNJAČKA BANJA between 2nd and 3rd track 49+136-49+241 platform 105,00 0,35 1,60 Lipova NONE Tominac NONE	TRSTENIK	between 2nd and 3rd track	42+400-42+500	platform	100,00	0,35	1,80
Lipova NONE Tominac NONE			49+136-49+241	•		-	-
Tominac NONE	Lipova	NONE	1	l	1	1	I
PODUNAVCI NONE		NONE					
	PODUNAVCI	NONE					



		km position of	Platform/	Dimensi	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)	
1	2	3	4	5	6	7	
Vraneši	NONE						
Vrba	NONE						
RATINA	NONE						
KRALJEVO	between 1st and 2nd track	84+649-84+733	platform	84,00	0,33	1,60	
KKALJEVO	between 2nd and 3rd track	84+649-84+748	platform	99,00	0,33	1,60	
Sirča	next to the line on the left	68+880,7-68+940,4	platform	59,70	0,35	1,60	
ADRANI	between 2nd and 3rd track	78+622,2-78+657,2	platform	35,00	0,35	1,60	
Mrsać	next to the line on the left	81+513-81+553	platform	40,00	0,33	0,50	
SAMAILA	NONE						
Goričani	next to the line on the left	88+610-88+658	platform	48,00	0,37	1,00	
MRŠINCI	between 2nd and 3rd track	92+241-92-279	platform	38,00	0,35	1,00	
Kukići	NONE						
ZABLAĆE	NONE						
Baluga	NONE						
	next to the 1st track on the left	105+500-105+590	platform	90,00	0,44	6,50	
ČAČAK	between 1st and 2nd track	105+494-105+628	platform	134,00	0,37	1,60	
	between 2nd and 3rd track	105+494-105+615	platform	121,00	0,38	1,60	
Trbušani	next to the line on the left	110+240-110+263	platform	23,00	0,40	1,60	
PRIJEVOR	between 2nd and 3rd track	112+820-113+070	platform	250,00	0,40	1,60	
OVČAR RANKA	next to the line on the right	120+450-120+550	platform	100,00	0,40	1,60	
OVČAR BANJA	between 1st and 2nd track	120+450-120+652	platform	202,00	0,35	1,60	
Jelen Do	next to the line on the right	127+180-127+320	platform	50,00	0,40	1,60	
Dragačevo	between 2nd and 3rd track	128+295-128+405	platform	110,00	0,40	1,60	
Gugalj	NONE	1	I	1			
Boračko	NONE						
POŽEGA	next to the 1st track	140+720-140+975	platform	2559,00	0,45	10,00	
POŽEGA	between 2nd and 3rd track	146+675-140+984	platform	309,00	0,45	6,20	

212. Connecting line of Kraljevo station: (Mataruška Banja) – junction points No 72 - junction points No 73 - (Adrani)

213. Connecting line of Požega station: (Uzići) - junction points No 53 - junction points No 54 - (Dragačevo)

214. Smederevo - Mala Krsna

SMEDEREVO	between 1st and 2nd track	0+000-0-103	platform	103,00	0,40	1,60
	between 2nd and 3rd track	0+000-0-105	platform	105,00	0,40	1,60
Godomin	next to the line on the left	3+303-3+350	platform	47,00	0,40	1,60
RADINAC	next to 1st track	6+650-6+800	platform	150,00	0,50	2,20
	between 2nd and 3rd track	6+650-6+800	platform	150,00	0,60	6,20
Vranovo	next to the line on the left	9+475-9+537	platform	62,00	0,40	1,90



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
	between 1st and 2nd track	69+030-69+175	platform	145,00	0,40	1,90
	between 2nd and 3rd track	69+030-69+175	platform	145,00	0,40	1,90
MALA KRSNA	between 3rd and 4th track	69+042-69+184	platform	142,00	0,40	1,90
	between 4th and 5th track	69+080-69+230	platform	150,00	0,40	1,90
215. Mala Krsna - Bor - (Dpen line junction 2 - (V	ražogrnac)		l	1	<u>I</u>
	between 1st and 2nd track	69+030-69+175	platform	145,00	0,40	1,90
	between 2nd and 3rd track	69+030-69+175	platform	145,00	0,40	1,90
MALA KRSNA	between 3rd and 4th track	69+042-69+184	platform	142,00	0,40	1,90
	between 4th and 5th track	69+080-69+230	platform	150,00	0,40	1,90
LJUBIČEVSKI bridge	NONE	1		1	1	I
	between 1st and 2nd track	87+703-87+826	platform	123,00	0,40	1,80
POŽAREVAC	between 2nd and 3rd track	87+712-87+816	platform	104,00	0,40	1,60
Jugovićevo	next to the line on the left	89+078-89+094	platform	16,00	0,50	1,00
Sopot Požarevački	next to the line on the right	90+082-90+107	platform	25,00	0,40	1,60
BUBUŠINAC-BRATINAC	NONE				<u>I</u>	
Bare-Kasidol	NONE					
STIG	between 1st and 2nd track	102+693-102+764	platform	71,00	0,40	1,60
Majilovac	NONE		I	I	1	I
SIRAKOVO	between 1st and 2nd track	109+026-109+079	platform	53,00	0,40	1,60
LJUBINJE	between 1st and 2nd track	116+381-116+444	platform	63,00	0,40	1,60
Češljeva Bara	next to the line on the left	122+138-122+200	platform	62,00	0,40	1,60
RABROVO-KLENJE	between 1st and 2nd track	126+007-126+067	platform	60,00	0,40	1,60
Mustapić	NONE					
Mišljenovac	NONE					
ZVIŽD	NONE					
Kučevska Turija	NONE					
KAONA	NONE					
KUČEVO	NONE					
Neresnica	NONE					
Neresnica (freight)	NONE					
Voluja	NONE					
BRODICA	between 2nd and 3rd track	164+515-164+576	platform	61,00	0,40	1,60
Bosiljkovac	NONE					
Blagojev Kamen	NONE					
MAJDANPEK	between 2nd and 3rd track	178+769-178+920	platform	151,00	0,35	1,60
Debeli Lug	next to the line on the left	181+300-181+318	platform	18,00	0,35	1,60
LESKOVO	between 2nd and 3rd track	187+660-187+722	platform	62,00	0,35	1,60
Jasikovo	next to the line on the left	191+810-191+890	arranged surface	80,00	0,09	1,60



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
Vlaole Selo	next to the line on the right	194+740-194+780	arranged surface	40,00	0,20	1,60
VLAOLE	between 2nd and 3rd track	197+163-197+224	platform	61,00	0,35	1,60
Gornjane	next to the line on the right	200+288-200+386	arranged surface	98,00	0,35	1,60
Šušulajka	NONE			1		
CEROVO	NONE					
Kriveljski most	next to the line on the right	207+905-207+995	arranged surface	90,00	0,35	1,60
Kriveljski potok	next to the line on the left	211+873-211+913	arranged surface	40,00	0,35	1,60
MALI KRIVELJ	between 1st and 2nd track	215+171-215+206	platform	35,00	0,35	1,60
Brezonik	next to the line on the left	217+490-217+540	platform	50,00	0,35	1,60
	next to 1st track	221+369-221+452	platform	83,00	0,35	8,00
BOR	between 2nd and 3rd track	221+352-221+452	platform	100,00	0,35	1,60
BOR FREIGHT	between 2nd and 3rd track	224+320-224+375	platform	55,00	0,35	1,60
BORSKA SLATINA	NONE		ı	I		
ZAGRAĐE	NONE					
RGOTINA	between 1st and 2nd track	244+658-244+738	platform	80,00	0,35	1,60
216. Crveni krst - Zajo	ečar - Prahovo port				1	
CRVENI KRST	between 2nd and 3rd track	240+842-240+994	platform	152,00	0,40	1,60
Pantelej	next to the line on the left	7+455-7+507	platform	52,00	0,35	1,60
MATEJEVAC	NONE			1		I
Gornja Vrežina	NONE					
Jasenovik	NONE					
GRAMADA	between 1st and 2nd track	30+232-30+282	platform	50,00	0,35	1,60
Hadžićevo	NONE		,	1		
SVRLJIG	between 1st and 2nd track	39+925-40+075	platform	150,00	0,35	1,60
Niševac	next to the line on the right	46+002-46+018	platform	16,00	0,35	1,60
PALILULA	between 1st and 2nd track	49+307-49+357	platform	50,00	0,35	1,60
Svrljiški Miljkovac	NONE		,	1		
PODVIS	between 1st and 2nd track	60+853-60+903	platform	50,00	0,35	1,60
Rgošte	NONE		,	1		
KNJAŽEVAC	between 1st and 2nd track	68+299-68+449	platform	150,00	0,35	1,60
Gornje Zuniče	next to the line on the right	72+080-72+142	platform	62,00	0,35	1,60
Donje Zuniče	next to the line on the right	74+988-75+076	platform	88,00	0,35	1,60
MINIĆEVO	between 1st and 2nd track	81+830-81+930	platform	100,00	0,35	1,60
MINICEVU	between 2nd and 3rd track	81+930-81+975	platform	45,00	0,35	1,60
Selačka Reka	next to the line on the right	84+450-84+500	arranged surface	50,00	0,35	1,60
Mali Izvor	next to the line on the right	88+180-88+230	platform	50,00	0,35	1,60
Vratarnica	between 1st and 2nd track	96+048-96+098	platform	50,00	0,35	1,60
GRLJAN	between 1st and 2nd track	102+955-103+105	platform	150,00	0,35	1,60



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
Timok	next to the line on the left	107+320-107+380	arranged surface	60,00	0,35	1,60
	between 1st and 2nd track	111+622-111+820	platform	198,00	0,35	1,60
ZAJEČAR	between 2nd and 3rd track	111+662-111+815	platform	153,00	0,35	1,60
	between 3rd and 4th track	111+651-111+803	platform	152,00	0,35	1,60
VRAŽOGRNAC	between 1st and 2nd track	118+760-118+910	platform	150,00	0,35	1,60
TRNAVAC	between 1st and 2nd track	124+593-124+668	platform	75,00	0,35	1,60
Čokonjar	next to the line on the left	128+500-128+550	platform	50,00	0,35	1,60
Sokolovica	next to the line on the right	131+100-131+125	platform	25,00	0,35	1,60
TABAKOVAC	between 1st and 2nd track	136+170-136+223	platform	53,00	0,35	1,60
Tabakovačka reka	next to the line on the right	138+740-138+790	platform	50,00	0,35	1,60
BRUSNIK	between 1st and 2nd track	145+616-145+696	platform	80,00	0,35	1,60
Tamnič	next to the line on the right	148+420-148+480	platform	60,00	0,35	1,60
Crnomasnica	next to the line on the right	151+323-151+364	platform	41,00	0,35	1,60
Rajac	next to the line on the right	154+430-154+505	platform	75,00	0,35	1,60
ROGLJEVO	between 1st and 2nd track	156+795-156+875	platform	80,00	0,35	1,60
Veljkovo	NONE		,	1	1	
Mokranja	NONE					
Kobišnica	NONE					
NEGOTIN	between 2nd and 3rd track	174+049-174+199	platform	150,00	0,35	1,60
PRAHOVO	between 2nd and 3rd track	181+974-182+054	platform	80,00	0,35	1,60
PRAHOVO PORT	NONE					
217. (Rgotina) - Open line	e junction 3 - Open line j	unction 1 - (Trna	ıvac)			
218. Doljevac - Kastrat -	Kosovo Polje					
DOLJEVAC	between 1st and 2nd track	261+419-261+527	platform	108,00	0,40	1,60
DOLJEVAC	between 2nd and 3rd track	261+419-261+526	platform	107,00	0,40	1,60
Šajinovac	NONE					
Toplički Badnjevac	NONE					
Jasenica	NONE					
ŽITORAĐA	NONE					
Žitorađa Centar	next to the line on the left	10+925-10+977	platform	52,00	0,40	1,60
Rečica	NONE					
Lukomir	NONE					
Podina	NONE					
Babin Potok	next to the line on the right	18+726-18+774	platform	48,00	0,40	1,60
PROKUPLJE	between 1st and 2nd track	22+257-22+370	platform	113,00	0,40	1,60
Gornja Draganja	next to the line on the left	24+990-25+027	platform	37,00	0,40	1,60
TOPLIČKA MALA PLANA	NONE					
Bresničići	NONE					



		km position of	Platform/	Dimensi	Dimensions			
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)		
1	2	3	4	5	6	7		
BELOLJIN	NONE							
Toplica Milan	NONE							
PLOČNIK	NONE							
BARLOVO	NONE							
Novoselske Livade	NONE							
Pepeljevac	NONE							
Open line junction Kastrat	NONE							
Visoka	NONE							
Ljuša	NONE							
RUDARE	NONE							
Dešiška	NONE							
KOSANIČKA RAČA	NONE							
Kosanica	NONE							
KOSANČIĆ IVAN	NONE							
Vasiljevac	NONE							
Merdare	NONE							
219. Kuršumlija - Kastra	t							
KURŠUMLIJA	NONE							
220. (Barlovo) - Open line junction 1 - Kuršumlija								
KURŠUMLIJA	NONE							
221. Kosovo Polje - Meto	221. Kosovo Polje - Metohija - Peć *							
222. Kosovo Polje Freigh	t - Open line junction 1 -	(Drenica) *						

LOCAL LINES									
301. Subotica - Subotica factory									
302. Subotica - Subotica hospital									
SUBOTICA	between 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,05	1,70			
	between 1st and 2nd track	176+414-176+487	platform	73,00	0,25	1,60			
	between 1st and 2nd track	176+487-176+838	arranged surface	351,00	0,05	1,70			
	between 2nd and 3rd track	176+322-176+838	arranged surface	516,00	0,05	1,70			
	between 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70			
303. Kanjiža - Horgoš									
KANJIŽA	between 1st and 2nd track	123+185-123+215	platform	30,00	0,24	1,60			
Martonoš	NONE								
HORGOŠ	between 1st and 2nd track	155+792-155+838	platform	46,00	0,22	1,90			
HURGUS	between 2nd and 3rd track	155+793-155+838	platform	45,00	0,22	1,90			



		km position of	Platform/	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)
1	2	3	4	5	6	7
304. Novi Sad - Novi	Sad ložionica					
	next to 11th track	77+836-77+950	platform	114,00	0,40	3,00
	between 11th and 10th track	77+822-77+950	platform	128,00	0,40	3,72
	between 10th and 1st track	77+835-77+887	platform	52,00	0,40	4,20
NOVI SAD	next to 1st track	77+835-78+250	platform	415,00	0,40	4,20-8,9
	between 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75
	between 12th and 1st track	78+104-78+250	platform	146,00	0,40	8,90
	between 14th and 13th track	78+104-78+249	platform	145,00	0,40	6,46
305. (Podbara) - Ope	n line junction 3 - Open line	junction 2 - (Kać)			
306. (Rimski šančevi)	- Open line junction 1 - Ope	en line junction 3	- (Podbara)			
307. Rimski šančevi -	Bečej					
RIMSKI ŠANČEVI	NONE					
Bački Jarak	NONE					
TEMERIN	NONE					
GOSPOÐINCI	NONE					
ŽABALJ	NONE					
ČURUG	NONE					
Bačko Gradište	NONE					
Bečej predgrađe	NONE					
BEČEJ	NONE					
308. Vrbas - Sombor						
TIPD 1 C	between 2nd and 3rd track	116+702-116+770,3	platform	68,00	0,35	1,40
VRBAS	between 3rd and 4th track	116+702-116+770,3	platform	68,00	0,35	1,40
KULA	between 2nd and 3rd track	47+626 - 47+667	platform	41,00	0,25	1,52
CRVENKA	between 1st and 2nd track	54+956 - 54+986	platform	30,00	0,15	1,56
SIVAC	NONE	,	,		1	
Novi Sivac	NONE					
KLJAJIĆEVO	between 1st and 2nd track	75+417 - 75+456	platform	39,00	0,15	1,38
Čonoplja	between 1st and 2nd track	79+692 - 79+722	platform	30,00	0,15	1,31
	between 1st and 2nd track	73+417-73+477	platform	60,00	0,31	1,61
	between 1st and 2nd track	73+584-73+612	arranged surface	28,00	0,05	1,50
COMPOR	between 1st and 2nd track	73+673-73+823	arranged surface	150,00	0,05	1,50
SOMBOR	between 2nd and 3rd track	73+417-73+477	platform	60,00	0,38	1,61
	between 2nd and 3rd track	73+584-73+612	arranged surface	28,00	0,05	1,50
		1	+			

185



310. Apatin Fabrika - Strilić - Sombor - traffic suspended



		km position of	Platform/	Dimensi	Dimensions		
Service point	Location	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)	
1	2	3	4	5	6	7	
311. Bač – Karavukovo -t	raffic suspended						
KARAVUKOVO	NONE						
312. Bačka Palanka - Gaj	dobra						
GAJDOBRA	NONE						
313. (Brasina) - Open line	junction Donja Borina	- Zvornik Grad					
ZVORNIK GRAD	NONE						
314. Šid - Sremska Rača I	Nova - state border - (Bi	jeljina)					
	between 1st and 2nd track	116+300-116+490	arranged surface	190,00	0,10	2,50	
ŠID	between 2nd and 3rd track	116+300-116+665	platform	365,00	0,45	1,60	
	between 3rd and 4th track	116+300-116+677	platform	377,00	0,45	1,60	
Adaševci	NONE						
MOROVIĆ	between 1st and 2nd track	12+360-12+390	platform	30,00	0,35	1,60	
VIŠNJIĆEVO	between 1st and 2nd track	19+633-19+655	platform	22,00	0,35	1,60	
Open line junction Rača	NONE						
SREMSKA RAČA NOVA	between 1st and 2nd track	24+169-24+205	platform	36,00	0,35	1,60	
315. Kikinda - Banatsko	Aranđelovo- traffic susp	ended	I				
316. Sečanj - Jaša Tomić	- traffic suspended						
317. Zrenjanin Plant - Vr	šac - Bela Crkva						
ZRENJANIN PLANT	NONE						
Lazarevo	NONE						
Zlatica	NONE						
Banatski Despotovac	NONE						
SUTJESKA	NONE						
SEČANJ	between 1st and 2nd track	32+780-32+810	platform	30,00	0,35	1,60	
SECANI	between 2nd and 3rd track	32+810-32-840	platform	30,00	0,35	1,60	
BOKA	between 2nd and 3rd track	38+708-38+738	platform	30,00	0,35	1,60	
KONAK	between 2nd and 3rd track	46+988-47+018	platform	30,00	0,35	1,60	
Stari Lec	next to the line on the left	NONE					
VELIKA GREDA	NONE						
BANATSKO PLANDIŠTE	NONE						
Margita	NONE						
Laudonovac	NONE	TI.	I		1	Т	
VRŠAC	between 1st and 2nd track	82+807,5-82+902,5	platform	95,00	0,40	1,60	
	between 2nd and 3rd track 82+807,5-82+902,5 platform 95,00 0,40 1,60						
Potporanj	NONE						
Straža	NONE						
JASENOVO	NONE						



1			km position of	Platform/	Dimensi	ons	
Cryena Crkva NONE	Service point	Location	and the end of		_		Width (m)
BELA CRKVA between 1st and 2nd track 119+067-119+097 platform 30,00 0,40 1,60	1	2	3	4	5	6	7
Detween 1st and 2nd track 18+105-18+345 platform 240,00 0,40 1,60	Crvena Crkva	NONE					
Detween 1st and 2nd track 18+105-18+345 platform 240,00 0,40 1,60	BELA CRKVA	between 1st and 2nd track	119+067-119+097	platform	30,00	0,40	1,60
PANČEVO VAROŠ next to 1st track 18+131-18+223 station plateau 92,00 0,40 1,60	318. Pančevo Varoš - Par	ičevo Vojlovica	1			1	
between 2nd and 3rd track 18+100-18+364 platform 264,00 0,40 1,60 Pancevo Streliste next to the line on the left 1+290-1+400 platform 110,00 0,40 1,60 PANCEVO VOJLOVICA between 3rd and 4th track 2+632-2+852 platform 220,00 0,40 1,60 next to 4th track 2+645-2+865 platform 220,00 0,40 1,60 319. (Uljma) - Open line junction A - Open line junction B - (Jasenovo) 320. Connecting line of Senta station: (Čoka) - junction points 22 - junction points 23 - (Orom) 321. (Požarevac) - Open line junction Sopot Požarevački - Kostolac- traffic suspended 322. Markovac - Resavica between 2nd and 3rd track 100+400-100+450 platform 50,00 0,40 1,60 between 3rd and 4th track 100+350-100+452 platform 102,00 0,40 1,60 between 4th and 5th track 100+350-100+448 platform 92,00 0,40 1,60 323. Ovča - Padinska Skela- traffic suspended 324. Metohija - Prizren * SHUNTING LINES SHUNTING LINES between 1st and 2nd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 403. Alibunar - Seleuš - traffic suspended 404. Vladimirovac - Kovin - traffic suspended 404. Vladimirovac - Kovin - traffic suspended 405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirčetni kompleks (km 6+413) extra class in traffic suspended 407. Bogojevo - Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilič - Bački breg - traffic suspended 408. (Sombor) - Open line junction Strilič - Bački breg - traffic suspended 408. (Sombor) - Open line junction Strilič - Bački breg - traffic suspended 408. (Sombor) - Open line junction Strilič - Bački breg - traffic suspended 408. (Sombor) - Open line junction Strilič - Bački breg - traffic suspended 408. (Sombor) - Open line junction Strilič - Bački breg - traffic suspended 408. (Sombor) - Open line junction Strilič - Bački breg - traffic suspended 408. (Sombor) - Open line junction Strilič - Sombor - Open line junction Strilič - Sombor - Op		between 1st and 2nd track	18+105-18+345	platform	240,00	0,40	1,60
Pancevo Streliste	PANČEVO VAROŠ	next to 1st track	18+131-18+223	station plateau	92,00	0,40	1,60
Detween 3rd and 4th track 2+632-2+852 platform 220,00 0,40 1,60		between 2nd and 3rd track	18+100-18+364	platform	264,00	0,40	1,60
PANCEVO VOJLOVICA next to 4th track 2+645-2+865 platform 220,00 0,40 1,60	Pančevo Strelište	next to the line on the left	1+290-1+400	platform	110,00	0,40	1,60
next to 4th track 2+645-2+865 platform 220,00 0,40 1,60	DANČEVO VOJI OVICA	between 3rd and 4th track	2+632-2+852	platform	220,00	0,40	1,60
320. Connecting line of Senta station: (Čoka) – junction points 22 - junction points 23 - (Orom) 321. (Požarevac) - Open line junction Sopot Požarevački – Kostolac- traffic suspended 322. Markovac - Resavica between 2nd and 3rd track 100+400-100+450 platform 50,00 0,40 1,60 between 3rd and 4th track 100+350-100+452 platform 102,00 0,40 1,60 between 4th and 5th track 100+350-100+448 platform 92,00 0,40 1,60 323. Ovča - Padinska Skela- traffic suspended 324. Metohija - Prizren * SHUNTING LINES 401. Bečej - Vrbas - traffic suspended 402. Vršac - Vršac Vašarište Vršac between 1st and 2nd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 between 2nd and 3rd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 403. Alibunar - Seleuš - traffic suspended 404. Vladimirovac - Kovin - traffic suspended 405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirćetni kompleks (km 6+413) kikinda - Metanolsko sirćetni kompleks (km 6+413) between 1st and 2nd track 160+030-160+166 platform 136,00 0,19 3,30-4,4 between 1st and 2nd track 160+064-160+190 arranged surface 126,00 0,00 1,50 407. Bogojevo - Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended	FANCEVO VOJLOVICA	next to 4th track	2+645-2+865	platform	220,00	0,40	1,60
321. (Požarevac) - Open line junction Sopot Požarevački – Kostolac- traffic suspended 322. Markovac - Resavica Detween 2nd and 3rd track 100+400-100+450 platform 50,00 0,40 1,60 Detween 3rd and 4th track 100+350-100+452 platform 102,00 0,40 1,60 Detween 4th and 5th track 100+350-100+448 platform 92,00 0,40 1,60 323. Ovča - Padinska Skela- traffic suspended 324. Metohija - Prizren * SHUNTING LINES Detween 1st and 2nd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 Detween 2nd and 3rd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 Detween 2nd and 3rd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 A03. Alibunar - Seleuš - traffic suspended 404. Vladimirovac - Kovin - traffic suspended 405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirčetni kompleks (km 6+413) RIKINDA next to 1st track 160+030-160+166 platform 136,00 0,19 3,30-4,4 Detween 1st and 2nd track 160+064-160+190 arranged surface 126,00 0,00 1,50 407. Bogojevo - Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended	319. (Uljma) - Open line	junction A - Open line ju	nction B - (Jasen	ovo)			
Detween 2nd and 3rd track 100+400-100+450 platform 102,00 0,40 1,60	320. Connecting line of S	enta station: (Čoka) – ju	nction points 22 -	junction point	s 23 - (Or	om)	
between 2nd and 3rd track 100+400-100+450 platform 50,00 0,40 1,60 between 3rd and 4th track 100+350-100+452 platform 102,00 0,40 1,60 1,60 between 4th and 5th track 100+350-100+448 platform 92,00 0,40 1,60 1,60 323. Ovča - Padinska Skela- traffic suspended 324. Metohija - Prizren * SHUNTING LINES 401. Bečej - Vrbas - traffic suspended 402. Vršac - Vršac Vašarište between 1st and 2nd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 1,60 403. Alibunar - Seleuš - traffic suspended 404. Vladimirovac - Kovin - traffic suspended 405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirćetni kompleks (km 6+413) next to 1st track 160+030-160+166 platform 136,00 0,19 3,30-4,4 607. Bogojevo - Dunav obala - traffic suspended 407. Bogojevo - Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended 409. Kikinda - Metanolsko strilić - Bački breg - traffic suspended 409. Kikinda - Metanolsko sirćetni kompleks (km 6+413) 100+064-160+190	321. (Požarevac) - Open l	ine junction Sopot Požai	revački – Kostola	c- traffic suspe	nded		
between 3rd and 4th track 100+350-100+452 platform 102,00 0,40 1,60 between 4th and 5th track 100+350-100+448 platform 92,00 0,40 1,60 323. Ovča - Padinska Skela- traffic suspended 324. Metohija - Prizren * SHUNTING LINES 401. Bečej - Vrbas - traffic suspended 402. Vršac - Vršac Vašarište VRŠAC between 1st and 2nd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 403. Alibunar - Seleuš - traffic suspended 404. Vladimirovac - Kovin - traffic suspended 405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirćetni kompleks (km 6+413) KIKINDA next to 1st track 160+030-160+166 platform 136,00 0,19 3,30-4,4 between 1st and 2nd track 160+064-160+190 arranged surface 126,00 0,00 1,50 407. Bogojevo - Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended	322. Markovac - Resavica	1					
between 4th and 5th track 100+350-100+448 platform 92,00 0,40 1,60 323. Ovča - Padinska Skela- traffic suspended 324. Metohija - Prizren *		between 2nd and 3rd track	100+400-100+450	platform	50,00	0,40	1,60
323. Ovča - Padinska Skela- traffic suspended 324. Metohija - Prizren * SHUNTING LINES 401. Bečej - Vrbas - traffic suspended 402. Vršac - Vršac Vašarište VRŠAC between 1st and 2nd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 between 2nd and 3rd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 403. Alibunar - Seleuš - traffic suspended 404. Vladimirovac - Kovin - traffic suspended 405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirćetni kompleks (km 6+413) KIKINDA next to 1st track 160+030-160+166 platform 136,00 0,19 3,30-4,4 between 1st and 2nd track 160+064-160+190 arranged surface 126,00 0,00 1,50 407. Bogojevo - Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended	MARKOVAC	between 3rd and 4th track	100+350-100+452	platform	102,00	0,40	1,60
SHUNTING LINES		between 4th and 5th track	100+350-100+448	platform	92,00	0,40	1,60
SHUNTING LINES	323. Ovča - Padinska Ske	la- traffic suspended					'
401. Bečej – Vrbas - traffic suspended 402. Vršac - Vršac Vašarište VRŠAC between 1st and 2nd track between 2nd and 3rd track between 2nd and 3rd track between 2nd and 3rd track between 2nd and 3rd track between 2nd and 3rd track between 2nd and 3rd track between 2nd 2nd track between 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2n	324. Metohija - Prizren *						
VRŠAC between 1st and 2nd track 82+807,5-82+902,5 platform 95,00 0,40 1,60	SHUNTING LINES						
VRŠAC between 1st and 2nd track 82+807,5-82+902,5 platform 95,00 0,40 1,60	401. Bečei – Vrbas - traff	ic suspended					
between 1st and 2nd track 82+807,5-82+902,5 platform 95,00 0,40 1,60							
between 2nd and 3rd track 82+807,5-82+902,5 platform 95,00 0,40 1,60 403. Alibunar – Seleuš - traffic suspended 404. Vladimirovac – Kovin - traffic suspended 405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirćetni kompleks (km 6+413) KIKINDA	1021 (1500) 1500 (4501		82+807 5-82+902 5	platform	95 00	0.40	1 60
403. Alibunar – Seleuš - traffic suspended 404. Vladimirovac – Kovin - traffic suspended 405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirćetni kompleks (km 6+413) KIKINDA next to 1st track 160+030-160+166 platform 136,00 0,19 3,30-4,4 between 1st and 2nd track 160+064-160+190 arranged surface 126,00 0,00 1,50 407. Bogojevo – Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended	VRŠAC			•	-	-	-
404. Vladimirovac – Kovin - traffic suspended 405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirćetni kompleks (km 6+413) KIKINDA next to 1st track between 1st and 2nd track 160+030-160+166 136,00 136,00 0,19 3,30-4,4 160+064-160+190 136,00 0,00 1,50 407. Bogojevo – Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended	403 Alihunar – Seleuš - t			P	,,,,,	.,	-,**
405. Čoka - Novi Kneževac- traffic suspended 406. Kikinda - Metanolsko sirćetni kompleks (km 6+413) KIKINDA next to 1st track 160+030-160+166 platform 136,00 0,19 3,30-4,4 between 1st and 2nd track 160+064-160+190 arranged surface 126,00 0,00 1,50 407. Bogojevo – Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended		•					
406. Kikinda - Metanolsko sirćetni kompleks (km 6+413) KIKINDA next to 1st track 160+030-160+166 platform 136,00 0,19 3,30-4,4 between 1st and 2nd track 160+064-160+190 arranged surface 126,00 0,00 1,50 407. Bogojevo – Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended		•					
next to 1st track		•	C+412\				
between 1st and 2nd track 160+064-160+190 arranged surface 126,00 0,00 1,50 407. Bogojevo – Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended	406. Kikinda - Metanolsk	• `	<u> </u>	1.46	126.00	0.10	22011
407. Bogojevo – Dunav obala - traffic suspended 408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended	KIKINDA				-	-	
408. (Sombor) - Open line junction Strilić - Bački breg - traffic suspended	405 D		160+064-160+190	arranged surface	126,00	0,00	1,50
· · · · · · · · · · · · · · · · · · ·		-					
409. Sombor – Riđica - traffic suspended			breg - traffic sus	pended			
	409. Sombor – Riđica - tr	affic suspended					



412. Surčin - Jakovo Bečmen

411. Paraćin - Stari Popovac - traffic suspended

Service point Location		km position of	Platform/	Dimensions		
	the beginning and the end of platform	arranged surface	Length (m)	Height (m)	Width (m)	
1	2	3	4	5	6	7
SURČIN	NONE					
442 (2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.					·	

413. (Belgrade spoljna) - km 2+290 junction points – Sugar factory- traffic suspended



^{*} not intended for handling of passengers

^{**} The lines on the territory of Kosovo and Metohija are temporarily under the supervision of UNMIK, according to the Temporary Agreement between ŽTP Belgrade and UNMIK railways, dated May 31, 2002 (records No 300/2002 - 153 dated May 31, 2002).

Appendix 9 Method for calculation of electricity consumption for train traction

Compensation for calculation of electricity consumption for train traction is determined as follows:

$C_{SV}/brtkm = \frac{MES.RA\check{C} - TRO_{\$}.INF}{BRTKMter + K * BRTKMput}$

where:

Csv/brtkm – monthly rate of electric energy spent for train traction, expressed in RSD per grosstonne km.

MES.RAČ – monthly bill amount for high voltage electric energy issued by electric energy supplier.

TROŠ.INF – monthly expenses for electric energy for train traction need used by "Infrastruktura železnice Srbije"

BRTKMter – total (all railway undertakings) monthly freight transport expressed in gross-tonne km

K – coefficient by means of which is taken into consideration that passenger trains consume more electric energy per gross-tonne km than freight trains.

BRTKMput – total (all railway undertakings) monthly passenger transport expressed in gross-tonne km.

The compensation amount per individual RU is calculated by multiplication of monthly rate of electrical energy for train traction with gross-tonne kilometers realized by the respective RU (BRTKMter for freight service, and K* BRTKMput for passenger service):

Ntern = Csv/btkm * BRTKMtern for freight service, i.e Nputn = Csv/btkm * K * BRTKMputn for passenger service,

where:

Ntern – compensation paid by x RU in freight service for the consumption of electrical traction, expressed in RSD.

BRTKMtern – gross-tonne kilometres realized by x RU in freight service in the given month.

Nputn - compensation paid by x RU in passenger service for the consumption of electrical traction, expressed in RSD.

BRTKMputn - gross-tonne kilometres realized by x RU in passenger service in the given month.

The compensation is paid to Infrastructure Manager on a monthly basis, based on the issued bill.

K coefficient values are as follows:

month	I	П	III	IV	V	VI	VII	VIII	IX	X	XI	XII
K	2	1,8	1,7	1,5	1,35	1,4	1,4	1,4	1,35	1,5	1,7	1,9



Appendix 10 Railway node boundaries

NODE	Border station (service point) of the node	Chainage of the station (service point)	Entry signal from the direction	Railway line	Chainage of mandatory signal	Distance [m]
BELGRADE	Batajnica	20+700	Nova Pazova	Belgrade - Stara Pazova- Šid - state border- (Tovarnik)	21+410	710
	Ovča	12+555 / 12+653	Pančevo glavna	Belgrade Center – Pančevo Gl Vršac - state border- (Stamora Moravita)	13+550 / 13+647	995
	Jajince	10+988	Beli Potok (Mala Krsna)	(18)		1057
	Resnik	14+059	Pinosava (Mladenovac)	Belgrade - Mladenovac - Niš - Preševo- state border- (Tabanovce)	14+848	789
	Resnik	0+000	Bela Reka (Valjevo)	Main: (Belgrade) - Resnik - Požega - Vrbnica - state border- (Bijepo Polje)	0+825	825
SUBOTICA	Naumovićevo	167+180	Žednik (Vrbas)	(Belgrade) - Stara Pazova- Novi Sad - Subotica - state border- (Kelebia)	166+376	804
	Palić	7+657	Bački vinogradi (Horgoš)	Subotica - Horgoš - state border- (Roszke)	8+549	892
	Subotica	76+685	Orom (Senta)	Banatsko Miloševo - Senta - Subotica	75+016	1669
	Subotica freight	75+861	Orom (Senta)	Banatsko Miloševo - Senta - Subotica	75+016	845
	Šebešić	123+761	Tavankut (Sombor)	Subotica - Bogojevo - state border- (Erdut)	122+915	846
NOVI SAD	Sajlovo junction and junction point	3+595	Futog (Bogojevo)	Novi Sad - Odžaci - Bogojevo	3+890	295
	Sajlovo junction and junction point	81+635	Kisač (Vrbas)	(Belgrade) - Stara Pazova- Novi Sad - Subotica - state border- (Kelebia)	82+007	372
	Sajlovo junction and junction point	nction and 3+595		(Novi Sad) - Sajlovo junction - Rimski Šančevi – Orlovat Stop	3+959	364
	Petrovaradin	71+897	Sremski Karlovci (Inđija)	(Belgrade) - Stara Pazova- Novi Sad - Subotica - state border- (Kelebia)	71+109	788
LAPOVO	Lapovo varoš	106+302	Markovac (Velika Plana)	Belgrade - Mladenovac - Niš - Preševo- state border- (Tabanovce)	105+710	592
	Lapovo	109+597	Bagrdan (Stalać)	Belgrade - Mladenovac - Niš - Preševo- state border- (Tabanovce)	110+540	943
	Batočina	3+405	Badnjevac (Kragujevac)	Lapovo - Kraljevo - Lešak – Kosovo Polje – Đeneral Janković - state border- (Volkovo)	4+419	1014
NIŠ	Trupale	234+939	Grejač (Stalać)	Belgrade - Mladenovac - Niš - Preševo- state border- (Tabanovce)	233+934	1005
	Crveni Krst	0+000	Matejevac (Zaječar)	Crveni krst - Zaječar – Prahovo port	(0+957=3+455) 3+736	1238
	Međurovo	249+462	Doljevac	Belgrade - Mladenovac - Niš - Preševo- state border- (Tabanovce)	250+323	861
	Ćele Kula	5+461	Niška Banja (Pirot)	Niš - Dimitrovgrad - state border- (Dragoman)	6+320	859
0/	Pančevo glavna	16+069	Ovča (Beograd)	Belgrade Center – Pančevo Gl Vršac - state border- (Stamora Moravita)	14+878	1191
PANČEVO	Pančevo varoš	18+206	Banatsko Novo Selo (Vršac)	Belgrade Center – Pančevo Gl Vršac - state border- (Stamora Moravita)	19+242	1036
PA	Open line junction 2a	17+659	Jabuka (Zrenjanin)	Pančevo Gl Zrenjanin - Kikinda - state border- (Jimbolia)	18+160	501

