INFRASTRUCTURE OF SERBIAN RAILWAYS JSC

NETWORK STATEMENT 2026

Adopted by the Shareholders' Meeting of "Infrastructure of Serbian Railways" JSC No: 5/2024-584-227 dated December 12th, 2024

> Effective as of December 14th, 2025 Applicable to 2025/2026 Timetable

No	Subject	Determined by Decision No.	Valid as of	
1.	1.1; 2.4.8; 4.6; 7.3.4; Appendices 1, 3.11 and 6	Infrastructure of Serbian Railways JSC Shareholders' Meeting Decision No 5/2025- 233 dated March 17, 2025	March 17, 2025	
2.	1.3.1; 4.8.1; 5.1; 5.2; 5.3; 5.4; 5.5; 5.8; 6.3.2	Infrastructure of Serbian Railways JSC Shareholders' Meeting Decision No 5/2025- 235 dated April 29, 2025	April 29, 2025	



TABLE OF CONTENTS

TERMS AND ABBREVIATIONS	6
1. GENERAL INFORMATION	9
1.1 Introduction	9
1.2 Purpose of the Network Statement	
1.3 Legal Aspects	12
1.3.1 Legal Framework	13
1.3.2 Legal Status and Liability	14
1.3.3 Appeals Procedure	14
1.4 Structure of the Network Statement	15
1.5 Validity Period, Updating and Publishing	15
1.5.1 Validity Period of the Network Statement	
1.5.2 Updating Process	
1.5.3 Publishing, Distribution and Availability of the Network Statement	
1.6 Contacts	
1.7 Cooperation Between European IMs/ABs	16
1.7.1 Rail Freight Corridors	
1.7.2 RailNetEurope	
2. INFRASTRUCTURE	
2.1 Introduction	
2.2 Extent of Network	
2.2.1 Limits	
2.2.2 Connecting Railway Networks	
2.3 Network Description.	
2.3.1 Geographic data and types of railway lines	
2.3.2 Track Gauges	
2.3.3 Stations	
2.3.4 Loading Gauge	
2.3.5 Weight Limits	
2.3.6 Line Gradients	
2.3.7 Maximum Line Speeds	
2.3.8 Maximum Train Lengths	
2.3.9 Power Supply	
2.3.10 Signalling Systems	
2.3.10 Signaming Systems	
2.3.12 Communication Systems	
2.3.12 Communication Systems	
·	
2.4 Traffic Restrictions	
2.4.1 Specialised Infrastructure	
2.4.2 Environmental Restrictions	
2.4.3 Dangerous Goods	
2.4.4 Tunnel Restrictions	
2.4.5 Bridge Restrictions	
2.5 Availability of the Infrastructure	
2.6 Infrastructure Development	
3. ACCESS CONDITIONS	
3.1 Introduction	
3.2 General Access Requirements	
3.2.1 Conditions for Applying for Capacity	
3.2.2 Conditions for Access to the Railway Infrastructure	
3.2.3 Licenses	
3.2.4 Safety Certificate	
3.2.5 Coverage for Civil Liability (Insurance)	
3.3 Contractual Arrangements	
3.3.1 Framework Agreement	
3.3.2 Contracts with RUs	36



3.4 Specific Access Requirements	
3.4.1 Rolling Stock Acceptance	37
3.4.2 Staff Acceptance	37
3.4.3 Exceptional Transport	37
3.4.4 Transport of Dangerous Goods	
4. CAPACITY ALLOCATION	
4.1 Introduction	
4.2. Description of infrastructure capacity allocation procedure	
4.3 Allocation of capacity for maintenance, including the allocation process	40
4.4. Impact of Framework Agreements	
4.5 Schedule for Path Requests and Allocation Process	
4.5.1 Schedule of requests submission for new annual timetabling process	
4.5.3 Allocation of capacities during annual Timetable validity period on ad hoc request	
4.5.4 Path Allocation and Coordination Process	
4.5.5 Dispute Resolution Process	
4.6 Congested Infrastructure	43
4.7 Exceptional Transports and Dangerous Goods	44
4.8 Rules After Path Allocation	46
4.8.1 Non-usage of allocated train path	46
4.8.2. Rules of Cancellation	
4.9. TTR for Smart Capacity Management	
4.9.1. Objectives of TTR	
5. SERVICES AND CHARGES	
5.1 Introduction	
5.3 Minimum Access Package and Charges	
5.4 Additional Services and Charges	
5.5 Ancillary Services and Charges	
5.6 Discounts	
5.7 Performance Scheme	
5.8 Changes to Infrastructure Access Charges	
5.9 Billing Arrangements	60
5.10 Tariff system	61
6. OPERATIONS	62
6.1 Introduction	62
6.2 Operational Rules	62
6.3 Operational Measures	
6.3.1. Principles	
6.3.2. Operation regulation	
6.3.3. Foreseen and Unforeseen problems	
7. SERVICE FACILITIES	
7.1. Introduction	
7.2. Service Facility Overview	
7.3. Service Facilities Managed by IŽS	
7.3.1. Common Provisions	
7.3.2 Use of station buildings in the function of passenger traffic	
7.3.3 Freight Terminals	
7.3.4 Marshalling Yards and Train Formation Facilities, including Shunting Facilities	
7.3.5 Storage Sidings	
7.3.6 Maintenance facilities	
7.3.7 Other Technical Facilities, including Cleaning and Washing Facilities	
7.3.8 Maritime and Inland Port Facilities	
7.3.9 Relief Facilities	76
7.3.10 Refuelling Facilities	
APPENDICES	
Appendix 1: Organizational chart of "Infrastructure of Serbian Railways" JSC	
Appendix 2: Internal regulations (documents) and technological procedures	



Appendix 3.1. Loading Gauge ŽS I	82
Appendix 3.2. Loading Gauge UIC-GA	83
Appendix 3.3. Loading Gauge UIC-GB	84
Appendix 3.3a Loading Gauge UIC-GC	85
Appendix 3.4. Electrified lines	86
Appendix 3.5 Power supply facilities	87
Appendix 3.6 Overview of signaling & safety devices equipping level	90
Appendix 3.6a Request for issuance of encryption keys for communication in the ETCS system	94
Appendix 3.7 Overview of telecommunication devices equipping level	95
Appendix 3.8. List of service points where it is possible to perform the transshipment of dangerous good	s103
Appendix 3.9. Alternative transport routes	. 108
Appendix 3.10. Facilities for rolling stock maintenance	
Appendix 3.10a. Information on the service facility managed by Nelt Co	
Appendix 3.11. Railway infrastructure development projects	. 128
Appendix 4.1. Request for train path allocation (form)	. 129
Appendix 4.1a. Request for train path allocation (e-papir)	
Appendix 4.1b Template for submission of traction vehicle technical data	. 133
Appendix 4.2. Instruction for completion of the Request for train path allocation	
Appendix 4.3. Deadlines for annual 2025/2026 timetable preparation	
Appendix 4.4. Deadlines for amendments to annual 2025/2026 Timetable	. 137
Appendix 5.1. Overview of railway lines on which train running is possible when they are manned only	with
engine driver	
Appendix 5.2. Overview of the lines fulfilling the conditions for train running with an engine driver only	
Appendix 5.3. Geometry of pantograph (current collector) TIP POS - 254/III used on IŽS network	
Appendix 6. Register of infrastructure data	
Appendix 7. Overview of primary train delay causes	
Appendix 8. Overview of platforms and arranged surfaces in service points	
Appendix 9. Method for calculation of electricity consumption for train traction	. 183



TERMS AND ABBREVIATIONS

Terms:

Public railway infrastructure	means the entire railway infrastructure constituting a network operated by the infrastructure manager, but not including the railway lines and secondary tracks (industrial railway lines and industrial tracks) connected to the network;
Infrastructure Manager	is a public enterprise or a company responsible for construction, exploitation, maintenance, and rehabilitation of railway infrastructure on the network, as well as for participation in its development within the general policy of infrastructure development and financing;
Railway Undertaking	is a company or other legal entity, registered for the prevailing activity of provision of freight and/or passenger railway transport services, to whom the license was issued, with an obligation to provide train traction or that provides train traction only. In terms of access to railway infrastructure, service facilities and services in connection to performing of railway transport, a railway undertaking is also a company or other legal entity that performs railway transport for its own purposes and to whom the license for transport for its own purposes was issued;
Freight Terminal	is a facility along the railway lines with freight transport, specifically arranged in order to enable loading of goods onto the freight trains and/or unloading of goods from such trains, as well as integration of services of railway freight transport with the services of road, maritime, inland waterway and air transport, i.e. forming or changing the composition of freight trains, and, if necessary, it is used to implement the border procedures at the borders with other countries;
Transport License	is a document by which a relevant licensing authority confirms the capacity of a company or other legal entity, registered for provision of the activity of public transport of goods and/or passengers, to provide railway transport services as a railway undertaking, which can be limited to the provision of certain types of services or the provision of railway transport for own purposes;
Applicant	means a railway undertaking or an international grouping of railway undertakings, or other persons or legal entities, such as competent authorities, consignors, forwarding agents or combined transport operators, having the commercial interest for provision of public service or commercial interest for allocation of railway infrastructure capacity;
Ad hoc request	is a request for individual train paths submitted during the validity of the established timetable;
Network	is a network of railway lines, including the connecting lines and secondary tracks, with elements of railway infrastructure, operated by the Infrastructure Manager; intended for railway transport of goods and/or passengers, as well as for transport for own purposes, which can be performed by railway undertakings according to the principle of transparent and non-discriminatory access to the network;
Path	is the capacity of railway infrastructure necessary for train movement between two service points, within the envisaged period of time and under the precisely determined technical and technological conditions on the public railway infrastructure;



Timetable	is a formal document of the public railway infrastructure manager setting out the schedule of operation for passenger and freight trains as well as for trains operated for own purposes on the public railway infrastructure of the infrastructure manager;
Infrastructure capacity	is a possible number of train paths for timetabling on the particular part of public railway infrastructure over a given period of time;
Congested infrastructure	is a section of railway infrastructure for which infrastructure capacity demand cannot be completely satisfied during certain time periods, even after different infrastructure capacity requests have been coordinated;
Path allocation	is the allocation of public railway infrastructure capacities by the infrastructure manager;
Access right	is the right of a railway undertaking to use the railway infrastructure;
Coordination	is a process whereby the infrastructure manager and applicants make an adjustment of individual requests for path allocation;
Safety Certificate	means evidence that a railway undertaking has established the safety management system and that it meets the requirements set out in the technical specifications of interoperability, national safety regulations and other relevant regulations in order to control the risks and perform safe railway traffic operations on the network;
Competent institution, Relevant authority (body)	is an authority entitled to adopt various decisions relating to particular fields;
Relevant Railway Authority	is an authority authorised to act regarding the administrative issues in the railway sector of the Republic of Serbia (Directorate for Railways or the Ministry of Construction, Transport and Infrastructure, as the case may be).
Service Facility Operator	is an entity responsible for operating one or more service facilities or for providing one or more services to railway undertakings (basic, additional and/or accompanying), including operating of railway infrastructure which forms a part of a service facility.
Information about service facility	is a document containing detailed information necessary for access to a service facility and services (basic, additional and accompanying) with reference to performing of railway transport provided by the operator in that service facility.



The abbreviations used in the Network Statement have the following meanings:

ATC	Automatic Train Control
AGC	European Agreement on Main International Railway Lines
AGTC	European Agreement on Important International Combined Transport Lines and Related
	Installations
EU	European Union
FTE	Forum Train Europe
IM	Infrastructure Manager
MCTI	Ministry of Construction, Transport and Infrastructure of the Republic of Serbia
MF	Ministry of Finance of the Republic of Serbia
NS	Network Statement
DG	Dangerous goods
OSS	One-Stop-Shop
RID (2017)	Regulations concerning the international carriage of dangerous goods by rail
RNE	RailNetEurope (European Infrastructure Managers Association)
UIC	International Union of Railways
DR	Directorate for Railways – Regulatory Body in the Republic of Serbia
IŽS	"Infrastructure of Serbian Railways" JSC
EMU	Electric multiple-unit set
DMU	Diesel multiple-unit set
TOR	Top of rail
RS	Republic of Serbia
LTDG	Law on Transport of Dangerous Goods ("Official Gazette of the RS" no. 106/2016,
	83/2018, 95/2018 (other law), 10/2019 (other law))
GSM-R	Global System for Mobile Communications – Railway
ERTMS	European Rail Traffic Management System
ETCS	European Train Control System



1. GENERAL INFORMATION

1.1 Introduction

"Infrastructure of Serbian Railways" JSC (hereinafter IŽS) is a joint stock company for the management of public railway infrastructure (hereinafter: railway infrastructure), founded by the Republic of Serbia.

Railway infrastructure represents goods in general use, owned by the Republic of Serbia, that can be used by railway undertakings, on equal terms, in accordance with the Law on Railways.

Management of railway infrastructure is an activity of general interest.

Railway infrastructure includes permanent way and substructure, tunnels, bridges and other track structures, station tracks, level crossings including devices for securing of level crossings; safety, signaling and telecommunication installations on open lines, in stations and marshalling yards, including the plants for generating, transforming and distribution of electric energy for signaling and telecommunications; buildings for such installations or plants; track brakes; plants for transformation and transmission of electric energy for train traction: 110 kV two-phase transmission lines, sub-stations except for 110 kV distribution switchgear in such substation, supply cables between substations and contact wire, catenary and girders, third rail with beams, lighting installation for traffic and safety needs, service points' buildings and other facilities on trackside land used for regulation of railway traffic including the part of the equipment for calculation and charging of transport charges and buildings for railway infrastructure maintenance, accesses for passengers and goods, including road access and access to passengers for arrival and departure of pedestrians, track-side land and the airspace above the track, 12 m high, i.e. 14m high at over 220kV overhead power lines, measured from the top of rail.

The Network Statement is a document that contains all the information in accordance with the Law on Railways of the Republic of Serbia ("Official Gazette of the RS" No. 41/18 and 62/23).

The document is compliant to all the norms set forth under the guidelines provided by the association RailNetEurope (hereinafter RNE) and shall be used as informative material for the interested railway undertakings. Moreover, the Network Statement has been harmonized with relevant EU Directives.

Network Statement provides general information on railway network, terms and conditions for access to railway infrastructure, principles and criteria for allocation of capacities, principles for charge calculation and their amounts, procedures for dispute resolution and other important details for usage of services provided to railway undertakings.

Infrastructure Manager Basic Information

Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade (hereinafter: Company) was founded with the Decision on founding of Joint Stock Company for Public Railway Infrastructure Management ("Official Gazette of the RS", no.60/15 and 73/15) and registered in the registry of Serbian Business Registers Agency, under the number BD 69692/2015 from August 10, 2015.

The founder of the Company is the Republic of Serbia, as the sole stakeholder of the Company, of behalf of which the founder's right is enforced by the Government of the Republic of Serbia, Belgrade, Nemanjina 11, company number 07020171. The Company is under the jurisdiction of the Ministry of Construction, Transport and Infrastructure.

Business company name: Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade

Abbreviated Company Name: "Infrastructure of Serbian Railways" JSC

Company Headquarters is in Belgrade, and the address of company's headquarters is 6 Nemanjina, Belgrade.



The main activity of company is "Service activities in land transport", activity code is 5221.

Company Reg. No is 21127094, TIN 109108420.

Company Business Accounts are 205-222959-26 and 160-438771-53.

The main activity of the Company includes: Service activities in land transport. The activity includes the management of public railway infrastructure in the segment of maintenance of public railway infrastructure, organization and control of railway traffic, provision of access and use of public railway infrastructure to all interested railway undertakings and protection of public railway infrastructure. The company performs the activity of general interest in accordance with the law. The company may also perform other activities in accordance with the law. The company performs the activities and services in domestic and international trade in accordance with the law.

Responsible persons: Acting General Manager Vladimir Maksimović Tel.: +381 11 3618 330 kabinet.infrastruktura@srbrail.rs

Infrastructure Manager Organisational Chart

The organizational structure of Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade is based on the Rulebook on organization and systematization of operations of Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade.

Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade, (hereinafter: the Company), in order to perform the activities of management of public railway infrastructure, is organized according to the groups of operations, as follows:

- organization and control of railway traffic,
- maintenance of railway infrastructure,
- economic affairs,
- investments,
- human resources and common affairs, and
- operations that are organizationally related to the General Manager's Office.

The Company operations are performed within its departments, divisions, sections, units, technical-technological divisions, stations and operational sections and other lower organizational forms.

The management of public railway infrastructure includes the maintenance of public railway infrastructure, the organization and control of railway traffic, the provision of access and use of public railway infrastructure to all interested railway undertakings, the protection of public railway infrastructure, as well as the performing of investor function in construction and reconstruction of public railway infrastructure.

The following operations are also performed within the Company: traffic engineering, civil engineering and electrical engineering operations, development, investment and project management operations, as well as common affairs: financial, planning and analysis operations, restructuring and cooperation with international financial institutions, accounting, public procurement and warehousing operations, human resources management, occupational health and safety, operations related to property and inventory-taking, information technologies implementation and development operations, internal safety, international affairs and ethic's operations. Furthermore, in order to implement the operative, professional and administrative functions within the Company, the operations which are organizationally related to the General Manager's Office are also performed.

The operations referred to in the previous paragraph are performed within:

1. Traffic Department,



- 2. Railway Infrastructure Access Department,
- 3. Centre for Relief Train Operations,
- 4. Centre for Infrastructure Technical Monitoring,
- 5. Civil Engineering Department,
- 6. Electrical Engineering Department,
- 7. Centre for Railway Infrastructure Testing and Diagnostics,
- 8. Centre for Infrastructure Rail Vehicles Maintenance System Management,
- 9. Warehousing Department,
- 10. Finance Department,
- 11. Accounting Department,
- 12. Centre for Planning, Analysis and Restructuring,
- 13. Inventory Department,
- 14. Development Department,
- 15. Investment Department,
- 16. Department for EU-Funded Projects Management (PIU),
- 17. Human Resources and General Affairs Department,
- 18. IT Department,
- 19. Centre for Security,
- 20. Real Estate Department,
- 21. Centre for International Affairs,
- 22. Department for Maintenance of Railway Station Buildings and Other Service Facilities,
- 23. Procurement Department,
- 24. Company's Management Secretariat,
- 25. Legal Department,
- 26. Centre for Safety Management System,
- 27. Media Centre,
- 28. Ethic's Office,
- 29. Centre for Internal Audit,
- 30. Centre for Internal Control.

The Organizational Chart of "Infrastructure of Serbian Railways" JSC is provided in Appendix 1.

Contact details

"Infrastructure of Serbian Railways" JSC contact details are the following:

Acting General Manager Vladimir Maksimović Tel.: +381 11 3618 330 kabinet.infrastruktura@srbrail.rs

Traffic Department Nemanjina 6 11000 Belgrade, Serbia Serbia Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.sp@srbrail.rs

Railway Infrastructure Access Department Nemanjina 6 11000 Belgrade, Serbia Serbia Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs



Civil Engineering Department Nemanjina 6 11000 Belgrade, Serbia Tel: +381 11 3618 248 Fax: +381 11 3616 874 infr.sektorzagp@srbrail.rs

Electrical Engineering Department Nemanjina 6 11000 Belgrade, Serbia Tel: +381 11 3618 241 Fax: +381 11 3618 130 etp@infrazs.rs

Centre for Relief Train Operations Nemanjina 6 11000 Belgrade, Serbia Tel.: +381 11 3620 899 Fax: +381 11 3620 899 radomir.brkic@infrazs.rs

Warehousing Department Nemanjina 6 11 000 Belgrade, Serbia stovarista.infra@srbrail.rs

Finance Department Nemanjina 6 11 000 Belgrade, Serbia Tel.: +381 11 3618 465 Fax: +381 11 3618 465 finansijeizs@srbrail.rs

1.2 Purpose of the Network Statement

The purpose of this Network Statement is provision of single source basic information to the users of services provided to railway undertakings on the railway infrastructure operated by IŽS.

The Network Statement is a document which sets out the detailed general rules, deadlines, procedures and criteria related to the manner of calculation of charges and allocation of infrastructure capacities, including other relevant information necessary for submitting the request for infrastructure capacity allocation.

The Network Statement will be published on the web site of "Infrastructure of Serbian Railways" JSC, <u>www.infrazs.rs</u>, and the decision on its adoption will be published in the "Official Gazette of ŽS".

1.3 Legal Aspects

The functioning of infrastructure and traffic on the network operated by "Infrastructure of Serbian Railways" JSC is regulated by:

- legislation of the Republic of Serbia,
- formal documents of the Infrastructure Manager "Infrastructure of Serbian Railways" JSC,
- formal documents and technological procedures of the railway undertakings falling within the scope indicated in the above legislation.



1.3.1 Legal Framework

Regulations of the Republic of Serbia

Regulations of the Republic of Serbia of particular importance to this Network Statement include the following documents:

- Law on Railways ("Official Gazette of the RS", No. 41/18 and 62/23);
- Law on Interoperability of Railway System ("Official Gazette of the RS", No. 62/23);
- Law on Safety in Railway Traffic ("Official Gazette of the RS", No. 41/18")
- Regulation on Categorization of Railway Lines that belong to Public Railway Infrastructure ("Official Gazette of the RS", No. 92/20, 6/21, 33/22 and 63/23);
- Rules on Railway Infrastructure Elements ("Official Gazette of the RS", No.30/19);
- Rules on the Timetable ("Official Gazette of the RS", No. 58/19 and 1/2020);
- Regulation on Methodology for Valuation of the Elements for Determining the Level of Charge for the Use of Railway Infrastructure ("Official Gazette of the RS", No. 122/14);
- Rules on the Manner of Transport and Mandatory Operational Monitoring of Dangerous Goods Carried by Rail, as well as on the Obligations of the Participants in the Transport of Dangerous Goods by Rail and Emergencies ("Official Gazette of the RS", No. 81/15);
- Rules on training programme and method of knowledge checking of employees and of participants of dangerous goods transport in the railway transport, as well the manner in which the documentation is processed and their training ("Official Gazette of the RS", No. 81/15);
- Law on Transport of Dangerous Goods, passed by the National Assembly of the Republic of Serbia ("Official Gazette of the RS", No. 104/2016-34, 83/2018-57, 95/2018-389 (other law), 10/2019-13 (other law));
- Rules on Mandatory Elements of the Contract on the Use of Railway Infrastructure ("Official Gazette of the RS", No. 8/2019);
- Rules on Special Loads Transport ("Official Gazette of the RS", No. 74/19);
- Regulation on the Manner of Conclusion and Content of Framework Agreements for Allocation of Railway Infrastructure Capacity ("Official Gazette of the RS" No. 74/19);
- Regulation on Particularities of Procedures and Criteria Applicable to Access to the Services Provided in Service Facilities ("Official Gazette of the RS" No. 57/19 and 13/20);
- Rules on the Elements of Service Facility Information ("Official Gazette of the RS" No. 66/19).

International Regulations

When using the allocated train path, the railway undertaking must abide by all legal norms contained in the sources of international law (Convention concerning International Carriage by Rail (COTIF), its annexes, agreements and protocols governing the cross-border railway traffic and border control, UIC standards and any other relevant international regulations) as well as in the national laws and bylaws.

Formal documents of the Infrastructure Manager

Internal regulations (formal documents) and technological procedures of the Infrastructure Manager are listed in Appendix 2.



1.3.2 Legal Status and Liability

The Network Statement is based on the legal framework defined in section 1.3.1. In case of any ambiguities or legal proceedings, the relevant provisions of the legislation of the Republic of Serbia will apply.

The present Network Statement has been developed on the basis of the information available at the moment of drafting thereof. IŽS is liable for accuracy of the information given in the present Network Statement. All regulations and technical documentation which become effective upon publishing of this Network Statement shall apply and shall be taken into consideration on the occasion of construing this Network Statement.

IŽS is not liable for the accuracy of data published herein, which are submitted by the service facility operators.

1.3.3 Appeals Procedure

Appeals procedure in respect of the Network Statement, and in respect of other formal documents of the Infrastructure Manager relating to the path allocation procedure and use of railway infrastructure, is governed by the Law on Railways.

The function of the regulatory body for the railway sector is performed by the Directorate for Railways (hereinafter: the Directorate), as a separate organization which runs the railway-specific state administration affairs as set forth in the Law on Railways.

The scope of the Directorate for Railways has been set out in Articles 118-129 of the Law on Railways ("Official Gazette of the RS" No. 41/2018 and 62/23) and by the provisions of the Law on Safety of Railway Transport ("Official Gazette of the RS" No.41/2018).

Article 120 of the Law on Railways provides that the Directorate is in charge of the following:

- regulation of railway services market;
- licensing of railway undertakings;
- passenger rights;
- safety in railway traffic and interoperability of railway system;
- cableway;
- realization of international cooperation within its scope of competence;
- other tasks in accordance with this law and other laws governing the area of safety in railway transport, interoperability of railway system and cableways for transport.

The applicant for train path allocation may lodge a complaint with the Directorate for Railways against the decision made by the Infrastructure Manager to reject its application for path allocation or against the established conditions for supply of infrastructure capacity, and also when it is not satisfied with the train path allocation procedure and its outcome, subject to payment of a fee in the amount of administrative fee charged for the appeals to the authority.

As a regulatory body, the Directorate deliberates, in the segment of regulation of railway services market, on the complaints lodged by applicants for train path allocation, especially taking into account any potential unfair treatment or discrimination by the Infrastructure Manager or railway undertakings, in connection with:

- (1) the Network Statement,
- (2) the criteria set out in the Network Statement,
- (3) the train path allocation procedure and its outcome,
- (4) the method for determining the charge for the use of train path;
- (5) the level or structure of charges for the use of train path which it is or may be obliged to pay,
- (6) information about service facilities;
- (7) the application of provisions of article 13 of the Law on Railways and particularly of access and charges.



The decision of the Directorate is final. The appeal against it may be lodged with the Administrative Court within 30 days of its receipt.

1.4 Structure of the Network Statement

The structure of 2026 Network Statement is in accordance with the general structure for network statements of the European Railway Association (RailNetEurope association) which is applied by most infrastructure managers in Europe in the process of network statement preparation.

The general structure of Network Statement is reviewed as necessary and the latest version is available on the RNE's web-site. The objective of general structure is that all applicants and interested parties may find the same information at the same place in the Network Statement.

The Network Statement consists of 7 chapters that make up the basic document and a series of attachments that contain additional information.

No	Chapter	Description		
1.	General information	Contains the general information about Network Statement and contacts		
2.	Infrastructure	Contains the description of the network operated by JSC "Infrastructure of Serbian Railways" (IŽS)		
3.	Access conditions	Provides a specification of conditions, which will be met by the railway undertaking, prior to gaining the track access		
4.	Capacity allocation	Provides the principles and criteria for infrastructure capacities allocation		
5.	Services and charges	Provides an overview of services provided by "Infrastructure of Serbian Railways" JSC and charges		
6.	Operations	Contains operational rules		
7.	Service facilities	Provides an overview of service facilities connected to rail network operated by IŽS		

Table No 1. Network Statement Structure

1.5 Validity Period, Updating and Publishing

1.5.1 Validity Period of the Network Statement

This Network Statement shall be valid during the timetable validity period, from December 14th, 2025 to December 12th, 2026.

The Network Statement shall be published not later than two months prior to the commencement of the final deadline for submission of applications for path allocation and shall remain valid during the entire timetable validity period.

1.5.2 Updating Process

The Network Statement will be updated in case of change of important pieces of information published in the Network Statement. Any amendment to the Network Statement will be published separately in the "Official Gazette of Serbian Railways", whereas the updated (amended) Network Statement will be published on the "Infrastructure of Serbian Railways" JSC website.



1.5.3 Publishing, Distribution and Availability of the Network Statement

The Network Statement will be published on the "Infrastructure of Serbian Railways" JSC website (<u>www.infrazs.rs</u>), both in Serbian and English languages.

If so requested by a railway undertaking, "Infrastructure of Serbian Railways" JSC may provide the Network Statement or a part of it, free of charge, in electronic format.

1.6 Contacts

Contacts relevant for information contained in the Network Statement:

"Infrastructure of Serbian Railways" JSC Railway Infrastructure Access Department 6, Nemanjina St. 11000 Belgrade Serbia Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

1.7 Cooperation Between European IMs/ABs

1.7.1 Rail Freight Corridors

The Pan-European Corridor X from Salzburg in Austria to Thessaloniki in Greece stretches via the infrastructure network of "Infrastructure of Serbian Railways" JSC. On the territory of the Republic of Serbia, on the network of "Infrastructure of Serbian Railways" JSC, Corridor X includes the following railway lines from Šid to Preševo:

- Belgrade Šid State border,
- Belgrade Mladenovac Niš,
- (Belgrade) Rakovica Jajinci Mala Krsna Velika Plana,
- Niš Preševo State border.

The following branches connect to the primary route of the Corridor:

- Xb, (Budapest) Novi Sad Belgrade (railway line (Belgrade) Stara Pazova Subotica), and
- Xc, Niš Dimitrovgrad (Sofia Istanbul) (railway line Niš Dimitrovgrad State border).

Infrastructure of Serbian Railways is a member of Railway Freight Corridor Alpine-Western Balkans (RFC 10). The corridor connects five countries: Austria, Slovenia, Croatia, Serbia and Bulgaria. The corridor route goes from Svilengrad in Bulgaria, via Sofia, Belgrade, Zagreb to Zidani Most in Slovenia, where the route branches off to two routes via Maribor, Gratz to Wels and via Ljubljana, Villach to Salzburg. The corridor covers 2,114 km of main lines and 31 km of connecting lines. There are 21 intermodal terminals and 12 marshalling yards on the corridor.

More details on the corridor are available on its website https://www.rfc-awb.eu/.

1.7.2 RailNetEurope

RailNetEurope association (hereinafter RNE) was established in January 2004 by virtue of an agreement between 12 Infrastructure Managers from the entire Europe, and their number is constantly rising.



Through its members, RNE operates over 230,000 km long railway lines, including the important ferry lines, and cooperates with more than 120 railway undertakings in international traffic and with more than 300 railway undertakings that, for the time being, operate only in the domestic traffic of the members.

The main efforts are put towards enhancing the access conditions and performance of international railway transport, particularly with respect to operability. To achieve this, RNE is focused on the overall process of international transport operations. It starts with harmonization of mid-term and long-term planning of particular members, joint marketing and sales approach, appropriate planning and operation, and ends with provision of services after transport has been performed, such as monitoring, control and assessment of performed transport.

One of the first steps towards progressive harmonization was creation of a structure model for the preparation of Network Statement, applied by all RNE members.

One of the most important RNE steps was creation of an international network of One Stop Shop offices.

The list of all RNE members and further information on this association may be found at <u>www.railneteurope.com</u>.

"Infrastructure of Serbian Railways" JSC is a full member of the association from April 21, 2016.

One Stop Shop - OSS

Infrastructure Managers have opened national One Stop Shop (OSS) offices that jointly make up a network of contact points for the users within the RNE. As regards the international path allocation applications, the users only need to contact one of these OSSs that will initiate the entire process of international path allocation.

In close cooperation with other IMs, the contacted OSS will:

- offer support and information to undertakings on the entire range of Infrastructure Managers' products and services along the whole route;
- provide all information on the conditions for access to the infrastructure of any Infrastructure Manager within the RNE;
- process the applications for international path allocation within the RNE;
- make sure that all the applications for the next year's Timetable are timely taken into account during
 preparation of the annual Timetable;
- provide offers for railway paths on the entire route in international traffic.

In accordance with its motto "one face to the customer", the OSS provides professional and efficient assistance via all border crossings, underpinned by transparent procedures based on trust and non-discrimination. The list of contacts by member countries is available at <u>www.railneteurope.com</u>.

"Infrastructure of Serbian Railways" JSC, as a RNE member, conducts intensive activities on defining the procedures so as to implement the OSS in the near future in the railway sector of the Republic of Serbia.

RNE tools

Since 2005, the RNE has taken over the full responsibility for preparation of the international timetable and the support to its activities; it operates the following information systems: for path coordination - PCS (Path Coordination System), for charging - CIS (Charging Information System) and for train information - TIS (Train Information System).



PCS (Path Coordination System) – is an international path request coordination system for path applicants i.e. railway undertakings, infrastructure managers and allocation bodies. This web-based application optimises international path coordination by ensuring that path requests and offers are harmonised by all involved parties. The input for international path requests needs to be entered only once into the system – either via the domestic application or directly into the PCS. More information is available on: <u>http://pcs.RNE.eu/.</u>

CIS

CIS (Charging Information System) – is an infrastructure charging information system for railway undertakings, infrastructure managers and allocation bodies. This web-based application provides fast information on charges related to the use of the European rail infrastructure and estimates the charge for the use of international train paths within minutes. This is an umbrella application for various national rail infrastructure charging systems. More information is available on: <u>http://cis.RNE.eu/.</u>

TIS

TIS (Train Information System) – is a web-based application which manages the operation of international trains by delivering information on movements of international passenger and freight trains in real time. These data are obtained directly from the system. More information is available on: http://tis.RNE.eu/.



2. INFRASTRUCTURE

2.1 Introduction

The purpose of this section is to provide the information on the railway infrastructure owned by the Republic of Serbia and managed by IŽS, to provide the description and overview of the characteristics of the railway lines and appertaining facilities and equipment that can be used by all those to whom the access to and use of infrastructure have been granted in accordance with the provisions of the Law on Railways. Other information on the IŽS network can be found on the website <u>www.infrazs.rs</u>.

Information on the railway infrastructure published in this document is based on the facts that were familiar at the time of its preparation. All changes occurring after publishing of this document will be updated on the website <u>www.infrazs.rs</u>.

2.2 Extent of Network

The total structural length of standard-gauge lines on the territory of "Infrastructure of Serbian Railways" JSC network amounts to 3 357.341 km, out of which 3 012.201 km of single-track and 345.140 km of double-track lines. The above-mentioned line length includes 1 758.971 km of main lines and 1 598.37 km of other lines. The total of 1 313.257 km of open tracks have been electrified, together with main running tracks (968.117 km of single-track and 345.140 km of double-track lines).

The total length of electrified lines - open tracks and main running tracks is 1 659.525 km. All the above data relate to standard-gauge 1435 mm tracks. More detailed information is available in Appendix 6.

In addition, "Infrastructure of Serbian Railways" JSC also operates the museum-tourist railway line - "Shargan Eight" - which is 22.471 km long and whereof track gauge is 760 mm.

2.2.1 Limits

In terms of ownership and management of public railway infrastructure, there is only one railway network in the Republic of Serbia and this is a state-owned network, managed by IŽS. Therefore, the term "limit" also means state borders which at the same time represent borders with the neighbouring railway networks.

The IŽS railway network borders with the neighbouring railway networks are the following border stations: Subotica, Horgoš, Kikinda, Vršac, Bogojevo, Šid, Brasina, Preševo, Đeneral Janković, Vrbnica and Dimitrovgrad.

Upon crossing of state borders, the track gauge remains unchanged.

The type of traction is changed only at the border crossing with the Republic of Bulgaria, at Dimitrovgrad station on the railway line Niš-Dimitrovgrad- State Border.

2.2.2 Connecting Railway Networks

The railway network of the Republic of Serbia is connected with the railway networks of the following seven countries: Croatia, Hungary, Romania, Bulgaria, North Macedonia, Montenegro and Bosnia and Herzegovina. Traffic can be organized via ten border crossings, while one border-crossing is under the control of UNMIK.

For more detailed information please refer to Table No 2. The names of neighbouring countries' stations in the table are given in authentic form, as registered in the official timetables.

The term joint border station means a border station in which border control is jointly performed by the competent state authorities, as well as traffic handover between the railway undertakings. Joint border stations are governed by bilateral state agreements. Performing of traffic handover in other border stations is within decision –making domain and agreement between the railway undertakings.



	Neighbouring country	Border railway lines and be	Border stations	Neighbouring infrastructure manager	Note
1	Croatia	Šid-State Border -Tovarnik	Šid Tovarnik	HŽI	
1	Cibana	Bogojevo-State Border- Erdut	Bogojevo Erdut	HŽI	
		Subotica-State Border- Kelebia	Subotica Kelebia	MAV Zrt	
2	Hungary	Horgoš-State Border- Roszke	Subotica Roszke	MAV Zrt	In case of freight trains, each country conducts the border police and customs' inspections on its own territory, wheras for passenger trains, joint border control is performed in Roszke station.
3	Romania	Vršac- State Border - Stamora Moravita	Vršac Stamora Moravita	CFR SA	
		Kikinda-State Border- Jimbolia	Kikinda Jimbolia	CFR SA	
4	Bulgaria	Dimitrovgrad-State Border Dragoman	Dimitrovgrad Dragoman	NKŽI	
		Preševo- State Border Tabanovci	Preševo/ Ristovac Tabanovci	IŽRSM	Joint border station Tabanovci
5	North Macedonia	Ðeneral Janković - State Border -Volkovo	Đeneral Janković	IŽRSM	Temporary under the supervision of UNMIK Railways
6	Montenegro	Vrbnica - State Border – Bijelo Polje	Vrbnica / Bijelo Polje	ŽICG	Joint border station Bijelo Polje
7	Bosnia and Herzegovina	Brasina - State Border – Zvornik Novi	Brasina Zvornik Novi	ŽRS	

Table No 2. Border crossings, border railway lines and border stations



Within the national network, the public railway infrastructure operated by IŽS is connected with other railway infrastructures in the Republic of Serbia. The sidings of Elektroprivreda Srbije and HBIS Group Serbia Iron & Steel" d.o.o. are connected to IŽS national railway network.

These sidings are used for transport of goods for own needs (industrial railways) and they do not belong to the national railway network.

Railway infrastructure operated by IŽS is also connected with a number of railway industrial sidings owned by the business entities.

For other information on railway infrastructure operated by IŽS, which are not contained and presented herein, please contact IŽS at the following address:

"Infrastructure of Serbian Railways" JSC Railway Infrastructure Access Department 6 Nemanjina St., 11000 Belgrade, Serbia Phone.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

2.3 Network Description

2.3.1 Geographic data and types of railway lines

General network information is given in Table No. 3.

Table No 3. Structural length of the lines within the network

Total network length	3 357.341 km
Single-track lines	3 012.201 km
Double track lines	345.140 km
Narrow-gauge lines	22.471 km*
Non-electrified lines	2 044.084 km
Electrified lines	1 313.257 km

* Narrow-gauge line Šargan Vitasi – Mokra Gora – State Border (Višegrad)

Types of railway lines

Pursuant to the Regulation on categorization of railway lines that belong to public railway infrastructure ("Official Gazette of the RS", No. 92/20, 6/21, 33/22 and 63/23) applied by the "Infrastructure of Serbian Railways" JCS, railway lines are classified as main lines, regional lines, local lines, shunting lines and museum-tourist lines.

Pursuant to the law governing the railways, railway lines are classified as follows:

- 1. main lines- of importance to international and domestic service;
- 2. regional lines of importance to regional and local service;
- 3. local lines of importance to local service;
- 4. shunting lines of importance to business entities,
- 5. museum-tourist railway lines.

Main lines with associated line number are:

101 Belgrade Centre-S. Pazova-Šid-State border-(Tovarnik);

- 102 Belgrade Centre Junction "G"- Rakovica-Mladenovac-Lapovo-Niš-Preševo-State border-(Tabanovce);
- 103 (Belgrade Centre)- Rakovica-Jajinci-M.Krsna-V.Plana;

104 (Jagodina) Ćuprija Junction – Ćuprija-Paraćin;

105 (Belgrade Centre)-S.Pazova-N.Sad-Subotica-State border-(Kelebia);



106 Niš-Dimitrovgrad-State border-(Dragoman);

- 107 Belgrade Centre-Pančevo Main St.-Vršac- State border-(Stamora Moravita);
- 108 (Belgrade Centre)-Resnik-Požega-Vrbnica- State border-(Bijelo Polje);
- 109 Lapovo-Kraljevo-Lešak-Kosovo Polje-Djeneral Janković- State border-(Volkovo);
- 110 Subotica-Bogojevo-State border-(Erdut);
- 111 Belgrade Marshalling Yard "A"-Ostružnica-Batajnica;
- 112 Belgrade Marshalling Yard "B"-Ostružnica;
- 113 Belgrade Marshalling Yard "A"-Junction, "B"- Junction "K/K1"-Resnik;
- 114 Ostružnica-Junction "B"-(Junction "K/K1");
- 115 Belgrade Marshalling Yard "B"-Junction "R"- Junction "A"-(Resnik);
- 116 (Belgrade Marshalling Yard "B")-Junction "R"-Rakovica;
- 117 Belgrade Marshalling Yard "A"-Junction "T"-Rakovica;
- 118 Belgrade Marshalling Yard "B"-Junction "T"-(Rakovica);
- 119 Connecting track in the area of Junction "K/K1": (Junction "B")--Points "K"-Points "K1"-(Jajinci);
- 120 (Junction Pančevo Most)-Junction Karadjordjev park-Junction Dedinje-(Junction "G");
- 121 Indjija-Golubinci;
- 122 Novi Sad-Novi Sad Marshalling Yard-Junction Sajlovo;
- 123 By-pass track at the station Mala Krsna: (Kolari)-Junction points 1-Junction points 28-(Osipaonica);
- 124 Junction Lapovo Varoš-Lapovo Marshalling Yard-Lapovo;
- 125 Trupale-Niš Marshalling Yard-Medjurovo;
- 126 Crveni Krst-Niš Marshalling Yard;
- 127 Niš-Junction Most-(Niš Marshalling Yard);

128 Connecting track at the station Niš: (Crveni Krst)-Junction points 3-Junction points 4-(Ćele Kula).

Regional lines with associated line number are:

- 201 Subotica-Horgos-State border-(Roszke);
- 202 Pančevo Main St.-Zrenjanin-Kikinda-State Border-(Jimbolia);
- 203 Belgrade Donji Grad (km 7 + 041) Belgrade Danube Junction Pančevo most¹;
- 204 Topčider Passenger Station (km 4 + 195) Junction "G" (Rakovica)²;
- 205 Banatsko Miloševo-Senta-Subotica;
- 206 Pančevo Varoš-Junction "2a"-(Jabuka);
- 207 Novi Sad-Odžaci-Bogojevo;
- 208 (Novi Sad)-Junction Sajlovo-Rimski Šančevi-Orlovat stop;
- 209 Novi Sad Marshalling Yard Junction points 7-Novi Sad Lokoteretna-Sajlovo Junction;
- 210 Orlovat- Junction "1a"-(Lukićevo);
- 211 Ruma-Šabac-Junction Donja Borina-State border-(Zvornik Novi);
- 212 (Platičevo)-Junction "1"-Junction "3"-(Štitar);
- 213 Stalać-Kraljevo-Požega;

214 Connecting track at the station Kraljevo: (Mataruška Banja)-Junction points 72-Junction points 73-(Adrani)

- 215 Connecting track at the station Požega: (Uzići)-Junction points 53-Junction points 54-(Dragačevo);
- 216 Smederevo Junction Jezava Radinac Mala Krsna;
- 217 Junction Jezava Smederevo Port;
- 218 Mala Krsna-Bor-Junction "2"-(Vražogrnac);
- 219 (Nis) Crveni krst-Zaječar-Prahovo Port;
- 220 (Rgotina)-Junction "3"-Junction "1"-(Trnavac);
- 221 (Barlovo)-Junction "1"-Kuršumlija;

 $^{^2}$ By virtue of the Conclusion adopted by the Government of the Republic of Serbia No 340-2989/2022 dated April 7th, 2022, the Decision of the Shareholders' Meeting of Infrastructure of Serbian Railways JSC on termination of public railway service, dismounting and reconstruction of infrastructure capacities on railway line Topčider Putnička (km 4 + 195 – Junction "G" – (Rakovica) has been approved.



¹ By virtue of the Conclusion adopted by the Government of the Republic of Serbia No 340-2986/2022 dated April 7th, 2022, the Decision of the Shareholders' Meeting of Infrastructure of Serbian Railways JSC on termination of railway line Belgrade Donji Grad (km 7+041) – Belgrade Danube – Junction Pančevo Most has been approved.

222 Kuršumlija-Kastrat;

- 223 Doljevac-Kastrat-Merdare Kosovo Polje;
- 224 Kosovo Polje-Metohija-Peć;
- 225 Kosovo Polje Freight St.-Junc. "1"-(Drenica);

226 Vrbas – Sombor.

Local lines with associated line number are:

301 Subotica-Subotica Factory;
302 Subotica-Subotica Hospital;
303 Novi Sad (km 1+042)-Novi Sad Ložionica;
304 (Podbara)-Junction ,,3"-Junction ,,2"-(Kać);
305 (Rimski Šančevi)-Junction ,,1"-Junction ,,3"-(Podbara);
306 Rimski Šančevi-Žabalj;
308 (Brasina)-Junction Donja Borina-Zvornik Grad;
309 Pančevo Varoš-Pančevo Vojlovica;
310 Connecting track at the station Senta: (Čoka)-Junction points 22-Junction points 23-(Orom);
311 Markovac-Svilajnac-Despotovac- (Resavica);
312 Metohija-Prizren;
313 Vršac – Bela Crkva.

Shunting lines with associated line number are:

401 Vršac-Vršac Vašarište;
402 Kikinda-Metanolsko sirćetni kompleks(km 6+413);
403 Bogojevo-Dunavska Obala;
404 Paraćin-Stari Popovac;
405 Surčin-Jakovo-Bečmen;
406 Šid-Sr.Rača Nova-State Border-(Bijeljina);
407 Ovča-Padinska Skela;
408 Sonta – Apatin factory;
409 Bačka Palanka - Gajdobra

Museum-tourist line with its associated number is:

501 Šargan Vitasi – Mokra Gora – State Border (Višegrad).

Due to the technical condition of particular local and shunting lines, traffic is no longer possible on such lines and is currently completely or partially suspended. More details can be found in Appendix 6.

The following IŽS lines belong to main international railway lines according to AGC (European Agreement on Main International Railway Lines):

<u>Direction North – South</u> E 771 Subotica-Bogojevo E 79 Belgrade - Vrbnica E 85 Subotica-Belgrade-Niš-Preševo -Kraljevo-Djeneral Janković <u>Direction West – East</u> E 66 Belgrade-Vršac E 70 Šid-Belgrade-Niš-Dimitrovgrad

2.3.2 Track Gauges

Track gauge along the network is 1435 mm, except for the museum-tourist line the "Shargan Eight", whose gauge is 760 mm.



2.3.3 Stations

Names, km-points and distances in km between particular service points are given in Appendix 6.

2.3.4 Loading Gauge

Loading gauge is a limited space viewed as a cross section vertical to the track axis that may not be exceeded by any part of the rail vehicle, whether loaded or empty. The loading gauge registered for all IŽS lines for international traffic is UIC GB, except for parts of the railway lines Valjevo – Kalenić and Grlica - Djeneral Janković, where the registered loading gauge is UIC GA. These loading gauges are in line with the UIC Leaflet 506.

The loading gauge that applies to domestic traffic on IŽS lines is ŽS I. The ŽS I gauge is slightly larger than the UIC GA loading gauge and slightly smaller than UIC GB. The summary of loading gauges is presented in Appendices 3.1.-3.3.

IŽS lines have not been coded for the combined transport gauges in accordance with UIC Leaflet 596-6. However, the measurements that were performed have shown that movements of wagons carrying combined transport load units - such as high cube containers (HCC), semi-trailers and entire road vehicles - are possible. Movements of such consignments are possible under special safety conditions in the exceptional transport regime.

For further information, please contact IŽS:

"Infrastructure of Serbian Railways" JSC Traffic Department 6 Nemanjina St. 11000 Belgrade Serbia Tel.: +381 11 3618 214 Fax: +381 11 3616 814 E-mail: <u>sp@infrazs.rs</u>

2.3.5 Weight Limits

In accordance with UIC Leaflet 700, depending on track capacity to bear loads by vehicles on the railway network, various weight limits are applicable and expressed in tonnes per axle and tonnes per linear metre.

The load by a railway vehicle per linear metre is the load of an unloaded or loaded railway vehicle divided by the length of the railway vehicle expressed in metres and measured between tops of uncompressed buffers.

Axle load of a railway vehicle is the load of an unloaded or loaded railway vehicle divided by the number of axles of the railway vehicle.

Based on the above-stated, railway lines were classified into categories (Regulations on classification of railway lines No. 325, published in the Official Gazette of the Community of Yugoslav Railways (ZJŽ) Nos. 7/89 and 9/90). The classification of IŽS railway lines is shown in Table No. 4.

Adminsthle loads and			Admissible loads per axle			
Admissible loads pe linear metre		per	А	В	С	D
			16 t	18 t	20 t	22,5 t
1	5.0 t/m		А	B1		
2	6.4 t/m			B2	C2	D2
3	7.2 t/m				C3	D3
4	8.0 t/m					D4

Table No 4: Categories of admissible loads on IŽS network



The overview of admissible loads in tonnes per axle and in tonnes per linear metre is presented in Appendix 6.

2.3.6 Line Gradients

In order to determine required train braked weight, the ruling gradients for braking must be determined for each line or track section. The ruling line gradient for braking means the value of its longitudinal gradient, on the basis of which braked weight percentages are determined, i.e. the required train braked weight on a certain line or track section. The longest longitudinal gradient (rising or falling) on a specific line (or section), over the length of 1000 metres or more, is considered to be the ruling gradient of that specific line or section. In determining the ruling gradient for braking, the curve and tunnel related resistances are not taken into consideration.

The ruling resistance of a line or one of its sections means the value of its specific resistance due to gradient, curve and tunnel, on the basis of which train weight i.e. locomotive hauled load is determined.

The overview of ruling gradients and ruling resistances of particular lines is presented in Appendix 6.

2.3.7 Maximum Line Speeds

The maximum permissible speed with respect to line capacity is the maximum speed permitted on a line or line section with respect to the railway line superstructure and its structures (carrying capacity of the track, its lining and levelling, curve radius, points design, etc.), fixed electric traction installations and signalling and interlocking devices on the line, and it may not exceed the lowest one of such speeds.

Restricted speeds are permanently prescribed speeds that are lower than the maximum permissible speed on the railway line and that are applied on a certain section of the railway line due to its technical condition or that are applied while running in the points area.

For further information on maximum permissible speeds and restricted speeds with respect to line capacity, please refer to Appendix 6.

2.3.8 Maximum Train Lengths

The length of each train is determined during the capacity allocation procedure and it is expressed in rounded metres. The maximum permissible length of a train operating on a line, for the purposes of its smooth acceptance and forming in railway stations, at passing points and other service points, is determined on the basis of the maximum permissible train length in certain stations, passing points and other service points along the given line and with respect to usable length of main lines.

Maximum permissible length of a train for station tracks is obtained by subtracting the length of 25 m to be taken up by the locomotive and spare 10 m to be taken up by the train, from the usable track length expressed in metres and determined under the Instructions (Instructions on the technical standards and data for the preparation of timetable implementation, "Official Gazette of ZJŽ Nos. 9/89, 6/91, 8-9/91, 4/92, and 9/92).

Actual length of a train is obtained by totalling the lengths over uncompressed buffers of all vehicles included in the train, except for the locomotive hauling the train, whose length has been taken into account during determination of maximum permissible train length at a station. If a train has double heading, banking locomotive or intermediate-haul locomotive, their lengths must be taken into account when determining the train length.

The overview of distances between the service points and maximum permissible train lengths relative to usable track lengths is presented in Appendix 6.

The provisions of paragraph 2 of this article shall also apply to the length of the passenger train. The passenger train may be longer than the length of the platforms and arranged areas in service points, and if the railway undertaking requires their dwelling in such service points, it must set and ensure the necessary safety measures



for passengers in accordance with local and/or other specific circumstances. The overview of platforms and arranged areas in service points is given in Appendix 8 and for further details, please contact IŽS:

"Infrastructure of Serbian Railways" JSC Railway Infrastructure Access Department 6 Nemanjina St. 11000 Belgrade Serbia Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

2.3.9 Power Supply

IŽS ensures the transmission of required electric energy from the public power supply network of the Republic of Serbia via the fixed electric traction installations (substations) and the catenary for electric train traction. All electrified railway lines have the basic power supply system, which is single-phase AC 25 kV 50 Hz system. The overview of electrified railway lines is presented in Appendix 3.4. The overview of power supply installations is presented in Appendix 3.5.

The power supply system voltage is U=25 kV, and its frequency is f=50Hz. The height of the contact wire are Hkpmin=5000 mm, Hkpnom=5500 mm and Hkpmax=6000 mm. The staggering of the OCL is $p=\pm200$ mm along the straight track, and p=300 mm in curves.

In the 25kV, 50 Hz power supply system, the use of pantograph (current collector) for electric motive power is permitted according to the General Contact Line Catalogue (type POS-III/E). The design of pantograph is shown in Figure No 1.

The basic parameters for the asymmetric pantograph used on IŽS network, with double contact strip and pneumatic actuator, are in accordance with the provisions of UIC Leaflet 608 and are shown in Table No 5.




Figure No 1. – Dimensions of pantograph



 Table No. 5: Pantograph parameters

Permissible width of horned slipper holder (mm)	Width of metal horns (mm)	Rated current (A)	Height of contact line (mm)	Minimum length of contact strip (mm)	Static force Fa (N	Maximum aerodynamic force Fa (N)	Maximum speed (km/h)	Type of contact strip
1600	1400	400	6200 5500 5000	800	60-90	70	160	graphite

2.3.10 Signalling Systems

Railway signals provide signals by means of which railway staff can mutually communicate in a fast and reliable way about train operation, shunting, permitted and forbidden runnings via a certain location, the track condition, the need for speed restriction, etc. Some signals are used for preserving of personal safety of railway staff and other persons.

Regulations on types of signals, signal markings and track markings ("Official Gazette of the RS" No.50/20) are applicable to the use of signals and signal markings.

There are eleven types of station track interlocking on the network of "Infrastructure of Serbian Railways" JSC, and they are presented in Appendix 6.

On IŽS network, the main arterial routes are equipped with fully centralized electrical relay signalling & interlocking equipment, as follows:

- Belgrade Center-Niš-Preševo: Siemens SpDrS-64/JZ track circuit system,
- (Belgrade Center) Resnik-Vrbnica: Siemens SpDrS-64/JZ axle counter system,
- Stara Pazova Golubinci: Siemens SpDrS-64/JZ track circuit system,
- Golubinci-Ruma: Siemens SpDrS-64/JZ axle counter system,
- Ruma-Šid: Siemens SpDrS-64/JZ track circuit system,

In all stations on Belgrade Center – Stara Pazova – Novi Sad – Subotica line section, new electronic signalling and interlocking devices type "DS6-60" with "MMI" electronic control and monitoring system have been installed. Within the upgrade performed on trackside and station electronic signalling and interlocking devices, all service points on Belgrade Center – Stara Pazova – Novi Sad – Subotica line section have been included in the central traffic control and command system – remote control type "FZt – CTC".

The main arterial routes Šid- Golubinci – (Stara Pazova) – (Belgrade Center)-Niš-Preševo and Belgrade Center- Vrbnica are included in the system of remote traffic control and command – remote control centre (manufactured by Westinghouse). There are three remote control centres - in Belgrade, Požega and Niš. Based on this device, 3 remote control centres were set-up in Belgrade, Niš and Požega with the total of 133 controlled stations.

Dimitrovgrad Station (railway line Niš-Dimitrovgrad-State Border) is equipped with electronic signalling & interlocking device Simis-W with Iltis control & supervision system manufactured by Siemens.

In addition to the above-mentioned, Pančevo Main St. and Ćuprija stations are equipped with electronic signalling & interlocking devices.

Other railway lines are equipped with other above stated interlocking types, but there is no continuity as regards to one system of interlocking.

The overview of signalling and interlocking devices is presented in Appendix 3.6.



2.3.11 Traffic Control Systems

The movement of trains running in opposite directions and consecutive train movements are controlled by requesting and giving the permission i.e. announcement of arrival and departure.

Consecutive trains can follow one another only in particular space intervals. For the control of trains following one another in particular space intervals, railway lines can be divided into:

- Block sections between stations when two neighbouring stations control the sequence of trains in the station interspace,
- Train-recording sections when two neighbouring train-recording points or a station and a neighbouring train-recording point control the sequence of trains in announcement intervals,
- Block sections when the traffic of consecutive trains is controlled by automatic positioning of automatic block signals in the position of permitted or forbidden train ride.

In addition to space distance, in case of consecutive trains in train reporting and block intervals, there should be a time interval so as to avoid train stopping before automatic block signals due to different train journey times over block sections (time spacing).

On the railway lines of "Infrastructure of Serbian Railways" JSC there are also interstation interlocking devices (MZ) which regulate train traffic at distances between stations, where an interstation track occupation is reported by means of axle counters.

There can only be one train in one block section on the same track and at the same time.

Train operation is regulated by movements inspectors who uses the station signal boxes and along railway lines through remote control – by the remote control dispatcher from the central signal box, except at the stations that are not included in the remote control system. The traffic of trains running in opposite directions and consecutive trains is regulated by movements inspectors at manned stations and along the railway lines included in the remote control system it is regulated by remote control dispatchers.

"Infrastructure of Serbian Railways" JSC uses "Flexi code 560" remote control system on its territory, manufactured by Westinghouse. It uses semiconductor technology and a code system, and controls instruction completeness at the stages of forwarding and acceptance. It was developed as a standard format and it consists of a remote control centre, which can control 32 stations on one railway line and of one or more lines for data transfer, as well as the remote control equipment at stations (satellites).

Based on this device, 3 remote control centres were constructed in Belgrade, Nis and Pozega, with 140 controlled stations.

On Belgrade Center – Stara Pazova – Novi Sad – Subotica line section, all service points are included in the central traffic control and management system – remote control center type FZt-CTC.

The train control system is governed by the Traffic Regulations ("Official Gazette of RS" No 34/22 and 107/22) and Instructions on particular procedures in performing of traffic service on the territory of Infrastructure of Serbian Railways ("Official Gazette of Serbian Railways" No 43/22).

The train control methodology is presented in Appendix 6.

2.3.12 Communication Systems

In the course of traffic operations, communication is carried out via telecommunication devices – telephone and ground-train radio links. Communication via means that provide reliable and continuous registration of notifications (teleprinter, telephone or radio link with registration devices) is considered to be verifiable communication. The notifications related to the control of train movements (permissions and instructions given to train crew via telephone or ground-train radio links) are furnished exclusively via devices for verifiable communication.



The communication between movements inspectors, remote control centre dispatchers and drivers is carried out in Serbian language.

All notifications are given in the format and manner set forth in the Traffic Regulations ("Official Gazette of RS" No 34/22 and 107/22), Instructions on particular procedures in performing of traffic service on the territory of Infrastructure of Serbian Railways ("Official Gazette of Serbian Railways" No 43/22) and Regulation on records kept by the railway undertaking and the railway infrastructure manager ("Official Gazette of the RS" no.56/19, 154/20 and 159/20).

The overview of telecommunication links and installations is presented in Appendix 3.7.

IŽS network uses analogue ground-train radio system (RDV) for transmission of specially coded voice information in the frequency range of 460 MHz and by using frequencies belonging to quadrifrequency groups according to UIC Leaflet 751-3. The system operates in full duplex (modes A and B), with selective calling option including automatic identification and making special calls (group, intervention).

There is a possibility of integrating into local radio networks (mode C) and automatic telephone exchange. The devices were manufactured by AEG (now EADS telecom) in the '70s and the '90s.

On the lines with a dispatcher control system, the train operating staff is connected with the remote control centre dispatchers via mobile RDV units, which represent mandatory driver's cab equipment.

The GSM-R system enables voice communication and transmission of text messages within the ERTMS, i.e. for ETCS L2 and ETCS L3. The GSM-R system is installed on line section Belgrade Center – Stara Pazova–Novi Sad – Subotica.

2.3.13 Train Control Systems

For the time being, there is no automatic train control system on the railway lines of "Infrastructure of Serbian Railways" JSC.

Intermittent transmission AS device (automatic train control) with resonant frequencies of 1000Hz and 2000Hz, type Indusi (I 60), is used for the control of train movements. It is comprised of:

- track magnet (stationary trackside part of the device)
- transmission system (inductive link between the track magnet and locomotive auto-stop device), and
- locomotive part installed on the traction unit.

Track magnets are installed on the right-hand side of the track, in the direction of train movement.

Functioning and operating of AS devices have been stipulated under the Operator's Manual for inductive I-60 AS devices (Instructions No 425), Instructions for installation, testing and putting into operation and maintenance of the locomotive part of I-60 AS device (Instructions No 426), and Instructions for use, installation, testing and maintenance of trackside AS devices on the lines of Yugoslav Railways (Instructions No 427).

The overview of the lines equipped with AS device is presented in Appendix 3.6.

The ERTMS is the European Rail Traffic Management System. The ETCS is a part of ERTMS. On Belgrade Center – Stara Pazova – Novi Sad – Subotica line section the ETCS L2 is installed.

Functioning of the KMC (Key Management Center) system for the ETCS key management, enabling the railway carriers to use the GSM-R and ETCS, is prescribed in the *Instructions for creating the KMC keys for registering the new devices on the ETCS-2 system*. The instructions, in the format of Infrastructure Manager's act, is provided in Appendix 2.

In accordance with the instructions and aimed at using the GSM-R and ETCS, it is necessary for the railway carrier to submit a Request for issuance of encryption keys for communication in the ETCS system via the



Railway Infrastructure Access Department. The request is submitted in a prescribed format, in line with Appendix 3.6a.

2.4 Traffic Restrictions

2.4.1 Specialised Infrastructure

According to Article 40 of the Law on Railways ("Official Gazette of RS" No 41/18 and 62/23), if there are appropriate alternative routes, the Infrastructure Manager may, upon consulting interested parties, designate the specialised infrastructure for particular types of traffic.

In case that a specialized infrastructure is designated, the Infrastructure Manager may, when allocating the infrastructure capacity, give priority to such type of traffic, however prioritizing may not be in collision with the competition protection rules. Designating of specialized infrastructure will not exclude the use of such infrastructure for other types of traffic when capacities are available.

There is no specialised infrastructure on the network operated by IŽS in the above sense.

2.4.2 Environmental Restrictions

Environmental restrictions, such as noise levels, are not currently applied on the network managed by IŽS.

2.4.3 Dangerous Goods

The transport of dangerous goods on the railway infrastructure operated by IŽS is regulated by international and national regulations in the field of transport of dangerous goods in accordance with 3.4.4 - Dangerous Goods.

On the Niš – Dimitrovgrad – State Border – (Dragoman) railway line, the transport of tank wagons carrying ammonia is prohibited.

Locations for loading, unloading, transshipment of dangerous goods may be performed only in places that meet prescribed requirements. The stations (service points open to the acceptance and forwarding of goods) within the rail infrastructure do not meet this requirement, wherefore handling of dangerous goods in the station areas (service points) is not allowed.

Handling of certain types of dangerous goods () can be performed on special tracks under special conditions, i.e. on particular parts of the tracks in particular stations. The list of service points in which transshipment of dangerous goods can be performed is given in Appendix 3.8.

For further details, please contact IŽS:

"Infrastructure of Serbian Railways" Traffic Department Central Operational Department Main Dispatcher for Transport of Dangerous Goods 6 Nemanjina St 11000 Belgrade Serbia Tel.: +381 11 3619 288 e-mail: <u>rid1@srbrail.rs</u>.



2.4.4 Tunnel Restrictions

On the railway line Belgrade Centre –Pančevo Main St. - Vršac- State border, through the "Vračar" tunnel i.e. on the section junction Karađorđev park – junction and Pančevo Most stop and through the "connecting" ("vezni") tunnel i.e. on the route Karađorđev park junction - Dedinje junction, the trains with diesel traction vehicles, DMUs, diesel motor track vehicles, as well as vehicles with their own diesel generator set (power supply wagon, reefers with generator set station) cannot be regularly dispatched. Exceptions to this are DMUs series 711 and relief (auxiliary) trains with diesel traction of the infrastructure manager which are urgently dispatched to the accident/incident locations and diesel motor track vehicles used for urgent elimination of obstacles disrupting the traffic, while respecting the limitations that interval of sequence and the time between meeting of any two vehicles with diesel drive cannot be shorter than 30 minutes.

In other cases, the diesel motor vehicles of the infrastructure manager can run on the specified sections when the transport of trains for transport of passengers is not organized in the service point Vukov spomenik.

Along with the obligation to respect the restrictions regarding the vehicle drive, for the transport of freight trains containing wagons with a RID marking (loaded or empty vehicles for transport of dangerous goods), the following conditions apply:

- on the part of railway line Pančevo Most–Rakovica and Pančevo Most Belgrade Centre, trains can operate only in the period when traffic of passenger trains is not organized i.e. when the station is closed for passenger transport,
- on the part of railway line Pančevo Most –Rakovica and Pančevo Most Belgrade Centre, there can be only one train with RID marked wagons i.e. meeting of two freight trains if at least one is composed of RID marked wagons is not permitted;
- during the operation of trains composed of RID marked wagons, an additional technical inspection must be carried out, which includes checking of bearing temperature and enhanced visual control of loads (valve, clamps etc.)for the train which operaters in direction Pančevo Most – Rakovica and Pančevo Most – Belgrade Centre in Pančevo Main St., and for the trains operating in direction Rakovica – Pančevo Most either in Rakovica station or in Belgrade Marshalling Yard (if it is performed in Belgrade Marshalling Yard, there is no need for the inspection to be performed in Rakovica station);
- obligation of railway undertaking upon performed additional technical inspection of a train in stations Pančevo Main St., Rakovica and Belgrade Marshalling Yard, is to register a clause in the telegraphtelephone log "The additional technical inspection of train No ______ was performed on date ______ hours (signature of authorized representative of railway undertaking)", thereby to inform the train dispatcher in a proved way that technical inspection of train was completed before dispatching it on the part of railway line Pančevo Most-Rakovica. In the event that railway undertaking does not have an organized inspection service in stations Pančevo Main St., Rakovica and Belgrade Marshalling Yard, and that technical inspection of trains composed of loaded or empty RID marked wagons has not been performed, such train cannot operate on the part of railway line Pančevo Most -Rakovica.

Freight trains, which have loaded or empty RID marked wagons, must in no case operate in the direction Belgrade Center - Pančevo Most.

2.4.5 Bridge Restrictions

There are no bridge restrictions in terms of specifically defined requirements apart from those arising from the bridge structural parameters. Exceptionally, until the construction of the fifth longitudinal bridge girder into the construction of "Pančevo Most" across Danube river, on the railway line Belgrade Centre – Pančevo Main St. – Vršac – State Border, between location on junction Pančevo Most—Krnjača Most all assemblies of two freight trains are prohibited on "Pančevo Most".

2.4.6 Maximum Train Weight Restrictions

The maximum train weight for the trains running on the Niš – Dimitrovgrad – State Border – (Dragoman) is restricted to 1200 tonnes.



2.4.7 Train Traction Restrictions

On the Stara Pazova – Novi Sad – Subotica line section, trains with diesel traction must not be dispatched. The exception from this rule are the trains of railway undertakings performing construction, reconstruction or maintenance of railway infrastructure. In case of trains that, in addition to the train locomotive, also contain the additional active locomotives, i.e. double heading locomotives, such locomotives must run within the train composition along the entire Batajnica – Novi Sad – Subotica line section. Inclusion i.e. removal of the double heading locomotive from the train composition is allowed only in Novi Sad Marshalling Yard.

2.4.8 Train Speed Restrictions

On the Batajnica – Stara Pazova – Novi Sad – Subotica line section, the speed of freight trains is 90 km/h. The exception from this rule are the trains of railway undertakings performing construction, reconstruction or maintenance of railway infrastructure. Trains operating between Batajnica and Stara Pazova, from/to Šid, do not have this speed restriction.

2.5 Availability of the Infrastructure

All railway lines operated by IŽS are open to railway traffic from 0.00 h to 24.00, except for the lines on which the traffic due to technical condition is temporary impossible/ or with the Decision of the Government of the Republic of Serbia the consent for the suspension of public transport of passengers and goods on the part on the railway infrastructure was given ("Official Gazette of the RS"no.80/2016), and they are listed in Appendix 6. Service points are open for railway traffic permanently, as some of them may have limited operating hours envisaged for the effective staff of the traffic service, as stated in Appendix 6. Details about mentioned working time are published in the timetable material, and for more datils please contact:

"Infrastructure of Serbian Railways"JSC Traffic Department 6 Nemanjina Street, 11 000 Belgrade, Serbia Tel/Fax: +381 11 3618 214 E<u>mail: sektor.sp@</u>infrazs.

Exceptionally, on the railway lines with limited hours of operation where mentioned staff is working in limited operating hours, train operations can take place outside the mentioned hours when trains have to operate via auxiliary routes due to the occurrence of an accident or incident. Appendix 3.9 contains an overview of auxiliary routes that may be used as alternative to regular ones. Certain lines that may be used as auxiliary routes can be of different class from the line class along the regular routes with respect to permitted loads per axle or m'.

A railway operator may also submit a request for train path allocation outside the operating hours of the line or railway service points, in which case such railway operator has to bear all the costs of entire traffic organization for longer operating hours of the line, i.e. service points.

If several railway operators are using longer operating hours, they will jointly bear the costs.

Infrastructure Manager is responsible for maintenance, overhaul and modernization of the infrastructure in order to provide appropriate service and safe performance of transport operations. In this respect, IŽS plans regular maintenance of the lines that affect the availability of infrastructure, in the sense of closure of specific line sections for a specific time period or introduction of temporary train speed restrictions.

The infrastructure use restrictions required for regular infrastructure maintenance are part of the capacity allocation process and are published within the timetable documents, in the timetable booklets (KRVs).

IŽS will issue for all railway operators a 3-months' prior notice of any planned longer works to be performed on the railway infrastructure and which could affect the transport operations and the timetable due to the speed restrictions, route changes, use of buses instead of trains for the carriage of passengers, etc.



For all freight trains running in the South-North and transit the part of railway infrastructure between station Velika Plana and node Belgrade, regular routing is across the railway line (Belgrade)-Rakovica-Jajinci-M. Krsna-V. Plana and the compiling of paths in done in this way. Exceptionally this rule cannot be applied during the planned works on reconstruction of above-mentioned railway line.

For all freight trains running in the south-north and transit the part of railway infrastructure between node Belgrade and station Velika Plana, regularly routing is across the railway line (Belgrade)-Resnik-Mladenovac-V. Plana and the compiling of paths in done in this way.

The railway lines on the territory of Kosovo and Metohija are under interim supervision of UNMIK, according to the Temporary Agreement between ZTP Beograd and UNMIK Railways of 31/05/2002 (ref. number 300/2002 - 153 of 31/05/2002), wherefore the path allocation requests for this territory will not be taken into consideration.

2.6 Infrastructure Development

Railway infrastructure, which is managed by IŽS, is constantly being renewed and modernized, in order to enable to the users the best possible service quality.

Development projects of the infrastructure are defined within Strategic plan of IŽS (Decision of the Assembly of Joint stock company for public railway infrastructure management "Infrastructure of Serbian Railways" JSC, Belgrade no. 5/2017-116-49 from June 29, 2017)", which is prepared on the base of the National program of the infrastructure ("The Official Gazette of RS", no. 53/17). Development of the railway infrastructure is directed towards the modernization of the lines which are part of the Pan-European corridor.

Possibility of the realization of the planned works depend upon the amount of the financial means, which are provided from the state budget of the Republic of Serbia and from the amount provided from the other sources of financing.

Appendix 3.11. contains a list of development projects.



3. ACCESS CONDITIONS

3.1 Introduction

This chapter of the Network Statement describes the conditions associated with access to the railway infrastructure managed by the IŽS. These conditions also apply to the part of freight corridors passing through the railway infrastructure managed by the IŽS.

3.2 General Access Requirements

A railway undertaking can provide transport services on IŽS railway infrastructure based on:

- valid license for carriage in railway transport over the infrastructure, issued by Directorate for Railways (hereinafter: DR),
- valid certificate on safety for carriage in railway transport,
- allocated capacity path and contract on provision of access to and use of public railway infrastructure concluded with the infrastructure manager.

Requirements for the submission of application for license, safety certificate and thereof contents are stipulated in the Law on Railways ("Official Gazette of RS" No 41/18 and 62/23), Law on Safety in Railway Traffic ("Official Gazette of RS" No 41/18), Rules on transport licenses in railway traffic ("Official Gazette of RS" No 53/19), Rules on joint safety methods for evaluation of compliance with the requirements for obtaining of safety certificates and safety management system elements ("Official Gazette of RS" No 32/21) and Rules on transport safety certificate forms ("Official Gazette of RS" No 63/19).

3.2.1 Conditions for Applying for Capacity

Request for train path allocation can be submitted by a railway undertaking or an international group of railway undertakings or other persons or legal entities, such as competent authorities, consignors and forwarding agents and operators in combined transport, having interest in provision of public service or having commercial interest in the allocation of railway infrastructure capacity.

Where a train path is allocated to an applicant other than a railway undertaking, the contract on the use of railway infrastructure shall be concluded between the infrastructure manager and the railway undertaking hired by such applicant.

If a request has been submitted after a specified deadline, train path in accordance with remaining capacities will be offered to the applicant, and if there are no capacity constraints, a new path will be subsequently created.

3.2.2 Conditions for Access to the Railway Infrastructure

Services of carriage in railway transport may be provided by a company, other legal entity or entrepreneur registered for provision of public transport services or transport for own purposes, incorporated in the Republic of Serbia, subject to the submission of evidence of fulfilment of the conditions related to good reputation, financial capability, and competence, and the cover for civil liability.

The license for carriage in railway transport and the certificate on safety is issued by DR or a competent authority of another country, based on reciprocity, with which country Serbia has signed an intergovernmental agreement on mutual recognition of certification.

Transport on railway infrastructure may be performed by railway undertakings meeting the requirements referred to in paragraph 1 hereof, who signed the Contract for use of public railway infrastructure. The Contract for use of public railway infrastructure regulates the mutual rights and obligations between the infrastructure manager and railway undertakings and they are concluded in line with article 19 of the Law on Railways.



3.2.3 Licenses

Directorate for railways issue transport license: for transport of goods/passengers and for transport for own purposes.

Transport License is issued to applicant, company, other legal entity whose main registered activity is for provision of railway transport of good and/or passengers, or to a company or other legal entity who performs or will perform transport for own purposes, incorporated in the Republic of Serbia, subject to the submission of evidence of fulfilment of the conditions related to:

- a) good reputation,
- b) financial capability,
- c) proficiency and
- d) cover for civil liability in line with the Law on Railways.

Details related to licensing of railway undertakings are set from article 81.to article 85. of the Law on Railways.

Contact of competent institution for issuance of license is:

Directorate for Railways 6 Nemanina St., 11000 Belgrade The Republic of Serbia Manager's Office tel. (011) 361 68 66 fax (011) 361 83 46 e-mail: kontakt@raildir.gov.rs

web page: www.raildir.gov.rs

3.2.4 Safety Certificate

The railway undertaking must have safety certificate for transport to be allowed to access infrastructure. The type and scope of operations of railway undertaking related to certificate are specified in the safety certificate.

The safety certificate may include the entire network or certain part thereof.

Safety certificate is consisting of:

1) part A confirming the acceptance of railway security management system of railway undertaking;

2) part B confirming the acceptance of provisions adopted by railway undertaking in order to meet the specific requirement set for transport safety on appropriate network; these requirement may include the application of technical specification, the national safety regulation and internal regulation of railway undertaking, the acceptance of employee's certificates and permissions for usage of rolling stock used by that railway undertaking.

Directorate for Railways is responsible for issuance of safety certificate for transport in set form and in the form of decision. The decision to issue or to refuse to issue safety certificate for transport is ultimately in the administrative procedure and a dispute can be brought against it at Administrative Court.

The validity period of the safety certificate for transport is five years and can be renewed at the request of the holder.

Directorate for Railways determine in more detail forms of safety certificate for transport, numbering of forms of safety certificate for transport in line with European identification number, the application form for issuance of safety certificate for transport and instructions for its completion, as well as necessary documentation enclosed with the request for issuance of safety certificate for transport.



Provisions regarding safety certificate for transport are set in Law on Railway Transport Safety.

Contact of competent institution for issuing safety certificate is:

Directorate for Railways 6 Nemanjina St., 11000 Belgrade The Republic of Serbian Manager's Office tel. (011) 361 68 66 fax (011) 361 83 46 e-mail: kontakt@raildir.gov.rs

web page: www.raildir.gov.rs

3.2.5 Coverage for Civil Liability (Insurance)

One of the conditions for issuing a transport license is the fulfillment of the requirements related to civil liability coverage (Insurance).

The requirement relating to civil liability coverage for a company or other legal entity that is registered for the public transport of goods and / or passengers, or performs or will carry out transport for its own purposes, is fulfilled if it is adequately insured or has adequate guarantees under market conditions for coverage, in accordance with legal requirements and confirmed international treaties, for their liability in the event of an accident.

Civil liability coverage may not be required to take effect before the railway undertaking starts operating the service.

3.3 Contractual Arrangements

3.3.1 Framework Agreement

The Infrastructure Manager and an applicant may, by way of exception, draw up a framework agreement on the use of capacity on the relevant railway infrastructure for a period longer than the period of validity of the timetable.

The Framework Agreement between the infrastructure manager and the applicant shall contain the characteristics of the infrastructure capacity for which the applicant applied and which he was offered for a time period exceeding the period of validity of one timetable.

The Regulation on the Manner of Conclusion and Content of Framework Agreements for Allocation of Railway Infrastructure Capacity lays down the procedures, content and criteria relating to the framework agreements for the allocation of railway infrastructure capacity, as well as the obligations of the infrastructure manager regarding information regarding the framework capacity.

At present, the infrastructure manager does not offer the possibility of concluding a framework agreement with the applicant. However, it intensively conducts the activities aimed at defining the procedures so as to have this option open in the near future.

3.3.2 Contracts with RUs

The Law on Railway of the Republic of Serbia stipulates the obligation of concluding a contract on the use of infrastructure that allows railway undertakings to use railway infrastructure. Contracts for use of public railway infrastructure regulate in more detail the mutual rights and obligations of infrastructure managers and railway undertakings related to guaranteeing the technical and other conditions for safe transport operation, the application of regulations governing the transport of dangerous goods, as well as payment of access charges



and charges of services. Contracts for use of public railway infrastructure are concluded under nondiscriminatory and transparent conditions.

Contracts on the use of infrastructure are concluded no later than 1 (one) month prior new timetable enter into force or immediately after the allocation of ad hoc train path.

If during the validity period of Contract for use of public railway infrastructure, the railway undertaking through an authorized person submit ad hoc request in approved way for allocation of train path, it is considered that addendum of that contract is concluded at the moment of allocation of requested train path by infrastructure manager.

For other services (basic, additional and accompanying) provided by infrastructure manager special contracts are concluded.

3.4 Specific Access Requirements

3.4.1 Rolling Stock Acceptance

Railway undertaking may use only the rolling stock that complies with the technical regulations and standards. Rolling stock shall, by virtue of their structure and technical condition, ensure safety of transport on the infrastructure, safety of transported persons and goods, safety of staff, and shall meet the health and environment protection requirements.

All requirements relating to rolling stock and thereof use on the railway infrastructure of IŽS are set forth in the Law on Railway Safety and Interoperability ("Official Gazette of the RS", no. 41/18) and Law on Railway Traffic Safety ("Official Gazette of the RS", no.41/18).Railway undertaking shall be responsible for the technical condition, maintenance and operation of the rolling stock.

3.4.2 Staff Acceptance

Railway undertaking shall be responsible for ensuring that his staff meets the requirements stipulated by the Law on Railway Safety ("Official Gazette of the RS", No. 41/8) and applicable by-laws.

The railway undertaking's train manning shall be familiar with the official language in the Republic of Serbia.

Railway undertaking shall be responsible for staff training, validity of periodical knowledge tests, knowledge of track condition and local conditions at stations/stops. Railway undertaking is obliged in that respect to abide by the applicable legislation of the Republic of Serbia.

3.4.3 Exceptional Transport

A load shall be considered special if due to its external dimensions, weight or properties, and with respect to the station installations or wagons in transport by one of the railways participating in transport, it causes particular difficulties, wherefore it is received for transport only under special technical or operating conditions. Carriage of special loads in domestic and international railway transport, as well as the conditions under which such carriage may take place, shall be approved by the Infrastructure Manager whose railway infrastructure will be used for transport. IŽS provides the special loads service (for vehicles or goods) in accordance with the provisions on transport of special loads set forth in the Rules on Transport of Special Loads ("Official Gazette of the RS", no. 6/17).

IŽS shall be responsible for the allocation of capacity and defining the conditions for transport of special loads.

In addition to what was stated above, the railway undertaking in international transport shall comply with the provisions of UIC 502.1 and 502.2, governing the process of approval of requests for transport of special loads. The railway undertaking shall submit a request for transport of loads to the relevant department of IŽS. Special loads will be accepted for transport only if special operating and technical conditions are met. For more details on transport of special loads please refer to Chapters 4 and 5 of this Network Statement.



For more details on transport of special loads please contact:

Infrastructure of Serbian Railways"JSC Traffic Department 6 Nemanjina Street 11000 Belgrade Serbia Tel.: +381 11 3618 214 Fax: +381 11 36<u>16 814</u> sektor.sp@srbrail.rs

3.4.4 Transport of Dangerous Goods

Transport of dangerous goods by rail in the Republic of Serbia shall be performed in accordance with: Annex C to Convention concerning international carriage by rail (–COTIF) - Regulations governing the international carriage of dangerous goods by rail (RID); the Law on the Transport of Dangerous Goods; the by-laws based on LTDG and other regulations in the Republic of Serbia.

The Ministry of Construction, Transport and Infrastructure is responsible for performance of administrative, inspection, technical and other expert activities in the field of transport of dangerous goods in the Republic of Serbia(www.utot.gov.rs).



4. CAPACITY ALLOCATION

4.1 Introduction

Pursuant to the Law on Railways and Decision of the Government of the Republic of Serbia on incorporation of Joint Stock Company for Public Railway Infrastructure Management and the Company's Articles of Incorporation, "Infrastructure of Serbian Railways" JSC performs the activities of public railway infrastructure management and is responsible for allocation of infrastructure capacities for the purposes of international and domestic transport in a transparent and non-discriminatory manner, provided that all legal provisions on the conditions for access and use of railway infrastructure set out in Chapter 3 of this Network Statement have been previously fulfilled.

4.2. Description of infrastructure capacity allocation procedure

The Infrastructure Manager normally allocates the train paths once a year, upon reconciling the train path allocation requests in the timetabling process, not exceeding the Timetable validity period.

Allocation of infrastructure capacities in the form of a train path is carried out in accordance with the procedures specified in this document for:

- infrastructure capacities allocation procedure for the new Timetable,
- infrastructure capacities allocation procedure during Timetable validity period (including train path allocation on ad hoc request).

A Railway Undertaking may not assign the allocated train path to another Railway Undertaking. Train path trading is prohibited. Train path user will pay a charge for the use of railway infrastructure and for railway traffic organization and control.

How to apply?

Request for infrastructure capacity allocation can be submitted by railway undertakings using the train path request form, which is available in Appendix 4.1, and published on IŽS website: www.infrazs.rs.

When submitting the request, the RU is obliged to submit the following technical data for each traction vehicle series: series, description (axle layout), length (mm), weight (t), maximum speed (Vmax), inertia factor, resistance formula (coefficients a, b and c), traction diagram and braking diagram (tabular and graph presentation), traction type (diesel or electric), as per template provided in Appendix 4.1.b. The requested data are input data for capacity allocation, i.e. for software based timetabling. The data are submitted once for each traction vehicle as well as in case of change of data. If within the same series there are traction vehicles with different technical properties ("subseries") the data need to be provided for each "subseries".

Requests are submitted according to procedures defined under section 4.5.

The request should contain the following data:

- Full registered name of the Railway Undertaking (TIN, company identification number),
- Train type (in accordance with the Traffic Rulebook, Official Gazette of RS No 34/22 and 107/22),
- The desired time of train departure from the departure station and the time of train arrival to the terminal station,
- Traffic route and transport route,
- Necessary stops with minimum lengths of delays,
- Traffic period and days (traffic calendar),
- Series and number of wagons/series and number of train units,
- Train length and mass (length in meters, mass in tons),



- Type and serial number of the traction vehicle (traction passport),
- Additional locomotives (type and serial number) and on which section,
- Maximum train speed,
- Braking type,
- Special notes, such as vehicle shunting, change in train composition, implementation of connections, crew change, type of intermodal transport unit, type of dangerous goods (UN number, number for marking of danger or, for Class 1 dangerous goods, the subclass and compatibility group for substances and items, *NHM* code with minimum 6 digits and the name of dangerous goods based on *RID*), exceptional consignments, handover procedures on border crossings, technical hold ups (inspection, water supply, removing of waste and similar) and the required time period, the need for additional track capacities (storing, preheating/cooling, train formation and similar), the need for access to other facilities for provision of additional services and similar.

Upon the request of IŽS, a Railway Undertaking will be required to provide all the missing data within five working days, otherwise the request for capacity allocation will not be considered as submitted.

A request for capacity allocation submitted to IŽS on time and containing all the necessary elements makes a basis for timetabling and train path allocation. If a Railway Undertaking changes the request completely or partially after the determined deadlines for request submission it assumes the risk of not having the request granted.

After the annual timetable drafting process has been completed, the remaining available capacities will be allocated according to the deadlines defined in Appendix 4.3 according to the sequence of request submission.

Manner of capacity allocation

IŽS decides on capacity allocation taking into account all legally valid requests and legal provisions in force. In accordance with the Law on Railways, the procedures and deadlines in capacity allocation have been determined under point 4.5 of the present Network Statement.

Defining of procedures and deadlines in capacity allocation is harmonized with Directive 2012/34/EU and its appendices, as well as the RNE recommendations from "Procedures for International Path Requests".

Relevant bodies involved in the capacity allocation process and their responsibility

Bodies participating in capacity allocation process:

- IŽS "Infrastructure of Serbian Railways" JSC as Infrastructure Manager and capacity allocation body
- Railway Undertakings railway undertakings submitting capacity allocation requests
- RNE RailNetEurope body coordinating the allocation of international train paths and determining processes and deadlines for submission of international train path requests
- FTE ForumTrainEurope European organization of railway undertakings representing the European Forum for technical planning of international passenger and freight transport.

IŽS, as Infrastructure Manager and capacity allocation body, is a member of RNE and is actively involved in the activities of FTE.

4.3 Allocation of capacity for maintenance, including the allocation process

Allocation of infrastructure capacities for maintenance, renewal and modernization of railway infrastructure is an integral part of capacity allocation process. Aiming at maintaining a certain level of quality, safety and reliability of railway infrastructure, $I\check{Z}S$ – Department for access to railway infrastructure will, during the timetabling process, reserve a part of infrastructure capacities for scheduled railway infrastructure maintenance, for specific time periods and specific line sections.



Periods reserved for scheduled railway infrastructure maintenance are published in the Timetable Booklet.

4.4. Impact of Framework Agreements

"Infrastructure of Serbian Railways" is currently not concluding framework agreements with interested applicants for allocation of infrastructure capacities.

4.5 Schedule for Path Requests and Allocation Process

Each year IŽS prepares a schedule for path request submission and capacity allocation which is applied in the annual timetabling process and in the capacity allocation process outside the annual timetabling process published in the Network Statement.

Railway Undertakings allocation requests for the new Timetable and during Timetable validity period should be submitted in the form defined in Appendix 4.1, to the following address:

By mail, to the following address: "Infrastructure of Serbian Railways" JSC Department for access to railway infrastructure 6, Nemanjina St 11000 Belgrade, Serbia By e-mail: sektor.pzi@srbrail.rs

4.5.1 Schedule of requests submission for new annual timetabling process

The Applicant submits a request for capacity allocation not earlier than 12 months and not later than 10 months before the new Timetable enters into force. Deadlines for requests submission regarding Timetable 2025/2026 which enters into force on December 14th, 2025 with validity until December 12th, 2026 are presented in Appendix 4.3.

For the needs of Railway Undertakings wishing to use additional capacities or to change parametres of already allocated train paths, the new capacity allocation during Timetable validity period is enabled by:

- Regular amendments of and supplements to the Timetable
- Special amendments of and supplements to the Timetable
- Train path allocation on ad hoc request

In the form defined by Articles 4.5.2 and 4.5.3 in this Network Statement.

4.5.2 Schedule of requests submission for train path allocation during annual Timetable validity period through regular and special amendments of and supplements to the Timetable

During the Timetable validity period, there are regular amendments of and supplements to the Timetable 5 times a year, in accordance with internationally determined terms which are presented in Appendix 4.4. Deadlines for submission of requests for capacity allocation are presented in the column 1, Appendix 4.4.

Requests for regular amendments of and supplements to the Timetable that are submitted after deadlines specified in the column 1, Appendix 4.4, will be considered as special requests and shall be included in regular amendments of and supplements to only in case of existence of available infrastructure capacities and technical possibilities for their processing.

After the 5th regular amendments of and supplements to the 2025/2026 Timetable enter into force it will be only possible to submit ad hoc requests for capacity allocation.

Besides regular amendments of and supplements to the Timetable in accordance to the terms specified in the column 3, Appendix 4.4, Railway Undertakings may submit special request for infrastructure capacity



allocation outside specified terms. If there is possibility for allocation of the requested capacities, consequent changes in the Timetable shall be considered as special amendments of and supplements to the Timetable.

4.5.3 Allocation of capacities during annual Timetable validity period on ad hoc request

Ad hoc requests for infrastructure capacity allocation are requests for allocation of single train path, which are submitted during annual Timetable validity period.

Infrastructure Manager is obliged to respond to ad hoc requests as soon as possible and not later than five working days upon receiving the request.

4.5.4 Path Allocation and Coordination Process

IŽS will allocate the infrastructure capacity if the applicant fulfils the conditions for capacity allocation set out in the Network Statement and if the infrastructure capacity allows such allocation. IŽS will act in such a manner so as not to favour any applicant.

The following criteria will be applied in the path allocation process:

- Volume of service;
- Utilization of railway infrastructure;
- Volume of additional services provided by the IM in connection with the transport provided on the path;
- Business reputation;
- Public service obligation; and
- Quality of performed transport service in the previous period.

After the final deadline for submission of requests for the annual timetabling has expired, IŽS will initiate the capacity allocation process in a transparent and non-discriminatory manner.

Requests for capacity allocation received after the annual timetable drafting cannot affect draft alteration, except with the consent of the Railway Undertaking to whom the capacity has been originally allocated.

Allocated capacity can be used upon conclusion of Access Contract between IŽS and the Railway Undertaking submitting a request for capacity allocation.

Allocated capacity cannot be transferred onto another Railway Undertaking in accordance with the Law on Railways.

Coordination process

Every year at the beginning of the new annual timetabling process, IŽS will conduct consultations with railway undertakings on their plans for the timetable which will come into force in not less than 11 months (x-11). In the course of these consultations, IŽS will inform railway undertakings on major maintenance works, overhaul and modernization of railway infrastructure.

The coordination process is run by IŽS – Department for access to railway infrastructure, which is preparing and publishing the annual Timetable and preparing of all required working materials.

Upon the expiry of the final deadline for submission of requests for capacity allocation for the annual Timetable, IZS – Department for access to railway infrastructure will start the coordination process, together with railway undertakings for the purposes of solving conflicting requests and their better harmonization, aiming to fulfil the needs of users as much as possible in a non-discriminatory and transparent way.

Timetable planning includes reviewing all received requests, including all restrictions imposed by IŽS and the scheduled infrastructure maintenance plans.



If the number of requests for allocation of the same infrastructure capacity exceeds the permitted capacity of the particular railway line, IŽS apply priority rules from 4.6.

Following the completion of the coordination procedure, IŽS will deliver the draft timetable to railway undertakings. Together with railway undertakings IŽS will perform the final consultations concerning the draft timetable. Railway undertakings must state, in written form, whether they accept, partially or completely, that is, do not accept, the Timetable.

Deadline for making the statement is one month from the day of the draft submission, at the latest.

After the expiry of the deadline for making the statement, IŽS will define the Timetable according to the requests submitted on time and it will be deemed that the train paths have been allocated.

IŽS will subsequently allocate the remaining available capacities according to requests received after the final deadline, in the order of their receipt.

4.5.5 Dispute Resolution Process

IŽS will initiate the dispute resolution process upon delivery of written complaints by railway undertakings, relating to complete or partial acceptance/non-acceptance of the proposed Timetable.

Complaints are to be addressed to IŽS:

By mail, to the following address:
"Infrastructure of Serbian Railways" JSC
Department for access to railway infrastructure
6, Nemanjina St
11000 Belgrade, Serbia
By e<u>-mail: sektor.pzi@srbrail.rs</u>

IŽS will evaluate all complaints and objections and conduct consultations with railway undertakings aiming to fulfil their requests.

If a mutual solution is not found, IŽS will determine the capacity and inform the railway undertakings of this. If after the request coordination it is still not possible to satisfy all the requests for capacity allocation, IŽS will be obliged to announce that the said line section is congested.

Railway undertakings can appeal to the Directorate for Railways with respect to IŽS decision.

A potential appeal of a Railway Undertaking cannot be the reason to delay the process of Timetable adoption and coming into force.

4.6 Congested Infrastructure

If in the coordination process IŽS is unable to adequately satisfy all railway undertaking requests due to capacity limitations, IŽS will declare the requested infrastructure capacity to be "congested".

In cases when IŽS declares infrastructure "congested", it will conduct an analysis of capacities on congested infrastructure and define limitations due to which it was not possible to satisfy capacity allocation requests as well as propose a plan to enhance the particular capacity.

Infrastructure capacity will not be considered congested if the infrastructure capacity cannot be allocated due to the execution of works on the infrastructure maintenance, modernization, construction and reconstruction.

If the number of requests for allocation of the same infrastructure capacity exceeds the permitted capacity of a specific railway line, and if congested infrastructure is declared regarding that line, i.e. the part of that line, IŽS will, in an effort to allocate the train paths, apply priority rules according to the following order:



- 1) passenger trains in international traffic
- 2) passenger trains in domestic traffic
- 3) international freight trains
- 4) other freight trains

Considering the above mentioned priorities, the train path allocation process will be carried out according to the following rules:

- Requests for train paths of regular trains have the priority over the requests for train paths of special trains and trains transporting exceptional consignments;
- Requests for train paths according to framework agreements have the priority over new requests;
- Requests for train paths for a longer time period of service have the priority over requests for train paths for a shorter time period;
- Requests for train paths for a longer route have the priority over train paths for a shorter route.

If a Railway Undertaking considers that its rights were withheld, it can appeal to the Directorate for Railways.

4.7 Exceptional Transports and Dangerous Goods

Exceptional Transports

Transport of exceptional consignments is transport in the course of which there is a deviation from at least one technical standard applied on the given infrastructure, such as for example, axle load, railway vehicle gauge, loading gauge and similar. Taking into account all the elements required for the transport of an exceptional consignment, IŽS will decide whether the requested infrastructure capacity will be allocated and under what conditions.

Deadline for submission of request for transport of exceptional consignments is not later than 20 days in domestic and 30 days in international traffic prior to service provision. Decision on the request for transport of exceptional consignments shall be made as soon as possible and not later than 15 days upon submission of the request.

Detailed information can be obtained at the below address. Deadline for capacity allocation will be as soon as possible. IŽS will decide whether it is possible to accept a certain transport and under which conditions.

Requests are submitted to:

"Infrastructure of Serbian Railways" JSC Traffic Department 6, Nemanjina St 11000 Belgrade, Serbia Tel.: +381 11 3618 214 Fax: +381 11 3616 814 E-mail: sektor.sp@srbrail.rs

In their request for capacity allocation, railway undertakings are required to list all the necessary information on the exceptional consignment which is being transported, regardless of whether it is a capacity allocation process for the annual Timetable or an ad hoc capacity allocation.

Dangerous Goods Transport

Dangerous goods transport on railway infrastructure operated by IŽS is regulated by international and national regulations in the field of dangerous goods transport, in accordance with point 3.4.4 of the Network Statement.

Based on clauses 1.4.2.2.5 and 1.4.3.6 of *RID* and Article 23, para 4, item 2) and Article 29 para 2 of the Law on Transport of Dangerous Goods, a Railway Undertaking is obliged to report every consignment of dangerous goods to railway Infrastructure Manager.



Reporting of dangerous goods transport can be done by phone: +381 11 3618 288 and in writing to the below address. The below address can be also used for more detailed information:

"Infrastructure of Serbian Railways" JSC 6, Nemanjina St, 11000 Belgrade Central Operations Unit Main dispatcher for dangerous goods transport Tel.: +381 11 3618 288 E-mail: rid1@srbrail.rs; glavni.riddisp@srbrail.rs

For the purposes of safe transport of dangerous goods on IŽS network, a Railway Undertaking is obliged to:

- Report each transport of dangerous goods consignment in real time i.e. immediately before the commencement of transport or at acceptance from the successive carrier.
- Report completion of transport of dangerous goods consignment in real time i.e. at the moment of completion of transport after the completed handover of consignment to the consignee at the destination station or upon handover of consignment to successive carrier.

Railway Undertakings are responsible for obtaining appropriate consents regarding the safety of dangerous goods transport.

Pursuant to clauses 1.4.2.3.1 of *RID* and Article 24 para 2 item 1) of the Law on Transport of Dangerous Goods, the consignee of dangerous goods in railway transport is obliged not to postpone the acceptance of dangerous goods consignment which is resulting in the railway undertaking's obligation not to postpone the handover of dangerous goods consignment after having performed the transport service.

Railway Undertaking is obliged to, after having accepted the dangerous goods consignment for transport at the forwarding station, immediately start the process of transporting the said consignment without any additional delays at the station, except for traffic reasons, accident or incident etc. Phased collecting of wagons loaded with dangerous goods (and non-cleaned empty wagons which were previously loaded with dangerous goods) in the forwarding station for the purposes of subsequent dispatching is prohibited due to the safety in transport of dangerous goods. The process of transport of dangerous goods (acceptance of consignment for transport from the consignor, dispatching, transport and handover of consignment to the consignee) must be performed in accordance with the technologically specified time in order to avoid the potential safety risks in transport.

After the customs clearing of consignment, it is exceptionally permitted for the consignment to remain on station sidings but only for a time period which is necessary to organize the dispatching and continuing of planned transport route, or handover to the consignee in accordance with the specified technological process for station operation i.e. Station Regulations, Part II.

Obligation to announce the transport of dangerous goods Class 1 and Class 7

Exceptionally in transport of dangerous goods Class 1 and Class 7, a Railway Undertaking is obliged to submit to the Infrastructure Manager, in writing (Central Operational Unit – Main dispatcher for transport of dangerous goods) an announcement for the said transport in the time period which is not less than 24 hours prior to the moment of acceptance for transport (entry onto IŽS network). Railway Undertaking may send the announcement of transport also in the form of an email with scanned documents to the following address: rid1@srbrail.rs.

The announcement should contain the following data and attachments:

- 1. Consignor
- 2. Forwarding station and country
- 3. Consignee
- 4. Destination station and country
- 5. Entry border station
- 6. Exit border station
- 7. Net quantity of dangerous goods and wagon number in the train loaded with dangerous goods



- 8. Name of goods (official name of the goods)
- 9. UN number, number for marking of danger (all, if there are several)
- 10. Data on persons hired according to the Decision of the Ministry of the Interior of the Republic of Serbia in the capacity of armed company (first and last name, ID document number, etc., from the Decision issued by the Ministry of the Interior of RS)
- 11. Buffer wagon
- 12. Number of the decision on transport and name of issuing state authority.

The announcement should also contain two appendices:

- Photocopy of the Decision on transport issued by a relevant state authority, and
- For Class 1 dangerous goods: Instructions on special safety measures (MSDS lists) from the manufacturer of Class 1 dangerous goods;
- For Class 7: instructions on measures that the Railway Undertaking should take in transport, restrictions and required data on planned transport route as well as measures in case of danger that are adequate in relation to the consignment in accordance with RID 5.4.1.2.5.2.

Permit for transport of Class 1 dangerous goods is issued by the ministry responsible for the interior affairs, and permit for transport of Class 7 dangerous goods is issued by the authority responsible for protection against ionizing radiation and nuclear safety in the Republic of Serbia (Article 7 of the Law on Transport of Dangerous Goods). The announcement of transport should also contain the basic data on the Railway Undertaking and the transport organizer if case of irregularities or emergency events in transport of dangerous goods. In terms of data it is mandatory to specify the first name, last name and mobile phone number of the person (employed with the Railway Undertaking and/or transport organizer) who is always available during the transport.

4.8 Rules After Path Allocation

4.8.1 Non-usage of allocated train path

In cases when a Railway Undertaking is not using the allocated train path envisaged by the Timetable, IŽS will, depending upon the non-usage percentage, charge the reservation of train path, that is, IŽS will cancel the allocated train path.

IŽS is monitoring the realization of allocated train paths, in such a way that IŽS is calculating the train path utilization degree for all the allocated train paths.

The utilization degree is calculated by dividing the realized number of one train's paths by the allocated number of the same train's paths, and the result is shown in percentages.

The utilization degree is calculated by dividing the realized train kilometers of the train path by the planned (allocated) train kilometers of the same train path, and the result is expressed in percentages.

The degree of utilization of allocated train paths is calculated monthly, for the calendar month.

IŽS reserves the right to cancel the allocated train path if a train path is utilized less than 25% of the monthly quota, that is, less than 50% of the monthly quota in case of congested infrastructure.

For the allocated train paths where the degree of utilization is less than the borderline degree of utilization, IŽS will charge the non-usage of the capacity.

The borderline degree of utilization, according to the type of the trains, is given in the below table 6.

Table No 6. Borderline degree of utilization

Train type	Borderline degree of utilization [%]
Passenger trains	80
Freight trains	40
Facultative trains	10



Facultative train is a train which has set timetable but operates with special announcement (if needed).

Requests for train paths for all other trains will have priority over the request for train paths for facultative trains.

Infrastructure Manager will not grant facultative train paths on congested infrastructure.

In cases when the degree of utilization of the train path is below the borderline degree of utilization, the Infrastructure Manger will charge the full price of the train path for the used train paths, and for the non-used train paths, which represent the difference between the borderline degree of utilization and the degree of utilization of one train path, IM will charge for the reservation of the train path.

The charge for the reservation is 20% of the agreed train path price.

If the train path is not used in its entirety, as agreed in contract, the full price of the train path will be charged, according to the required elements.

4.8.2. Rules of Cancellation

A Railway Undertaking may cancel the allocated train path as part of changes and amendments of the Timetable. If a Railway Undertaking cancels the allocated route or requires modifications of parameters for the already allocated train paths outside the deadlines set forth in Appendix 4.4 and if they are such that their implementation will result in freeing of infrastructure capacities, such as:

- Cancellation of a part of already allocated train path i.e. shortening of the train path while all other parameters of the allocated train path remain the same,
- Change in traffic regularity, such that the train is transferred from the regular train status into the facultative train status, or the prescribed number of train operating days is reduced,
- Reduction of train length,

IŽS will not charge the costs prescribed under the tariff system under item 5.10.

Cancellation of allocated train path is done in writing, to the following address:

By mail:
"Infrastructure of Serbian Railways" JSC
Railway Infrastructure Access Department
6, Nemanjina St
11000 Belgrade, Serbia
By e-mail: sektor.pzi@srbrail.rs

Cancelled train paths can be allocated to other railway undertakings by IŽS.

4.9. TTR for Smart Capacity Management

Timetabling and Capacity Redesign (TTR) is a project with an aim to simplify, harmonise and permanently improve the European rail timetabling system to considerabely increase the competitiveness of rail transport.

4.9.1. Objectives of TTR

RNE and FTE, supported by the European Rail Freight Association (ERFA), are currently working on the international Timetabling and Capacity Redesign (TTR). The objective of TTR is to harmonise and improve the European rail timetabling system to significantly increase the competitiveness of rail transport. TTR consists of improved planning of the distribution of infrastructure capacity (including temporary capacity restrictions) and the capacity allocation processes.



The purpose of TTR is to better serve all market needs and achieve an optimised use of existing infrastructure capacity. In particular, for passenger traffic it will mean earlier availability of the final timetable allowing earlier and more reliable ticket purchasing for passengers. For freight traffic, it will mean more possibilities for short-term path requests and thus more flexibility.

Detailed project information are available on:

http://ttr.rne.eu/ and http://www.forumtraineurope.eu/services/ttr/



5. SERVICES AND CHARGES

5.1 Introduction

Serbian legislation defined four types of services which railway undertakings can use with the aim of performing of transport operations on the allocated infrastructure capacity.

Categories of services offered by "Infrastructure of Serbian Railways" JSC to railway undertakings on the network are in line with the provisions of the Law on Railways and defined by the following documents:

- Decision on establishing of Joint Stock Company for Public Railway Infrastructure Management ("Official Gazette of RS" No 60/2015);
- Rulebook on organization and systematization of jobs at Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways";
- Methodology for valuation of elements for determining the charges for the use of railway infrastructure ("Official Gazette of RS" No 122/14).

The services that can be provided to railway undertakings are the following ones:

- 1. Minimum access package of services (hereinafter: the minimum package of services);
- 2. Basic services in services facilities including the access tracks to such facilities;
- 3. Additional services; and
- 4. Ancillary services.

Until the Government determines the Methodology for determining the price for access and the price for services and, based on it, the specific rules for calculation of the price for access and the price for services provided by the Infrastructure Manager, "Infrastructure of Serbian Railways" will apply the valid Methodology for valuation of elements for determining the charges for the use of railway infrastructure ("Official Gazette of RS" No 122/14), and according to this Methodology, where necessary, classification to the following service categories:

- Category I: Minimum package of services;
- Category IIa: Package for track access to service facilities;
- Category IIb: Package for provision of services in service facilities;
- Category III: Package for additional services;
- Category IV: Package for ancillary services.

IM – "Infrastructure of Serbian Railways" JSC will enable all interested railway undertakings to use the minimum access package of services and track access to services facilities, in a non-discriminatory manner, provided that railway undertakings have fulfilled the requirements for rail transport service in accordance with the provisions of the Law on Railways and the signed Contract for the use of railway infrastructure. Railway Undertaking's requests for the use of facilities and services provided in such facilities may be rejected only if there are feasible alternatives enabling the railway undertakings to perform the transport of goods and passengers on the same or alternative transport routes under the economically acceptable conditions. According to the nature of distinction and type of activity, the former notion of service facility can be aligned with the notion of services facility in the entire text, and the notion "level of charge for the use of public railway infrastructure" can be aligned with the notion "level of access charges and charges for access to the part of public railway infrastructure connecting the services facilities".

The use of all services facilities, additional and ancillary services provided by the IM – "Infrastructure of Serbian Railways" JSC - will be enabled to all railway undertakings in a non-discriminatory manner and upon their request, and will be defined in a separate contract.

The use of services facilities not owned by the IM – "Infrastructure of Serbian Railways" JSC, as well as additional and ancillary services not provided by the IM – "Infrastructure of Serbian Railways" JSC, is subject to separate contracts with managers of the said facilities and service providers.



Based on the volume of services provided, as defined in items 5.2 to 5.10, Railway Undertaking pays a charge for access and a charge for the provided service to:

- "Infrastructure of Serbian Railways" JSC based on the Contract for the use of railway infrastructure and separate contracts;
- Other service providers based on separate contracts.

5.2 Charging Principles

The basic principles underpinning the charging regime for the use of infrastructure are set forth in the Methodology for valuation of elements for determining the charges for the use of railway infrastructure ("Official Gazette of RS" No 122/14, dated November 11, 2014). The Methodology is defining, in more detail, valuation of elements for determining the level of charge for minimum package of services and package for track access to service facilities and provision of services in service facilities.

The methodology is based on the principle that railway undertakings should only bear the justified cost of IM operations and the costs arising from the efficient provision of services requested by the users.

This methodology is based on the economic principle of valuation of elements for determining of charge level known as marginal cost plus (MC+). It is a charge setting principle based on marginal costs increased by the mark-up. The selected principle enables covering of justified costs arising in provision of requested services and is favourable for the so called "network systems" (systems that require major capital investments such as telecommunications, energy, natural gas transportation, road transport and other means of transport).

Marginal costs are estimated based on the variable costs which, within the Methodology, include short-term marginal costs: track wearing, train movement control and signalling, consumption of energy sources and overheads.

The charge is set based on the following elements: line category (main, regional or local) used by train, use of railway nodes, train category (passenger or freight) and traction type (electrical or diesel).

The components of the total charge include charge for the minimum package of services (category I), charge for track access to service facilities (category IIa), charge for providing the services in service facilities (category IIb), charge for providing the additional services in service facilities (category III) and charge for providing the ancillary services in service facilities (category IV).

5.3 Minimum Access Package and Charges

Minimum access package

Within the minimum package of services for the use of railway infrastructure, IŽS provides the following services:

- Handling of requests for capacity allocation;
- Right to use the allocated capacity;
- Use of infrastructure on the main running track (turnouts, tracks, railway nodes and lines),
- Train control including signalling, regulation of train movements, acceptance and dispatching of trains and communication regarding the train operations and provision of information on train movements;
- Use of electrical supply equipment, where available;
- Provision of all other information to implement or operate the service for which the capacity has been granted.

The access price includes the minimum access package of services. Railway Undertaking will pay the access charge to "Infrastructure of Serbian Railways" JSC based on the Contract for the use of public railway infrastructure.

- Handling of requests for infrastructure capacity



Handling of requests for infrastructure capacity allocation is a part of the capacity allocation process described in Chapter 4. Principles, priorities and criteria for allocation of infrastructure capacity. Requests for infrastructure capacity allocation which have been submitted by railway undertakings are processed in mutual cooperation with railway undertakings, implementation possibilities are examined, contradictions resolved and the train path offer is prepared, which ultimately results in a Timetable.

- Right to use the allocated capacity

Provided that all necessary prerequisites for the train operation are in line with valid legal provisions on conditions for access to and use of railway infrastructure specified in Chapter 3 of the present Network Statement, the applicable legislation and the signed Contract for the use of railway infrastructure, Railway Undertaking is entitled to use the allocated capacity in the form of a train path.

- Use of infrastructure on main running track (turnouts, tracks, railway nodes and lines)

Use of infrastructure on main running track (turnouts, tracks, railway nodes and lines) on the allocated capacity enables the Railway Undertaking to perform train operations.

- Train control including signalling, regulation of train movements, acceptance and dispatching of trains and communication regarding the train operations and provision of information on train movements

Overall train traffic management, including signalling, train movement regulation, acceptance and dispatching of trains, communication regarding the train operations and provision of information on train movements using the telecommunication devices enables railway undertakings to perform train operations on the allocated train path.

- Use of electrical supply equipment

On its electrified railway lines IŽS enables a Railway Undertaking to use the electrical supply equipment for traction (without electricity).

- All other information to implement or operate the service for which the capacity has been granted

After the Timetable has been adopted and published, railway undertakings will be provided with all additional information required for the train operations within the minimum access package of services.

Charge for the minimum package of services (category I)

Charges for the minimum package of services for infrastructure access are defined based on the costs of railway traffic management and infrastructure capacities maintenance.

The level of unit charges is determined in relation to line category (main, regional, local), train category (passenger trains, freight trains) and traction type (diesel, electrical).

The charging units are:

- 1) Train km;
- 2) Gross tonne km.

Charge for minimum package of services (NKI) is determined according to the following formula:

$$NKI = (\sum VKM_{ijk} \cdot C_{VKM_{ijk}}) + F \cdot (\sum BRTKM_{ij} \cdot C_{BRTKM_{ij}})$$

Key:

- i-Line category (main, regional, local)
- j Train category (passenger trains, freight trains)



k – Traction type (diesel, electrical)

 $(\sum VKM_{ijk} \cdot C_{VKM_{ijk}})$ - charge for the use of infrastructure capacities for the minimum package of services in relation to line category (i), train category (j) and traction type (k)

 VKM_{ijk} - number of train km on the network in relation to line category (i), train category (j) and traction type (k)

 C_{VKM} - charge per one train km in relation to line category (i), train category (j) and traction type (k)

F - factor depending on the train category (factor level depends on the train category impact on the level of infrastructure maintenance costs or the applied strategy for development of a particular segment of railway market)

 $(\sum BRTKM_{ij} \cdot C_{BRTKM_{ij}})$ - charge for wearing out of line and tracks during train passing in relation to line category (i) and train category (j)

BRTKM_{ij} - number of gross-tonne km on the network in relation to line category (i) and train category (j)

 $C_{BRTKM_{ij}}$ - charge per one gross-tone km in relation to line category (i) and train category (j)

The level of charge for the path of one train depends on the train gross mass. Gross-tonne km, in the sense of the calculation of the level of charge for the path of one train, is defined as a product of train km and train gross mass, which implies the total mass of all active locomotives and the total mass of all hauled stock.

Freight trains with electrical traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tonne km [RSD/GTKM]
Main line	93,50	0,0858
Regional line	63,77	0,0781
Local line	10,53	0,0361

Freight trains with diesel traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tone km [RSD/GTKM]
Main line	79,04	0,0858
Regional line	51,24	0,0781
Local line	10,07	0,0361

Passenger trains with electrical traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tone km [RSD/GTKM]
Main line	62,33	0,0686
Regional line	42,51	0,0625
Local line	7,02	0,0289

Passenger trains with diesel traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tone km [RSD/GTKM]	
Main line	52,69	0,0686	
Regional line	34,16	0,0625	
Local line	6,71	0,0289	

Factor depending on the train category [F] is applied to all types of freight trains and passenger trains and amounts to 1.0.



Charge for track access and use of service facilities (categories Ia and IIb)

Charges for track access and use of service facilities are defined based on the costs of railway traffic regulation and infrastructure capacities maintenance.

The level of unit charges is determined in relation to railway node (Subotica, Novi Sad, Beograd, Lapovo, Niš, Pančevo), train category (passenger trains, freight trains) and traction type (diesel, electrical).

The charging units are:

- 1) Number of trains;
- 2) Gross tonne km;
- 3) Number of serviced trains.

The charge is levied for the trains starting and finishing their running in the railway node, that is, transiting the railway nodes, as well as for the trains in railway nodes.

Serviced train is a train to which a service of using the service facilities in a railway node has been provided aiming to use the services of technical-wagon unit in train inspection, maintenance of wagons, railway vehicles and machinery.

Track access and use of service facilities (categories IIa and IIb)

Charge for the use of infrastructure when the trains are starting and finishing their running in the node, that is, when they are transiting railway nodes (NKIIa), as well as for the servicing of trains in the railway nodes (NKIIb) is determined as follows:

NKII = *NKIIa* + *NKIIb*

 $Kev:-NKIIa = (\sum Va_{lmn} \cdot C_{Va_{lmn}}) + (\sum BRTKM_{lm} \cdot C_{BRTKM_{lm}})$

 $NKIIb = \sum Vb_{lm} \cdot C_{Vb_{lm}}$

1 - Node (Subotica (1), Novi Sad (2), Beograd (3), Lapovo (4), Niš (5), Pančevo (6))

m – Train category (passenger trains, freight trains)

n – Traction type (diesel, electrical)

 $(\sum Va_{lmn} \cdot C_{Valmn})$ - charge for the use of infrastructure capacities in the node for the package of services IIa in relation to node (l), train category (m) and traction type (n)

 Va_{lmn} - number of trains in the node in relation to node (1), train category (m) and traction type (n)

 C_{value} - charge per one train for the used infrastructure capacities in the node, in relation to node (l), train category (m) and traction type (n)

 $(\sum BRTKM_{lm} \cdot C_{BRTKM_{lm}})$ - charge for wearing out of railway line and railway track when using the infrastructure capacities in the node, for package of the services IIa, in relation to node (1) and train category (m)

*BRTKM*_{*lm*} - number of gross-tonne km in the node, in relation to node (l) and train category (m)

 $C_{BRTKM_{Im}}$ - charge per one gross-tonne km in the node, in relation to node (l) and train category (m)

 $\sum Vb_{lm} \cdot C_{Vb_{lm}}$ - charge for providing the services of train "servicing" in the node, for package of services IIb, in relation to node (l) and train category (m)

 Vb_{im} - number of trains which were provided with the service (which were "serviced") in the node, in relation to node (1) and train category (m)



 $C_{v_{b_{im}}}$ - charge per one train, "serviced" in the node, in relation to node (l) and train category (m)

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tonne km in the node [RSD/GTKM]
Novi Sad	3.658,76	0,0801
Beograd	4.302,04	0,0894
Lapovo	4.987,87	0,0744
Niš	5.422,50	0,1171
Pančevo	3.257,01	0,0911
Subotica	4.097,11	0,0497

Freight trains with electrical traction

Freight trains with diesel traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tonne km in the node [RSD/GTKM]
Novi Sad	3.607,21	0,0801
Beograd	4.145,57	0,0894
Lapovo	4.935,40	0,0744
Niš	5.293,94	0,1171
Pančevo	3.196,24	0,0911
Subotica	3.944,07	0,0497

Passenger trains with electrical traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tone km in the node [RSD/GTKM]
Novi Sad	2.439,17	0,0534
Beograd	2.868,03	0,0596
Lapovo	3.325,25	0,0496
Niš	3.615,00	0,0781
Pančevo	2.171,34	0,0607
Subotica	2.731,41	0,0332

Passenger trains with diesel traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tone km in the node [RSD/GTKM]
Novi Sad	2.404,81	0,0534
Beograd	2.763,71	0,0596
Lapovo	3.290,27	0,0496
Niš	3.529,29	0,0781
Pančevo	2.130,82	0,0607
Subotica	2.629,38	0,0332

5.4 Additional Services and Charges

Additional services include:

- Supply of electricity for train traction;
- Preheating of the passenger trains, water supply, etc.;
- Modified contracts for the service:
 - (1) control of transport of dangerous goods,
 - (2) assistance in transport of special trains (exceptional consignments).



"Infrastructure of Serbian Railways" will enable the use of the above mentioned services (provided by IŽS) to all railway undertakings that have been allocated a minimum access package of services, in a non-discriminatory manner and upon their request.

Railway undertakings must present the request for the use of additional services in the capacity allocation process, please refer to Chapter 4.

In order to be able to use the above services a Railway Undertaking is obliged to conclude a separate contract with IŽS or with another service provider and pay the charge for provided service in accordance with the provisions of such contract.

More detailed information on provision of additional services can be obtained from IŽS.

"Infrastructure of Serbian Railways" JSC Railway Infrastructure Access Department 6 Nemanjina St 11000 Belgrade, Serbia Tel: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

The level of charges for additional services provided by the Infrastructure Manager is determined based on the costs incurred during the provision of these services.

Charges for using the additional services are applied in a non-discriminatory manner for all the railway undertakings, that is, service users.

When determining the level of charge the time norms for performing of tasks were used in accordance with the Methodology for determining the required number of workers for performing the planned scope of work ("Official Gazette of ŽTP Beograd" 10/85) and the Methodology for calculation of labour sales price per effective hour for the employees of "Infrastructure of Serbian Railways" (Decision of the Board of Directors 4/2015-53-17 dated 29.12.2015), and other valid railway regulations and documents.

The prices of additional services are determined in accordance with the Methodology for valuation of elements for determining the charges for the use of railway infrastructure. The levels of prices for additional services are determined as a product of standardized period for service performing and price of effective working hour of staff hired to provide the service, and they are solely based on the actual cost of work incurred during the provision of the particular service or directly determined by means of the Infrastructure Manager's separate decision.

Additional services are provided upon the Railway Undertaking's request, and the prices are applied in a nondiscriminatory manner for all railway undertakings. Railway Undertakings will pay such prices according to the actual level of use.

- Supply of electricity for traction and charges

For the service of supply of electricity for traction please refer to: "Infrastructure of Serbian Railways" JSC Electrical Engineering Department 6, Nemanjina St 11000 Belgrade, Serbia Tel: +381 11 3618 241 Fax: +381 11 3618 130 direktor.etp@infrazs.rs



The prices of traction electricity depend on the prices of electricity determined by the supplier (currently JP Elektroprivreda Srbije), actual consumption costs, gross tonne km and train type. The calculation method is provided in Appendix 9.

- Preheating of the passenger trains

"Infrastructure of Serbian Railways" JSC is not providing services of preheating of passenger trains.

More information regarding the preheating of passenger trains are available at:

"Srbijavoz" a.d. 6, Nemanjina St. 11 000 Belgrade, Serbia Tel: +381 11 3614 811 Fax: +381 11 3614 811

- Services for transport of exceptional consignments and dangerous goods

a) Services for transport of exceptional consignments

IŽS provides the service of transport of exceptional consignments (vehicles or items) according to the provisions for transport of exceptional consignments prescribed under the Regulations on transport of exceptional consignments.

The service involves processing of railway undertaking's request to examine the possibilities for transport in terms of technical aspect and setting of other technical requirements and protective measures for transport of consignments that are not fulfilling the general technical standards for transport on the particular line section, e.g. loading gauge, axle loading etc. Any deviation from the standards is considered to be an exceptional consignment and a special procedure is required. The service involves additional engagement of IŽS's employees in preparation and carrying out of transport of exceptional consignments such as: defining of transport conditions, possible engagement of additional staff for accompanying of transport and inspection of tracks after the transport, possible temporary re-location of trackside facilities and equipment etc.

IŽS decides whether it is possible to accept certain transport and under which conditions. It is necessary that IŽS and the Railway Undertaking define the scope and specification of required services for each individual transport.

b) Services for dangerous goods transport

IŽS provides additional services to railway undertakings related to transport of dangerous goods. Control of dangerous goods transport for each individual transport is defined between IŽS and the Railway Undertaking, depending upon the specification of required services. The availability and method of providing this service on IŽS network will be determined based on the decisions and procedures which will be subsequently prescribed by IŽS.

Charges for services of transport of exceptional consignments and dangerous goods

The unit price of additional services regarding the transport of exceptional consignments and dangerous goods is determined based on the actual costs incurred in provision of such service and unit prices of staff hired from the public railway infrastructure manager and is applied in a non-discriminatory manner to all railway undertakings.

Issuing of approvals for transport of exceptional consignments



Operation	Measuring unit	Price in RSD VAT exclusive
Processing of request, issuing of conditions and informing by means of telegramme for the purposes transport of exceptional consignments	Request for transport of exceptional consignment	12.976,00

Accompanying of trains carrying exceptional consignments: involves accompanying of consignments by professional railway staff, as necessary, according to type and complexity of exceptional consignment transport as set out in the Regulations on transport of exceptional consignments.

Unit price for this service is determined according to effective working hours of hiring of the employee and number of persons accompanying the exceptional consignment.

Operation - operators	Measuring unit	Price in RSD VAT exclusive
Accompanying performed by an employee from traffic department	Effective hour of accompanying	1.844,00
Accompanying performed by an employee from civil engineering department	Effective hour of accompanying	1.339,00
Accompanying performed by an employee from electrical engineering department	Effective hour of accompanying	1.453,00

If the employee accompanying the consignment is entitled to daily allowance for the business trip in the country, the service price should also include the cost of realized daily allowances. The amount of daily allowances is determined in the Collective Agreement of the public railway Infrastructure Manger.

Transport of exceptional consignments with exceeded axle-loading

The unit price for approving the transport of exceptional consignment with exceeded axle-loading is 59,00 RSD/net tonnes VAT exclusive.

5.5 Ancillary Services and Charges

Ancillary services include the following:

- 1) access to telecommunications network
- 2) provision of additional information
- 3) technical inspection of rolling stock
- 4) ticketing services in passenger stations
- 5) maintenance services provided in maintenance facilities dedicated to high speed trains or other types of rolling stock requiring specific facilities where the works performed are not a routine daily maintenance and require the vehicle to be withdrawn from service
- **6**) other ancillary services

IŽS reserves the right to decide which of the available ancillary services will be provided and under what conditions. If IŽS is providing a particular service, it will provide it to all railway undertakings under equal conditions in a non-discriminatory manner and upon their particular request.

The charges for ancillary services provided by "Infrastructure of Serbian Railways" JSC will be determined based on the actual costs incurred during the provision of the said service and will be a subject to a separate contract concluded between the interested parties.

1) Access to telecommunications network



IŽS provides railway undertakings with the service of access to the telecommunications network in accordance with the market conditions. Railway Undertaking should define, together with IŽS, the scope and specification of required services.

2) Provision of supplementary information

IŽS provides, if available, the following supplementary information on the use of railway infrastructure to the railway undertakings:

- Provision of Timetable material (timetable graphs, timetable booklets) prepared and published by IŽS;
- Submission of excerpts from the local regulations of importance for railway transport or other documents.

For any further information the Railway Undertaking should define, together with IŽS, the scope and specification of required services.

3) Technical inspection of rolling stock

Technical inspection of rolling stock is performed upon obtaining of license for their use and prior to putting the vehicles into service.

Directorate for Railways prescribes the conditions to be fulfilled by the entities performing the technical inspection of vehicles and the manner for performing of technical inspection.

Only the rolling stock fulfilling the requirements prescribed by the Law on Safety can be included in the train and this is determined by means of a rolling stock inspection.

Railway Undertaking is responsible for proper composition of the train and it is obliged to check whether the train rolling stock is in a proper technical condition. Train composition and distribution of rolling stock in the train must ensure safe train movement and braking.

"Infrastructure of Serbian Railways" JSC is not providing the services of technical inspection of wagons and rolling stock.

4) Ticketing services in passenger stations

"Infrastructure of Serbian Railways" JSC is providing the ticketing services in passenger stations according to the special request of interested Railway Undertaking and according to its own capacities and assessment of impact on its staff's basic work process.

5) Maintenance services provided in maintenance facilities dedicated to high-speed trains or other types of rolling stock requiring specific facilities

The network operated by "Infrastructure of Serbian Railways" JSC currently does not have any maintenance facilities dedicated to high speed trains or other types of rolling stock requiring specific facilities providing the respective ancillary services.

6) Other ancillary services

IŽS provides other ancillary services:

Staff training and/or testing in line with the internal documents and technological procedures of IŽS.

7) Staff training and testing



The service of training and testing of public railway infrastructure user's staff is provided by the Infrastructure Manager in accordance with articles 60 to 64 of the Law on Safety in Railway Traffic ("Official Gazette of RS" No 41/2018) .The price for training and testing of interested users is determined as follows:

Cpp = Tpo + Tto + Tpz + Tos

This price includes:

- cost of practical training Tpo performed by minimum one expert from the Infrastructure Manager (familiarizing the candidates with the local conditions and technical capacities);
- cost of theoretical training Tto performed by minimum two lecturers (familiarizing with signalling and traffic regulations, special measures for occupational safety and protection as well as all important normative acts – provisions of station regulations, technological work process etc., and if necessary provisions in connection to the transport of dangerous goods);
- cost of testing Tpz taking of expert exam regarding the familiarity with railway infrastructure performed by minimum four members of expert committee (president, 2 examiners from the expert field and 1 examiner on the provisions of measures for occupational safety and protection);
- cost of staff Tos hired for the provision of respective service according to the actual level of realization (daily allowances, travelling expenses, submission of required materials etc.)

The price for this service is determined in accordance with the separate Contract between IŽS and the interested party and specification of costs is provided in a descriptive manner and expressed according to the number of candidates and hired experts from the Infrastructure Manager involved in provision of this service.

5.6 Discounts

"Infrastructure of Serbian Railways" JSC does not approve quantity discounts.

5.7 **Performance Scheme**

One of the most important indicators of efficient network operations, both for Railway Undertaking and Infrastructure Manager, is train delay.

Train delays are monitored related to the causes of delays. Accordingly, the delays can be primary and secondary.

Primary delays are all train delays caused by interference or disturbance which led to the delay and that were not caused by delay or cancellation of other train.

Secondary delays are train delays caused by already existing earlier delay.

Overview of primary and secondary causes of train delays is presented in Appendix 7 of the Network Statement.

IŽS keeps a record of movements of all trains on its network and determines the causes of delay.

Delays can be caused by:

- Infrastructure Manager,
- Railway Undertaking,
- external factor.

Number of minutes of train delay is determined on the basis of deviation of train actual running time compared to the train running time envisaged by the Timetable.

The compensation for all primary train delays is calculated on the basis of the number of minutes of train delay and charged between IŽS and RU, if agreed under the Contract for the use of railway infrastructure. The reason



for this is to motivate the Railway Undertaking and the Infrastructure Manager to minimize the Timetable deviations on the network and to increase the quality of transport service offered to the end users.

The compensation for delay is 0.1% of the charge for the entire train path, for each minute of delay. The total amount of the delay compensation for each individual train can be maximally up to 5% of the charge for the entire train path, for each party responsible.

For the delays of passenger trains of less than 10 min per 100 km of allocated train path, that is, for the delays of freight trains of less than 40 min per 100 km of allocated train path, the charging between IŽS and RU is not performed. Calculation is performed solely for the entire train path, not for the particular parts of the path.

For the train paths shorter than 100 km the permitted delay is determined proportionally to the actual path length.

If the Railway Undertaking does not start the train 300 minutes after the prescribed departure according to the Timetable, it will be deemed that the train path of that train has been automatically cancelled for that day.

Train delays, caused by accidents or incidents, in respect of which the responsibility for the delay cannot be determined with certainty without the investigation procedure, will be calculated subsequently.

Delays caused by the external factor arise from the circumstances which are not under influence of the Infrastructure Manager or the Railway Undertaking. Delays caused by the external factor are the delays caused by the force majeure, or the delays caused by the third parties.

5.8 Changes to Infrastructure Access Charges

Charges for the minimum package of services and track access to service facilities, as well as charges for basic, additional and ancillary services, can be modified depending on the conditions on the market of the railway services, in which case it must be published at least six months in advance.

5.9 Billing Arrangements

Method and time schedule for calculation and payment of charges, will be determined in detail in the contract between the Infrastructure Manager and the Railway Undertaking.

Charges are collected through:

Finance Department 6 Nemanjina Str. 11 000 Belgrade, Serbia Phone: +381 11 3618 465 Fax: +381 11 3618 465 finansijeizs@srbrail.rs

The Finance Department defines the payment security instrument for the use of public railway infrastructure.

For the use of public railway infrastructure during the validity period of 2025/2026 Timetable, the payment security instrument is defined according to the following:

The RU undertakes to submit to "Infrastructure of Serbian Railways" JSC (Finance Department) with respect to the timely settlement of due obligations under the contract on the use of public railway infrastructure, 5 (five) blank solo bills of exchange registered with the National Bank of Serbia, bill of exchange authorization and a copy of the card of specimen signatures. Blank solo bills of exchange must be submitted within 15 days from the date of signing the contract on the use of public railway infrastructure, otherwise, the contract will have no legal effect. The term of validity of the bill of exchange authorization must be at least 30 days longer than the date of final settlement of the contractual obligation and is not related to the termination of legal effect under the Contract. The RU is obliged to submit to "Infrastructure of Serbian Railways" JSC, Finance



Department, new instruments for securing the regular settlement of financial obligations in case the previously submitted ones are implemented, i.e. when other circumstances arise due to which the previously submitted instruments cannot be implemented, no later than 15 days from the new circumstance's occurrence.

The Finance Department monitors the realization of the payment of due obligations under the contract on the use of public railway infrastructure, and in case the RU does not settle the due obligations within the deadline, it has the right to activate bills of exchange, which were submitted in order to secure payment.

If during the duration of the Contract on the use of public railway infrastructure, due to a delay in the settlement of obligations, a security instrument is activated, the RU will be obliged to provide a bank guarantee as an instrument for securing the payment in the following contract. The level of the Bank Guarantee is 25% of the value of invoices issued under the Contract on the use of public railway infrastructure in the past twelve (12) months.

5.10 Tariff system

IŽS charges the train path allocation procedure costs as follows:

- for the allocation of annual train paths for the 2025/2026 Timetable as well as for the allocation of train paths under the requests for amendment of annual 2025/2026 Timetable performed within the deadlines prescribed in Appendix 4.4, IŽS will not charge the procedure costs.

- for the allocation of train path under the extraordinary request for amendment of the annual timetable, the procedure costs amount to 17.137,00 RSD per train path.

- for the allocation of ad-hoc train path, the costs amount to 12.213,00 RSD per train path.



6. OPERATIONS

6.1 Introduction

The transport operation on the railway infrastructure shall be such manner to ensure the protection of life, property and environment. The railway undertaking operating on the railway infrastructure will be obligated to comply with the regulations and provisions applicable to transport operations on the particular railway infrastructure.

6.2 **Operational Rules**

The list of applicable regulations and instructions related to operational rules is given in a separate Appendix 2.

At some locations on the infrastructure and in some cases, there are deviations from the applicable regulations (approved by the Directorate for Railways upon IŽS's proposal). The information about this is published by IŽS. The relevant address for these regulations, instructions and modifications is:

"Infrastructure of Serbian Railways" JSC Traffic Department 6 Nemanjina Street 11000 Belgrade Serbia Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.sp@srbrail.rs

6.3 **Operational Measures**

In case of traffic disturbances, IŽS, together with Railway Undertakings, will undertake all necessary measures to restore normal operating conditions as soon as possible.

Traffic disturbance will mean congesting of some parts of the network or stations that may occur as a consequence of disturbances occurring in traffic due to any reason.

6.3.1. Principles

In order to solve the traffic disturbances, IŽS will undertake appropriate measures to restore the planned Timetable, while taking into consideration the needs of passengers and users of freight traffic, as well as traffic safety. Aiming to solve the traffic disturbances, IŽS may apply operation rules under 6.3.2., cancel some trains or assign another train path in agreement with a Railway Undertaking, depending on the type of disturbance and expected duration.

In case a longer traffic disruption is expected, IŽS will, in agreement with railway undertakings, prepare an interim timetable for the period until regular operation is restored. IŽS may seek railway undertakings' assistance with the aim of normalizing the traffic operating conditions, even when such railway undertakings are not directly causing the disturbances, which may include using their rolling stock and personnel in order to normalize the traffic.

6.3.2. Operation regulation

For the purposes of restoring the normal traffic flow, the operational rules for railway traffic management will apply as set out in the Law on Safety in Railway Traffic, Traffic Regulations ("Official Gazette of RS" No 34/22 and 107/22), the Instructions on particular procedures in performing of traffic service on the territory of Infrastructure of Serbian Railways ("Official Gazette of Serbian Railways" No 43/22), the Instructions on organization and work procedures of operational service in the area covered by "Infrastructure of Serbian



Railways" JSC ("Official Gazette of Serbian Railways" No 21/17, 21/18,37/18 and 28/23) and other internal documents of IŽS.

In cases when traffic is interrupted on some part of the line due to a defect in the traction means of the RU in order to normalize traffic as soon as possible the IŽS operational service takes operational measures prescribed by article 34 of the internal act Instructions on organization and work procedures of operational service in the area covered by "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 21/17, 21/18, 37/18 and 28/23).

In case of delays and premature train dispatches, the rule applies that lower-ranking trains may not interfere with movements of higher-ranking trains. A lower-ranking train can be given the priority only if in such a way increase in delays is avoided and the higher-ranking train can make up for the delay on its further route. With same rank trains, priority is given to that train whereof delay might cause it to lose connections in connecting stations. If the connections are not in question, priority is given to that train which has a longer route to its destination station, i.e. which is running on time. Necessary measures to be taken in case of accidents and incidents are defined in the Law on Safety in Railway Traffic, by the Rules on reporting, investigating, recording, statistical monitoring and publishing of data on accidents and incidents ("Official Gazette of RS" No 32/21), Instructions on procedures in case of accidents and incidents ("Official Gazette of Serbian Railways" 44/21). Trains which are taking part in rectifying the disturbances caused as a result of accidents and incidents have the priority (ranking) over all other trains.

6.3.3. Foreseen and Unforeseen problems

Foreseen problems

Necessary measures to be undertaken in cases of foreseen problems such as: technical disturbances of signalling & safety and telecommunication devices, strong wind, natural disasters, snow etc., are governed by Traffic Regulations ("Official Gazette of Serbian Railways" No 34/22 and 107/22) and other regulations governing the above mentioned.

Unforeseen problems

In very urgent cases, when railway infrastructure is temporarily rendered unavailable for use, IŽS may, without prior notice, cancel train paths for the time period necessary to put the system back in working order. IŽS will notify all interested parties of the resulting situation.



7. SERVICE FACILITIES

7.1. Introduction

Services facility means a facility, including land, buildings and equipment, arranged in a particular manner, as a whole or partially, including the sidings connecting the network with the service facility, in order to enable provision and use of basic services provided in such facilities under the non-discriminatory and transparent conditions.

7.2. Service Facility Overview

Services facilities are:

1) station buildings, i.e. a part of station buildings, in passenger stations, intended for railway passengers, and other facilities used in passenger traffic, including the travelling information displays and the appropriate ticketing points;

2) freight terminals;

3) marshalling yards and train formation tracks, including the shunting tracks;

4) tracks for storing intended for railway undertakings' vehicles using the allocated infrastructure capacity;

5) maintenance facilities, with the exception of maintenance facilities for high speed trains or other types of rolling stock requiring specific facilities where the works performed are not routine works performed as a part of daily activities and require withdrawal of vehicle from service;

6) other technical facilities, including the cleaning and washing facilities;

7) inland waterways port facilities connected to railway activities;

8) facilities for provision of assistance;

9) facilities for fuel storing and supplying for which the prices are presented separately.

7.3. Service Facilities Managed by IŽS

IŽS will enable all railway undertakings, which have been granted the minimum access package of services for the use of infrastructure, to use all the services facilities managed by it in a non-discriminatory manner and upon their request.

7.3.1. Common Provisions

IŽS will enable all the railway undertakings with minimum access package of services to have track access to all the above mentioned services facilities in a non-discriminatory manner and upon their request, provided that railway undertakings have previously entered into a contract on the use of these facilities with facility managers and service providers.

Railway undertakings have to state the need to have track access to service facilities and to use them during the capacity allocation procedure, please refer to Chapter 4.

For the service of track access to service facilities, Railway Undertaking will be obliged to pay a charge to the IŽS based on the Contract for the use of infrastructure.

7.3.2 Use of station buildings in the function of passenger traffic

Appendix 6 contains an overview of locations where passengers may board/get off the train.

The stations along the narrow gauge lines are used for passenger service only.



"Infrastructure of Serbian Railways" will enable the use of station buildings, i.e. the part of station buildings, in passenger stations in the areas intended for railway passengers and of other facilities used for passenger traffic, including the travel information display and adequate location for ticketing services to all railway undertakings in a non-discriminatory manner and upon their request.

The use of parts of service points (station buildings, stops) and other facilities required for acceptance and dispatching of passengers also includes use of platforms and other surfaces required for access of passengers in them, as well as other areas enabling passenger movements between public road surfaces and the train.

The use of travel information displays includes the use of all existing visual information facilities already installed in individual stations.

Upon request of a Railway Undertaking IŽS will, where possible, provide a suitable area for the ticketing services.

7.3.3 Freight Terminals

The term "freight terminals" on the railway network operated by Infrastructure of Serbian Railways (IŽS), means all the railway service points used for freight operations where loading and unloading as transshipment operations are carried out.

The following types of terminals are distinguished: stations and transport forwarding, terminals for intermodal freight transport, port terminals.

Overview of services facilities for freight operations is presented in Appendix 6.

Combined transport on railway network can be performed at terminals for combined transport and at port terminals.

Table No 8: Stations connected to freight terminals

	Railway station connected to the terminal	Freight terminal for combined transport	Address of freight terminal for combined transport	Terminal operator
	Beograd Marshalling yard (Belgrade Marshalling Yard)	ŽIT Beograd	Beograd Marshalling yard, Železnik, Lole Ribara 2.	"ŽIT Beograd" d.o.o., Beograd, Železnik, Lole Ribara 2
2.	Surčin	Nelt	Beograd, Dobanovci, Maršala Tita 206.	"Nelt Co" d.o.o., Beograd
3.	Novi Sad Marshalling yard (Novi Sad Marshalling Yard)	Luka (Port) Novi Sad	Novi Sad, Carinska 1.	"Luka Novi Sad" a.d., Novi Sad, Carinska 1
4.	Pančevo Varoš	Luka (Port) Dunav	Pančevo, Luka Dunav 1.	"Luka Dunav Pančevo" a.d., Pančevo, Luka Dunav 1
5.	Smederevo	Luka (Port) Smederevo	Smederevo, Radinac b.b.	"Luka Dunav – Železara Smederevo" d.o.o., Smederevo, Radinac b.b.
6.	Prahovo Pristanište	Luka (Port) Prahovo	Prahovo, Radujevački put b.b.	"Luka Prahovo IHP Prahovo– Krajina" d.o.o., Prahovo, Radujevački put b.b.



7.	Senta	Luka (Port) Senta	Senta Pristanisna I	"Luka Senta" a.d., Senta, Pristanišna 1
8.	Sremska Mitrovica	Luka (Port) Leget	Sremska Mitrovica, Jarački put 10	"RTC Luka Leget" a.d., Sremska Mitrovica, Jarački put 10
9.	Šabac	Luka (Port) Zorka Šabac		"Zorka transporti" d.o.o., Šabac, Narodnih heroja 1
10.	Niš Marshalling Yard	MBOX Terminals d.o.o	Freight-transport terminal in Niš Vojlovački zaseok 4 St. 18560 Popovac (Niš)	MBOX Terminals d.o.o
11	Batajnica	"Logistički centri Srbije" doo	Batajnica, Ulica Mladih gorana 136	"Logistički centri Srbije" doo

IŽS does not operate nor provide basic services in any freight terminal within the meaning of its definition of an arranged and organized area where the receiving, storage, preparation, transshipmenthipment and dispatching of various types of goods is carried out.

For more detailed information on the services provided by the freight terminal operator or the service provider, the following entities should be contacted:

 Železnički integralni transport Beograd - ŽIT BEOGRAD d.o.o.
 Addresses: Beograd Marshalling Yard (Belgrade Marshalling Yard), Lole Ribara 2 Železnik, Belgrade and Hajduk Veljkov Venac 4/1
 11000 Belgrade, Serbia
 Contact details: +381 (0)11 361- 6844, +381 (0)-1 361 - 6842, +381 (0)64 81040.

2) "Nelt Co." d.o.o. Beograd

Address: Maršala Tita 2016, 11272 Dobanovci, Belgrade Contact details: +381 (0)11 3779-143, <u>office@nelt.com</u>, <u>www.neltlsp.com</u> Information on the service facility operated by Nelt Co, i.e. on the industrial siding which is a part of Nelt terminal is provided in Appendix 3.10a.

3) DRY PORT TERMINALS DOO

Addresses: Luka Dunav 1, 26000 Pančevo and Uzun Mirkova 3/3, 11000 Belgrade Contact details: + 381 69 32 55 012, office@dpterminal , http//dpterminals.rs Information on the service facility are available on http//dpterminals.rs//

4) "MBOX Terminals" d.o.o

Address: Freight-transport terminal in Niš, Vojlovački zaseok St 4, 18560 Popovac (Niš) Contact details: +381603593499 e-mail: <u>operations@mboxt.com</u> Information on the service facility are available on <u>https://mboxt.com</u>

5) "Logistički centri Srbije" doo

Address: Ulica Mladih gorana 136, Batajnica e-mail <u>office@lcs.rs</u> Information on the service facility are available on www.lcs.rs



IŽS however provides the use of service points open for freight traffic, in accordance with Appendix 6 of this document, for loading, unloading and transshipmenthipment to all railway undertakings in a non-discriminatory manner and upon their request.

7.3.4 Marshalling Yards and Train Formation Facilities, including Shunting Facilities

Freight train formation yards

Freight trains may be split-up and formed at the marshalling, distribution and intermediate stations/yards, according to the user needs and requirements, and taking into account the particular technical and organizational restrictions.

Distribution Station	Distribution Section	Comments
1	2	3
BELGRADE MARSHALLING YARD*	Belgrade Marsh. Yard - Pančevo Main St. Belgrade Marsh. Yard - Ruma Belgrade Marsh. Yard- Lapovo Marsh.Yard Belgrade Marsh.Yard – (Mala Krsna) ¹⁾ – Lapovo Marsh. Yard Belgrade Marsh.Yard – Mala Krsna Belgrade Marsh. Yard- Požega Belgrade Marsh. Yard – Novi Sad Marsh. Yard	¹⁾ for the trains not entering the Mala Krsna station
BOGOJEVO	Bogojevo - Sombor Bogojevo - Novi Sad Marsh. Yard Bogojevo - Erdut (HŽI)	
BOR FREIGHT STATION	Bor Freight St Požarevac Bor Freight St Zaječar Bor Freight St Prahovo pristanište	
BIJELO POLJE	Bijelo Polje (ŽICG) - Vrbnica -Prijepolje	
(ŽICG)	Freight St.	
BRASINA	Brasina - Ruma Brasina – Zvornik ¹⁾ Brasina - Zvornik Novi (ŽRS)	¹⁾ in both directions
VRŠAC	Vršac - Pančevo Main St. Vršac - Stamora Moravita (CFR SA)	
DIMITROVGRAD	Dimitrovgrad – Niš Marsh. Yard Dimitrovgrad –Kalotina Zapad (NKŽI)	
ERDUT (HŽI)	Erdut (HŽI) - Bogojevo	
JIMBOLIA (CFR)	Jimbolia (CFR SA) - Kikinda	
ZAJEČAR	Zaječar - Niš Marsh. Yard Zaječar - Prahovo Pristanište Zaječar - Bor Freight St.	
ZVORNIK NOVI (ŽRS)	Zvornik Novi (ŽRS) - Brasina	
ZRENJANIN	Zrenjanin - Kikinda Zrenjanin - Novi Sad Marsh. Yard Zrenjanin - Pančevo Main St. Zrenjanin – Senta Zrenjanin – (Senta) ¹⁾ – Subotica Freight St.	¹⁾ for the trains not entering the Senta station

Overview of distribution stations-sections for freight trains operation



	Kikinda – Jimbolia (CFR SA)	
	Kikinda – Zrenjanin	¹⁾ for the trains not entering
KIKINDA	Kikinda – Senta	the Senta station
		the Senta station
	Kikinda – (Senta) ¹⁾ – Subotica Freight St. Traffic is temporarily regulated by UNMIK	
KOSOVO POLJE	railways	
	Kraljevo - K. Mitrovica Sever ¹⁾	¹⁾ in both directions
	Kraljevo - Lapovo Marsh. Yard	²⁾ in both directions
KRALJEVO	Kraljevo - Požega	³⁾ for the trains not
KKALJEVO	Kraljevo – Stalać ²⁾	entering the Požega
	5	station
	Kraljevo – (Požega) ³⁾ – Prijepolje Freight St.	
	Lapovo Marsh. Yard – Mala Krsna Lapovo Marsh. Yard – Resavica ¹⁾	 in both directions for the trains not
	Lapovo Marsh. Yard - Niš Marsh. Yard	entering the Mala Krsna
	Lapovo Marsh. Yard - Kraljevo	station
LAPOVO	Lapovo Marsh. Yard – Resnik - Pančevo	Station
MARSHALLING YARD**	Main St.	
	Lapovo Marsh.Yard (Mala Krsna) ²⁾ -	
	Belgrade Marsh. Yard	
	Lapovo Marsh. Yard – Belgrade Marsh. Yard	
	Mala Krsna – Požarevac	¹⁾ in both directions
	Mala Krsna – Lapovo Marsh. Yard	
MALA KRSNA	Mala Krsna – Belgrade Marsh. Yard	
	Mala Krsna – Smederevo ¹⁾	
	Mala Krsna – Pančevo Main St.	
	Niš Marsh. Yard - Lapovo Marsh. Yard	¹⁾ in both directions
NIŠ MARSHALLING	Niš Marsh. Yard - Preševo	
YARD	Niš Marsh. Yard - Dimitrovgrad	
IAND	Niš Marsh. Yard - Zaječar	
	Niš Marsh. Yard – Kuršumlija ¹⁾	
	Novi Sad Marsh. Yard - Belgrade Marsh.	1) in both directions
	Yard	
	Novi Sad Marsh. Yard- Subotica Freight St.	
NOVI SAD	Novi Sad Marsh. Yard- Bogojevo	
MARSHALLING	Novi Sad Marsh. Yard –Pančevo Main St.	
YARD***	Novi Sad Marsh. Yard- Zrenjanin	
	Novi Sad Marsh. Yard - Ruma	
	Novi Sad Marsh. Yard – Temerin ¹⁾	
	Novi Sad Marsh. Yard – Podbara ¹⁾	
	Pančevo Main St. – Zrenjanin	
	Pančevo Main St Vršac	¹⁾ in both directions
	Pančevo Main St Belgrade Marsh. Yard	²⁾ for the trains not entering
	Pančevo Main St. –Novi Sad Marsh. Yard	the Mala Krsna station
PANČEVO MAIN	Pančevo Main St. – Lapovo Marsh. Yard	
STATION***	Pančevo Main St. – Pančevo Vojlovica ¹⁾	
	Pančevo Main St. – Mala Krsna	
	Pančevo Main St. – (Mala Krsna) ²⁾ – Lapovo	
	Marsh. Yard	
	Pančevo Main St. –Požega	
PEĆ	Traffic is temporarily regulated by UNMIK	
	railways	
POŽAREVAC	Požarevac – Bor Freight St.	
	Požarevac – Mala Krsna	



	Požega - Belgrade Marsh.Yard	
~	Požega - Kraljevo	
POŽEGA	Požega - Prijepolje Freight St.	
	Požega - Pančevo Main St.	
PRAHOVO	Prahovo pristanište - Zaječar	
PRISTANIŠTE	Prahovo pristanište - Bor Freight St.	
	Preševo - Niš Marsh. Yard	
PREŠEVO	Preševo - Tabanovce (IŽRSM)	
	Prijepolje Freight St Vrbnica -	¹⁾ for the trains not
PRIJEPOLJE FREIGHT	Bijelo Polje (ŽICG)	entering the Požega
STATION	Prijepolje Freight St. – Požega	station
STATION	Prijepolje Freight St. – (Požega) ¹⁾ - Kraljevo	station
	Traffic is temporarily regulated by UNMIK	
PRIZREN	railways	
	Ruma - Novi Sad Marsh. Yard	
	Ruma - Belgrade Marsh. Yard	
RUMA	Ruma - Šabac	
	Ruma – Brasina	
	Ruma – Šid	
ROSZKE (MAV ZRT)	Roszke (MAV ZRT) - Horgoš - Subotica	
	Senta – Subotica Freight St.	
SENTA	Senta - Zrenjanin	
	Senta – Kikinda	
	Sombor - Subotica Freight St.	
SOMBOR	Sombor - Bogojevo	
	Sombor – Vrbas ¹⁾	¹⁾ in both directions
STAMORA MORAVITA	Stamora Moravita (CFR SA) – Vršac	
(CFR SA)		
	Subotica Freight St Novi Sad Marsh. Yard	
	Subotica Freight St Senta	¹⁾ for the trains not entering
SUBOTICA FREIGHT	Subotica Freight St Sombor	the Senta station
SUBOTICA FREIGHT STATION	Subotica Freight St. – Horgoš - Roszke	
STATION	(MAV ZRT)	
	Subotica Freight St. – (Senta) – Kikinda ¹⁾	
	Subotica Freight St. – (Senta) – Zrenjanin ²⁾	
TABANOVCE (IŽRSM)	Tabanovce (IŽRSM) – Preševo	
TOVARNIK (HŽI)	Tovarnik (HŽI) – Šid	
ĐENERAL JANKOVIĆ	Traffic is temporarily regulated by UNMIK	
	railways	
ŠABAC	Šabac – Ruma	
ŠID	Šid - Ruma	
~	Šid - Tovarnik (HŽI)	

NOTE:

* For all trains not entering the Belgrade Marshalling Yard, the distribution station operations regarding the notification of traction unit staff on the introduced restricted speed runnings and any other announcements of importance for the traffic safety and regulation regarding the distribution sections toward the adjacent distribution stations are taken over by Ostružnica and Resnik stations.

** For all trains not entering the Lapovo Marshalling Yard, the distribution station operations regarding the notification of traction unit staff on the introduced restricted speed runnings and any other announcements of importance for the traffic safety and regulation regarding the distribution sections toward the adjacent distribution stations are taken over by Lapovo station.



*** Tomaševac station performs the distribution station operations regarding the notification of traction unit staff on the introduced restricted speed runnings and any other announcements of importance for the traffic safety and regulation regarding the distribution sections toward the adjacent distribution stations, as well as the distribution station operations regarding the regulation of train traffic on the railway lines that are not equipped with automatic block, interstation dependence and remote control devices, relating to train intersections and notification of train staff on the changes regarding the train intersections on Tomaševac – Pančevo Main Station and Tomaševac – Novi Sad Marshalling Yard distribution sections.

There are four marshalling yards on the network where most of the freight trains are formed and split-up, and these stations are at the same time the distribution stations: Belgrade Marshalling Yard, Lapovo Marshalling Yard, Niš Marshalling Yard and Novi Sad Marshalling Yard.

Due to the limited track capacities and the work organization, the train formation and splitting-up is **not permitted** at the following distribution stations: **Bogojevo**, **Dimitrovgrad**, **Preševo**, **Brasina**, **Šid**, **Mala Krsna and Zrenjanin**. The exception is Šid station where the formation of international freight trains and domestic feeder trains can be performed on the designated industrial sidings. The formation of trains at distribution stations Šabac and Požarevac can be performed only if these stations are loading/unloading stations for such trains.

Splitting up and formation of trains are also permitted at particular intermediate stations having the required track capacities: Velika Plana, Zrenjanin fabrika, Kragujevac, Kruševac, Radinac, Smederevo, Sremska Mitrovica, Crveni Krst and Čačak.

The following intermediate stations may also be the departure/terminal stations provided that they are at the same time the loading/unloading stations for such train: Adrovac, Aleksinac, Aleksandrovo predgrađe, Batajnica, Batočina, Brvenik, Bukovački Salaši, Valjevo, Vreoci, Grljan, Despotovac, Doljevac, Dragačevo, Elemir, Zvornik, Inđija, Jagodina, Kaona, Lazarevac, Leskovac, Majdanpek, Mataruška Banja, Odžaci, Pančevo Varoš, Pančevo Vojlovica, Paraćin, Petrovac Gložan, Pirot, Podbara, Prahovo, Prokuplje, Raška, Ristovac, Svilajnac, Svrljig, Stara Pazova, Stalać, Stig, Surčin, Ćuprija, Čoka, Užice freight station, Futog. The restriction relating to these stations also prescribes that it is not permitted to leave and gather wagons for the purposes of forming other trains.

If the RU requests that the departure/terminal station is the intermediate station that has not been listed, such requests will be considered separately and decisions will be made on such requests depending on the available infrastructure capacities and organization possibilities at the moment of the request submission.

Passenger train formation yards

Dispatching of passenger trains with classical units formed in the technical-passenger station Zemun is possible in Belgrade Center and Zemun stations. In Zemun station track No 11 is equipped with the ramp for loading and unloading of accompanied cars.

The dispatching stations for the EMU and DMU trains can be all stations for passenger traffic, depending on the available capacities and the traffic service hours.

Distribution station	Distribution section	Comments
1	2	3
BEOGRAD CENTAR	Beograd Centar – Novi Sad	
	Beograd Centar – Ruma	
	Beograd Centar – Pančevo Main St.	
	Beograd Centar - Požega	
	Beograd Centar - Lapovo	

Overview of distribution stations-sections for passenger trains operation



BIJELO POLJE (ŽICG)	Bijelo Polje (ŽICG) - Vrbnica -	
,	Prijepolje freight station	
	Bogojevo - Sombor	
BOGOJEVO	Bogojevo - Novi Sad	
	Bogojevo - Erdut (HŽI)	
VRŠAC	Vršac - Pančevo Main St.	
VKSAC	Vršac - Stamora Moravita (CFR SA)	
ERDUT (HŽI)	Erdut (HŽI) – Bogojevo	
DIMITROVGRAD	Dimitrovgrad – Niš	
JIMBOLIA (CFR)	Jimbolia (CFR SA) - Kikinda	as necessary
	Zaječar – Niš	
ZAJEČAR	Zaječar - Prahovo Pristanište	
	Zaječar – Požarevac	
ZVORNIK	Zvornik – Šabac - Ruma	as necessary
	Zrenjanin - Kikinda	
	Zrenjanin - Novi Sad ¹⁾	
ZRENJANIN	Zrenjanin - Pančevo Main St. ¹⁾	¹⁾ as necessary
	Zrenjanin - Senta	'as necessary
KIKINDA	Kikinda - Jimbolia (CFR SA)	
KIKINDA	Kikinda - Zrenjanin	
	Kikinda - Senta	
	Kraljevo – Kosovska Mitrovica	
	Sever ¹⁾	
KRALJEVO	Kraljevo - Lapovo	¹⁾ in both directions
	Kraljevo - Požega	
	Kraljevo – Stalać ¹⁾	
	Lapovo – Beograd Centar	
LAPOVO	Lapovo - Kraljevo	
	Lapovo - Niš	
	Lapovo - Smederevo	
	Niš - Lapovo Niš - Preševo	
NIŠ	Niš - Dimitrovgrad	¹⁾ in both directions
115	Niš – Zaječar	⁷ III both directions
	Niš - Kuršumlija ¹⁾	
	Novi Sad – Beograd Centar	
	Novi Sad – Subotica	¹⁾ in both directions
	Novi Sad – Bogojevo	in both directions
	Novi Sad – Vrbas ¹⁾	
NOVI SAD	Novi Sad - Pančevo Main St.	
	Novi Sad – Zrenjanin	
	Novi Sad - Ruma	
PANČEVO MAIN	Pančevo Main St Zrenjanin	
STATION	Pančevo Main St Vršac	¹⁾ in both directions
STATION		²⁾ as necessary
	Pančevo Main St. – Beograd Centar	
	Pančevo Main St Pančevo	
	Vojlov. ¹⁾	
	Pančevo Main St. – Novi Sad ²⁾	
~	Požarevac - Lapovo	
POŽAREVAC	Požarevac - Smederevo	
	Požarevac - Zaječar	



	Požarevac – Beograd Centar	
	Požega - Beograd Centar	¹⁾ in both directions
	Požega - Kraljevo	
POŽEGA	Požega - Prijepolje freight station	
	$Požega - Užice^{1}$	
PRAHOVO	Prahovo pristanište - Zaječar	
PRISTANIŠTE		
PRIJEPOLJE FREIGHT	Prijepolje freight station - Vrbnica -	
STATION	Bijelo Polje (ŽICG)	
	Prijepolje freight station - Požega	
PREŠEVO	Preševo - Niš	
	Preševo – Tabanovce (IŽRSM)	
	Ruma - Šabac - Zvornik	
RUMA	Ruma - Šid	
	Ruma - Beograd Centar	
	Ruma – Novi Sad	
ROSZKE (MAV ZRT)	Roszke (MAV ZRT)-Horgoš-	
`````````````````````````````````	Subotica	1) • • • • •
	Senta – Subotica	¹⁾ in both directions
SENTA	Senta – Zrenjanin	
	$\mathbf{a}$ ( <b>x</b> :1: 1 1)	
	Senta – Kikinda ¹⁾	
SMEDEREVO	Smederevo - Lapovo	
	Smederevo - Lapovo Smederevo - Požarevac	
	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica	
SMEDEREVO SOMBOR	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo	
SMEDEREVO SOMBOR STAMOR MORAVITA	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica	
SMEDEREVO SOMBOR	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo Stamora Moravita (CFR SA) - Vršac	
SMEDEREVO SOMBOR STAMOR MORAVITA	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo Stamora Moravita (CFR SA) - Vršac Subotica - Novi Sad	
SMEDEREVO SOMBOR STAMOR MORAVITA	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo Stamora Moravita (CFR SA) - Vršac Subotica - Novi Sad Subotica - Sombor	
SMEDEREVO SOMBOR STAMOR MORAVITA (CFR SA)	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo Stamora Moravita (CFR SA) - Vršac Subotica - Novi Sad Subotica - Sombor Subotica - Senta	
SMEDEREVO SOMBOR STAMOR MORAVITA (CFR SA) SUBOTICA	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo Stamora Moravita (CFR SA) - Vršac Subotica - Novi Sad Subotica - Sombor Subotica - Senta Subotica - Horgoš - Roszke (MAV)	
SMEDEREVO SOMBOR STAMOR MORAVITA (CFR SA) SUBOTICA TABANOVCE (IŽRSM)	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo Stamora Moravita (CFR SA) - Vršac Subotica - Novi Sad Subotica - Sombor Subotica - Sombor Subotica - Horgoš - Roszke (MAV) Tabanovce (IŽRSM) - Preševo	
SMEDEREVO SOMBOR STAMOR MORAVITA (CFR SA) SUBOTICA TABANOVCE (IŽRSM) TOVARNIK (HŽI)	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo Stamora Moravita (CFR SA) - Vršac Subotica - Novi Sad Subotica - Sombor Subotica - Sombor Subotica - Senta Subotica - Horgoš - Roszke (MAV) Tabanovce (IŽRSM) - Preševo Tovarnik(HŽI) - Šid	
SMEDEREVO SOMBOR STAMOR MORAVITA (CFR SA) SUBOTICA TABANOVCE (IŽRSM)	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo Stamora Moravita (CFR SA) - Vršac Subotica - Novi Sad Subotica - Sombor Subotica - Senta Subotica - Horgoš - Roszke (MAV) Tabanovce (IŽRSM) - Preševo Tovarnik(HŽI) - Šid Šabac - Ruma	
SMEDEREVO SOMBOR STAMOR MORAVITA (CFR SA) SUBOTICA TABANOVCE (IŽRSM) TOVARNIK (HŽI)	Smederevo - Lapovo Smederevo - Požarevac Sombor - Subotica Sombor - Bogojevo Stamora Moravita (CFR SA) - Vršac Subotica - Novi Sad Subotica - Sombor Subotica - Sombor Subotica - Senta Subotica - Horgoš - Roszke (MAV) Tabanovce (IŽRSM) - Preševo Tovarnik(HŽI) - Šid	

## 7.3.5 Storage Sidings

IŽS network has the capacities for storing of rolling stock. Rolling stock storing services are provided by the IŽS.

Storing of standard passenger train sets, DMUs, EMUs and locomotives is carried out at all depots for accommodation and storing of rolling stock of "Srbija Kargo" JSC and "Srbijavoz" JSC.

Storing of freight wagons is carried out on special storage sidings for surplus freight wagons at marshalling yards Belgrade Marshalling Yard, Novi Sad Marshalling Yard, Niš Marshalling Yard, Lapovo Marshaling Yard, Subotica, Zaječar, Kikinda, Kraljevo, Pančevo Main St., Požega, Ruma and Sombor.

IŽS is not responsible for any damage which can occur on the rolling stock, that is, on the goods which is located in the stored wagons.



"Infrastructure of Serbian Railways" provides the service of storing of rolling stock to all interested railway undertakings which require storing of rolling stock, in a non-discriminatory manner and upon their request, and to the extent permitted by the infrastructure capacities.

#### 7.3.6 Maintenance facilities

There are rolling stock maintenance facilities on IŽS network, but the maintenance services are not provided by "Infrastructure of Serbian Railways" JSC. Appendix 3.10. contains the details on the rolling stock maintenance facilities.

#### 7.3.7 Other Technical Facilities, including Cleaning and Washing Facilities

"Infrastructure of Serbian Railways" provides the following basic services at technical facilities to railway undertakings in a non-discriminatory manner and upon their request:

Use of wagon scales in stations, where available, according to table 8 of this document;

- Fixed facilities for test braking in station Beograd Ranžirna (Belgrade Marshalling Yard);
- Use of freight loading/unloading ramp;
- Use of ramp for loading and unloading of accompanied cars;
- Use of loading clearance;
- Use of portal crane in Aleksinac station;

The need for using the basic services listed in bullets 1, 3, 4 and 5 must be presented by railway undertakings in the capacity allocation process, whereas the need for other services can be presented in a separate request.

More detailed information on provision of the above stated basic services can be obtained at:

"Infrastructure of Serbian Railways" JSC Traffic Department 6, Nemanjina St 11000 Belgrade, Serbia Tel.: +381 11 3618 214 Fax: +381 11 3616 814 E<u>-mail: sektor.sp@</u>srbrail.rs

"Infrastructure of Serbian Railways" does not have the special facilities and does not provide the services of rolling stock cleaning and washing.

#### Wagon scales

The list of stations in which are located wagon scales is given in the Table 8.

No.	Station	Carrying Capacity (t)	Length of weigh bridge (m)	NOTE:
1	Šid	100	20	Wagon scale is electronic.
2	Novi Sad Marshalling Yard	100	20	Wagon scale is electronic.
3	Pančevo main st.	100	20	Wagon scale is electronic.
4	Vršac	100	20	Wagon scale is electronic.
5	Zrenjanin Factory	100	20	Wagon scale is mechanic.
6	Subotica Freight St.	100	20	Wagon scale is electronic.
7	Sombor	100	20	Wagon scale is mechanic.
8	Niš Marshalling Yard	100	20	Wagon scale is electronic.
9	Požega	100	20	Wagon scale is electronic.



10	Čačak	80	15.5	Wagon scale is electronic.
11	Lapovo Marshalling St.	100	20	Wagon scale is electronic.
12	Belgrade Marshalling Yard	100	18	Wagon scale is electronic.
13	Dimitrovgrad	100	20	Wagon scale is electronic.

#### Fixed installations for brake control

Fixed installations for brake control are located at Beograd Marshalling Yard.

#### **Cleaning and washing facilities**

IŽS does not have special facilities for cleaning and washing of railway vehicles. The type, volume and place of cleaning of railway vehicles for passenger service are determined by the railway undertaking.

#### Other technical facilities

#### Ramps for loading and unloading of the load

"Infrastructure of Serbian Railways" JSC will enable usage of the ramps for loading and unloading of the load to all railway undertakings on the non-discriminatory way and upon their request. The need for usage of the ramps for loading and unloading of the load must be shown by the railway undertakings' in the capacity allocation procedure.

#### Ramps for loading and unloading of the accompanied vehicles

Loading/unloading ramps for transport of accompanied vehicles are located in stations Zemun, Novi Sad, Subotica and Niš. The need for usage of the ramps for loading and unloading of the accompanied vehicles must be indicated by the railway undertakings in the capacity allocation procedure.

#### Loading gauge

Loading gauges that are in function are present at the following stations: Novi Sad Marshalling Yard, Vršac, Čačak, Požega, Dimitrovgrad, Jošanička Banja and Kragujevac.

On IŽS network there are more stations with loading gauges which are not in function currently. The correction of the list of loading gauges will be done upon putting malfunction loading gauges into the functional condition.

#### Crane portal in Aleksinac station

Transfer station on the territory of IŽS is Aleksinac. Mobile portable crane PD 86 with capacity up to 32 t is used for transshipmenthipment.

#### Service for using of wagon scales

"Infrastructure of Serbian Railways" JSC provides the wagon scales services. The price for using the wagon scale amounts to 3,309.00 RSD/wagon without VAT.

#### Service of loading and unloading using the portal crane in Aleksinac station

The service of loading and unloading using the portal crane together with the staff of public railway Infrastructure Manager is defined by means of a separate contract concluded between the public railway Infrastructure Manager and the Railway Undertaking, i.e. the user of the said service.

Unit price for the use of portal crane for loading and unloading amounts to 150,00 RSD/net tonne of goods VAT exclusive.

IŽS is providing other basic services if required by the railway undertaking and subject to a special contract. Other basic services that can be provided are:

• manning of facilities

#### Manning of unmanned service points



Structure of manning of non-manned service points, upon the railway undertaking's request, consists of:

- manning of service points of public railway infrastructure manager upon the railway undertaking's request in function of traffic management or shunting movements in such service points outside the working hours for such service point, and
- manning of service points of the railway undertaking upon its request in function of traffic management or shunting movements in such service points because the railway undertaking does not possess adequate traffic staff.

Charge for manning of service points by traffic staff amounts to:

Work place	Train dispatcher	Switch operator
Price in RSD/hour VAT exclusive	1.236,00	955,00

Calculation for periods of manning of non-manned service points starts from the moment of takeover of service at the service point until the moment of handover of service for the purposes of train operation i.e. shunting movement of railway undertaking's train set, and in case of temporarily manned stations (station working hours with interruption) not taking into account the period when the station is manned during the working hours according to the timetable booklet.

In the stations where it is necessary to perform manning with the train dispatcher and the switch operator, the manning period is the same for both employees given the responsibility of both worker during the setting up of a train route.

#### 7.3.8 Maritime and Inland Port Facilities

The following ports are connected to public railway network:

- Port area Novi Sad
  - Operator: DP World AD Novi Sad, <u>www.lukanovisad.rs</u>

Information on the service facility are available at <u>https://www.dpworld.com/en/serbian/general-terms-and-conditions</u>

- Port area Smederevo
   Operator: HBIS GROUP Serbia Iron & Steel d.o.o. Beograd, <u>www.hbisserbia.rs</u>
- Port area Pančevo
   Operator: Port ''Dunav" AD Pančevo
   Granexport d.o.o.<u>www.granexport.rs</u>
   Specijalna luka d.o.o.

Information on the service facility are available at www.specijalnaluka.rs

- Port area Prahovo Operator: PD Elixir Prahovo, <u>https://www.elixirprahovo.rs</u>

Information on the service facility are available at <u>www.elixirprahovo.rs/logistika</u> and <u>www.elixirgroup.rs/usluge/logistika/luka-prahovo/</u>

- Port area Senta

Operator: Port Senta A.D.,

Information on the service facility are available at <u>www.luka-senta.rs</u>

- Port area Sremska Mitrovica
   Operator: RTC Luka Leget AD, <u>https://www.leget.rs</u>
- Port area Šabac
   Operator: PD Elixir Zorka



Information on the service facility are available at <u>https://www.elixirzorka.rs</u> and <u>www.elixirgroup.rs/usluge/logistika/luka-sabac/</u>

#### 7.3.9 Relief Facilities

IŽS has on its disposal a mobile relief facility – relief (auxiliary) train. The services of relief train in cases of remedying the consequences of accidents or incidents are provided by IŽS, using its relief trains and staff, located in Belgrade, Niš and Kraljevo. In order to use the relief train services, a Railway Undertaking must address IŽS in writing: Center for relief train operations 6, Nemanjina St 11 000 Belgrade, Serbia Tel: +381 11 3620 899 Fax: +381 11 3620 899 Email: direktor.tkp@infrazs.rs

#### Price of services regarding the provision of relief assistance

The price for providing the basic service regarding the provision of relief assistance is determined based on the actual costs incurred during the provision of such service and it is applied in a non-discriminatory manner for all railway undertakings.

# The price of transporting the relief train from the domicile station to the place of work and return to the domicile

No	Means of transport	Measuring unit	Price in RSD, VAT exclusive
1	Traction vehicle - locomotive of the operator – in operation, maneuver or expectation of operation		According to the operators bill
2	Vehicle of the working unit (ZOP, ETP, SP,) within "IŽS" – trolley, truck, etc.		According to the account of the working unit "IŽS" which performed transport
3	GEISMAR road-rail vehicle type V2R-730-S – road driving	hour	15.156,00
4	GEISMAR road-rail vehicle type V2R-730-S – railway driving	hour	18.156,00
5	Traction vehicle – locomotive "IŽS" or locomotive leased (locomotive operation + staff operation + energy) -in operation	hour	41.000,00
	-in expectation of operation	hour	15.000,00

#### Price for equipment and tools for the operation of relief (auxiliary) train

No	Asset description	Type of work	Measu ring unit	Price in RSD, VAT exclusive
1	Relief train	Expecting of work	hour	2.000,00
2	Relief train	Work on preparation and retrieval of intervention equipment	hour	4.000,00
3	GEISMAR road-rail vehicle type V2R-730- S	Work during intervention	hour	15.156,00



4	Jack EDK 1000 (99 72 9 471 001-4)	Expecting of work	hour	5.000,00
5	Jack EDK 300 (99 72 9 471 101-2)	Expecting of work	hour	5.000,00
6	Jack DHPD 65 (99 72 9 571 001-3)	Expecting of work	hour	5.000,00
7	Jack EDK 1000 (99 72 9 471 001-4)	Preparation, Work, Retrieval	hour	56.970,00
8	Jack EDK 300 (99 72 9 471 101-2)	Preparation, Work, Retrieval	hour	27.248,00
9	Jack DHPD 65 (99 72 9 571 001-3)	Preparation, Work, Retrieval	hour	30.146,00
10	LUKAS equipment	Preparation, Work, Retrieval	hour	7.066,00
11	WALTER trolley	Installation and removal	hour	6.000,00
12	WALTER trolley	Transport	hour	3.320,00
13	WALTER trolley	Remaining of trolley under the rolling stock – lump sum	hour	600,00
14	Stable power generation unit	Work	hour	2.400,00

Note: operating time is calculated in full hours – each started working hour of equipment and assets is counted as a full working hour.

#### Labour costs for relief train's staff

No	Type of work	Measur ing unit	Price in RSD VAT exclusive
1	Assistant on relief train	hour	704,00
2	Electromechanic	hour	981,00
3	Driver and operator of a two-way motor vehicle	hour	1.016,00
4	Rail crane operator	hour	1.027,00
5	Hydraulic equipment operator	hour	1.027,00
6	Locksmith on the relief train	hour	1.027,00
7	Rail vehicle mechanic	hour	1.027,00
8	Relief train manager	hour	1.126,00
9	Expert associate for circuit inspection	hour	1.175,00
10	Assistant relief train chief	hour	1.282,00
11	Relief train chief	hour	1.605,00
12	Employees participating in the work of relief train	pcs	1.800,00

Note: operating time is calculated in full hours – each started working hour is counted as a full working hour.

#### 7.3.10 Refuelling Facilities

"Infrastructure of Serbian Railways" JSC is providing the services of fuel storing and issuing for refuelling of traction vehicles of all railway undertakings.

This relates to refuelling facilities at service points – stations and depots:

Pančevo main St., Lapovo, Kraljevo, Požarevac, Požega, Sombor, Kikinda, Belgrade Marshalling Yard, Crveni Krst, Ruma, Zaječar, Zrenjanin, Vršac and Subotica.

Detailed information on the services of fuel storing and issuing for refuelling of traction vehicles are available at:

"Infrastructure of Serbian Railways" JSC



Warehousing Department 6, Nemanjina St 11 000 Belgrade, Serbia stovarista.infra@srbrail.rs

#### Price for the service of storing and refuelling

The price for the service of fuel storing and issuing for the purposes of refuelling of traction vehicles of all railway undertakings is determined based on the actual costs incurred during the provision of this service and is applied in a non-discriminatory manner for all railway undertakings.

The service of fuel storing and issuing for the purposes of refuelling of traction vehicles amounts to 5.43 RSD per stored litre of diesel fuel VAT exclusive.




#### APPENDICES

- 1. Organizational chart of "Infrastructure of Serbian Railways" JSC
- 2. Internal regulations (documents) and technological procedures
- 3.1 Loading gauge JŽ I
- 3.2 Loading gauge UIC-GA
- 3.3 Loading gauge UIC-GB
- 3.3a Loading gauge UIC-GC
- 3.4 Electrified lines
- 3.5 Power supply facilities
- 3.6 Overview of signalling & safety devices equipping level
- 3.7 Overview of telecommunication devices equipping level
- 3.8 List of stations with industrial sidings on which it is possible to handle dangerous goods (RID goods)
- 3.8 b List of service points where it is possible to perform transshipment of dangerous goods
- 3.9 Alternative transport routes
- 3.10 Facilities for rolling stock maintenance
- 3.11 Railway infrastructure development projects
- 4.1 Request for train path allocation (form)
- 4.1.b Template for submission of traction vehicle technical data
- 4.2 Instructions for completion of Request for train path allocation (form)
- 4.3 Deadlines for annual 2025/2026 Timetable preparation
- 4.4 Deadlines for amendment of annual 2025/2026 Timetable

5.1. Overview of railway lines on which train running is possible when they are manned only with engine driver

- 5.2. Overview of the lines fulfilling the conditions for train running with an engine driver only
- 5.3. Geometry of pantograph (current collector) TYPE POS 254/III used on IŽS network
- 6. Register of infrastructure data
- 7. Overview of primary train delay causes
- 8. Overview of platforms and arranged surfaces in service points
- 9. Method for calculation of electricity consumption for train traction





#### Appendix 1: Organizational chart of "Infrastructure of Serbian Railways" JSC



#### Appendix 2: Internal regulations (documents) and technological procedures


The internal regulations (documents) and the technological procedures applied by IŽS are listed in the Registry of regulations of importance for traffic safety i.e. in item 1.3 Internal general regulations of "Infrastructure of Serbian Railways" JSC.

The registry of regulations of importance for traffic safety is published on the web site of "Infrastructure of Serbian Railways" JSC in section About us/Library/Regulations/Safety Management System/Appendices to the Safety Management System Rules of Operation/Appendix 12.1 Library- Registry of regulations (О нама/Библиотека/Правиници/Систем управљања безбедношћу/Прилози Пословника система управљања безбедношћу/ Прилог 12.1 Библиотека-Регистар прописа).

Available on link https://infrazs.rs/izs-osnovni-podaci/biblioteka




Appendix 3.1. Loading Gauge ŽS I






Appendix 3.2. Loading Gauge UIC-GA






Appendix 3.3. Loading Gauge UIC-GB







- A Pantograph movement space
- B Area for positioning of platforms according to leaflet UIC 505-4, for the speeds of up to 200 km/h
- C Possibility of reserving the space for low platforms and specific installations



### **Appendix 3.4. Electrified lines**

#### Main lines:

- 1. Beograd Centar Stara Pazova Šid State Border (Tovarnik)
- 2. Beograd Centar Rasputnica G Rakovica Mladenovac Lapovo Niš Preševo State Border (Tabanovce)
- 3. (Beograd Centar) Rakovica Jajinci Mala Krsna Velika Plana
- 4. (Jagodina) Rasputnica Ćuprija Ćuprija Paraćin
- 5. (Beograd Centar) Stara Pazova Novi Sad Subotica State Border (Kelebia)
- 6. Niš Dimitrovgrad State Border (Dragoman):
  - electrified on section Dimitrovgrad State Border
- 7. Beograd Centar Pančevo Main St. Vršac State Border (Stamora Moravita):
  - electrified on section Beograd Centar Pančevo varoš
- 8. (Beograd Centar) Resnik Požega Vrbnica State Border (Bijelo Polje)
- 9. Beograd Marshalling yard "A" Ostružnica Batajnica
- 10. Beograd Marshalling yard "B" Ostružnica
- 11. Beograd Marshalling yard "A" Rasputnica "B" Rasputnica "K/K1" Resnik
- 12. Ostružnica Rasputnica "B" (Rasputnica "K/K1")
- 13. Beograd Marshalling yard "B" Rasputnica "R" Rasputnica "A" (Resnik)
- 14. (Beograd Marshalling yard "B") Rasputnica "R" Rakovica
- 15. Beograd Marshalling yard "A" Rasputnica "T" Rakovica
- 16. Beograd Marshalling yard "B" Rasputnica "T" (Rakovica)

17. connecting track in the area of Rasputnica "K/K1": (Rasputnica "B") - skretica "K" - skretnica "K1" - (Jajinci)

- 18. (Rasputnica Pančevački most) Rasputnica Karađorđev park Rasputnica Dedinje (Rasputnica G)
- 19. Inđija Golubinci
- 20. Novi Sad Novi Sad Marshalling yard Rasputnica Sajlovo
- 21. bypass track of station Mala Krsna: (Kolari) branching turnout 1 branching turnout 28 (Osipaonica)
- 22. Rasputnica Lapovo Varoš Lapovo Marshalling yard Lapovo
- 23. Trupale Niš Marshalling yard Međurovo
- 24. Crveni krst Niš Marshalling yard
- 25. Niš Rasputnica most (Niš Marshalling yard)

#### **Regional lines:**

- 1. Novi Sad Odžaci Bogojevo:
  - electrified on section Novi Sad Sajlovo
- 2. Stalać Kraljevo Požega:
  - electrified on section Kraljevo Požega

3. connecting track to station Požega: (Uzići) – branching turnout No 53 - branching turnout No 54 - (Dragačevo)

- 4. Smederevo Rasputnica Jezava Radinac Mala Krsna
- 5. Mala Krsna Bor Rasputnica 2 (Vražogrnac):
- electrified on section Mala Krsna Požarevac
- 6. Subotica Horgoš State Border (Röszke)

#### Local lines:

- 1. Novi Sad Novi Sad ložionica:
  - electrified on section Novi Sad Blok 3 Novi Sad
- 2. Pančevo Varoš Pančevo Vojlovica



## Appendix 3.5 Power supply facilities

No	Facilities	Chainage
Main Li	ne 101 Beograd Centar – Stara Pazova – Šid – State Border– (Tovarnik)	
1.	PS Beograd Centar	000+000
2.	EVP Zemun	008+052
3.	PSN Batajnica	021+970
4.	PS Stara Pazova	034+794
5.	PS Putinci	053+600
6.	PSN Ruma	066+245
7.	PS Sremska Mitrovica	081+700
8.	EVP Martinci	094+200
9.	PS Kukujevci	105+000
10.	PS Šid	116+400
	ne 102 Beograd Centar – Mladenovac – Lapovo – Niš – Preševo – State B	
11.	PSN Košutnjak	007+726
12.	PS Rakovica	008+656
13.	PS Kijevo	010+128
13.	EVP Resnik	010+120
15.	PS Klenje	024+800
16.	PSN Ralja	032+340
10.	PS Sopot Kosmajski	041+565
18.	EVP Mladenovac	053+100
10.	PS Glibovac	074+000
20.	PSN Mala Plana	084+350
20.	PS Plana	089+700
21.	EVP Markovac	099+345
23.	PS Lapovo Varoš	106+309
23.	PS Lapovo Putnička	109+207
25.	PSN Bagrdan	119+122
26.	EVP Jagodina	136+262
20.	PS Ćuprija	148+200
28.	PS Paraćin	154+971
29.	PSN Sikirica	165+025
30.	PS Stalać	176+154
31.	PS Braljina	186+600
32.	EVP Đunis	195+130
33.	PS Korman	205+540
34.	PS Aleksinac	214+077
35.	PSN Grejač	223+479
36.	PS Trupale	234+104
37.	PS Niš	243+287
38.	EVP Niš	248+755
<u>39.</u>	PS Doljevac	261+410
40.	PSN Pečenjevce	276+752
41.	PS Leskovac	287+910
42.	EVP Grdelica	300+580
42.	PS Džep	319+561
43. 44.	PSN Suva Morava	332+860
44. 45.		
	PS Vranjska Banja	347+765
46.	EVP Ristovac	365+370
47.	PS Bukarevac	386+617
48.	PSN Tabanovci	400+060
Main Li	ne 103 (Beograd Centar) – Rakovica – Jajinci – Mala Krsna – Velika Pla	ina



49.	PS Beli Potok	017+800
50.	PSN Vrčin	026+400
51.	PS Mali Požarevac	042+800
52.	EVP Vodanj	056+700
53.	PS Mala Krsna	070+600
54.	PSN Lozovik	086+000
	ine 105 (Beograd Centar) – Stara Pazova – Novi Sad – Subotica – Stat	
55.	EVP Indija	041+984
56.	PSN Beška	053+905
57.	PS Sremski Karlovci	065+685
58.	EVP Novi Sad	079+985
59.	PS Kisač	090+600
60.	PSN Zmajevo	102+600
61.	EVP Vrbas	119+480
62.	PS Lovéenac	129+637
63.	PSN Bačka Topola	143+850
64.	PS Žednik	157+620
65.	EVP Subotica	167+920
66.	PS Subotica	177+180
67.	PSN Subotica	184+450
	ine 107 Beograd Centar – Pančevo Main St. – Vršac – State Border– (S	
69.	PS Beograd Centar	000+000
70.	PS Pančevački Most	004+687
	ine 108 (Beograd Centar) – Resnik – Požega – Vrbnica – State Border-	
71.	PS Barajevo	015+420
72.	PSN Stepojevac	019+420
73.	PS Lazarevac	045+310
74.	EVP Slovac	059+248
75.	PS Valjevo	077+905
76.	PSN Lastra	093+056
77.	PS Ražana	111+239
78.	EVP Kosjerić	118+229
79.	PS Požega	140+420
80.	PSN Uzići	150+295
81.	PS Užice – teretna	162+319
82.	EVP Sušica	178+379
83.	PS Zlatibor	193+407
84.	PSN Jablanica	206+350
85.	PS Priboj	225+338
85. 86.	EVP Pribojska Banja	223+358
80.	PS Bistrica	232+730
88.	PSN Prijepolje	257+226
89.	PS Lučica	264+695
<u>90.</u>	EVP Brodarevo	273+360
91.	PS Vrbnica	285+096
	ine 111 Beograd Marshalling yard "A" – Ostružnica – Batajnica	2051070
92.	PS Železnik – ulaz	001+290
	PS Železnik – izlaz	001+290
93	I S LOVELINK ILIUE	0021013
93. 94	PSN Surčin	013+485
94.	PSN Surčin al Line 213 Stalać – Kraljevo – Požega	013+485



96.	PSN Ovčar Banja	120+900
	Regional railway line 201 Subotica – Horgoš – State Border – (Röszke)	
97.	PS Bački Vinogradi	15+717

Remote control centers				
98.	Centar DU Beograd	M2: 005+145		
99.	Centar DU Niš	M2: 243+560		
100.	Centar DU Novi Sad	M4: 078+038		

Abbreviations:

- **EVP Electric traction substation**
- PSN Track sectioning post with neutral line
- **PS** Track sectioning post
- **CDU Remote control center**



## Appendix 3.6 Overview of signaling & safety devices equipping level

				1			$\vdash$	H	Turne	out interlocki	ing	T	umout heatin	8	Signa	1 type	Sig	nal equipp	bcd	Dovinee	onilledonom ui	- made	Γ
	Marka			10 Á		_			le:	2					fain	Oth	c.	with AS		Devices	in marsnalling	yards	
Manual Manuu Manual Manuu Manual Manual Manual Manual Manual Manual Manual Ma	Matrix for the formation of the fo	Railway Line No	RAILWAY LINES		Incomplete relay interlocking	sonsbrogab tuomut-langis	turnout dependence	inrnout dependence	interlocking by means of electric: positioning devices Central control desk and	mechanical devices	by means of electrical controller On-site control and interlocking	;	ii	lengis MgiJ	Mechanical signal	lengiz Mgi.J		Mechanicalsignal	div sbray guilledered			Ccentral positioning of turnout on the hump	
10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10<	10         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -				Num	ber of station	S	_	Nun	nber of turnou		Nu	mber of turne	uts	Number	of signal	N S	of ba	Nun	r of stations	Numbe	er of turnou	S
Optimization         Display	Million         Million <t< td=""><td>I III</td><td>Dammed Cham Barran Ci.d. Chata Bardan (Thuranila)</td><td>31</td><td>+</td><td>0</td><td>0 -</td><td>_</td><td>8</td><td>6</td><td>+</td><td>+</td><td>12 13</td><td>+T</td><td>9</td><td>10</td><td></td><td>+</td><td>$^{+}$</td><td>17</td><td>77</td><td>57</td><td>74</td></t<>	I III	Dammed Cham Barran Ci.d. Chata Bardan (Thuranila)	31	+	0	0 -	_	8	6	+	+	12 13	+T	9	10		+	$^{+}$	17	77	57	74
Constant	Construction:         Display interfactory         Display interfac	5	-	cI	+	╋	_		1+6	+	10	+	0+	102	╞	/17		_	+	ļ	Ī	T	T
Constant         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1<	Mission Statistication, Statisticatio, Statistindextexteristicatio, Statistication, Statistication, Sta	102	-	55		1	_		639	_	18(		96	419	_	196	ě	83					
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Network:         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1<	103	(Beograd) - Rakovica - Jajinci - Mala Krsna - Velika Plana	15			+		151				- 62	160		66	-	02				ſ	Γ
Mache         Mache         Mach         <	Networksing	101	-	17			,						25	202	-	73	⊢	5					
Manual and a	With Controls       3       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       <	5	-			2	4	+		+		+	20	474	+	2	+		_				
Answert Networks - Values	Methods:         And         Number of the state of the	105	_	2 2		1	- 13	-	+	~	87		62	25	+	3 103	+	=					
Characterization         Name	Construction         Description         Description <thdescription< th=""> <thdescription< th=""></thdescription<></thdescription<>		_		+	+			+			+			+		T		+			T	T
Networksinger         Same of the function of	International conditional conditiconal conditional conditional conditional conditional cond	107	_	34			-	(1)	306			-	04	307		177	5	03	_				
Name         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Network         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 </td <td>108</td> <td></td> <td>2</td> <td></td> <td>1</td> <td></td> <td>15</td> <td>16</td> <td></td> <td>24.</td> <td>7</td> <td>-</td> <td>20</td> <td>37</td> <td>12</td> <td>30</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td>	108		2		1		15	16		24.	7	-	20	37	12	30	1					
Discription of contraction for contractin contractin contraction for contraction for contraction for co	Desting fragments         Desting fragments <thdesting fragments<="" th="">         Desting fragments</thdesting>	109		-	╞	~	_			63	83			18	49	13	Н						Π
Bound Relations         Terms         Distance         Distance <thdistance< th=""></thdistance<>	Booked framewer	50	1		+		+	+		+		+	+	9	4	2 4						T	Τ
Descent fattament V ⁺ . Tagmanta V ⁺ . Tagm	Distant Statistic Statis Statistic Statistic Statistic Statistic Statisti	112	-	2	$\parallel$	$\parallel$	$\parallel$		32	$\left  \right $		$\ $		21				-					
Dested transmits         Tested transmits<	Discriptional V* Tagmand V* Tagm	113	-						2					2				~					
Opendial-Regention T- Regention T- Kingtonian T-		114		1							15	_	1	9		4		5	_	1	55		
Bogened Partian "YFagendia: YFagendia: YF	Bogend Flazinian "PFagentians "P(Florand)         Image of the problem of t	115	-				$\parallel$					$\left  \right $		2		2		0					
Bisenell Benjamin Transmission         Bisenel	Bisened Barbinum Tr- Selection         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I <thi< th="">         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         <thi< td=""><td>116</td><td>_</td><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td>5</td><td></td><td>1</td><td></td><td>6</td><td></td><td></td><td></td><td></td><td></td></thi<></thi<>	116	_				_							5		1		6					
	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	11	Recorded Ranžirna "R") - Rascutnica "R" - Rakovica	T	+	+	╀	+	-	+	+	+	+	2	$\downarrow$	-	+		_			T	Τ
	Constantion         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 <th< td=""><td>118</td><td></td><td>-</td><td>$\parallel$</td><td></td><td>+</td><td></td><td>3</td><td>$\left  \right$</td><td></td><td>+</td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	118		-	$\parallel$		+		3	$\left  \right $		+		-									
vector in blocks, reprinder SYAT ⁽¹ , (Haymunder SYAT ⁽¹ ), (Haym	vort allocist         voltable structure str	119	++	-	H	H	H	$\left  \right $	132			H		9	Ц			5					Π
Torplote - Regenting Strait inset - Roten Bound.       Torplote - Regenting Strait inset - Roten Bound.       2       1       2       1       1         Minit Indexit - Regenting Strait       Torplote - Regenting Strait       39-16       39-16       5       3       1         Minit Indexit - Regenting Strait       Torplote - Regenting Strait       39-16       3       1       1       1       1       1         Bits 1 - Printar - Regenting Strait       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1 <td>Checker - Bangming Sending Send</td> <td>120</td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td>3</td> <td></td> <td></td> <td></td> <td>8</td> <td>9</td> <td></td> <td></td> <td>-</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Checker - Bangming Sending Send	120		1					3				8	9			-	0					
Topolate - Boegand Spoline - Foregand Spoline - Toopard Dunve - Taspunities Pandovardat         Implete - Boegand Spoline - Foregand	Tropcdore - Brogrand Popular - Toopgrand Dunar - Taspunities Planco-radia         Important - Brogrand Popular - Toopgrand Dunar - Taspunities Planco-radia         Important - Brogrand Spantor	121					$\parallel$	$\left  \right $				$\parallel$		2				2					
Obstantion         394:6         394:6         3         3         3           Obstantion         Obstantion         1         1         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         5         4         4         5         10         5         10         5         10         5         10         5         10         5         10         5         10         5         10         5         10         5         10         5         10         5         10         5         5         10         5         10         5         10         5         10         5         10         5         10         5         10         5         10         5         10         5         10         10	Biolital Tenderal Sequence Sequence Sequence Sequences         2         1         394:6         5         5         5           Respension Tenderal Sequences         1         1         1         1         1         1         1           Respension Tenderal Sequences         1         1         1         1         1         1         1           Respension Tenderal Sequences         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	122					-																
Respination Praces with mooth Parker with mooth park -         Image	Respinsies Prace selfs nown) - Respinsies Kandodee park.         Respinsies Prace selfs nown) - Respinsies (nown)	28	obilazni kolosek stanice Beograd Spoljna: (Topčider) - Blok 1 "Obala" - Blok 2 "Prelaz" - (Booerad donii erad)			2	-				39+	9		9		3							
Restructure - respondent         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 <td></td> <td>31</td> <td>(Rasputnica Pančevački most) - Rasputnica Karadordev park -</td> <td></td> <td>$\vdash$</td> <td></td> <td>$\vdash$</td> <td></td> <td>4</td> <td></td> <td></td> <td>$\left  \right$</td> <td>2</td> <td>4</td> <td></td> <td>4</td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td>		31	(Rasputnica Pančevački most) - Rasputnica Karadordev park -		$\vdash$		$\vdash$		4			$\left  \right $	2	4		4		-					
Net Net Stat - Noti stat Runtime Regimuits Sulton         1         1         1         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         4         1         1         4         1         1         4         1         1         4         1         1         4         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 <th< td=""><td>Novel Sale - Foroi Sale Renormer - Renounces Solitono         1         1         1         1         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         5         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25</td><td>3</td><td>reaspuenca Deanije - (reaspuenca O) Indija - Golubinci</td><td></td><td>+</td><td></td><td>+</td><td></td><td></td><td>+</td><td></td><td>╞</td><td></td><td>-</td><td></td><td>-</td><td>+</td><td>+</td><td></td><td></td><td></td><td></td><td>Γ</td></th<>	Novel Sale - Foroi Sale Renormer - Renounces Solitono         1         1         1         1         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         5         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         100         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25         25	3	reaspuenca Deanije - (reaspuenca O) Indija - Golubinci		+		+			+		╞		-		-	+	+					Γ
Only and koloses static And K stard: $2$ $1$ $4$ $2$ $4$ $2$ $4$ $2$ $4$ $2$ $4$ $2$ $4$ $2$ $4$ $2$ $4$ $2$ $4$ $2$ $2$ $1$ $2$ $1$ $2$ $1$ $2$ $1$ $2$ $1$ $2$ $1$ $2$ $1$ $2$ $1$ $2$ $1$ $2$ $1$ $2$ $2$ $1$ $2$ $2$ $1$ $2$ $2$ $1$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ $2$ <	Oblication blocks structures 1-         2         1         2         2         1           Oblication blocks structures 1-         2         1         44         36         3         48         28         106           Respension Lapovo vands - Lapovo maritma - Lapovo         2         1         44         36         3         48         28         106           Respension Lapovo vands - Lapovo maritma - Lapovo         2         1         4         2         1         4         2         1         4         2         1         4         2         1         4         2         1         4         2         1         4         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2	126					_				17			4	Ц	4							
Activities:		127	-											2				2					
Truptale - NilsTruptale - NilsInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalInternationalI		28	Rasputnica Lapovo Varoš - Lapovo ranžirna - Lapovo	2		-			44		36		6	48		28	-	4					
Circle MiscineLice MiscineI44444 $\frac{2}{3}$ Significations extantical model stantical model model model stantical model mo	Creven kist:Current kist:Curren	50	Trupale - Niš ranžirna - Međurovo	-	+		+		100			+	_	s	4	106		_	_	-		T	Τ
Spoint kohocki kanner Nik (Crean kay) - oktojna skretnica 2 - oktojnaSpoint kohocki kanner Nik (Crean kay) - oktojna skretnica 2 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	Spont Notowick stratice NBS (Crevend Fast) - odvojna skretnica 2 - (Cele Mal).33333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333333 <td>8 2</td> <td>Crveni krst - Nis ranžirna Niš - Paenutnica most - (Niš ranžirna)</td> <td>-</td> <td>+</td> <td>+</td> <td>+</td> <td></td> <td>Ŧ</td> <td></td> <td></td> <td>+</td> <td>+</td> <td>4</td> <td>1</td> <td>7 6</td> <td>+</td> <td>╀</td> <td>+</td> <td></td> <td></td> <td>t</td> <td>Τ</td>	8 2	Crveni krst - Nis ranžirna Niš - Paenutnica most - (Niš ranžirna)	-	+	+	+		Ŧ			+	+	4	1	7 6	+	╀	+			t	Τ
skretnical - HOCGe ktala)         skretnical - HOCGE         1         1         1         4         27         1         11         26         11         26           Parkevo Cirvora statics - Zergianti - Kkinda - State Border - (Jimbola)         1         1         1         1         6         19         7         32         16         7         5           Parkevo Cirvora statics - Zergianti - Kkinda - State Border - (Jimbola)         1         1         1         6         19         7         32         16         7         5           Parkevo Cirvora Raspuncta-         1         1         1         1         6         19         7         32         16         7         5           Parkevo Visore - Raspuncta-         1         1         1         1         6         19         7         32         16         7         5           Proversite Autoria Raspuncta-         2         1         8         2         3         9         8         7         1         1         1         4           Novi Scaf Auxirian - Suptoro Raspuncta         2         1         8         1         2         1         4         1         1         1         1 <td< td=""><td>skretnike: 4 - (Cek hala)         skretnike: 4 - (Cek hala)         skretnike: 4 - (Cek hala)         stretnike: 4 - (Cek hala)         st</td><td>133</td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>~</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	skretnike: 4 - (Cek hala)         skretnike: 4 - (Cek hala)         skretnike: 4 - (Cek hala)         stretnike: 4 - (Cek hala)         st	133	-										~										
Subdicta - Horgas - State Border - (Koszke)         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I <td>Subdicta - Horgas - State Border - (Koszko)         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I<td>1</td><td>-</td><td></td><td>+</td><td></td><td>+</td><td>-</td><td></td><td>-</td><td></td><td>+</td><td>~</td><td>+</td><td>-</td><td></td><td>+</td><td>+</td><td></td><td></td><td></td><td>1</td><td>Τ</td></td>	Subdicta - Horgas - State Border - (Koszko)         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I <td>1</td> <td>-</td> <td></td> <td>+</td> <td></td> <td>+</td> <td>-</td> <td></td> <td>-</td> <td></td> <td>+</td> <td>~</td> <td>+</td> <td>-</td> <td></td> <td>+</td> <td>+</td> <td></td> <td></td> <td></td> <td>1</td> <td>Τ</td>	1	-		+		+	-		-		+	~	+	-		+	+				1	Τ
Pundery Ginvan stanties - Zregiunia - Kistuda - State Border - (Inhobia)         1         1         1         1         1         1         1         1         1         1         2/3         1/7         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6         1/1         2/6	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	201	-			-	+	_		+	27		+	+	=	T	+	+	+			t	T
Immunol lostero - Senta - Subotica.         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I	Bannetscon Nolevo - Senta - Sobolica         1         1         1         1         1         1         6         19         7         32         16         7         7           Bannetscon Nolesco - Senta - Sobolica         1         1         1         1         1         6         19         7         32         16         7         7           Novi Stad - Respundes 20. (Jobust)         1         2         3         9         73         99         10         14         4           Novi Stad - Respundes 30/vo Respundes         1         2         1         8         73         8         11         4           Novi Stad Runžina - Saljovo Respundes         1         2         1         8         73         8         11         4           Novi Stad Runžina - Saljovo Respundes         1         2         7         2         8         1         2         1         4           Novi Stad Runžina - Saljovo Respundes         1         2         7         2         8         1         3         1         4           Novi Stad Runžina - Saljovo Respundes         1         2         2         2         2         2         2         10	202	-		_		_	6	7	_	25.	e		17	26	Π	20					_	
Index of Varies - Randominication         I         2         3         9         99         15         8         7           Novi Stadi         Randominication         1         2         1         8         7         99         15         8         7           Novi Stadi         Randominication         2         1         8         7         3         8         11         4           Novi Stadi         Randominication         2         1         8         7         3         8         1         1           Novi Stadi         Runzima<-Sultovo Raspunication	Image: Note: Standing: 23         9         99         15         8         7           Not: Stadt - Rasputtica: 23         1         2         3         9         99         15         8         7           Not: Stadt - Rasputtica: Stylovo - Rinski sineCeri - Orlevat stightlike         2         1         8         7         3         8         11         4           Not: Stadt Runzirue: Stylovo - Rinski sineCeri - Orlevat stightlike         2         1         8         1         4         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	203	Banatsko Miloševo - Senta - Subotica	-	-	-	_	9	19	7	32			16	7	5	5						
Novi Stad) - Raspuricias Signo - Ramana Status stancevi - Orlovat stajalistic       2       1       8       7.3       8       1       4         Novi Stad) - Raspurities Signo - Ramana Status stancevi - Orlovat stajalistic       2       1       8       11       4         Novi Stad) - Raspurities Signo - Ramana Status stancevi - Orlovat stajalistic       2       1       8       1       1         Orlovait - Raspurities Ia       - (Lakicevo)       2       7       2       8       1       1         Orlovait - Raspurities Ia       - (Lakicevo)       2       7       2       8       1       1         Novi)       Ruma Status - Raspurities Ia       - (Lakicevo)       92       23       10       14         Novi       Novi       2       7       2       8       7       1       1       23       10       14         Status - Chargin       8       7       1       1       22       195       64       11       43         Status - Chargins Reminica Ionia Stremica Noi 31 - (Adrami)       8       7       1       12       2       64       11       43         Status - Chargins Reminica Noi 37 - (Adrami)       8       7       1       1       22       6	Ant manufactorie         And the sequence	204	Pančevo Varoš Novi Sad - Ods	-	+		,		0		00		+	15	×	5	×					T	Τ
(Novi Sad). Rasputical Sajlovo- Rimski Sančevi - Orlovat stajalisic         2         1         8         13         8         11         4           Novi Sady. Targatina - Sajlovo - Rimski Sančevi - Orlovat stajalisic         2         1         8         11         4           Ohovi Sady. Targatina - Sajlovo - Rimski Sančevi - Orlovat stajalisic         2         1         2         1         1           Ohovi Sady. Rasputical Doija Borita - State Border - (Zvornik         1         2         7         2         8         14           Novi)         Novi)         2         7         2         8         92         23         10         14           Statia: - Knajtovo Ristancia Doija Borita - State Border - (Zvornik         1         1         22         92         53         10         14           Statia: - Knajtovo Ristancia         8         7         1         1         22         195         64         11         43           Spatia- Knajtovo Ristancie Prizeri         1         1         22         195         64         11         43           Spatia- Knajtovo Ristancie Prizeri         1         1         22         195         64         11         43           Spatia- Knajtovo Ristance Prizeri	(Novi Stad). Raspunical Sajlovo-Rimski Sančevi - Orlovat stajalisie         2         1         8         73         8         11         4           Novi Stad). Raspunical Sajlovo-Rimski Sančevi - Orlovat stajalisie         2         1         2         8         11         4           Ohovi Stad Ranžina - Sajlovo Rispunica         2         2         2         2         1         1           Ohovi Stad Ranžina - Sajlovo Rispunica         2         2         2         2         1         1           Novi)         Stada - Krajlovo Rispunica         92         23         10         14           Stada - Krajlovo Rispunica         1         1         2         7         2         8         195         64         11         43           Stada - Krajlovo Risene Risenano         64         11         43           Stada - Krajlovo Risene Ri	2	NOVI Sad - Ouzaci - bogojevo	-	+	+	7	0	+	+	2	+	+	1	•	-	•	╞	_	ļ	Ī	T	Τ
Not: Safe Ragintian - Saliov Raspantiet         2         2         1           Oftonia : Respantient - State State State State State - (Zvornik Not)         1         2         2         1         1           Runn - Sches-Respantient Doigh Borine - State Border - (Zvornik Not)         1         2         7         2         8         92         23         10         14           Rouns - Sches-Respantient Doigh Borine - State Border - (Zvornik Not)         1         2         7         2         8         92         23         10         14           Rouns - Sches-Respantient - Raspantient - Raspatinet Doigh Borine - State Border - (Zvornik II         2         7         2         8         92         64         11         43         15         12         2         64         11         43         15         15         14         15         14         15         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         1	Not: Sad Ranzina - Saliov Resonnica.         Image: Saliov Resonnica.	206	_			2	-	8	_	8	73	_	_	∞	=	4	Ξ	_					
Thread - Respinance in - Luckneyory     1     2     7     2     8     92     23     10     14       Novoy     Second - Respinance in - Luckneyory     1     2     7     2     8     92     23     10     14       Novoy     Second - Respinance in - Luckneyory     8     7     1     1     22     10     14       Stable - Kraljevo: Naspinanci - Raspinanci - Ras	Chrosine - Kinghumen la - Unklexevo)         23         7         2         8         92         23         10         14           Novoi)         Semaic - Kingleo nue - State Border - (Zvornik         1         2         7         2         8         92         23         10         14           Novoi)         Semaic - Kingleo nue - State Border - (Zvornik         1         2         1         1         23         10         14           Novoi         Semaic - Kingleo nue - State Border - (Zvornik         8         7         1         1         22         195         64         11         43         1           Staffie- Kingleo nue - State Rightinica 3 - (Marmika Banja) - odvojna skretnica         8         7         1         1         22         195         64         11         43         1           Staffie- Kingleo nue - Kingleo nue - Kingleo nue - Kolonia skretnica         1         1         22         195         64         11         43         1           Staffie - Kingleo nue - Kingleo nue - Kolonia skretnica         1         1         22         195         64         11         43         1           Staffie - Kingleo nue - Kolonia skretnica         1         1         22         23         23 </td <td>50</td> <td>Novi Sad Ranžirra - Sajlovo Rasputnica</td> <td></td> <td>+</td> <td>+</td> <td>+</td> <td>+</td> <td>+</td> <td>+</td> <td>2</td> <td>+</td> <td>+</td> <td>+</td> <td></td> <td>-</td> <td>+</td> <td>╉</td> <td>+</td> <td></td> <td></td> <td>T</td> <td>T</td>	50	Novi Sad Ranžirra - Sajlovo Rasputnica		+	+	+	+	+	+	2	+	+	+		-	+	╉	+			T	T
Novi)         1         2         7         2         8         92         23         10         14           Platičevo. Raptinica 3 - (Shtar)         8         7         1         1         23         10         14           Stabile - Krajevo. Počeja         92         7         1         1         23         10         14           Stabile - Krajevo. Počeja         8         7         1         1         23         14         14           Stabile - Krajevo. Raptine 3 - (Shtari)         8         7         1         1         23         15         14         14           Stabile - Krajevo. Raptivo. (Mataruška Banja) - odvojna sketnica         8         7         1         1         22         195         64         11         43         3           Stopin kolosk statice Krajevo. (Mataruška Banja) - odvojna sketnica         9         7         1         1         22         195         64         11         43         3           Stopin kolosk statice Kraje Storice Stopia Sternica bio? 7 - (Adram)         9         7         1         1         23         1         1         1         33         3         1         43         3         41         1	Noti)         2         7         2         8         92         23         10         14           Plait(sco). Resputica 1. Resputica 3. (Stitur)         8         7         1         1         22         195         24         11         43           Static - Kanjevo. Prozga         1         1         22         8         7         1         14         23         195         64         11         43         1           Static - Kanjevo. Prozga         Notest structures famore, famore, and family         2         1         1         2         195         64         11         43         1           Struct Struct Famore, famore, and family         2         1         1         22         195         64         11         43         1           Struct Famore, famore, famore, and family         2         1         1         2         1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	807	_		┢		,	,		$\vdash$	6	+	╞	22	01	5	4	╀	╞	ļ		T	Γ
(Plainčevo) - Raspurinča 1 - Kaspurinča 3 - (Šultar)         8         7         1         1         22         195           Stalače Kraljevo: (Mataruška Banja) - odvojna skretnica         8         7         1         1         22         195           Popil kolosk starnice Kraljevo: (Mataruška Banja) - odvojna skretnica         8         7         1         1         22         195           broj 72 - odvojna skretnica broj 73 - (Adrani)         9         9         1         2         0         195         10           storinka broi 73 - (Adrani)         9         9         1         1         22         195         10           storinka skretnica broj 73 - (Adrani)         9         1         1         22         195         10           storinka skretnica broj 73 - (Adrani)         9         1         1         22         195         10           storinka skretnica broj 73 - (Adrani)         9         1         1         22         195         10	(Platičeco) - Basputnica 1 - Kasputnica 3 - (Šutatr)     8     7     1     1     22     195       Staliać - Krajkovo - Poničen     8     7     1     1     22     195       Staliać - Krajkovo - Poničen     8     7     1     1     22     195       Staliać - Krajkovo - Poničen     1     1     1     22     195       Staliaco - Krajkovo - Mata Krajkovo - Mata Rujuju - odvojna skretnica     22     22     22       Stanin Skretnika Ibnici 73 - (Adraini)     22     32     2       Stanina Skretnika Ibnici 73 - (Adraini)     1     1     22     32     2	S	_	-	+	7		7	~	+	34	-	+	07	DT I	<u>*</u>	~	+	$\downarrow$			1	Τ
spojni kolosek stanice Kraljevo: (Mataruška Banja) - odvojna skretnica broj 22 - odvojna skretnica broj 73 - (Adrain) spojni kolosek stanice Prožega (ULički) - odvojna skretnica broj 53 - godoim skretnica broj 54 - (Drazečevo)	spoint kolosek strainec Krajjevo: (Mataruška Banja) - odvojna skretnica broj 22 - odvojna skretnica broj 73 - (Adrain) spoint kolosek strainec Arajjevo: (Mataruška Banja) - odvojna skretnica broj 53 - straina skretnica broj 53 - (Mataruška Banja) - odvojna skretnica broj 53 - (Mataruška Banja) - (Matarušk	211	(Platičevo) - Rasputnica 1 - Rasputnica 3 - (Stitar) Stałać - Kralievo - Požeza	8	+	7	-	_	22	+	195	-	+	64	=	43	=	+	╞	ļ		t	Τ
broj 72 - okvojina skremica broj 73 - (Adram) spojin kolesk stanice Drogan (Lizki) - odvojina skremica broj 53 - spojin skremica broj 54 - (Drazekcvo)	broj 22 - odvojna skretnica broj 73 - (Adraiu) spojni kolosek stanice Počega: (Uziči) - odvojna skretnica broj 53 - Smederevo - Mala Krsna - 10 22 32 2	212			┢		╞	+		$\left  \right $	╞	╞	╞	-				╞					
applin instructions calling a tradition of the state of t	apoint accords starting to Section 2010 and and the section of a 2 2 2 Section 2 2 2 Section 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			t	$\dagger$	┢	+	+		+	+	╀	+	+	1	T	╉	╀	+	ļ		t	Τ
	Snederevo - Mala Kistaa 1 1 1 22 3 2 2	213	spojiu konosta suuree e veega, recevit - veregiui suerius ere erege e odvoina skretnica broi 54 - (Draeačevo)		+	+	+	+	+	+	_	+		_			+	-	_				



0     0     0     0     0     0     0       0     0     0     0     0     0     0		Image: Second	+     3     5     ∞     Central control desk and interlocking by means of electrical printing devices	$ \begin{array}{c c} & & & & \\ \hline \\ \hline$				Image: Second						Impose of the number of the	shormui lo gainoitisoq Itamakli qama adi no
[ ] [ ] 이 없이 지 않지 않지 않지 않아 있지 않는 것 이 않 않 않 않 것 않는 것 이 것 않지 않지 않지 않는 것 이 것 않지 않지 않는 것 이 것 않지	Image: Second	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Image: Section of the sectin of the section of the section of the section of the	Image: Section of the section of th	Image: constraint of the straint of	1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Image: control of the serie of the seri	1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Image: contract of the state of the sta	<ul> <li> </li> <li> </li></ul>	Matrix finite spin spin spin spin spin spin spin spin	<ul> <li> </li> <li> </li></ul>		Matrix for the first or th



											INTER	LOCKI	NG FAC	CILITIE	s								
			-										Level	crossing	g safety o	levices							
			Intersta	tion deper device	ndence		Autor	matic b	bloc		Auton	natic pos cros	itioning ( sings	of level	Mam	ual positi cross		flevel	Traf	fic remote	contro	ol dev	ices
		RAILWAY LINE	k line	ck line	between	k line	ck line	nts		luipped with	ba	arrier or irier udinal		colour signals	1451/2425	trical ices		anical ices	k line	ck line	introl centers	introl stations	controlled
0	Railway Line No		Length of single track line	Length of double track line	Number of distances between stations	Length of signle track line	Length of double track line	Number of block points	Number of signals	Number of signals equipped with auto-stop devices	in station	on track	in station	on track	in station	on track	in station	on track	Length of signle track line	Length of double track line	Number of remote control centers	Number of remote control stations	Number of remotely controlled stations
°Z 1	a la	2	ki 3	n 4	kom 5	6 k	m 7	8	9	10	11	12	pcs 13	14	15	16	17	18	k 19	m 20	21	pcs 22	s 23
	101	Beograd - Stara Pazova - Šid - državna granica -			5			61	120	120	14	12	1.5	14	15	10	11	10		97+918	1	5	6
1		(Tovarnik) Beograd - Mladenovac - Lapovo - Niš - Preševo -		<u> </u>																771710			
2	102	državna granica - (Tabanovce)	6+000		1		14+150	195	443	289	37	53	1	1	2		8	4			2	38	15
3	103	(Beograd) - Rakovica - Jajinci - Mala Krsna - Velika Plana				93+143		41	81	81	11	3					1				1	12	4
	104	(Beograd) - Stara Pazova - Novi Sad - Subotica -	15+020		4	133+722		61	121	121	15	8			2	ī	1	2					
4	104	državna granica - (Kelebia) Niš - Dimitrovgrad - državna granica - (Dragoman	15/020		-	16+100		6	121	121	5	7			3	4	7	4					
	105	Beograd Centar - Pančevo glavna stanica - Vršac -	82+200	19+070	14	10+100	19+600	10	26	26	4	2			5	+	8	1					
0		državna granica - (Stamora Moravita) (Beograd) - Resnik - Požega - Vrbnica - državna		1210/0			171000	10	20	20							0	1		-			-
7	107	granica - (Bijelo Polje)	287+013		33						3	9	1	15					287+013		1	26	9
8	108	Lapovo - Kraljevo - Lešak - Kosovo Polje - Đeneral Janković - državna granica - (Volkovo									3		2		1		7	4					
9	109	Subotica - Bogojevo - državna granica - (Erdut	69+820		11						1	5	1				11	10					
		Beograd Centar - Novi Beograd Beograd Centar - Rasputnica G - (Rakovica)					2+887 4+416	2	4 8	4 8													
12	112	Beograd Ranžirna "A" - Ostružnica - Batajnica				25+658	+ 10	14	26	26	1	1									1		2
13	113	Beograd Ranžirna "B" - Ostružnica Beograd Ranžirna "A" - Rasputnica "B" - Rasputnica				5+902	-	2	2	2		-		-				-			_		_
14	114	"K/K1" - Resnik				10+419		4	8	8	1						1					1	1
15	115	Ostružnica - Rasputnica "B" - (Rasputnica "K/K1")				2+121		1	2	2													
16	116	Beograd Ranžirna "B" - Rasputnica "R" - Rasputnica "A" - (Resnik)				4+538		2	2	2													
		(Beograd Ranžima "B") - Rasputnica "R" - Rakovica				1+149																_	
		Beograd Ranžirna "A" - Rasputnica "T" - Rakovica Beograd Ranžirna "B" - Rasputnica "T" - (Rakovica)				0+709 8+379		3	5	5													
	120	vezni kolosek na području Rasputnice "K/K1":				0+463																	
20	120	(Rasputnica "B") - skretnica "K" - skretnica "K1" - (Jajinci)				0++0.5																	
	121 122	Topčider - Rasputnica Savski most - (Novi Beograd Topčider - Beograd spoljna - Beograd Dunav - Rasputnica Pančevački mos				3+578 6+257	4+519	1	1							1	0	0					
	123	obilazni kolosek stanice Beograd Spoljna: (Topčider) - Blok 1 "Obala" - Blok 2 "Prelaz" - (Beograd donji grad)				1+757											1						
24	124	(Rasputnica Pančevački most) - Rasputnica Karadordev park - Rasputnica Dedinje - (Rasputnica G)					1+591																
		Indija - Golubinci	4+020		1	4+020		2	4	4													
26	126	Novi Sad - Novi Sad Ranžirna - Rasputnica Sajlovo	3+749		2				-														
27	127	obilazni kolosek stanice Mala Krsna: (Kolari) - odvojna skretnica 1 - odvojna skretnica 28 - (Osipaonica)				2+387					1												
20	128	Rasputnica Lapovo Varoš - Lapovo ranžirna - Lapovo					3+788																
		Trupale - Niš ranžirna - Međurovc Crveni krst - Niš ranžirna				1+220 17+100	1	2	3	1												F	
		Niš - Rasputnica most - (Niš ranžirna)				1/+100 4+990	1	4	7		1	1											
32	132	Spojni kolosek stanice Niš: (Crveni krst) - odvojna skretnica 2 - odvojna skretnica 4 - (Ćele kula)				0+500						2											
	201	Subotica - Horgoš - državna granica - (Roszke)	24+351		5						3						2	2					
34	202	Pančevo Glavna stanica - Zrenjanin - Kikinda - državna granica - (Jimbolia)	131+318		14						4	10			1		11	4					
35		Banatsko Miloševo - Senta - Subotica	80+264		14							1					2	2					
		Pančevo Varoš - Rasputnica 2a - (Jabuka) Novi Sad - Odžaci - Bogojevc	1+600 89+457		1 10							1			1		7	4					$\vdash$
$\square$	205	(Novi Sad) - Rasputnica Sajlovo - Rimski šančevi -	65+405		10							1			1		4	3					
38		Orlovat stajalište Novi Sad Ranžima - Sajlovo Rasputnica	2+502		1			-	<u> </u>		<u> </u>	1					,	5			$\square$	-	
		Orlovat - Rasputnica 1a - (Lukićevo)	2+502 0+630		1																		
41	209	Ruma - Šabac - Rasputnica Donja Borina - državna granica - (Zvornik Novi)				101+951						3			4	3	3	6					
	210	(Platičevo) - Rasputnica 1 - Rasputnica 3 - (Štitar)																					
43	211	Stalać - Kraljevo - Požega				135+733						2	1		2		4	5					
	212	spojni kolosek stanice Kraljevo: (Mataruška Banja) - odvojna skretnica broj 72 - odvojna skretnica broj 73 -																					
	213	(Adrani) spojni kolosek stanice Požega: (Uzići) - odvojna skretnica broj 53 - odvojna skretnica broj 54 -																					
45	21.4	(Dragačevo) Smederevo - Mala Krsna			<u> </u>	11+742		-	-	-	1	-	1		1		2	2	-			$\vdash$	<u> </u>
47	215	Mala Krsna - Bor - Rasputnica 2 - (Vražogrnac)				11+/42					1	1	1		1								
		Crveni krst - Zaječar - Prahovo pristanište (Rgotina) - Rasputnica 3 - Rasputnica 1 - (Trnavac)										1			1		7	1					
50	218	Doljevac - Kastrat - Kosovo Polje													1								
51	219	Kuršumlija - Kastrat																					



										INTER	LOCKI	NG FAG	TLITIE	s								
		<u> </u>			<u> </u>				1				crossing		levices							
		Intersta	tion depe	ndence		Arte	motio 1	las										T-4	C	cont	l dau i	
			device			Auto	matic b	NOC		Auton		itioning sings	of level	Man	ual positi cros	ioning ol sings	flevel	Traf	fic remote	contro	I devi	ces
									-	1.101										N	su	
				-					Number of signals equipped with auto-stop devices		arrier or rier	only	colour	elec	trical	mech	anical			Number of remote control centers	Number of remote control stations	g
		0	S	Number of distances between stations	o	e			bod		udinal	light s	signals	dev	ices	dev	ices	0	90	16	I sta	Number of remotely controlled stations
	RAILWAY LINE	ength of single track line	ength of double track line	octv	ength of signle track line	ength of double track line	its		idin	10510								ength of signle track line	cength of double track line	at 10	ntro	out
		ack	ITAC	cs	ack	Irac	Number of block points	722	lbo									ack	Irac	COI	COI	ly c
		e ti	ole	anc	le ti	ole	ck 1	nals	nals									le ti	ole	tote	tote	ote
2 S		ing	lout	dist	ign	lout	blo	sigi	sigi									ign	lout	ren	ren	ren
No Railway Linc No		ofs	ofd	Jo	of s	of d	Jo	Number of signals	Number of signal auto-stop devices	=		=		=		=		ofs	of d	Jo	lo	lo
E I		th	th	ber	dth	sth	lber	lber	-sto	itio	ack	atio	ack	utio	ack	atio	ack	gth	gth	lber	lber	ploe
(EW		cug	cng	fatio	cug	eng	Iun	Iun	uto	in station	on track	in station	on track	n station	on track	n station	on track	cug	cug	Int	Iun	Number
No Rail		kı	- H	kom	k	-	4	4	Ze		0		ö	,I	õ	ц.	ö	-	m	4		
1 la	2	3	4	5	6	7	8	9	10	11	12	pcs 13	14	15	16	17	18	19 19	20	21	pcs 22	23
52 220				-	0				10		10	10			10		10		20	21		
	Kosovo Polje - Metohija - Peć																					
54 222																						
55 301	Subotica - Subotica fabrika	4+100		1									1				4					
56 302		2+745		1																		
57 303	Kanjiža - Horgoš																					
	Novi Sad - Novi Sad ložionica	2+870		1										2			1					
59 305	(Podbara) - Rasputnica 3 - Rasputnica 2 - (Kać)	3+659		2																		
306	(Rimski šančevi) - Rasputnica 1 - Rasputnica 3 -	0+910		1																		
00	(Podbara)	0.210							-	<u> </u>			_									
61 307		-					-							1		9			-		_	
62 308 63 309		17+035					-	-	-	1	1	-		2		1	1				_	
64 310		38+304		3			-	<u> </u>		<u> </u>	<u> </u>	<u> </u>				2	2				_	
65 311		13+420		2	-		-	-	-	-	-		-	1	-	1	2		-		-	
	Bačka Palanka - Gajdobra	14+422		2			-			-				1		2	4					_
	(Brasina) - Rasputnica Donja Borina - Zvornik Grac	111122		-	6+818									-		-	<u> </u>					
68 314	Šid - Sremska Rača Nova - državna granica - (Bijeljina)				25+612												2					
69 315		12+916		4												2					_	
	Sečanj - Jaša Tomić	10+363		1																		
	Zrenjanin Fabrika - Vršac - Bela Crkva	65+3348		4							1					4						
	Pančevo Varoš - Pančevo Vojlovica	2+907		2			-				1			1	3				-			
73 319		0+488	<u> </u>	1	-		-		-	<u> </u>	<u> </u>						<u> </u>	<u> </u>	<u> </u>		_	
74 320	spojni kolosek stanice Senta: (Čoka) - odvojna skretnica 22 - odvojna skretnica 23 - (Orom)																					
	and the second	-								-	-		-		-	-					-	_
75 321	(Požarevac) - Rasputnica Sopot Požarevački - Kostolac				9+900																	
76 322	Markovac - Resavica				53+250						1		1	1		3	4					_
	Ovča - Padinska Skela	18+580		1	18+580									-								
78 324	Metohija - Prizren.																					
79 401	Bečej - Vrbas															1						
80 402																						
81 403		8+386		1																		
	Vladimirovac - Kovir	43+030	-	1	-		-		-	-	-						2					
	Čoka - Novi Kneževac	12+300		2			-			-	-					1		<u> </u>	2	$\left  \right $		
	Kikinda - Metanolsko sirćetni kompleks (km 6+413	7+255 2+733	-	1	-					-		-	-	-	-	-			1			-
85 407 86 408		2+/33		1			-		-	<u> </u>	<u> </u>										_	_
87 409		32+741		1						<u> </u>												
88 410		54-141		1	3+830																	
89 411										1						1						
90 412					4+400																	
413	(Beograd spoljna) - km 2+290 odvojna skretnica -				0+600																	
91	Fabrika šećera				0+000				_													
92 501	Šarganska osmica																					
	Total		L	161			416	876	699	107	127	7	18	28	12	115	76			6	82	37



# Appendix 3.6a Request for issuance of encryption keys for communication in the ETCS system

1. Identification data of the railway carrier:

Address:		 	 		
Contact person:	•••••	 • • • • • • • • • • • • • • • • • • • •	 • • • • • • • • • • • • • • • • • • • •	•••••	

E-mail:

# Phone/Mobile Phone

2 Identification data of vehicles and equipment

2.10entifica	tion data of vehicle	s and equipment				
	ETCS-ID	EVN	Home-	Baseline	OBU-	Requested
	(NID_Engine)	(European	KMC of		producer	begin of
	decimal form	Vehicle	the vehicle		_	validity
		Number)				-
example	<i>996823</i>	91 83 9586	IZS	3.6.0	CRSC	2024/6/15
_		616-0				

3. Determination of home KMC

 $\Box$  the home KMC of the given OBU is KMC IZS

 $\Box$  the mentioned OBUs do not have any home KMC assigned, we request that it will become the KMC IZS  $\Box$  home KMC is a KMC other than KMC IZS:

KMC ID ..... Administrator of the given KMC:

Contact person:

.....

.....

4. We request the allocation of encryption keys for:

 $\Box$  all lines equipped with ETCS level 2 track section and operated by IZS,

 $\Box$  for certain track sections (areas), specify which:

.....



No.         No.
11         12         13         13         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14<
10         0         1         2         4         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1
No         No<
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1
12         13         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14         14<
70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70<
$ \left( \begin{array}{cccccccccccccccccccccccccccccccccccc$
$ \left( \begin{array}{cccccccccccccccccccccccccccccccccccc$

## Appendix 3.7 Overview of telecommunication devices equipping level



					sooivob gnidotsqsib nottst2	pcs	32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	181
	ŀ				zəgnadəxə gnidəlaqaiD	pcs	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
		hh				pcs	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	٢
		I clegraph			mətsyz "qəts yd qət2"	type	29																													
	ľ					pcs	28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	w
					Electronic	type	27																								8					
UNITS		2				pcs	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17
EXCHANGE UNITS					ESK	type	25																													
EX		ne				pcs	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	1 1 1	I elephone			EMD with electric motor dialler	type	23																													
						pcs	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12
					Cross-bar	type	21																													
						pcs	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17
					moter by step" system	type	19																		_											_
					səəivəb gnillangis bruo2		┢	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	156
		aph			Telefaxes	pcs	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	=
		I clegraph			Teleprinters	pcs	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	88
					Others	pcs	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	126
				hones	(BIA) abold sitemotus 1A	pcs	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	397
				Trackside telephones	At level crossings (PP)	pcs	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	284
S	8			Tracl	slangis iixo 1A	pcs	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	351
DEVICI					At entry signals	pcs	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	415
TERMINAL DEVICES		lc lo	remote control	desks	snoitets yewlier 1A	pcs	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	201
FINAL T		Telephone	Traff.rer	q	At operational dispatching centers	pcs	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	24
					sənonqələt Aq	pcs	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*
					sənonqələr Aqq	pcs	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	96
					Secretary sets	pcs	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	182
					səsivəb ənordelət əhemotuA	pcs	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	4598
					CB telephone devices	pcs	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	262
					LB telephone devices	pcs	3	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	880
					awy inc No	Kai	2	306 (Rim.Šančevi)-Rasput "1"-Rasput. "3"-(Podb.)	308 Vrbas-Sombor	309 Petrovaradin-Beočin	310 Sonta-Apatin fabrika-Strilić-(Sombor)	311 Bač-Karavukovo	312 Bačka Palanka-Gajdobra	313 (Ruma)-Rasp.Donja Borina-Zvomik Grad	314 Sid-Sremska Rača Nova-State Border.	315   Kikinda-Banatsko Aranđelovo	316 Sečanj-Jaša Tomić	317 (Zrenjanin)-Zrenjanin fabr.Vršac-Bela Crkva	318 Pančevo Varoš-Pančevo Vojlovica	319	320	321	322 Markovac-Resavica	323	403	-	405 Čoka-Novi Kneževac	406 Kikinda-MKS (ind.kolosek)	407 Bogojevo-Dunavska obala	408 Sombor-Bački Breg	409 Sombor-Ridica	410 (Višnjićevo)-Rasput.Rača-Sremska Rača	411 Paračin-Stari Popovac	412 Surčin-Jakovo-Bečmen-(Boljevci)	413 (Bgd spoljna)-km 2+290-Fabrika šećera	Total:
						٥N	1	45	33	69	74	54	55	46	52	60	71	81	67	78	48	70	63	99	53	80	59	19	58	72	73	62	68	77	57	



											OTH	OTHER TELECOMMUNICATION DEVICES	COMMUN	UCATION	DEVICE									
		Devices	for recording o statements	Devices for recording of transmitted statements	smitted	Dev	ices display	Devices displaying accurate time	te time		PA	PA devices			Interphones	ones		Роми	Power supply devices	evices	Pas	Passenger visual information display	ual informa	ation displ
oN anii yeni	RAILWAY LINE	s channels	2 channels	stannets	t channels	Vumber of stations	Zlock exchange units	mpulse regenerators	Auxiliary elocks	Vumber of statons		уреакетя	olozno snohorih	Vumber of stations	stinu əgnadəxə ənodqrətn	noitallatani toobni to ⁵	roitallatani roobtuo ro ⁵	seinente batteries	វិបារិចេក្ខេ	Converters	Motor electric generator units	Vumber of stations	system in a system of a system	nformation kiosks
oV - Isai	c	pcs	pcs 3.4	pcs 35	bcs 36	pcs 37					pcs 43	pcs 44	pcs 45	pcs	pcs 47	pcs 48	pcs 49	pcs 40	bcs \$1					
	BGD-Šid-State Border	1	1	0	0	3				Η	22	3	35	0	0	0	0	16	16					0
	BGD-Mladenovac-Niš-Preševo-State Border.	9	2	0	- 0	90	-	-	с .	3 20	50	325	20	9	4	38	17	72	71	0			4 0	0
4 103 0 2 104 0	(BGD)-Kakovica-Jajinci-M.Krsna-V.Plana (BGD)-S.Pazova-Indija-Subotica-State Border,		1	0 1	0 1	7	0 0	3 12	2 133	3	- =	6 124	10	0	0 0	0	0 0	110	111	0 0	3 0	1 0	0 0	00
22 105 1 6 106	Niš-Dimitrovgrad-State Border. BGD Centar-Pančevo-Vršac-State Rorder	1 0	0 0	0 -	0 0	0 4	0 8	2 3	20	1	1 52	3	1	0 -	0 -	0	0 0	7	13	0 0	0 0	0 0	0 8	00
107	(BGD)-Resnik-Podgorica-Bar		0	-	0	34	0	34 34	7	2 7	70	72	9		• -	3 8		62x12V 222x2V 1646V	47	0	0 0	0 0	0	• •
20 108 1	Lapovo-Kraljevo-D.Janković-State Border. Subotion Bonolovo, Stote Doelov	1	0	0	0	6	0	3	18	m c	6	24	0	0	0	0	0 0	28	26 3	1	0	0	00	00
109	subouca-Bogojevo-State Border. Beograd Centar-Novi Beograd	0 0	0 0	0 0	0 0	0 0	0 0	+	-	o v	0	27	0 9	• •	0 0	0 0	0 0	v 4	n œ	0 0	00			0
III	BGD Centar-Rasputnica"G" (Rakovica)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15 112	BGD Ranžima "A"-Ostružnica-Batajmca BGD Ranžima "B"-Ostružnica	0 0	0 0	0 0	0 0	0 0	0 0	00	4 0	0 0	0 0	0 0	• •	0 0	0 0	0 0	0 0	۶ 0	0	0 0	00		0 0	00
114	BGD Ranžima "A"-Rasp."B"-Rasp."K"-Resnik	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	1	0	0	0	0	0
	Ostružnica-Rasp."B"-(Rasp."K"-Resnik) DCD Banžima "B" Bana "B" Bana "A "	0	0	0 0	0 0	0 0	0 0	0 -	0	0	0 *	0	0	0	0	0	0 0	0 -	0 "	0	0 0	00	0 0	00
117	BGD Ranžima "B")-Rasp. rr -rasp. A BGD Ranžima "B")-Rasp. "R"-Rakovica	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0 0	0 0	- 0	0	0	0 0		0	0
9 118	(BGD)-BGD Ranžima "A"-Rasp."T"-Rakovica BGD Danžima "B" Damatrica "T" (Dalavica)	0	0	0 0	0 0	0	0 0	0	13	00	0 0	0	0	0	0	0	0 0	0	0	0	0 0	00	0	00
120	(BGD Ranz, "A"-Ras,B)-Ras,K-Ras,K1-Jajinci	0	0	0	0	9 6	0	3 0	10	0	4	31	2	0 0	0	0	0 0	1	2	0	00		0	0
121	Topčider-Rasp.Savski Most-(Novi BGD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		0	0	0	0	0
28 122	TopcBlok 10bala-Blok 2 prelRas.Pan.Most (Tonč)-Blok 10bala-BGD Snolina-Blok 2 mel	0 0	0 0	0 0	0 0	0 0	0 0		e 0	0 0	1 0	n 0	1 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	00			
-	(Vukov Sp.)-Ras.K.Park-Ras.Dedinje-(Rakov.)	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
125	Indija-Golubinci N Sad-N Sad Ranžirna-Sailovo Rasn	0 0	0 0	0 0	0 0	0 0	0 0	0 -	0 01	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 -	0 -	0 0	00	00	0 0	00
41 127		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21 128 1	Lapovo Varoš-Lapovo Ranžima-Lapovo Enmole-Nijė Bonžima-Modurovo	0 0	0 0	0 0	0 0	0 0	0 0	2	36		1	35	- 1	0 0	0 0	0 0	0 0	6 6	m m	0 0	000	00	0 0	00
130	Crveni Krst-Niš Ranžirna	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23 131 1 18 137 6	Niš-Rasputnica Most-(Niš Ranžima) (Cr K ret-Skr 2)-Skr 3-Skr 4-(Čele Kula)	0	0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	00	00	0 0
201	Subotica-Horgos-State Border.	0	0	0	0	0	0	1 0	9	0	1	3	1	0	0	0	0	2	2	0	0	0	0	0
43 202 1	Pančevo Glavna-Zrenjanin-Kikinda-State Border. Bonnieko Milošovo-Conto-Suborico	- 0	0	0 0	0	0	0	0	0	2	2	7	2	0 0	0	0	0 0	2	9	0	0 0	00	0	00
204	panatsko varoševo-sema-subotica Pančevo Varoš-Rasputnica "2a"-(Jabuka)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	N.Sad-Sajlovo Rasputnica-Bogojevo (N Sad)-Sail Rasn -R Šanč -Orl stai -(Tomaš)	0 0	0 0	0 0	0 0	0 0	0 0	00	0 0	00	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	00	00	00	00
207	4. Sad Ranžirna-Sajlovo Rasputnica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42 208 47 209	Orlovat-Rasputnica "1a"-(Lukicevo) Ruma-Šabac-Rasp.Donia Borina-State Border.	0 0	0 0	0 0	0 0	0 0	0 0	00	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	00	00	0 0	00
211	Stalać-Kraljevo-Požega	0	0	0	0	2	0	2 1	14	6	2	20	-	0	0	0	0	17	20	0	0	0	0	0
49 214 34 215	smederevo-Mata Krsna M Krsna-Bor-Rasputnica "2"-(Vražogrnac)	0	0 0	0 0	0 0	7 8	0 0	2	10	- 6	- +	22	3	• •	0 0	0 0	0 0	18	10	0 0	00		00	0
216	Niš-Zaječar- Prahovo pristanište	0	0	0	0	-	0	1 0	0	-	2	20	-	0	0	0	0	5	-	0	0	0	0	0
218	(Niš)-Doljevac-Kastrat-Kosovo Polje Kuršumlija-Kastrat	0 0	0 0	0 0	0 0	0 0	0 0	0		00	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0			
220	Rarlovo)-Rasputnica "1"-Kuršumlija	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	00	0	0	0
76 301	Subotica-Subotica fabrika Subotica Subotica balaica	0	0	0	0	0	0	0	0 0	0	0 0	0	0	0	0	0	0	0 0	0	0	00	00	0	00
	suoouca suoouca oomica Kanjiža-Horgoš	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Novi Sad-Novi Sad ložionica	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	-	1	0	0	0	0	0
37 305	Podbara-Rasput. "3"-Rasput. "2"-(Kač) (Rim Šančevi)-Rasmut "1"-Rasmut "3"-(Podh.)	0 0	0 0	0 0	0 0	0 0	0 0	00	0 0	00	• •	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	00	00	00	00
308	Vrbas-Sombor	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	etrovaradin-Beočin	0	0	0 0	0	0	0	0 0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	00	0 0	00
311	Sonta-Apatin fabrika-Strilić-(Sombor) Bač-Karavukovo	0 0	0 0	0 0	0 0	0 0	0 0	00	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0		0 0	00
55 312	aachsataytaxxxx 3ačka Palanka-Gajdobra	0	0	0	0	0	0	0	0	0	0	0	0	. 0	, 0	0	, 0	0	, 0	0	0	0	0	0
			1				•	•	-	•		-			•	•		•	•	e F	•	-	-8	-



	Passenger visual information displays	sizotan nonsurolul		-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7 0
	ual inform	svelqsib noitermolul			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	76
	senger visu	Control desks		4 55	$\vdash$	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4 4
	Pass	Motor electric generator units	Н	53 54	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	4 14
	ices	Converters		52 5	0	0	0 (	0	0	0 (	0	0	0 (	0	0	0 (	0 (	0 (	0	0 (	0	0	0	0	0	0	1
	Power supply devices	Rcitfiers			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	379
	Power :	səirətləri balleries		50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	328 3
		For outdoor installation	pcs	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18
~	ones	roitallatani 100bni 107	pcs	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	86
OTHER TELECOMMUNICATION DEVICES	Interphones	stinu əgnadəxə ənolqrətni	pcs	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
VICATION		Zumber of stations	pcs	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
COMMUN		oloznoo onodoroiM	pcs	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
ER TELE	PA devices	Speakers	pcs	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1886
OTHI	P A d	zı∋i'ilqmA	pcs	43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	183
		suotes of statons	pcs	42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67
	ime	Auxiliary clocks	pcs	41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	941
	Devices displaying accurate time	รางโราอุยอา อรไม่ตุกาไ	pcs	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	178
	isplaying	Master clocks	pcs	39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	101
	Devices d	clock exchange units	pcs	38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7
	_	Snoiber of stations	pcs	37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	94
	ransmitted	24 channels	pcs	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
	Devices for recording of transmitted statements	16 channels	pcs	35	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ŝ
	es for rect stat	12 channels	pcs	34	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	S
	Devic	8 channels	pcs	33	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16
		RAILWAYLINE		2	3 (Ruma)-Rasp.Donja Borina-Zvornik Grad	4 Šid-Sremska Rača Nova-State Border.	5 Kikinda-Banatsko Arandelovo	6 Sečanj-Jaša Tomić	7 (Zrenjanin)-Zrenjanin fabr. Vršac-Bela Crkva	8 Pančevo Varoš-Pančevo Vojlovica	9 [Uljma)-RaspA-RaspB-(Jasenovo)	0 Senta-Odvojna skr. 22 Senta	<ol> <li>(Požarevac)-Rasput.Sopot Pož-Kostolac</li> </ol>	2 Markovac-Resavica	3 Ovča-Padinska Skela	3 Alibunar-Scleuš	4 Vladimirovac-Kovin	5 Čoka-Novi Kneževac	6 Kikinda-MKS (ind.kolosek)		8 Sombor-Bački Breg	9 Sombor-Ridica	0 (Višnjićevo)-Rasput.Rača-Sremska Rača	<ol> <li>Paraćin-Stari Popovac</li> </ol>	2 Surčin-Jakovo-Bečmen-(Boljevci)	3 (Bgd spoljna)-km 2+290-Fabrika šećera	Total:
		οN ani γενιί		-	6 313	314	60 315	1 316	317	318	78 319	48 320	70 321	33 322	66 323	53 403	80 404	59 405	61 406	58 407	72 408	73 409	79 410	68 411	77 412	57 413	
			٥N	_	46	52	9	11	81	67	1	4	7(	63	6	53	8(	5	61	5	1	1	1	6	1	S	



						CA	CABLE SYSTE	MS								MULTI-CHANNEL DEV	L DEVIC	ES						_
					verhead li	nes		Cable lin	ss			Analogue te	elephone						<u>р</u>	Digital telepho	one	-		_
Number         Num         Num         Number		o ^N ənil yewl	RAILWAY LINE			Overhead cables	STKA	¥TS	Fiber optic	Local	slannela 5 of qu	Up to 12 channels	Over 12 channels	Above ground amplifiers	In-ground amplifiers	Telegraph		s\tidM 2	s/iidM 8		s/iidM 221	srəftilams bruora əvodA	N: (22)	
International matrix         Internati	o _N -	isЯ			km	km	km	km	km °	Ħ	$ \rightarrow $	$\vdash$	type	pcs	pcs			H	type		Π			
10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10<	2			0	+ 0	0		0	0	0	0	+		0	0	T	0	T	77 17		+	+		
(1)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2)         (2) <td>3</td> <td></td> <td></td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td>162,917</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>16</td> <td>iskra</td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td>+</td> <td></td> <td></td>	3			0	0	0		162,917	0						16	iskra			0			+		
(1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1)         (1) <td>4</td> <td></td> <td></td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>105,043</td> <td>0</td> <td>0</td> <td>0</td> <td>Z 12 3</td> <td>0</td> <td>+</td> <td>0</td> <td>iskra</td> <td>3</td> <td></td> <td>0</td> <td></td> <td></td> <td>+</td> <td>+</td> <td></td>	4			0	0	0	0	105,043	0	0	0	Z 12 3	0	+	0	iskra	3		0			+	+	
Internet interne	5			0	0	0	135,857	15,878	0	71,00			0			USO UTB ISKRA	4		0	0				
10         10         100         100         10         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100	22	-	-	0	0	74,00	4	0	0	3,67			0		0		0		0			+		
(P) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	9			2,00	0	13,00	0	26,000	0	_	0		0		0	iskra	_		0		leUMUX			
Mit Accontraction (Mit Account)         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O <t< td=""><td>- 00</td><td>-</td><td>-</td><td>0</td><td>0</td><td>0</td><td></td><td>0</td><td>0</td><td>+</td><td>EI 1</td><td>12</td><td></td><td></td><td></td><td>100</td><td>9</td><td></td><td>0</td><td></td><td></td><td></td><td></td><td></td></t<>	- 00	-	-	0	0	0		0	0	+	EI 1	12				100	9		0					
11         ID standard Contactionationationationationationationationa	20	-	-	0 0	0 0	90,34	0 0	5,350	0 0	+	-	12	0 0	-	0 0		00		0 0	0 0		_	-	
11         10.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	2			0	0	0	0	3,648	0	0	0	0	0		0	iskra	0		0	0		-		
111         1000         1000         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	8			0 0	0	0	0	0	0	0	0	0	0		0	iskra	0		0	0				
I11 (III) (III) (III) (III) (IIII) (IIII) (IIII) (IIII) (IIII) (IIII) (IIIII) (IIIII) (IIIII) (IIIII) (IIIII) (IIIIII) (IIIIII) (IIIIII) (IIIIIII) (IIIIIIII	14			0	0	0	0 0	11.755	0	0 0	0 0	0	0	-	0 0		00		0	0		+	-	
I I I Demanter Vertrager Vertrage	13			0	0	0	0	34,460	0	0	0	0	0	0	0	iskra	0		0	0		0	0	
111         110.10         10.10         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 </td <td>25</td> <td></td> <td></td> <td>0 0</td> <td>0 0</td> <td>0</td> <td>0 0</td> <td>0</td> <td>0 0</td> <td>0 0</td> <td>0 0</td> <td>0 0</td> <td>0</td> <td>+</td> <td>0 0</td> <td></td> <td>0 0</td> <td></td> <td>0 0</td> <td>0 0</td> <td></td> <td>00</td> <td>0 0</td> <td></td>	25			0 0	0 0	0	0 0	0	0 0	0 0	0 0	0 0	0	+	0 0		0 0		0 0	0 0		00	0 0	
118 (RDD) RDDIM Sector (C)	II	_	_	0	0	0	0	0	0	0	0	0	0	-	0		0		0	0		+	0	
	6			0	0	0	0	0	0	22,559	0	2	0	$\vdash$	0				0	0		$\vdash$	0	
11. Trippedient special service         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 </td <td>71</td> <td></td> <td></td> <td>0 0</td> <td>0 0</td> <td>0 0</td> <td>0 0</td> <td>0 2 1 3 0</td> <td>0 0</td> <td>0 0</td> <td>0 0</td> <td>0 0</td> <td></td> <td>-</td> <td>0 0</td> <td></td> <td>0 0</td> <td></td> <td>0 0</td> <td>0 0</td> <td></td> <td>+</td> <td>0 0</td> <td></td>	71			0 0	0 0	0 0	0 0	0 2 1 3 0	0 0	0 0	0 0	0 0		-	0 0		0 0		0 0	0 0		+	0 0	
12: Top:: Table Calculation 2 pericipation 2 pericipatina pericipatina pericipation 2 pericipation 2 pericipation 2 pe	29			0	0	0	0	0	0	0	0	0	0	-	0		0		0	0		-	0	
1.2. Trupper Mark Transmer	28	-	-	0	0	0	0	0	0	0	0	0	0	$\vdash$	0		0		0	0		+	0	
	31	124	~	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	-	0 0		0 0		0 0	0 0		+	0 0	
$ 1.75 \ National Solution Markania National Na$	19		-	0	0	0	0	9,536	0	0	0	0	0	$\square$	0		0		0	0		$\square$	0	
	24	-	-	0	0	0	2,000	0	0	2,700	0	0	0	-	0		0		0	0		-	0	
	21	_	_	0	0	0	0	0	0	0	0	0	0	+	00		00		0	0 0		+	+	
13         Other Net	30			0	0	0	0	0	0	0	0	0	0		0	iskra			0	0				
	23			0 0	0 0	0 0	0 0	17.257	t	31.500	0 0	0	0	+	00		00		00	0 0		+	-	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	18		+ +	0	0	0	0	0	Ħ	0	0	0	0	$\square$	0		0		0	0		+	0	
	51	_	_	0 0	0 2.65	41.2	0	0 0	0 0	0 4.451	0 0	0 0	0 0	-	0 0		0 0		0 0	0 0		-	0 0	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	32			0	0	0	0	0	0			0	0	-	0		0		0	0		-	-	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	44			0	0	0	0	0	0	0	0	0	0	+	0		0		0	0		+	+	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	39			0	29	0	0	0	0	14,5	0	0	0	-	0		0		0	0		-	-	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	38			0	0	0	0	0	0	0	0	0	0	-	0		0		0	0		-	-	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	42			0	0	0	0	0	0	H		0	0		0		0		0	0				
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	47	_	_	0	0 0	0	0	0 70.40	0 05	+	+	+	0	+	0 0		0 0		0	0		+	0	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	49	-	-	• •	0	0	0	26.4	0	+	+	+	0	+	0		0		0	0		+	0	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	34			0	0	0	0	0	0	H	$\left  \right $	0	0	$\square$	0	iskra	-		0	0			0	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	35			0	0	0	0	0	0		-	0	0	-	0	iskra	0		0	0		-	-	
220 (Barlov)-Raspunica "1"-Kurismija       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0	62			• •	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0		+	00		0 0		0 0	0 0		+		
301 Subtries-Subbries fabrica     0     0     0     0     0     0     0     0       302 Subories-Subbries fabrica     0     0     0     0     0     0     0     0     0       303 Subories-Subories abolica     0     0     0     0     0     0     0     0     0       303 Kanjitati-Subories abolica     0     0     0     0     0     0     0     0       304 Novi Sad-Novi	56			0	0	0	0	0	0	0	0	0	0		0		0		0	0				
305         Manufacture         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         <	75	_	_	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0	0	+	0 0		0 0		0 0	0 0		-	0 0	
304 Novi Sad-Novi Sa	65			0	0	0	0	0	0	0	0	0	0	-	0		0		0	0		-	0	
	36	304	Novi Sad-Novi Sad ložionica	0	0	0	0	0	0	0	0	0	0	+	0		0		0	0	ſ	0	0	_



Control         <		Τ	rənilqms bruorg-nl	pcs	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	
Contractivity         Contrac		ł	srəfilqms bnuorg əvodA	-	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Contraction		ŀ		-	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	
Contribution         Contribution         Contribution         Contribution         Contribution           1         NULWW LINE         Anterpretation         Anterpretation         Anterpretation         Anterpretation           0         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	1 telenhone	1 terephone	s∖nidM 221	type	24																															
Contribution         Contribution         Contribution         Contribution         Contribution           1         NULWW LINE         Anterpretation         Anterpretation         Anterpretation         Anterpretation           0         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Divita	Ingia	S/JIOIAL O		23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Contrastretistic         Contrastretistic         Contrastretistic         American fragmatic         American frag			5/1:11 1 8	type	22																															
CARLE SYSTEMS         MAILTACTANCE DETAINS           CARLE SYSTEMS         MAILTACTANCE DETAINS           CARLE SYSTEMS           CARLE SYSTEMS         CARLE SYSTEMS           CARLE SYSTEMS           CARLE SYSTEMS           CARLE SYSTEMS           CARLE SYSTEMS           CARLE SYSTEMS           CARLE SYSTEMS           CARLE SYSTEMS           CARLE SYSTEMS           CARLE SYSTEMS           CARLE SYSTEMS           SYSTEMS <th colsp<="" td=""><td></td><td></td><td></td><td>pcs</td><td>21</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>•</td></th>	<td></td> <td></td> <td></td> <td>pcs</td> <td>21</td> <td>0</td> <td>•</td>				pcs	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•
Collicity NVV LINE:         Collicity NVV LINE:           Collicity NVV LINE:         Collicity NVV LINE:           Collicity NVV LINE:           Collicity NVV LINE:           Collicity NVV LINE:           Not NVVV LINE:           Collicity NVV LINE:           Not NVVV LINE:           Collicity NVV LINE:           Not NVVV LINE:           Not NVVV LINE:           Colspan="2">Colspan="2">Not NVVV LINE:           Colspan="2">Colspan="2">Not NVVV LINE:           Not NVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVV	EVICES		s\vidM 2	type	20																															
Collicity NVV LINE:         Collicity NVV LINE:           Collicity NVV LINE:         Collicity NVV LINE:           Collicity NVV LINE:           Collicity NVV LINE:           Collicity NVV LINE:           Not NVVV LINE:           Collicity NVV LINE:           Not NVVV LINE:           Collicity NVV LINE:           Not NVVV LINE:           Not NVVV LINE:           Colspan="2">Colspan="2">Not NVVV LINE:           Colspan="2">Colspan="2">Not NVVV LINE:           Not NVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVV	VEL D			pcs	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31	
CABLE YYTENS         CABLE YYTENS           CABLE YYTENS           RAIL W/W LINE         RAIL W/W LINE         RAIL W/W LINE         Additional lines         Additional lines           1         Towner in colspan="2">CABLE YYTENS         Additional lines         Additional lines           1         Towner in colspan="2">CABLE YYTENS           1         No	MULTI-CHANN		uqตรอาวT	type	18																															
CABLE VYTENS         CABLE VYTENS           CABLE VYTENS           CABLE VYTENS           CABLE VYTENS           CABLE VYTENS           CABLE VYTENS           CABLE VYTENS           CABLE VYTENS           CABLE VYTENS           CABLE VYTENS           NATIVAY LINE           NATIVA LINE           NATIVA LINE           NATIVA LINE           NATIVA LINE           NATIVA LINE		Ţ	zrəftilqms bruorg-nl	pcs	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	44	
CARLE SYTTINE         CARLE SYTTINE           CARLE SYTTINE           RAILWAY LINE         RAILWAY LINE         CARLE SYTTINE         Antiopartic           1         Troo wite overhead lines         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 </td <td></td> <td></td> <td>zısitilqms bnuorg svodA</td> <td>-</td> <td>16</td> <td>0</td> <td>50</td>			zısitilqms bnuorg svodA	-	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	
Anti-Anticipation         Contract lines         Contract lines         Contract lines         Contract lines           RAILWAY LINE         RAILWAY LINE         RAILWAY LINE         Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-	-	IC	Over 12 channels	-	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	×	
Anti-Anticipation         Contract lines         Contract lines         Contract lines         Contract lines           RAILWAY LINE         RAILWAY LINE         RAILWAY LINE         Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-	denho	cicpiic		type	14																															
Anti-Anticipation         Contract lines         Contract lines         Contract lines         Contract lines           RAILWAY LINE         RAILWAY LINE         RAILWAY LINE         Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-	none te	ogue t		pcs	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	28	
All WAY LINE         CABLE SYSTEMS         Cable lines         All WAY LINE           RAIL WAY LINE         RAIL WAY LINE         Cable lines         Cable lines         Cable lines           100         RAIL WAY LINE         RAIL WAY LINE         Cable lines         Cable lines         Cable lines           200         RAIL WAY LINE         RAIL WAY LINE         RAIL WAY LINE         Cable lines         Cable lines         Cable lines           2010         RAIL WAY LINE         RAIL WAY LINE         RAIL WAY LINE         RAIL WAY LINE         Cable lines         C	Anal	Anal	Up to 12 channels	type	12																															
Ant.WAY LINE         CALLENSTENS           RALLWAY LINE         Ant.WAY LINE		Ī		pcs	Ξ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
Alternational lines         Calle SYSTEMS           RAIL WAY LINE         RAIL WAY LINE           RAIL WAY LINE         Calle lines           RAIL WAY LINE         RAIL WAY LINE			slanneda 5 ot au	type	10																															
RAILWAY LINE         CABLE SYSTEMS           RAILWAY LINE         Contend lines         Contend lines         Cable lines           1         Contend lines         0         0         0         0         0           1         Statiway lines         1         5         6         1         1           1         Statiway lines         1         5         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 <t< td=""><td></td><td></td><td>Local</td><td>km</td><td>6</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>3</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>Н</td></t<>			Local	km	6	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Н	
Alternational         Control of intex         Control of intex           RAILWAY LINE         Control of intex         Control of intex           Remainstanting	lines	mcs	Fiber optic	km	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72,950	
Alternation         Contract lines         Contract lines           RAILWAY LINE         AAILWAY LINE         AAILWAY LINE         AAILWAY LINE         AAILWAY LINE           RAILWAY LINE         3         A         5         A         A           Bailware         A         A         A         A         A           A         3         A         A         S         6           300         (Ntas.survet)/Rapput "3"-(Podb)         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	TEMS	Lable	AT8	km	2	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	507,024	
No         RAILWAY LINE         Overhead lines           RAILWAY LINE         Coverhead lines         Coverhead lines           RAILWAY LINE         RAILWAY LINE         Coverhead lines           RAILWAY LINE         RAILWAY LINE         Coverhead lines           RAILWAY LINE         RAILWAY LINE         Coverhead lines           RAILWAY LINE         2         3         4           RAILWAY LINE         2         3         4           RAILWAY LINE         2         3         4           RAILWAY LINE         2         3         4         5           RAILWAY LINE <t< td=""><td></td><td></td><td>AXTR</td><td>km</td><td>9</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1041,453</td></t<>			AXTR	km	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1041,453	
No         RAILWAY LINE         No           RAILWAY LINE         RAILWAY LINE         RAILWAY LINE           RAILWAY LINE         2         3           101         Porbarn-Basput "3"-Rasput "3"-Rasput "3"-Rodb)         0           303         Porbarn-Pasput "3"-Rasput "3"-Rasput "3"-Rodb)         0           304         Prosesombor         3         10           305         Petrovaradin-Beocin         0         0           308         Vibas-Sombor         0         0           309         Petrovaradin-Beocin         0         0           301         Beack-Marsput "1"-Rusput "3"-Rodb)         0         0           303         Numo-Rodbin         0         0         0           304         Petrovaradin-Beocin         0         0         0           311         Bask-Ramakova         0         0         0         0           313         Statida-Banako Arandelovo         0         0         0         0         0           313         Runo-Rasput "2"-Costolac         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0<		TILICS	Overhead cables	km	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	263,142	
No         RAILWAY LINE         No           RAILWAY LINE         RAILWAY LINE         RAILWAY LINE           RAILWAY LINE         2         3           101         Porbarn-Basput "3"-Rasput "3"-Rasput "3"-Rodb)         0           303         Porbarn-Pasput "3"-Rasput "3"-Rasput "3"-Rodb)         0           304         Prosesombor         3         10           305         Petrovaradin-Beocin         0         0           308         Vibas-Sombor         0         0           309         Petrovaradin-Beocin         0         0           301         Beack-Marsput "1"-Rusput "3"-Rodb)         0         0           303         Numo-Rodbin         0         0         0           304         Petrovaradin-Beocin         0         0         0           311         Bask-Ramakova         0         0         0         0           313         Statida-Banako Arandelovo         0         0         0         0         0           313         Runo-Rasput "2"-Costolac         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0<	Dverhead	Vernead		km	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31,650	
Railway line No 3305 2313 2313 2313 2313 2313 2313 2313 231				km	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,000	
			RAILWAY LINE		2	Podbara-Rasput. "3"-Rasput. "2"-(Kać)									Kikinda-Banatsko Arandelovo			Pančevo Varoš-Pančevo Vojlovica				Markovac-Resavica													Total	
3         3         3         3         4         5         4         5         7         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 <th1< th=""> <th1< th=""> <th1< th=""> <th1< th=""></th1<></th1<></th1<></th1<>			oN anil yewi	Rai		305	306	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	403	404	405	406	407	408	409	410	411	412	413		
				٥N	-	37	45	33	69	74	54	55	46	52	60	71	81	67	78	48	70	63	99	53	80	59	61	58	72	73	79	68	77	57		



RAILWAY LNE         Non-Antice         Non-An				RADIO DEVICE														
b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b							Traffic running networks (2m)				Station radio networks (0,7m)							
b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b         b		lway line No	RAILWAY LINE	Exchange units (with railway line splitter)	Length of covered railway line	Frackside stations	Locomotive stations	Number of networks	Radio link	Repcaters	Fixed stations	Mobile stations	Movable stations	Vumber of networks	Repeaters	Fixed stations	Mobile stations	Movable stations
10         BOD.5.4 size before         11         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10		Rai	2	pcs		pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs 42
I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I	5 1		BGD-Šid-State Border	1	100	8	0	0	0	0	0	0	0	8	0	8	0	21
12         16         160000         7         1         16         1         16         1         16         1         16         1         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16         16 <td></td> <td>53 3</td>																		53 3
In         Int	2 1	104	(BGD)-S.Pazova-Inđija-Subotica-State Border.	1	155	10	4	0	0	0	0	0	5	7	1	16	0	74
In         110         110         110         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10																		12 11
B         Substitute-Responsessure Bunder.         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         <	1 1	107	(BGD)-Resnik-Podgorica-Bar	1	176	35	0	0	0	0	0	0	0	14	1	13	4	35
17         110         Beograf Centra-Naprise C-(Edavise)         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0																		0
15       112       BCD Raning "B-Contronics, Manping"       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0	7 1		Beograd Centar-Novi Beograd						0									0
14       13       BOD Radium 3*A-Ray (**)       1       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0<																		0
12         110         Out Data         D         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0        0        0	14 1	113	BGD Ranžirna."B"-Ostružnica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101         101						0												0
9         118         (BGD)-BGD Kanzims "A-Kap "F-Rabovica "         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0		116	BGD Ranžirna "B"-Rasp."R"-Rasp."A"															19
12       119       HGD RanJerna "Fi-Kaspunica "Tr-(Kaspunica "D       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       <		118	(BGD)-BGD Ranžirna "A"-Rasp."T"-Rakovica															0
12         12         10         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	12 1	119	BGD Ranžirna "B"-Rasputnica "T"-(Rakovica)		0		0	0	0	0						0	0	0
12       12       10       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0																		0
11       12       Udiox Sp. J.Bax, K.Pat. Kas, Collingie, Ralow.       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0      <																		0
124       120       NSad-NSad Ranžina-Sajievo Rasp.       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0																	11/10/10	0
11         122         Oblizani kolosek Mali Krsaa         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0</td></th<>																		0
10         120         Log         Log <thlog< th=""> <thlog< th=""> <thlog< th=""></thlog<></thlog<></thlog<>																		0
17       130       Crewni Kars.Nis Ranžima       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0																		0
18       132       (Cr.Knrosbrac-Hrogo-State Border, organismic Mixinda-State Borde	17 1	130	Crveni Krst-Niš Ranžirna	0	0	0	0	0	0	0	0	0	0		0	8	2	19
S1       201       Subscica-Hargeo-State Border.       0       0       0       0       0       0       0       0       0         12       202       Bnansko Milolevo-Senta-Subotica       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0																		0
12       203       Banasko Milokevo-Sente-Subotica       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0	51 2	201	Subotica-Horgoš-State Border.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
144         2044         Pančevo Varols-Rasputnica-Biogicovo         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0																		0
40         206         (N.Sad)-Sajl.RaspR.Sani(Tomai)         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	44 2	204	Pančevo Varoš-Rasputnica "2a"-(Jabuka)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
38       207       N.Sad Ranžma-Šajlovo Rasputnica       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0																		2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	38 2	207	N.Sad Ranžirna-Sajlovo Rasputnica	0	0	0	0		0	0	0	0	0	0	0	0	0	0
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $																		0
34         215         M.K.ran-Bor-Rasputnica "2"-(Vražograne)         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	50 2	211	Stalać-Kraljevo-Požega	0	0	0	0	0	0	0	0	0	0		0	0	0	0
316       Nik-ZajckarPrahovo pristanište       0       0       0       0       1       2       2       14       0       4       3       0       2       0         64       218       Kuršumlija-Kastrat       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0 <td></td> <td>12</td>																		12
62       219       Kuršautija-Kastrat       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0	35 2								2									5
56         220         ((Bardovo)-Rasputnica ")"-Kuršumilija         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0						0			0						0		0	0
75         302         Subbitica-Subbitica Subbitica         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         <																	14.00	0
36         304         Novi Sad-Novi Sade Novi Sad-Novi Saguti "3"-Rasput. "3"-(Rodb.)         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0																		0
37       305       Podbara-Rasput. "3"-Rasput. "3"-(Kac)       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0 <td></td> <td>0</td>																		0
33         308         Vrbas-Sombor         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	37 3	305	Podbara-Rasput. "3"-Rasput. "2"-(Kać)	0	0	0	0	0	0	0	0	0			0	0	0	0
69         309         Petrovaradin-Beccin         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0																		0
54       311       Bač-Karavukovo       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0	69 3	309	Petrovaradin-Beočin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55         312         Bačka Palanka-Gajdobra         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 <td></td> <td>0</td>																		0
52         314         \$Sidsremska Rača Nova-State Border.         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 <td>55 3</td> <td>312</td> <td>Bačka Palanka-Gajdobra</td> <td>0</td>	55 3	312	Bačka Palanka-Gajdobra	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60         315         Kikinda-Banatsko Arandelovo         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0</td></th<>																		0
81       317       (Zrenjanin)-Zrenjanin fabr.Vršac-Bela Crkva       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0 <t< td=""><td>60 3</td><td>315</td><td>Kikinda-Banatsko Aranđelovo</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></t<>	60 3	315	Kikinda-Banatsko Aranđelovo	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
67         318         Pančevo Varoš-Pančevo Vojlovica         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0																		0 4
48       320       Senta-Odvojna skr. 22 Senta       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       <	67 3	318	Pančevo Varoš-Pančevo Vojlovica	0	0	0	0	0	0	0	0	0	0		0	0	0	0
70         321         (Požarevac)-Rasput.Sopot PožKostolac         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0								-										0
66         323         Ovča-Padinska Skela         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	70 3	321	(Požarevac)-Rasput.Sopot PožKostolac	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53         403         Alibunar-Seleuš         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	66 3			0	0	0	0	0	0	0								0
59         405         Čoka-Novi Kneževac         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	53 4																	0
58         407         Bogojevo-Dunavska obala         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 </td <td>59 4</td> <td>405</td> <td>Čoka-Novi Kneževac</td> <td>0</td>	59 4	405	Čoka-Novi Kneževac	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
72         408         Sombor-Bački Breg         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0																		0
79         410         (Višnjićevo)-Rasput.Rača-Sremska Rača         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	72 4	408	Sombor-Bački Breg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
68         411         Paraćin-Stari Popovac         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 <td></td> <td>0</td>																		0
	68 4	411	Paraćin-Stari Popovac	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
															10 million			0
Total:         9         996         122         176         8         2         11         89         4         27         83         6         95         20							_					_						298





# Appendix 3.8. List of service points where it is possible to perform the transshipment of dangerous goods

The user or the authorized person is liable for safe transshipment and provision of required permits for transshipment issued by the competent authorities (ministry, local self-government, etc.) in case such permits are prescribed by law or by-laws. The Infrastructure Manager is not obliged to control permits and approvals issued by the competent authorities. In case of an accident during transshipment, the user or authorized person undertakes all necessary measures for making handling point functional.

Transshipment of the respective dangerous goods may be carried out on the handling point (handling area, ramp), i.e. the facility placed beside the track referred to in column 3, Table 1 of this Appendix. Transshipment shall be performed in compliance with the applicable regulations of the Republic of Serbia in the field of transport of dangerous goods, health and safety at work, environmental protection, waste treatment, fire protection, etc., complying with the essential safety measures which shall be provided as follows:

Keeping, disposal and storage of dangerous goods in the area of service point, including handling point is prohibited.

The handling point where transshipment is carried out must be enclosed or in any other way separated from passenger transport or from the handling point (loading, unloading, transshipment) with the goods not classified as dangerous (not RID). If a handling point is not enclosed, the client must mount movable fence which shall be removed upon handling (made of plastic orange material used in construction).

The handling point where transshipment is carried out shall have "RID – warning plate on the handling point". In case an IŽS' service point, within which there is the place of handling with dangerous goods, does not have "RID – warning plate on the handling point", the user of the handling point (consignee, consignor or authorized person) is obliged to provide the said plate at their own expense during the entire period of handling. The plate shall be made of sheet, with red colour base, on which the text with white letter is inscribed. The text shall read: RID WARNING – HANDLING WITH DANGEROUS GOODS. Minimum plate size is 600x500 mm. The plate shall look like as indicated:



Transshipment of the dangerous goods is carried out during the visible part of day, but it may be performed at night, with electrical lighting whereby the electrical devices that cannot cause fire or explosion may be used. In case an IŽS service point, within which there is the point of handling with dangerous goods does not have capacity for electrical lighting, the user of the handling point shall be obliged to provide necessary lighting at their own expense during the entire period of handling.

In case that said track is under OCL, during transshipment the voltage must be turned off and the track shall be secured in a duly manner.

Road vehicle engine shall be turned off during transshipment.

The disposal of the flammable and material which may cause or intensify fire is prohibited. Furthermore, it is forbidden to dirty the handling area with oil or oil derivatives (out of road freight vehicle).



Fire lighting or work with any open flame, use of tools which sparks and the devices with burner as well as smoking are forbidden during transshipment.

The user of the handling point (consignee, consignor or the authorized person) is obliged to perform cleaning and remove waste, which has been generated during the process of handling with dangerous goods, to the dumpsite, upon the completion of handling activities, in accordance with the Law on Waste Management, Law on Environmental Protection and other legislation and by-laws in the field of environmental protection. In case the user of authorized person does not clean the area after transshipment and does not take waste to the respective dumpsite outside the station, the railway undertaking shall perform cleaning.

The user of the handling point is obliged that, in the process of handling with dangerous goods, comply with the Law on Transport of Dangerous Goods and Law on Protection at Work (to take care on safety and health at work of their employees on the handling point), and particularly to get them acquainted, in a proven manner, with the hazards of stay in railway area (general safety of movement in IŽS's service points, way of conduct in service points, restrictions in movement, hazards from high voltage and other hazards).

Simultaneous transshipment at the same place of handling with dangerous goods of different classes is forbidden.

The service points where transshipment of certain dangerous goods from railway wagons into road vehicle and vice versa is performed are given in the Table of this Appendix.

Upon the request of the interested parties, Infrastructure of Serbian Railways JSC may approve transshipment of other dangerous goods, as well as in service points not given in the Table of this Appendix, in case there are conditions met for handling in the service point, and if the approval of the competent authority is provided for the goods that are being transshipped if it is prescribed by the law (ministries, local self-government units, , i.e. the Ministry of Interior's services).

For more information please contact:

"Infrastructure of Serbian Railways" JSC Traffic Department 6 Nemanjina St., 11000 Belgrade, Serbia Phone/Fax:+381 11 36 18 214 E-mail:sektor.sp@srbrail.rs

The table consists of 7 columns, with the following content:

- column No 1 "ordinal No";
- column No 2 "Name of a service point";
- column No 3 "Track", contains ordinal number or name of track in accordance with Station regulations (transport dispatching point or loading point);
- columns 4, 5 and 6 "Dangerous goods", contain NHM code, UN item/number for indication of hazards and class of dangerous goods, whose transshipment may be carried out;
- column No 7 "Notes", contains specific information relating to specific boxes.

Table: List of service points open for transshipment of dangerous goods



			Dangerous goods			
No	Name of service point	Track	NHM	UN / number for hazards indication	Class	Notes
1	2	3	4	5	6	7
1.	Adrovac	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
2.	Aleksinac	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
3.	Bagrdan	6	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
4.	Bačka Topola	1, 5, 7	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
5.	Bor Freight	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
6.	Valjevo	II line	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
7.	Velika Plana	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
8.	Vranje	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
9.	Vršac	11, 19	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
10.	Grejač	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
11.	Žednik	1, 6a	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
12.	Zmajevo	5	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
13.	Zrenjanin	1, 10	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
14.	Zrenjanin Factory	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
15.	Jagodina	1, 8	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
16.	Kikinda	20, 21	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
17.	Kula	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
18.	Lapovo	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
19.	Lapovo marshalling yard	Station for disinfecting	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
20.	Leskovac	New track	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
21.	Lešak	1 short	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
22.	Mala Krsna	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
23.	Mladenovac	1,7	3105 20 3102 30	2067/50 1942/50	5.1 5.1	



				1		
			3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
24.			2807 00	1830/80	8	
	Nami Cal Mandallina	2, 3, 4, 7	2806 10	1789/80	8	
	Novi Sad Marshalling	Locomotive and	2815 12	1824/80	8	
	Yard	freight stations	2808 00	2031/80	8	
			2809 20	1805/80	8	
			2815 11	1823/80	8	
			2828 90	1791/80	8	
			3105 20		5.1	
25.	Ostružnica	1		2067/50		
			3102 30	1942/50	5.1	
26.	Palanka	1	3105 20	2067/50	5.1	
		-	3102 30	1942/50	5.1	
27.	Pančevo varoš	1	3105 20	2067/50	5.1	
27.		1	3102 30	1942/50	5.1	
20	Pančevo Main St.	20. 21	3105 20	2067/50	5.1	
28.	Pancevo Main St.	20, 21	3102 30	1942/50	5.1	
•	D ()		3105 20	2067/50	5.1	
29.	Paraćin	1	3102 30	1942/50	5.1	
			3105 20	2067/50	5.1	
30.	Pirot	1	3102 30	1942/50	5.1	
31.	Požarevac	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
			3105 20	2067/50	5.1	
32.	Požega	19	3102 30	1942/50	5.1	
			3102 30	1742/30	5.1	
33.	Dritonolio Encipht	13	3105 20	2067/50	5.1	
55.	Prijepolje Freight	15	3102 30	1942/50	5.1	
24			3105 20	2067/50	5.1	
34.	Prokuplje	1	3102 30	1942/50	5.1	
		Right dead-end	3105 20	2067/50	5.1	
35.	Resavica	track	3102 30	1942/50	5.1	
		udek	3105 20	2067/50	5.1	
36.	Ruma	1, 2	3102 30	1942/50	5.1 5.1	
37.	Svilajnac	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
38.	Senta	1, 10,11	3105 20	2067/50	5.1	
		-,,	3102 30	1942/50	5.1	
39.	Sombor	20, 21	3105 20	2067/50	5.1	
39.	5011001	20, 21	3102 30	1942/50	5.1	
40	Successive Mitmanie	1.0	3105 20	2067/50	5.1	
40.	Sremska Mitrovica	1,9	3102 30	1942/50	5.1	
	a. 1.4		3105 20	2067/50	5.1	
41.	Stalać	1 short track	3102 30	1942/50	5.1	
		1, 33, 34 and 36	3105 20	2067/50	5.1	
42.	Subotica	freight station	3102 30		5.1	
		mergint station		1942/50		
43.	Ćićevac	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
44.	Ćuprija	1	3105 20	2067/50	5.1	
	Cupiiju	1	3102 30	1942/50	5.1	
45.	Užioo Ercicht	1	3105 20	2067/50	5.1	
43.	Užice Freight		3102 30	1942/50	5.1	
1	ă v 1		3105 20	2067/50	5.1	
46.	Čačak	1-dead-end track	3102 30	1942/50	5.1	
<u> </u>			5102 50	1774/30	5.1	



47.	Šabac	1,7	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
48.	Stara Pazova	7	3102 30	1942/50	5.1	
49.	Kruševac	1	3105 20	2067/50	5.1	
49.			3102 30	1942/50	5.1	
50.	Vrbas	10,11	3105 20	2067/50	5.1	
51.	Bajmok	1	3105 20	2067/50	5.1	Only for goods
51.	Bajillok	1	3102 30	1942/50	5.1	in sacks
52.	Futog	1	3105 20	2067/50	5.1	
	Futog		3102 30	2007/30	5.1	



No	Regular route	Distance (km)	Alternative route	Distance (km)
1	Subotica-Novi Sad	98.5	Subotica-Sombor-Vrbas-Novi Sad	150.5
2	Subotica-Novi Sad	98.5	Subotica-Sombor-Bogojevo-Novi Sad	165.4
3	Subotica-Novi Sad	98.5	Subotica-Zrenjanin-N.Sad	230.6
4	Subotica-Belgrade	175.6	Subotica-Zrenjanin-Pančevo- Belgrade	234.6
5	Novi Sad-Belgrade	77.1	Novi sad-Orlovat-Pančevo-Belgrade	148
6	Kikinda-Subotica	96.4	Kikinda-Orlovat-N.Sad-Subotica	271
7	Belgrade-Lapovo	109.6	Belgrade-Požega-Kraljevo-Lapovo	306.1
8	Belgrade-Lapovo-Kraljevo	194.3	Belgrade-Požega-Kraljevo	221.4
9	Belgrade-Niš	243.5	Belgrade-Požarevac-Zaječar-Niš	372.9
10	Belgrade-Požega	154.9	Belgrade-Lapovo-Kraljevo-Požega	260.8
11	Belgrade-Požega-Vrbnica(ŽCG)	299.3	Belgrade-Lapovo-Kraljevo-Požega- Vrbnica(ŽCG)	405.2
12	Belgrade-Smederevo	83.1	Belgrade-Mladenovac-V.Plana- Smederevo	132.8

### **Appendix 3.9. Alternative transport routes**

Note: For departure/terminal station the names of the nodes are given, and various service points may be comprised within the respective node.



## **Appendix 3.10. Facilities for rolling stock maintenance**

Maintenance of railway vehicles is performed in accordance with the Rulebook on Railway Vehicle Maintenance ("Official Gazette of RS", No 144/20).

Service facilities for provision of the basic services- where the works on the maintenance of vehicles are executed, and which are not carried out regularly as the part of daily activities requiring the vehicle to be detached from traffic are the organizational units of the other companies and Infrastructure of Serbian Railways JSC does not provide this type of services.

In accordance with the available data, service facilities and basic maintenance services provided by the Joint Stock Company for Passenger Railway Transport "Srbijavoz", Belgrade are as follows:

Location	Address	Facility	Primary Purpose	Basic Information			
Zemun Milana Rešetara bb		Depot Zemun	Maintenance of electric rolling stock and passenger coaches	Area: 10.200 m2 6 tracks of unit length 220 m			
		Depot for underfloor wheel lathe	Wheel processing of rolling stock	Area: 350 m2 It has underfloor wheel lathe without dismantling of wheel-sets			
		Workshop	Regular maintenance of electric and diesel locomotives	Area: 85 m2 Disposes of service canal of 36m and platform but without a canopy			
Lapovo	ovo Lava Tolstoja 10 Maintenance depot		Maintenance of electric and diesel locomotives and motor trains	Area: 1.part 1088 m2 and second part 625 m2 It has two running lines 2 out of which there are two canals on one line in the length of 50m and 20m. It disposes of single-axle weighbridge for measuring and adjusting the axle load of the rolling stock.			
Sombor	por Braće Miladinom 1 Depot for		Maintenance of DMUs, and may be used for maintenance of freight wagons and diesel locomotives	Area:1337,5 m2 It has two tracks of the length 78 m and 24 m; it disposes of underfloor wheel lathe for wheel processing on rolling stock without dismantling. Area: 687 m2 has 1 track in the length			
		railbuses	Maintananaa of milhusas and	of 78 m			
Zrenjanin	Depot for railbuses		Maintenance of railbuses and replacement of wheel-sets of 711 DMUs	Area: 277 m2 1 canal in the length of 27 m			
Zienjainn	Stajica 2	Depot for DMUs	Maintenance of DMUs	Area: 432 m2 1 track in the length of 34 m			



Vršac	Pavliški put bb	Depot for maintenance of rolling stock	Inspections and extraordinary repairs of smaller scope on diesel traction units and DMUs, as well as the overhauls of freight wagons	Area: 787 m2 Two tracks in the length of 40 m
Zaječar	Železnička bb	Workshop for repair of locomotives	Maintenance of diesel traction units and freight wagons	Area: 1250 m2 4 track out of which two are, unit length- 50 m

For more information on the provision of basic services in the above facilities responsible is their user in "Srbijavoz", Belgrade, Department for Rolling Stock Maintenance.

Contact point: Director of Department for Rolling Stock Maintenance - Mr. Vladan Petrović Address: 6 Nemanjina St. 11000 Belgrade, Serbia E-mail: vladan.petrovic@srbrail.rs Phone: +381 64 845 22 64

Information on the service facilities and services provided by the Joint Stock Company for Freight Railway Transport "Srbija Kargo", are available on the web-site: <u>http://www.srbcargo.rs/rs/usluzni-objekti</u>. Information on the service facility and services provided by Šinvoz is available on the website <u>www.sinvoz.rs</u>.



#### SR PNEUMATIK

1

23000 ZRENJANIN, MANASTIRSKA BR. 13A PIB:101165889 MBR:54681496 TEL : 062/268-128, pneumatik.zrenjanin@gmail.com

## INFORMACIJA O USLUŽNOM OBJEKTU SR PNEUMATIK ZRENJANIN

ZRENJANIN, april 2024



		. Opšte informacije
1.1.	Uvod	SR Pneumatik Zrenjanin je uradio Informaciju o uslužnom objektu na osnovu odredbi Pravilnika o elementima informacije o uslužnom objektu (Sl.glasnik RS broj 66/2019) Naziv uslužnog objekta je objekat za održavanje I spade u kategoriju 5, shodno članu 15. St. 2 Zakona o železnici (Sl.glasnik RS broj 41/18) Ova informacija je dostavljena upravljaču infrastrukture radi objavljivanja u Izjavi o mreži.
1.2.	Operator uslužnog objekta	Uslužnim objektom upravlja operator SR Pneumatik Zrenjanin, Manastirska 13a, kontakt Adamov Milivoj +38162268128
1.3	Period važenja I postupak ažuriranja	Ovaj dokumenat se ažurira po potrebi I nema definisan period važenja.
Contraction of the second		2. Usluge
2.1.	Naziv usluge	<ul> <li>Sertifikovana radionica za održavanje železničkih vozila obavlja usluge:</li> <li>pregledi P1, P3,P6,P12 lokotraktora, drezina, lokomotiva;</li> <li>tekuće održavanje (opravke manjeg I srednjeg obima) lokotraktora, drezina, lokomotiva;</li> <li>kontrolni pregledi I tekuće održavanje obavlja se u depou vlasnika , osim kada je potrebno vozilo dovesti u pogon SR Pneumatik Zrenjanin.</li> <li>specijalizovana radionica za održavanje kočnice železničkih vozila.</li> </ul>
		Opis uslužnog objekta
3.1	Spisak svih postrojenja	Uslužni objekat SR Pneumatik Zrenjanin, sastoji se od sledećih postrojenja na lokaciji Zrenjanin Takovska 104: -radionica za popravku lokotraktora,

		<ul> <li>Radionica raspolaže svom potrebnom opremom, mašinama I alatima neophodnim za popravke I održavanje železničkih vozila u radionici I na terenu.</li> <li>Uslužni objekat SR Pneumatik Zrenjanin na lokaciji "Tatravagonka Bratstvo" doo Subotica, Bikovački put 2 Subotica: <ul> <li>Hala sa kolosekom I svim pratećim alatima I uređajima koji se koriste u procesu održavanja železničkih vozila se koristi na osnovu Ugovora o poslovno- tehničkoj saradnji od 29.12.2023. godine.</li> <li>Hala ima priključak na javnu železničku</li> </ul> </li> </ul>
3.2.	Mesto	mrežu. Zrenjanin, Takovska 104
		Subotica, Bikovački put 2
3.3.	Radno vreme	Radno vreme uslužnog objekta je 7-15 časova ponedeljak-petak, osim za vreme verskih I državnih praznika
3.4.	Planirane izmene tehničkih karakteristika	Ne planiraju se izmene tehničkih karakteristika
		4. Naknade
4.1.	Informacije o naknadama	Metodologija : norma sat Naknada za pristup uslužnim objektima se ne naplaćuje. Cena za pojedine usluge po norma satu, u zavisnosti od složenosti posla po ponudi , nakon izvršene defektaže.
4.2.	Informacije o popustima	Uslužni objekti ne nude popuste

5.1.	Pravni zahtevi	Za pristup je potrebno sklapanje ugovora ili narudžbenica.
5.2.	Tehnički uslovi	Železnička vozila namenjena za rad na koloseku širine 1435 mm I maksimalnog osovinskog opterećenja 22 t.
5.3.	Samopružanje usluga	Uslužni objekat ne dozvoljava mogućnost samopružanja usluga.
5.4.	IT sistemi	Uslužni objekat ne nudi korištenje IT sistema
The America	the second se	6. Dodela kapaciteta
6.1.	Zahtevi za pristup uslužnom objektu ili uslugama koje se pružaju u objektu	Podnosilac zahteva je dužan poslati zahtev za ponudom za uslugu na e-mail :pneumatik.zrenjanin@gmail.com , ili usmeno na telefon +38162268128 Rok za obradu zahteva je 3 radna dana Prihvatom ponude, usluga se pruža na osnovu ugovora i narudžbenice. Po završetku usluge sačinjava se zapisnik o izvršenim uslugama.
6.2.	Odgovor na zahtev	Rok za obradu zahteva je 3 radna dana Usluga se temelji na osnovu ugovora, narudžbenice I zapisnika o izvršenoj usluzi.
6.3.	Informacije o promenama tehničkih karakteristika I privremenim ograničenjima kapaciteta	Uslužni objekat nema privremenih ograničenja kapaciteta koji mogu uticati na rad. U slučaju privremenih ograničenja, obaveštava se upravljač infrastrukture.







Information on the service facility MIN Lokomotiva doo



# INFORMACIJE O USLUŽNOM OBJEKTU MIN LOKOMOTIVA DOO

MIN Lokomotiva doo

Šumadijska 1, 18000 Niš

+381 18 415 1131

E-mail: min.lokomotiva.kabinet@gmail.com

Internet adresa: https://www.minlokomotiva.rs/

April 2024. godine



Network Statement 2026

1



## SADRŽAJ

1.1 UVOD	
1.2 OPERATOR USLUŽNOG CENTRA	3
1.3 PERIOD VAŽENJA I POSTUPAK AŽURIRANJA	3
2.1 OPIS USLUGE	3
3.1 SPISAK SVIH POSTROJENJA	4
3.1.1 PROIZVODNI POGON ZA REDOVNO ODRŽAVANJE	4
3.1.2 PROIZVODNI POGON ZA VANREDNO ODRŽAVANJE	4
3.1.3 MAGACINI	5
3.1.4 ŽELEZNIČKA INFRASTRUKTURA	5
3.2 MESTO USLUŽNOG OBJEKTA	5
3.3 RADNO VREME USLUŽNOH OBJEKTA	5
3.4 PLANIRANE IZMENE TEHNIČKIH KARAKTERISTIKA	6
4.1 INFORMACIJE O NADOKNADAMA	6
4.2 INFORMACIJE O POPUSTIMA	6
5.1 PRAVNI ZAHTEVI	6
5.2 TEHNIČKI USLOVI	6
5.3 ZAKUP KOLOSEKA U USLUŽNOM OBJEKTU	6
5.4 IT USLUGE	6
6.1 ZAHTEV ZA KORIŠĆENJEM USLUŽNOG OBJEKTA ILI USLUGAMA KOJE SE	
PRUŽAJU U USLUŽNO OBJEKTU	6
6.2 ODGOVOR NA ZAHTEV ZA PONUDOM	7
6.3 INFORMACIJE O DOSTUPNOM KAPACITETU I PRIVREMENIM	
OGRANIČENJIMA	7
7.1 PROSTORNI PLAN USLUŽNOG OBJEKTA	





#### 1.1 UVOD

Informaciju o uslužnom objektu MIN Lokomotiva je izradila u skladu sa odredbama Pravilnika o elementima informacije o uslužnom objektu ("Službeni glasnik RS", broj 66/19). MIN Lokomotiva doo spada u kategoriju 5), po članu 15, stav 2 Zakona o železnici (" Službeni glasnik RS" broj 4/218), odnosno spada u kategoriju Objekata za održavanje.

Fabrika za proizvodnju i remont šinskih vozila MIN Lokomotiva osnovana je 1884-te godine kao glavna radionica srpskih državnih železnica za popravak i pregled parnih lokomotiva.

Nad MIN Lokomotivom proglašen je stečaj 2015.godine. Maja 2018.godine. MIN Lokomotiva je kao pravno lice kupljena je od strane sadašnjih vlasnika (fizičkih lica).

Osnovna delatnost MIN Lokomotive doo je remont i održavanje železničkih vozila, projektovanje i proizvodnja novih železničkih vozila i pružanje raznih usluga vezano za železničku industriju.

#### 1.2 OPERATOR USLUŽNOG OBJEKTA

- Naziv uslužnog objekta : MIN Lokomotiva doo
- Adresa: Šumadijska 1, 18000 Niš
- Kontakt osoba za uslužni objekat: Dejan Avramović
- Broj telefona: +381 18 415 1131
- E-mail: min.lokomotiva.kabinet@gmail.com
- Internet adresa: https://www.minlokomotiva.rs/
- Radno vreme: 7.00-15.00, osim vikendom i praznicima

#### 1.3 PERIOD VAŽENJA I POSTUPAK AŽURIRANJA

Ovaj dokument se ažurira u vreme objave inforamcije, osim ako su zbog izmena u sadržaju nužne vanredne izmene

#### 2.1 OPIS USLUGE

Osnovne usluge koje pruža uslužni objekat:

- Redovno održavanje, koje se obavlja periodično i unapred planira
- Vanredno održavanje koje se obavlja radi otklanjanja kvarova, nedostataka, istrošenja i zagađenja u toku eksploatacije

Redovno održavanje obuhvata:

- Kontrola železničkih vozila u toku eksploatacije
- Pranje i čišćenje



3





- Servisni pregled
- Kontrolni pregled
- Redovnu opravku

Vanredno održavanje obuhvata:

- Vanredne opravke manjeg ili većeg obima
- Vanredno pranje i čišćenje

#### **3.1 SPISAK SVIH POSTROJENJA**

Uslužni centar MIN Lokomotiva doo sastoji se od sledećih celina

- Proizvodni pogon za redovno održavanje
- Proizvodni pogon za vanredno održavanje
- Radionica za ispitivanje lokomotiva na promenljivom naponu
- Radionica za ispitivanje brzinomera
- Radionica za održavanje elemenata vešanja i ogibljenja
- Magacin u zatvorenom prostoru
- Magacin na otvorenom prostoru
- Železnička infrastruktura

#### 3.1.1 PROIZVODNI POGON ZA REDOVNO ODRŽAVANJE

- Ukupna površina pogona za redovno održavanje je : 1100m2, podeljena u dva objekta
- Proizvodni prostor je opremljen kolosecima i mosnim dizalicama od 5t
- Proizvodni pogon je tehnološki opremljen za redovno održavanje dizel i elektro lokomotiva

- Ulaz/izlaz vozila u pogon je omogućen je preko 5 ulazno/izlaznih koloseka povezanih preko preko prenosnice nosivosti 150t sa glavnim kolosekom ka stanici Niš

#### 3.1.2 PROIZVODNI POGON ZA VANREDNO ODRŽAVANJE

- Ukupna površina pogona za vanredno održavanje je: 2500m2

- Proizvodni pogon za vanredno održavanje opremljen je kolosecima i mosnim dizalicama od 45 t (3 komada) i 5t (2 komada)

- Proizvodni pogon za vanredno održavanje opremljen je tehnološki za održavanje železničkih vozila

- Ulaz/izlaz vozila u pogon omogućen je preko 4 ulazno/izlaznih koloseka povezanih preko preko prenosnice nosivosti 150t sa glavnim kolosekom ka stanici Niš

4



 Proizvodni pogon za vanredno održavanje je opremljen viljuškarima i transportnim kolicima za unutrašnji transport

- Radionica za ispitivanje brzinomera tipa Hasler je opremljena atestiranom probnicom, nalazi se u sklopu pogona za redovno održavanje

- Radionica za održavanje elemenata vešanja i ogibljenja se nalazi u delu pogona za vanredno održavanje železničkih vozila i tehnološki je opremljena za održavanje elementa vešanja i ogibljena železničkih vozila

#### 3.1.3 MAGACINI

- Površina zatvorenog magacina je oko 200m2. Magacin je opremljeno stalažama za smeštaj rezervnih delova i opreme.

- Otvoreni magacin ima površinu od 500m2 i koristi se smeštaj crne i obojene metalurgije, tehničkih gasova i ulja i maziva

- Zatvoreni i otvoreni magacini su povezana preko prenosnice sa glavnim kolosekom ka stanici Niš

- Zatvoreni i otvoreni magacini imaju putnu vezu sa glavnom saobraćajnicom

#### 3.1.4 ŽELEZNIČKA INFRASTRUKTURA

- Ukupna dužina koloseka na lokoaciji (spoljašnji i unutrašnji) je oko 2000m

- Uslužni objekat je povezan sa železničkom stanicom Niš sa jednim matičnim kolosekom, koji se preko skretnice usmerava na koloseke prema pogonu.

- Dozvoljeno opterećenje koloseka je 22t po osovini, dozvoljena brzina na koloseku je 5km/h

- Železnička vozila se sa glavnog koloseka prebacuju na koloseke u okviru proizvodnih kapaciteta preko specijalnog transportera-prenosnice nosivosti 150t

#### 3.2 MESTO USLUŽNOG OBJEKTA

- Šumadijska 1, 18000 Niš
- Geografska širina 43°19'07"
- Geografska dužina 21°52'39''
- Priključak na javnu putnu mrežu
- Priključak na javnu železničku mrežu preko železničke stanice Niš

#### 3.3 RADNO VREME USLUŽNOG OBJEKTA

- Ponedeljak-petak od 7.00-15.00h
- -Vikendom i praznicima su neradni dani







#### 3.4 PLANIRANE IZMENE TEHNIČKIH KARAKTERISTIKA

- Ne planiramo izmene tehničkih karakteristika

#### 4.1 INFORMACIJE O NADOKNADAMA

- Metodologija izračunavanja nadoknade je norma čas (NČ)
- Nadoknada za pristup uslužnom objektu se ne naplaćuje
- Cene usluga su definisane zvaničnim cenovnikom

#### 4.2 INFORMACIJE O POPUSTIMA

 Operator uslužnog objekta može u specijalnim okolnostima nuditi popust na usluge koje se nude korisnicima prema međusobnom dogovoru uz poštovanje zahteva operatera o čuvanju poslovne tajne

#### 5.1 PRAVNI ZAHTEVI

- Za pristup uslužnom objektu potrebno je sklapanje ugovora ili narudžbenica

#### 5.2 TEHNIČKI USLOVI

- Uslužnom objektu mogu pristupiti železnička vozila standardne širine 1435mm

 Uslužnom objektu mogu pristupiti vozila sa maksimalnim dozvoljenim osovinskim opterećenjem od 22t po osovini

#### 5.3 ZAKUP KOLOSEKA U USLUŽNOM OBJEKTU

- Zakup koloseka u uslužnom objektu je definisan posebnim cenovnikom

#### 5.4 IT USLUGE

- Uslužni objekat ne nudi IT usluge

#### 6.1 ZAHTEV ZA KORIŠĆENJE USLUŽNOG OBJEKTAILI ZA USLUGAMA KOJE SE PRUŽAJU U USLUŽNOM OBJEKTU

 Podnosilac zahteva dužan je poslati Zahtev za ponudom na e-mail adresu min.lokomotiva.kabinet@gmail.com. Ili preko telefona na broj + 381 018 415 1131

- Usluga se pruža na osnovu potpisanog ugovora ili narudžbenice

- Za izvršenje usluga potrebno je da se najavi odgovornom licu u uslužnom objektu 2 dana unapred

- Podnosilac zahteva dužan je u zahtevu za ponudu navesti:

- 1. Vrsta usluge koja se traži
- 2. Osnovne podatke o železničkom vozilu
- 3. Vremenski period za korišćenje usluga



6





4. Potrebu za magacinskim prostorom ukoliko takva potreba postoji

5. Posebni zahtevi

#### 6.2 ODGOVOR NA ZAHTEV ZA PONUDOM

- Rok za obradu zahteva i davanje ponude je do tri radna dana u zavisnosti od složenosti zahteva

 Osnovni kriterijum za određivanje rasporeda i kapaciteta uslužnog objekta jeste da prednost kod raspoređivanja ima podnosilac zahteva koji ima potpisan ugovor ili je ispostavio narudžbenicu ili je u završnim pregovorima sa vlasnikom uslužnog objekta o pružanju usluge

- U slučaju da dođe do kolizije u zahtevima, a koji se odnose na kapacitete uslužnog objekta prednost ima onaj podnosilac zahteva koji ima dugoročni ugovorni odnos sa vlasnikom uslužnog centra ili je po redu podnošenja zahtev bio ispred ostalih podnosilaca zahteva za uslugom. Ako i pored navedenih kriterijuma dođe do problema u korišćenju kapaciteta uslužnog centra odgovorno lice uslužnog centra će nastojati da razgovorom i koordinacijom sa korisnicima izvrši preraspodelu kapaciteta i po potrebi uvede drugu smenu kako bi svi korisnici bili adekvatno usluženi.

#### 6.3 INFORMACIJE O DOSTUPNOM KAPACITETU I PRIVREMENIM OGRANIČENJIMA

 - U slučaju vanrednih događaja koji mogu privremeno ograničiti kapacitet uslužnog objekta ili obavljanje planiranih radova odgovorno lice uslužnog centra će o tome obavestiti sve korisnike o nastalom događaju i o ograničenjima, kao i odgovrajuće službe koje upravljaju infrastrukturom.

#### 7.1 PROSTORNI PLAN USLUŽNOG OBJEKTA

- Prostorni plan fabrike MIN Lokomotiva



## Appendix 3.10a. Information on the service facility managed by Nelt Co



Nelt Co d.o.o. Maršala Tita 206 P. fah 530 11272 Dobanovci Srbija t +381 11 3779 100 f +381 11 3779 140 office@nelt.com www.nelt.com www.neltsprs PIB 100037645 MB 17304712

Sektor za pristup železničkoj infrastrukturi Nemanjina 6, Srbija Datum: 21.12.2020.

PREDMET: INFORMACIJE O USLUŽNOM OBJEKTU – Industrijski kolosek "NELT Co", koji je deo Nelt Terminala

U stanici Surčin na pruzi Beograd Ranžirna, Park B - Ostružnica - Batajnica za javnu železiničku infrastrukturu kojom upravlja "Infrastruktura Železnice Strbije" ad priključen je industrijski kolosek čiji je vlasnik "Nelt.Co." d.o.o. Beograd.

Industrijski kolosek je namenjen samo za prijem i otpremu kolskih pošiljaka i isti se ne koristi za potrebe prevoza opasnih materija.

Industrijski kolosek počinje u nastavku četvrtog koloseka stanice Surčin odvojnom skretnicom br:2, u km. 14+166,57 pruge Beograd Ranžirna A– Ostružnica – Batajnica. Industrijski kolosek "NELT Co" doo Beograd, odvaja se od javne železničke infrastrukture, kojom upravlja "Infrastruktura Železnice Srbije" ad, u stanici Surčin koja je nalazi u km 14+635,60 (*sredina stanične zgrade*) jednolosečne elektrificirane pruge Beograd Ranžirna, Park B - Ostružnica - Batajnica.

Skretnica br. 1c industrijskog koloseka "NELT Co" doo Beograd , matični kolosek razdvaja na dva kraka odnosno na dva koloseka

Industrijski kolosek je ukupne građevinske dužine 1293,31m i sastoji se od tri dela i to:

- matičnog koloseke građevinske dužine 616,00 m
  Kolosek I građevinske dužine 348,00 m
- Kolosek I gradevinske dužine 343,31 m

Koloseci I i II imaju korisnu dužinu svaki po 300 m tako da je ukupna korisna dužina na industrijskom koloseku 600 m.

Industrijski kolosek oposobljen je za kategoriju pruge C2 odnosno za:

- najveću dozvoljenu masu po osovini do 20 t/os (200 kN/os) i
- najveću dozvoljenu masu dužnom metru do 6,4 t/m (64 kN/m)

Koloseci I i II su na industrijskom koloseku vezani samo sa jedne strane tako da se na drugom kraju završavaju grudobranima,.

Manevru od stanice Surcin do Industrijski kolosek "NELT Co", za sada obavlja železnički operater "Srbija Cargo" ad.

Posedujemo 1 reach stacker kojim vršimo manipulacije kontejnera sa voza koji pristigne na Industrijski kolosek "NELT Co",

Cena za manipulacije punih kontejnera naplacuju se EUR 25 a praznih kontejnera EUR 20. obracunata u dinarskoj protivvrednosti





Nelt Co d.a.a. Marŝala Tita 206 P. fah 530 11272 Dobanovci Srbija

PIB 100037645 MB 17304712

t +381 11 3779 100

f +381 11 3779 140 office@nelt.com

www.neltisprs

Radno vreme Nelt terminala je radnim danima od 08h – 21h, subotom od 08h-16h, nedelja je neradni dan. Praznicima ne radimo

Nelt terminala Ul. Maršala Tita 206, 11272, Dobanovci +381 60 8318595 +381 11 3779 33 www.nelt.com

S poštovanjem,



## **Appendix 3.11. Railway infrastructure development projects**

The National Assembly, upon the proposal of the Government, passes the National Program for the railway infrastructure, which contains:

1. the existing characteristics and condition of the railway infrastructure of the Republic of Serbia;

2. strategy for construction, reconstruction and maintenance of the railway infrastructure;

3. development components in the construction of the new infrastructure capacities of special significance for the Republic of Serbia;

4. defining of the structure, time schedule for realization of priorities, level and sources of the financial assets needed for completion of the National Program activities.

National Program is passed for a five-year period.

Based on the National Program, the Infrastructure Manager prepares the annual program for construction, reconstruction and maintenance of the railway infrastructure, organization and regulation of the railway traffic.

No	Project	Estmated commencement of works (date or quarter)	Duration of works	Works' execution method
1	Civil engineering reconstruction of Niš – Dimitrovgrad railway line, section Sićevo - Dimitrovgrad	November 11 th , 2023	April 2026	Execution of the works and traffic performance according to the schedule: 36/36/36/60. Total line closure in the duration of 91 days.
2	Electrification of Niš – Dimitrovgrad railway line, section Sićevo - Dimitrovgrad	March 2025	April 2026	Execution of the works and traffic performance will be realized alternately in intervals agreed with the Contractor.
3	Construction of northern bypass around city of Niš: 1. Crveni Krst – Pantelej – Matejevac 2. Trupale – Crveni Krst 3. Trupale – Niš Marshalling Yard	Q4 2023	Q3 2026	Execution of the works and traffic performance will be realized alternately in intervals agreed with the Contractor.



## Appendix 4.1. Request for train path allocation (form)

Fax.

Application form for train path allocation

Railway undertaking - operator:

Address:

Contact person:

Tel.

Place and date:

1. BASIC INFORMATION ON THE REQUESTED TRAIN PATH         Train No in       Desired time         Route										
Train type	the previous timetable		arrival	from	to	via				
NOTES										
2. TRAIN TIMETABLE	E INFORMATIO	N								
Stops in service points	Staying time points [min]	in service	Running	calendar						

e-mail:

3. TRAIN	INFORMATI Additional	ON			Braking	g	
Type of traction, serial No of traction unit, route	traction units, serial No of traction unit, function in the train, route	Series and No of the wagon /motor unit	Train mass [t]	Train length [m]	Туре	Percentage [%]	Maximum train speed [km/h]

4. OTHER REQUIREMENTS

L.S. SIGNATURE



# Appendix 4.1a. Request for train path allocation (e-papir)

Republic of Serbia JSC "Infrastructure of Serbian Railways" Rail Infrastructure Access Department <u>www.infrazs.rs</u>

### REQUEST

## FOR TRAIN PATH ALLOCATION

Basic information about the applicant															
Business name / title															
Head office															
Contact phone															
Name and surname of the representative															
Identification number									PIB						
Email address															

Basic data on the required train path										
	Number of	Desire	d time	Route						
Train type	train i previous TT	doporturo		from	to	via				
		Note								
	T	rain timeta	ble data							
Stops in service points	Staying time in points [m			Ru	nning calendar					



			Train d	ata			
Type of traction, serial No of traction unit, route	Additional traction units, serial No of traction unit, function in the train,	Series and No of the wagon /motor unit	Train mass [t]	Train length [m]	Туре	Percentage [%]	Maximum train speed [km/h]
	route						
			Special	note			

I am aware that, if I do not submit the stated data, necessary for the decision-making of the body within 8 days, the request for initiating the procedure will be considered irregular.

The request can also be submitted on <a href="mailto:sektor.pzi@srbrail.rs">sektor.pzi@srbrail.rs</a>

In ______ , on _____

Applicant's signature

_____



## INFORMATION FOR THE APPLICANT


Deadline for resolving the submitted request	30 days before the start of the timetable
----------------------------------------------	-------------------------------------------




# Appendix 4.1b Template for submission of traction vehicle technical data

1.	Series	1116
2.	Description	BoBo
3.	Length	19280 mm
4.	Weight	88 t
5.	Maximum speed	230 km/h
6.	Inertia factor	1,15
7.	<b>Resistance formula</b>	
	$\mathbf{W} = \mathbf{a} + \mathbf{b} \cdot \mathbf{v} + \mathbf{c} \cdot \mathbf{v}^2$	a = 1020
		b = 8,44
		c = 0,25

### 8. Traction diagram and braking diagram





9. Traction type

V

[km/h]

electric



# Appendix 4.2. Instruction for completion of the Request for train path allocation

	Column name	Data type	Explanation
	Train type	М	<ul> <li>Specify train type:</li> <li>Passenger train (pursuant to Articles 32 and 34 of Traffic Rulebook, Official Gazette of RS No 34/22 and 107/22)</li> <li>Freight train (pursuant to Articles 33 and 34 of Traffic Rulebook, Official Gazette of RS No 34/22 and 107/22)</li> </ul>
	Train No in the previous Timetable	С	Specify the number of the train from the previous Timetable, whose path elements match applicant's request (e.g. 541, 40760,)
1.	Desired time	M/N*	Specify the desired time of the train departure from the origin station or the time of arrival to the destination station
	Route	М	Specify the origin and destination station of the train route and characteristic service point between those two stations which defines the train route
	Note	М	<ul> <li>Specify request type:</li> <li>annual request (for the new Timetable)</li> <li>request for regular or extraordinary amendments to the valid Timetable while specifying the number of regular amendment (I, II, III, IV or V amendment)</li> <li>ad hoc request</li> </ul>
	Stops in service points	М	Specify all service points where the train needs to stop
2.	Staying time in service points	М	Specify the needed staying time in each service point (in minutes) where train staying is necessary
	Running calendar	М	Specify running calendar for regular trains. If a path is requested for the optional train, enter the indication "optional", and for trains under the ad hoc request specify the train running date
	Type of traction, serial No of traction unit, route	М	Specify traction type (electric or diesel), serial number of traction (operating) locomotive and route of each particular locomotive if there is change of traction type on the required route
3.	Additional traction units, serial No of traction unit, function in the train, route	М	Specify number of additional traction units, traction units type (electric or diesel), serial number, position on the train (double heading, banking,) additional traction unit running route



	Series and No of the coach/multiple-unit set	М	For passenger trains, specify coach series (letter designation of coach series) and number of coaches on the train i.e. series, number and serial number of multiple-unit sets (DMU/EMU)
	Train mass	М	Specify total train weight in the format of a sum of weight of hauled vehicles and the weight of all operating locomotives (Q+L)
	Train length	М	Specify train length in metres without the length of operating locomotives in service
		М	Braking type: specify braking type (G, P, R, Mg,)
	Braking	M/N**	Braking percentage: specify braking percentage which has to be considered during timetabling
	Maximum train speed	М	Specify maximum train speed considering characteristics of vehicles on the train
4.	Other requirements	С	Specify other requirements of the train such as: shunting of vehicles, change of train composition, connection, staff shift, type of intermodal transport unit, dangerous goods type, special consignments, train stays at border-crossing, technical stops (inspection, water supply, waste handling and similar) and time period required, need for additional track capacities (side tracking, pre-heating/cooling, forming of trains and similar), need for access to other additional service facilities and similar.

Legend:

M – data is mandatory

C – data is conditional (mandatory, if the condition is fulfilled)

M/N* - data is mandatory for passenger trains/data data is non-mandatory for freight trains

M/N** - data is mandatory for international trains/data is non-mandatory for domestic trains For multiple-unit sets running in domestic traffic, specify the maximum braking percentage provided by the multiple-unit set

Note: Upon receipt of the request for path allocation, IŽS will provide the RU with the infrastructure data based on which the RU will calculate the train running times and submit them to IŽS.



# Appendix 4.3. Deadlines for annual 2025/2026 timetable preparation

Phase	Authority	Deadline
Submission of requests for path allocation for international passenger trains	RU	20.02.2025
Regular deadline for submitting allocation requests for annual timetable	IM	15.12.2025-14.04.2025
Coordination and harmonization of requests	IM/RU	15.04.2025-20.06.2025
Presentation of the First Draft Timetable to RUs for passenger trains and international freight trains	IM	27.06.2025
Draft review – remarks, suggestions, proposals and opinions	IM/RU	01.07.2025-14.07.2025
Draft timetable 2024/2025	IM	29.08.2025
Solving of problems and questions	IM	01.09.202505.09.2025
Extraordinary requests (remaining capacities)	RU	06.10.2025
Final deadline for capacity allocation according to extraordinary requests (remaining capacities)	IM	13.10.2025
Timetable coming into effect	IM	14.12.2025



Amendment No	Submission date of requests for amendments to annual timetable	Deadline for capacity allocation	Application date for amendments to annual timetable
Ι	15.12.2025	23.01.2026	02.02.2026
II	09.02.2026	26.03.2026	07.04.2026
III	20.04.2026	29.05.2026	14.06.2026
IV	13.07.2026	31.08.2026	07.09.2026
V	10.08.2026	25.09.2026	05.10.2026

# Appendix 4.4. Deadlines for amendments to annual 2025/2026 Timetable



# Appendix 5.1. Overview of railway lines on which train running is possible when they are manned only with engine driver

Train running with engine driver only in a traction unit, without train crew (engine driver – without train crew), can be performed on the following lines:

- Belgrade Center-Stara Pazova Šid state border (Tovarnik);
- (Belgrade Center) Stara Pazova Novi Sad Subotica state border (Kelebia);
- Belgrade Center Junction G Mladenovac-Lapovo-Niš-Preševo state border (Tabanovci);
- (Belgrade Center) Rakovica Jajinci Mala Krsna Velika Plana;
- Belgrade Center Pančevo Varoš (Vršac);
- Belgrade Center Resnik Požega Vrbnica state border (Bijelo Polje)
   Section Resnik-Požega-Užice;
- Inđija Golubinci;
- Novi Sad Novi Sad Marshalling Yard Open line junction Sajlovo;
- Belgrade Center Novi Beograd;
- Belgrade Center Open line junction G (Rakovica);
- Belgrade Marshalling Yard "A" Ostružnica Batajnica;
- Belgrade Marshalling Yard "B"- Ostružnica;
- Belgrade Marshalling Yard "A"-Open line junction "B"-Open line junction "K/K1"- Resnik;
- Ostružnica Open line junction "B" (Open line junction"K/K1");
- Belgrade Marshalling Yard "B" Open line junction "R"-Open line junction "A"-( Resnik);
- (Belgrade Marshalling Yard "B") Open line junction "R" Rakovica;
- Belgrade Marshalling Yard "A" Open line junction "T" Rakovica;
- Belgrade Marshalling Yard "B" Open line junction "T" (Rakovica);
- Connecting line in the area of Open line junction "K/K1": (Open line junction "B") switch "K" switch "K1" (Jajinci);
- Topčider Putnička (km 4+195) Open line junction G (Rakovica)³;
- (Open line junction Pančevački most) Open line junction Karađorđev park Open line junction Dedinje – (Open line junction G);
- By-pass line of Mala Krsna station: (Kolari) junction points 1 junction points 28 (Osipaonica);
- Open line junction Lapovo Varoš Lapovo Marshalling Yard Lapovo;
- Trupale Niš Marshalling Yard Međurovo;
- Crveni krst Niš Marshalling Yard;
- Niš Open line junction Most (Niš Marshalling Yard);
- Mala Krsna Požarevac (Bor);
- Pančevo Varoš Pančevo Vojlovica;
- Smederevo Open line junction Jezava Radinac Mala Krsna;
- Novi Sad Marshalling yard Open line junction Sajlovo.
- Subotica Horgos State Border (Röszke).

On the other lines, in particular cases, train running can be performed with engine driver – without train crew in compliance with terms stipulated in the Traffic Rulebook ("Official Gazette of the Republic of Serbia", No 34/22 and 107/22).

³ By virtue of the Conclusion of the Government of the Republic of Serbia No 340-2989/2022 dated April 7, 2022, the Decision of the Shareholders' Meeting of Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways" Belgrade concerning the termination of public railway traffic, dismounting and reconstruction of infrastructure capacities on railway line Topčider Putnička (km 4+ 195) – Open line junction "G" – (Rakovica), has been approved.




# Appendix 5.2. Overview of the lines fulfilling the conditions for train running with an engine driver only

List of Infrastructure of Serbian Railways lines that do not meet the conditions for operation of traction units with an engine driver only (other lines meet the conditions):

- (Belgrade Center) Resnik Požega- Vrbnica- state border (Bijelo Polje)
  - Užice Vrbnica section.



Appendix 5.3. Geometry of pantograph (current collector) TIP POS - 254/III used on IŽS network





# Appendix 6. Register of infrastructure data

	əbırtirlA	30		97,6	82,1	92		87,6	84.3		79,11	84,96	79.11	84.96	101,57	96,94	100,96	91,7	84,77	84,66	04.00	83.79	86,71	96,2	04,90												
	9gusg gnibsoL	29			78-1 28-1	1-SZ	ŻS-I	I-SZ	ŽS-I	ŽS-I	ŽS-I	-	1-SZ	ŽS-I	ŽS-I	ŽS-I	ŢS-I	ŽS-I	28-1 28-1	ŽS-I	2S-1		ŻS-I	2S-1	1-0		F	ŽS-I	ŽS-I	ŽS-I	1-SZ	ŽS-I	ŽS-I	ŽS-I	1-57	ŽS-I	ŽS-I
Tab] enil edt	←	28			2	-	+	5	0		-	•	58		6	~	9	3	0	3		4	+	+	+		┢		5				4				
Ruling resistance of	$\rightarrow$	27			•	4		•	•			5	10/1		6	-	9	0	0	-	•	1	$\square$	4.	-		F		10	9	+		5	∞	9	2	15
gradient	Slope	26			10	-		S	2		-	•	7/0	0	9	2	\$	e	2	ę	•	1		<del>ر</del>	4				7	0			e	0	0	+	0
guiluA	Incline	25		· · ·	0	4		1,9 0	0			S - 3	0.3 9/0		8	0,0	9	0,0	0.0	0,0 1	0.0	7 0.0		4 -	-		00	2	∞	1,5 5	_		7,9 6		6		2,0 12
[%] uo	Gradient of the statio	24			0,0	2.0			0.0			0 4,1												0,0			<		0						0.9.0		-
sn	т Мітітит ситve таді	23			200	697		700	2500		7000	2000	700	4993	2500	3000	3000	10000	10000	10000	10000	1500		15000	nonct			300	700	300			400	30	300	300	300
	Open for the acceptar dispatching of passen operations	22		Ч	a a	p/F ¹⁾	ď	a a	4		P/F	PIF 0	P/F	P/F	P/F	d 0	P/F		P/F	Ч		P/F		P/F			e	-		ч,	Ч	Ч	P/F	0	P/F	٩	٩.
	Occupancy of service	21		Ч	D	٩		D	Ч		D	- e	- 0	Ч	Ч	D	Ч	D	Ч	D	1	>		Ч			0	-		Ч			Ч	D	D	D	D
molts	siq znibsol-bnə\-əbi2	20				v.			s		s	×	s	s		s	S/E		s					S/E									s		s		
	Freight car scales	19			$\bot$																			Yes			vce)						$\square$	$\square$	T	$\square$	
DIC	l - əboə triioq əəivrəS	8		16052	16003	16002		16001	16204		16501	16503	16501	16503	16505	16506	16550	16508	16510	16511	16512	16514	16515	16516	/1001		- (Tabanovce)	7001		16103	16102	16101	15501	15401	15402	15403	15404
d soivies pr	d gaiwoes to reansM	17		Ξ	Ξ	=		Ξ	Ξ		=	= =	=	=	-	-	-	-	-	-	-	-		-			border - (		-	-	-	•	-	-	-	-	-
					TA	L	T		TW	ΤM	TA	Ā	ΤΛ	T	в	99	9	В	99	В	-	9 9	e	m	3			L L	ΥT	ΤM		L.	ΤW	99	9 9	AB	в
nottelug	Manner of traffic reg	16			RC with TWT RC with TWT	RC with TWT	/ith T	RC with TWT RC with TWT	RC with TW7	RC with TW7	RC with TWT	KC with T W	RC with TWT	RC with TW1	with A	RC with AB	with A	RC with AB	with AB with AB	with AB	RC with AB	RC with AB	with AB	with AB	station distance		Preševo - state	ith T	vith T'	RC with TW1		RC with TW1	RC with TW	with AB	RC with AB	with A	with AB
			ik)		RCW	RCw	RC with TWT	RCW	RCw	RCw	RCw	kcw	RCw	RCw	RC	RC	RC	RC	RC	RC	RC	S S	RC	RC	statio	1 1		RCw	RC with TWT	RCw	RC with TWT RC with TWT	RCw	RCw	RC,	RC N	RC	RC
	acceptance of the longest trains		Tovarr	9 pu	4 and 5	8 and 9		1 and 2	5 and 6		:	4 and 5		5 and 6	4 and 5	4 and 5	4 and 5	nd 5	2 and 3	2 and 3	212	c pue +		and 5			povo - Niš			5	+		0	and 2	4	. 6	_
B→A Direction	Tracks for		-der -	5 and	4 a	8.8		13	5 a			4 9	8	<b>5</b> a	4 a	4 a	4 a	4 and	2 a	2 a	-	4 3		4 8			<u> </u>	-						1 a			
	Maximum permitted train length	14	ate bor	506	628	411		209	238			100		443	749	786	653	776	672	667	543	6/0		707				000		702			730	707	781	710	659
A→B	acceptance of the longest trains		101. Belgrade - Stara Pazova - Šid - state border - (Tovarnik)	and 6	2 and 3	1 and 2		3 and 4	1 and 2		1a and 4	0 and 10	2 and 3	and 2	and 3	and 3	and 3	and 3	4 and 5	4 and 5	6 F	c pue 7		and 3			- Mladenovac -	anna		4			3	and 2	4	. 6	-
Direction	Tracks for Tracks for	12 MAIN	Pazova -	506 5	558 2	550 1	+	199 3	227	$\vdash$	+	757 0	+	+	$\vdash$	597 2	712 2	731 2	700	614 4	-	7 700	$\vdash$	665 2			Rakovica -	+		702	╈		730	109	777	753	659
pəəds	Left track Maximum permitted	H	- Stara	10	_			120			200 ^{II}		120	160 ^T	-	•				2				-	Šid)	1 1	"G" - Ral	S	$\square$	80		20		-			-
mumixeM bəttimrəq	Right track	10	elgrade	100	-			120			200 ^{II} 2		120 ^T	160 T	80	120		30						07	nces for freight traffic (mixed, §		), NOI	50		80		70	_	30		30	
Â	Railway line categor	6	101. Be		7 7	D4	D4	D4	D4	D4	_	D4	D4	-	D3	D3	D3	D3	D3	D3	D3	n D3	D3	D3	t traffic		IUNC	D4	D4	D4	D4	D4	D4	5	5 P4	D4	D4
	Class of railway line	∞			ΣΣ	Z	Σ	ΣΣ	Z	X	Z :	Σ	Σ	Σ	Z	ΣΣ	X	M	ΣΣ	Σ	Z 2	Σ	Σ	Σ.	r freigh		INE	Σ	M	Σ	ΣΣ	Σ	X	ΣΣ	Σ	Σ	M
əuji	l Asart-slduob\slgni2	7					Ω		D	D	D	n	Q	D	Ω		D	D	DD	D	D		D	0	nces for		PENI	D	Ω	D		D	D	s o	n so	ŝ	s
1	Type of service point	9		-	- ~	-	e	- ~	-	6			-	-	-	- "		-			- m	- 6	ŝ	- 2			$\sim$	9	9	-	e 9		-	64 (	n –	-	6
																									1     1     1     1     1     1     1     1       1     1     1     1     1     1     1     1     1       1     1     1     1     1     1     1     1     1     1       1     1     1     1     1     1     1     1     1     1       1     1     1     1     1     1     1     1     1     1		102 Beograd Centar -										
	Name of service point	5																	_						I); ^T data for serv		Ĭ	OPEN LINE JUNCTION DEDINJE	6		V						
	ame of			TAR						•	a		H	F					SREMSKA MITROVICA LAĆARAK		ATTVO A	BAČINCI BAČINCI			(Novi Sad		LAD	CTION	4+416 OPEN LINE JUNCTION		KNEZEVAC OPEN LINE II INCTION			Y L	VI		
	Z			CEN	NOVI BEOGRAD TOŠIN BUNAR			N	^d V.	SC	VOVA	ZUV/	VOVA	ZOVA	5	-	1		ILIW		COLUCION OF COLUCION	CIVER			INDER traffic (	unu	CENT	EJUN	EJUN	A	C C			INO 1	TLUIN		INEL
				<b>JRAD</b>	V BUD	Z	AN.	ZEMUN POLJE KAMENDIN	UNIC	2+006	A PA	A PA	A PA2	A PA	JBIN	NCI	A	ANj	ASKA	IINC	NIM	NCI	RAC	00.0	E BU	PS Zen	CLA DE	ITIN	I LIN	OVIC.	ZEVA I LINI	0/	¥	SAV/	Z Z Z	围	NJTC
				BEOC	TOŠU	ZEMUN		ZEMI KAMI	BATA	KM 2	NOV	SLAKA PAZOVA DATA INICA F	NON	STAR	GOLL	PUTINC	RUMA	VOGAN	SREMSKA LAĆARAK	MARTINC	KUZN	BAČINC	GIBA		for pas	x the T.	00ad	OPEN	OPEN	RAK	KNEZEVAC OPEN LINF	KUE	RESNIK	PINO	RIPAN	KLENJE	RIPAN
					3+442 NOVI BEOGRA 5+216 TOŠIN BUNAR	8+532	11+053	12+248 ZEMUN POI 13+799 KAMENDIN	19+031 BATAJNICA	22+006 KM 22+006 SC	27+106 NOVA PAZOVA	34+944 SLAKA PAZO 204616 BATA DAICA F	27+106 NOVA PAZOVA	34+944 STARA PAZOVA		53+713 PUTINCI 59+800 K P AT (FVC)	64+855	73+419	81+721 86+100	94+076	99+200 KUZMIN	810+001		1116+365	ndistances for passenger traffic (	uture fo	ALONG BEACE AD CENTAD	1+337	+416	8+533 RAKOVICA	10+700	11+729 KUEVO	14+059	17+930 PINOSAVA	20+121 RIPANJ KULUNIJA 21+317 RIPANi	24+760	29+592 RIPANJ TUNEL
	эдепіяд	4																			-				station dis	and depa	<										
		1			3,442	3.316	*2,625	1,195	5.232	2,975	*3,515	7,858	*6.556	7.838	9,417	*8,708	5,055	8,564	8,302	7,976	5,124	2,818 4.082	3,600	3,665	coc, c nts and s	irrival		1,337	3,079	*1,738	2,167	0,849	2,330	3,871	1.196	3,443	4,832
	Distance in km	С			<del>с</del> –		<b>č</b>	- -	0	~	÷.,		*	10		*	-	~							, ini	d,			e.,	٠		10	0		-		۱. I
public transport	Left track Distance in km	$\square$		'†86	51 '0	0261	*2		81.9		*		*		a.011803.		81.2		_			1.01			ervice point	¹⁾ for the purposes of arrival and departure for the TPS Zemun		66T			31.60		Ц			03.09.	





	əbırtirlA	30		1	T				Π				102.01	102.6	0.404	105,4			107,4		115.3			126,3		134,6		136,4	141,1			148,5			164	5	173,4	167,7			184.0	C(1-01	Π		190,5
	egusg gaibsoL	29	ŽS-I	ZS-1	ZS-I	78-I	1-57	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-1	157 281	1-SZ	2S-1	ŽS-I	ŽS-I	2S-1	2S-1	1-52	ŽS-I	ŽS-I	2S-1	1-57	ŽS-I	ŽS-I	ZS-I	75.1	1-SZ	ŽS-I	ŽS-I	2S-1	1-52	134	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-1 %c 1	157 281	<u>7</u> 8-1	ŽS-I	ŽS-I	ŽS-I
[Nab] earl edt	←	28	4	9	\$		ŧ	4	1	7	s	1	v	9	,	9			e		e			e	╎	4		с I	n (	4	ю	e	1	╈	0	1	4	5		╈	-	•			1
Ruling resistance of	$\rightarrow$	27	-	с ·	-	¢	n	-	4	2	6		v	0 4		4			4		4			s		4		m '	9	•	4	4			٢	•	7	3		T	9	>			1
radient gradient.	Slope	26	4	s	\$		4	4	1	7	S		4	9		9			e		e			e		4		ε,	m c	a	2	2			0	4	4	s			9	>			
·:ra	Incline	25		0	-		0	-	3	6	∞			0 4		4			4		4			S		4		m I	n e		e	e			v		9				9				
[%] u	Gradient of the statio	24	3,5	2,3	0,3	-	C, I	1.1	6,5	7,0			V V	3.0	2	0,0			0,0		1.5			0,0		4,4		0,0	5,0	25	1,0	1,0			0.0	260	5,0	0,0			0.0	25			0,0
sn	ірғ1 өчшә титіпіМ	23	800	200	520	009	200	800	500	950	700	945	1000	8 8	800	500	1000	906	800	88	808	480	400	350	2000	1150	1000	1000	88	350	350	600	200	88	2000	2002	1000	700	1000	10000	1200	2002	700	1500	
	Open for the accepta dispatching of passer operations	8	٩	PÆ	<u>م</u>	4	e e	4	P/F	Р	P/F	1	- A		<u>م</u>	<u>م</u>	Ч	4	ΡÆ	۵, ۵	P/F	ď		PÆ	- a	ΡÆ	<u>م</u>	ΡÆ	٩		<u>م</u>	P/F	<u>م</u> ،	- e	P/F	Ч	P/F	ΡÆ	Ч	a. a	P/F	4	Р	Ч	Ρ/F
apoint e	оссиралсу об зегуіся	21	D	<u>е</u> ;	Þ	1	0	Þ	Ρ	D	Ъ		ρ	4		Ъ.			<u>م</u>		۵			д,		D		Ч		)	þ	Þ			F		Þ	Ρ			۵	•			р.
motte	slq znibsol-bn9\-9bi2	20		s		0	0		s		s		0	2							s			s		s		s				s			s.	2	s	s		Τ	S.	2			s
	Freight car scales	19																																											
חוכ	- əboə triioq əəivrəZ	18	15407	15460	13701	13702	13704	13705	13706	13707	13401	13402	13403	13405	13406	13450	13301	13302	13303	13304	13350	13307		13310	13312	13313	13314	13352	12501	12517	12503	12504	12505	12500	12507	12508	12509	12510	12520	12511	12213	12514	12515	12518	12516
he service point	Manner of securing t	17	-	- •	-	-	-	1	1	1	1		-	-	•	-			-		-		-	-		-		-		•	1	1			-	•	-	1			-	-			-
noitslu	ger officit fo remain	16			with		RC with AB			RC with AB	RC with AB	AB	AB	AB	AB AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	RC with AB RC with AB	with			RC with AB PC with AB	RC with AB	RC with AB	RC with AB	RC with TWT	RC with TWT BC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	with		RC with TWT	RC with TWT
A←8	Tracks for acceptance of the longest trains	15	4	с (	6	•	7	e	3	3	4		v	•		4 and 5			4 and 5		4 and 5			3 and 4		4 and 5	-	6	- ,	4	-	2 and 3		T	2 and 3		3 and 4	2 and 3			3 and 4				4
пойзеніС.	bernintseM train length		656	649	838	202	060	797	642	742	866		610	710		657		+	626		715		$\vdash$	619		620		825	612		677	590		╈	508	+-	601			╈	665	8			738
	longest trains					╈	4	e		3	0	+	-	•		and 3			and 3		and 3			and 6		e		4	V	-	5	\$	+	+	+	+	and 2	and 5		╈	and 3		$\left  \right $		e
потестіол А⇔В	train length Tracks for Tracks of the	1		_	»	_	$\downarrow$					_		_		2		_	2	_	0			S		5 2 and	++	9 3 and	9 2 20	+		6 4 and		+	4 4 and 5	+	-	4		+	0	4		_	$ \downarrow$
	bəttinrısq munixeM		667	651	838	603	8	798	647	746	785			60		530			710		788			702		615	+	-	667	5	677	666			574	5	753	543	0		172	5			744
mumixsM penniffed speed	Right track Left track	_	-	100		100			100			6	8	R	100			8	30	02			120 120	+	30 50		100 30	_	30		50	-							100						-
	Railway line categor	6	D4	D4	D4	64	10	D4	D4	D4	D4	D4	D4		D4	D4	D4	D4	D4	D4	540	D4	D4	5 D	4 0 7	D4	D4	D4	D4	D4	D4	D4	D4	6 7 7	2	D4	D4	D4	D4	D4	1	D4	D4	D4	D4
		-	+	+	+	z z	+	+	-			-	+		+	+	M	-	-+	N N	+		+	-	+	M	++	+		+-	+	$\vdash$	-		+	+	- 1	M	-		+	+	+ +	-	M
	end yewlier to seel.	8	$\left  \right $	+	+	+	+	+	$\vdash$			-	+	+	+	-	$\vdash$	+	-	-	+		-	+	+		$\vdash$	+	+	+		$\vdash$	+	+	+	+				+	+	+	$\left  \right $	-	-
	l Angle/double-track l	2	s	s	+	+	0 0	+		s	s	+			+	Ω	$\vdash$	Ω	+		+			+	+		$\vdash$	+	s o	+	s	$\vdash$	+		+			۵	-		+	+	+	-	
ţ	niog esivies to sqvT	9	-		- (	Ω -	- ~	0	1	1	1	e	ε -		- m	-	3	3	-	m "	n –	3	9	- (	n (1	. –	e	- (	- 1	• m	5	-	en (	n (	)	ŝ	-	1	e	ς, c	n -	• m	9	e	-
	egamica Name of service point		47+748 VLAŠKO POLjE	53+110 MLADENOVAC		62+925 RABROVAC	70+320 RUDALIAN 70+320 RATARE	74+000 GLIBOVAC		85+570 MALA PLANA	90+434 VELIKA PLANA		97+725 NOVO SELO	106+313 LAPOVO VAROŠ			114+100 BRZAN	116+975 MILOŠEVO	120+300 BAGRDAN	126+950 LANISTE 131+306 BUROWAD	135+237 JAGODINA		145+981 OPEN LINE JUNCTION CUPRUA	152+645 PARACIN	163+6/0 DRENOVAC			176+310 STALAC	181+900 STEVANAC 186+4% BP AI #N A	190+400 CEROVO/RAŽANI			199+193 VITKOVAC	2014400 DONJI LJUBES 2034500 CODNIT LTREŠ	205-500 UCMULT HOLES			214+197 ALEKSINAC		218+785 LUZANE			229+309 MEZGRAJA		234+939 TRUPALE
	Distance in km	e	6,240	5,362	6,946	2,869	0770	3,680	4,564	7,006	4,864	3,566	3,725	1109	1.688	1,599	4,500	2,875	3,325	6,650	3.842	5,463	5,281	6,664	2 030	5,000	2,000	2,710	5,590	3.914	1,816	2,723	4,254	2,207	2117	2,383	2,480	3,717	3,271	1,317	0.635	5,245	1,359	3,281	2,349
transport puone	भेत्रहार्ष मि <del>व</del> ्री	5				_								_		881	.60.	£0			-	Γ		1	881	6.5	7296 7578					ή		.06	61.	\$0.I	0			''	88	1°60	.50		1
Date of handover to public	Right track	1				03.00	1884					<del>ر</del> .	E61	S0.	60	11	61.	10.2	5 <b>0</b> a	261.602	D408	á		+	961'9		1984 197	8T		03.09.	1884.			.48	81.	60.8	0			3	866	t:so	67		+

	ebutitlA	30	188,8	0.001	102	194.1	14	T	194			201,6		211,5			217,9	220,0	248,2	207	282.6	297,2	306,9		524,4	c,ccc		346,7	367,5	C11/C	383 0	397.7		427,2	459,2					129,9	148,8	124.6	13.4	L'AY	178.6	157,0
	93us3 3nibso.I	29	ŽS-I	ŽS-I *c 1	7s-1	1-57 ŽS-I	7S-1	78-1	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	2S-I	ŽS-I	ZS-I	ZS-1	2S-1	7s-1	7S-I	ŽS-I	ŽS-I	ŽS-I	ZS-1	1-27	7S-1	ŽS-I	ŽS-I	2S-1	7S.I	75.1	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I			2S-I	75-I	7 2	7S-1	1-SZ	ž8-1	ŽS-I	ŽS-I
[Visb] ənil ədt	→ 1	28 2			0 r	18	180	1	2	-	Ž	- Ž	Ż	2	Ż	Z×	2×	2×	2*	1	ž.	×2	×2×	+	· · ·	1	2	4	2 ×	3 *	~ ~	+	ž	1 Ž	×2	15 Ž		2	+	+	0	10 2	_	2	- 2	+
Zuling fo sonstries of	$\rightarrow$	27 2	+ +	+		0 0	4	+	4	-		5		s	+	-	5	4 1	0 4	>	2	9	~	+	- 1	-	┢	5	+	0	v	+	+	∞	13				$\rightarrow$	m :	+	-	+	-	=	+
	Slope		+ +	r ,	<del>4</del> 4	0 0	>		• 61	0	0	0	-	-	0	0	0			-	ŝ	-	0	4	<b>,</b>	- 0	0	s	ω.	• •	• •	0	0	-	0	13			0	2	0	0	0	>	0	0
Ruling gradient	Incline	25	s	0	0	4 0	4	- ~	4	-	2	1	2	s	2	2	2	4	<b>^</b> 4	5	~	9	5	5	× 1	2	9	6	5	n v	4	e co	~	~	14	1				٥ اک		C			9	
[%] u	Gradient of the station	24	5,48	20 0	2,80	1,04	d'ay		0.71			0,91		2,44			1,71	•	4 21	101	4,04	5,65	3,7	1	0,40	4,13		2,69	4,49	76'0	75	2.09		11,0	1,1			4,9	1	0.0	8,0	0 1	0.0	15	8.7	2,3
sn	viber evrus annaiaiM	23	950	550	202	8	5000	2000	700	0	4000	20000	1900	1000	1600	0	0	2000	2500	300	290	300	300	300	300	026	400	1000	400	400	350	350	450	600	400	300			350	300	867	300	300	3	275	350
	Dean for the acceptar dispatching of passen operations	2	ΡÆ		P/F	17	L 0	-	P/F	٩	Ь	P/F	Ч	Ч	Ч	д.	۹.	Pir-	A A	4	ΡÆ	Ч	Ч	8	AL C		4	ч	P/F	P	D/F	P/F	٩		ΡÆ			Р	4	a. a	- <u>-</u>	- <u>-</u>	-	- <u>-</u>	<u>م</u>	Д
-	Occupancy of service	21	д.	f	2. P	-	2	$^{+}$	۵.			D		Þ	1		Þ	a. ;	5	>	Þ	р	Þ	6	-		t	Þ	Þ	4	۵			D	ь.			Ч	Þ	-	-	E		2	D	D
molte	elq znibeol-bn9\-9bi2	20	s	Ę	NE NE	s.	0		s			s		s			(	s	v	2	SVE			4	n				6	0	ø	s			s							T	T			
	Freight car scales	19			T	Ţ	t	Ţ	F									1								Ţ			1													‡	t	F		F
DIC	J - sbos tritog sorvis?	18	12550	1990.	12221	12302	12304	12303	110011	11002	11003	11004	11005	11006	11007	11009	11008	11050	01011	11012	11013	11014	11015	11029	91011	11018	11030	11019	11020	11022	11023	11024	11025	11026	11027	11028		16103		15602	51251	15604	15605	15606	15607	15608
he service point	Manner of securing th	17	-			-	•		1			1		-			-	-		-	1	-	1	•		-		1		-	-	-		1	-			1	-		-	-	•	•	-	-
noitsIn	Nanner of traffic reg	16	AB	AB with TWT	ABWILLWI	AB RC with AB	RC with AB		with	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	with	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB		RC with AB		RC with AB		RC with AB	RC with AB	RC with AB			RC with AB	with	RC with AB	station distance	ca Plana		AB	AB PCA. AD	PC with AB	RC with AB RC with AB	RC with AB	RC with AB	RC with AB	RC with AB
A←a	edf fo eonstageos longest trains	15	3	•	n -		-	+	e			2 and 3		2		,	- ,	7,	-	,	3	e	5		<i>.</i>	-		2	2	C DUB 7	e			1	e		<ul> <li>Jajinci - Mala Krsna - Velika Plana</li> </ul>	5		4 (	n	C pue	3	2	2	0
Пітеспол.	tracks for Tracks for	4	662	8	488	040 646	2	+	601			623 2		632	┥		759	648	690	3	648	632	708		800	000	┢	653	+	7 0.00	603	603		684	609		ala Krs	702		706	5	801	714		613	603
	longest trains Maximum permitted		6	-	4 v	200	<u>}</u>	+	9			0	_	9	+	-		0	0 4	2	9	9	2	`	0	•	$\vdash$	9	9	Þ	4	0	-	9	9		ici - Mi	2			^	~	-		9	9
пойзетіол А—А	Tacks for acceptance of the		e	•	n -		-		4			2 and		6		'	- '	4	-	•	e		6	_		-		8	_	4	٣			1	ę			4		4 (	$\downarrow$	_	• •	•	-	10
	Maximum permitted train length	12	686	007	490	989	220		600			608		639			723	669	680	100	688	596	700		7/.5	000		651	648	10	618	643		687	610		- Rakovica	702	1	710	643	815	111	1	606	596
permitted - peed	Asert frack	11	0	09				4	50				30	,		50		100	59	2	50		5	30			50			06	,	50		ç	07	2		80		00			65	ł		
mumixeM	Right track	10	ά,	30					0							w ,					4,						4,			0	•	×.				T	(Beograd centar)	~					Ű			
Â	Railway line category	6	D4	D4	4	40	50	D4	D4	D4	D4	D4	D4	D4	D4	D4	5 0	D4	4	1	D4	D4	D4	D4	4	40 D4	D4	D4	D4	5	10	D4	D4	D4	D4	D4	(Beog	D4	D4	50	4	D4	D4	D4	D4	D4
	enil yswliss of sailway line	∞	×	X X	ΣŽ	ΣΣ	Σ	Σ	Z	Σ	М	M	Σ	Σ	X	Σ	Z :	Σ;	ΣŽ	zΣ	Σ	Σ	Σ	Σ;	Ξ.	ΣΣ	Σ	X	Σ.	z >	Z	Σ	Σ	Σ	Σ	Σ	103		Z.	z	ΣΣ	ΣΣ	Σ	Σ	Σ	Σ
eni	i asen-elduob\elgni2	7	s	0	<u>م</u> ،	0 0	0 <b>0</b>	0 vo	s	s	s	s	s	s	s	s	s	<b>2</b>	n u	2 00	s	s	s	s	2	0 00	s	s	s	0 0	2	s	s	s	s	s		s	s	s o	2 0	n v	2 00	2 00	s	s
1	Type of service point	9		12		- 6	4 00	n m	,	e	3	1	Э	-	3	e	5		7	• •	-	0	2	ε,		- 6	e	2		- (*			e	2	-	13		-	9		- 0	m c	4	- 6	0	-
	ioi																																													
	Name of service point	5	RST	JUNCTION POINT 1 - 3 NIŠ	00		IAC	IŠTE	VAC	NE	VAC	STOVAC	LIPOVICA	PEČENJEVCE	ŽIVKOVO	PRIBOJ LESKOVACKI	VINARCI	ESKOVAC	DURDEVO	308+610 PALOISKA ROSULJA	PREDEJANE	DžEP	322+886 MOMIN KAMEN	SELINCE	VLADICIN HAN	SUVA MUKAVA LEPENIČKI MOST	STUBAL	PRIBOJ VRANJSKI	VRANJSKA BANJA	VICTIVE NER ADOVAC	RISTOVAC	373+692 BUJANOVAC	LETOVICA	386+550 BUKAREVAC	LEŠEVO	STATE BORDER		0+706 RAKOVICA	OPEN LINE JUNCTION KI	JAJINCE BELI BOTOV		38	ČIN	27+840 KASAPOVAC	LIPE	36+894 MALA IVANČA
			CRVENI KRS1			BEL OT N	ČAPLANAC	MALOŠ	DOLIEVAC	KOČANE	PUKC	BRE	Гŀ				5	1	a c	-	-				-							l m	Ц	m	Ĕ.			2	ö		86	ZUCE	VRČIN	X		Ž
	egsmisd	4	241+005	242+741	245+585	249+402		257+010		263+261	3 265+854 PUKOVAC	267+942	270+834	275+564	278+831	280+300		287+568	570±102					326+338	166+675	336+135	339+055	341+437	348+015	3614415	2024298					400+452		0+706	3+708	10+916	104210	20+350	24+885			
	Distance in km Chânage			242+741	245+585	2,579 2497402 MIEDUKO 4.484 2534946 RFLOTD				263+261			2,892 270+834 LIP	275+564	278+831	280+300			8,211 295+779 E					326+338	166+675		339+055	341+437	348+015		365+775				5,759 392+309 PF			0+706	3+708	10+916	10+2//	4,073 20+350 ZU 0.892 21+342 ZU	24+885			
h10q2neti public		3	241+005	242+741	245+585	249+402				263+261			270+834	275+564	278+831	280+300			570±102					326+338	166+675	336+135	339+055	341+437	348+015	3614415	2024298					400+452		0+206	3+708	10+916	104210	20+350	24+885			



	əbritlA	30		135,4	1 001	125,4	108.5	98,9	T	83.0		0.2.1	1,00			83,6		92,6	111.4			119,8	126,3	04 06	111	142,2	81,2	5,61	82,1		82.6	0,20			84,73	83,43	83,63	83,83	87,58	110.35	109,93	109,9	T	T
	egusg gnibso.I	29	ŽS-I	ŽS-I	1-57	1-57	ŽS-I	ŽS-I	ŽS-1	1-S7	ŽS-I	ZS-1	7S.I	1-S/	ŽS-I	ŽS-I	ZS-I	7s-1	1-52	1		ŽS-I	72-1		ŽS-I	ŽS-I	2S-1	1-57	ŽS-I	ŽS-I	75.1	1-52	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŻS-I	ZS-I	70 I	1.52	ŽS-I	ŽS-I	ZS-1	2S-1
[Visb] enti edt	←	28	~	6		+	-	4		5			4	+		1		N N	+	+	_		~	$\left  \right $		+	+	2	0		1	-		~	7	2	-	+	+	0 9				4
Zailing fo sonsteiest	$\rightarrow$	27			+								"	2		1	-	+	• •	+		6		┢	10	∞	-		0		y	>	┢		s	-	-	-	+	o vo		61	+	+
radiens guiluA-	Slope	26		∞	-	4	9	4		4			e	0		1		1	t 4	-		•			0	6	13	n	0		٢	-	T	Π	7	0	-	- '	4 4	o vi	61	2	t	
taoihera anilu A	Incline	25		0	+	0	0			0			0			1		4 0		•		∞			10	∞		0	6		Y				S	-	-		-	n vi				
[%] u	Gradient of the statio	24		0,8	0	7	2.0	0,0		0.7			14			0,6		4,0	1,6						5,5	1,0	•	3,0	4,0		0.0	2			0,0	0,0	0,0	0,6	0,5	1.0	0,0	1,0		
sn	Minimum curve radi	23		350	200	8	700	1000		280			700	3		1000		800	200	3					4500	3500	3500	00cl	1200		Sm 5	3			390	5000	5000	6000	2000	5000	20000	20000		
	Open for the accepta dispatching of passer operations	2	Р	<u>а</u> (	2	2	٩.	Ч	ď	ΡÆ	1	a.   a	•	•	۵.	ď	Ч	a. a	P/F			P/F	P/F	2/ Q	<u>م</u>	ď	4	2	٩.		٩	-				٩.	۹.	a	- e	P/F	٩	٩.		
	Occupancy of service	21		٩.	1	-	D	д,	+	٩.			E	>		Ч			2	-		ы,	٩.	٩		Þ	ь:	5	Þ		¢	)	t		D	Þ	Þ	D	a :		Þ	Þ	+	+
molte	Iq znibsol-bn9\-9bi2	20			T					s	Ħ		T	T		s	1		ø	2	Π	s	s	0	0	Π					μ	9	T	Π		Π	1	T	T	s			t	
	Freight car scales	19																		1																				Yes			Ī	
DIC	- sboo trioq soirrisC	18	15616	15609	01001	15612	15613	15614	13509	13551		13502	13503	13508	13510	13504	13505	13506	13401	TOLOT		13351	13310	16502	16801	16802	16805	10200	16807		16808	00001				23302	23303	23304		23404	23407	23409		
the service point	Manner of securing	17		1	-	-	1	1	-		-		-	-		1			-	•	9	9	-	:	: =	11	= :	=	11		11	-			11	11	Ξ	11	11	: :	Ξ	Ξ	T	
noiteIng	Manner of traffic reg	16	RC with AB	RC with AB	MIII N	RC with AB	with	RC with AB	AB	AB AB	with	RC with AB	RC with AB	RC with AB		RC with AB	with	RC with AB		2		station distance	station distance	border - (Kelebra)	RC with TWT		RC with TWT	RC with TWT	RC with TWT	RC with TWT	PC with TWT			RC with TWT	RC with TWT	RC with TWT	RC with TWT		RC with TWT	RC with TWT	RC with TWT	RC with TWT	BC with TWT	RC with TWT
	longest trains				-				+		$\left  \right $		+	+			+		+	- Par	$\square$	+			12	12	4	7	13		4	2	┢	$\square$	12	12	44	4	212	12	4	12	+	+
A←B	Tracks for acceptance of the	15		e	¢	ŋ	ŝ	6		4			0	4		e	'	m c	4	prija		6	4	1 - state	1 and 2	1 and 2		T and Z	2 and 3		4 and 5				1 and 2	1 and 2	3 and 4	3 and 4	4 and 5	1 and 2	3 and 4	1 and 2		
Direction	ttain length	4		619	5	/10	628	586		633	Ħ		\$45	2		610		476	866	a-0		167	892	Subotics	644	694	ţ	747	725		403	8	T	Π	746	738	311	670	532	841	683	876	T	
	longest trains Maximum permitted	-		9	-	0	9	S	_	9	$\left  \right $	+	×	,		9	+	4 v	0 00	, induc	$\square$	4	۲.	1	+	9	+	4	5 7		+	+	╞	H	4	4 7	() ()	9	+	+		8	+	+
пойзейоп А←А	Tracks for acceptance of the direct transf	13		3	•	n	3	6		4			c	4		3		m c	4 0	junction Ćuprija - Ćuprija - Paraćin		3 and 4	S North	NOVI Sad	3 and 4	3 and 4		5 and 4	4 and 5		A and S	+ ann -			3 and 4	3 and 4	1 and 2	1 and 2	2 and 3	3 and 4	1 and 2	3 and 4		
Distant	Maximum permitted train length	12		624	017	017	630	602		629			545	2		608		581	785			240	847	- BV021	566	694	5	747	636		007	424			650	738	311	990	531	904	735	907		
zbeeg	भेठक्षम सेक्षेत्र	11					-	_											-			1		Stara Pa	ş	R I		160	10.0	3	100	8	120	180					200				140	100
mumixeM bəttimnəq	Kight track	10	80	8			100			-	R				100	2				agodina)	50		-	•		3		160	5	-	8	8	-	$\vdash$					8					100
			4	4,	4 -	4 4	4	4	4 -	1 4	4	4 4	1	4	4	4	4	4 4	1 4	73	-	4	4 0	Centar)			4,	_			_	+	+	+	4	4	4	4	_	1 4	4	4	+	
	Railway line categor	9			+	5 D	+		5 D	+-	+	6 6	+-	+			-	5 D	+	+-	⊢	+		grad	D4	+	+	4 C	D4			+	+-	+ +		$\vdash$	+	+	+	5 2	+	$\vdash$	+	D4
	enil yawliar fo scal)	8			+	ΣΣ	+		22	+	++	Z	+	+	M		+	Z	+	+	-	+		(Beog			+	ΣΣ	-		Z Z	+	+	+	M	$\vdash$	+	+	22	+		$\vdash$	+	ΣX
	Single/double-track l	7	s		+	n v	+	-	S O	_	$\vdash$	s o	+	+			+	s o	+	2	⊢	+	S	102	<u>م</u>	$\vdash$	+		Ω			+	+	-	Ω	Ω	D I				Ω	$\vdash$		
;	Type of service point	6	3		n -	- 6	0	1	ε		12	m (1		• m	3	1	с ·			-	9	-	-	-	-	$\vdash$		- 6	-	6	7	- 6	6	6	1	-	-	- '		-	-	- (	6 0	n .
hansport public	Left track Distance in km Chainage Name of service point		x 2,706 39+600 BRESTOVI	1,700	43+10/	4,004 4/7/1/ UMCAKI 4.544 52+315 ŽIVKOVAC	55+219	609+09	5,961 66+570 RALJA SMEDEREVSKA			1,731 71+995 SKOBALj 2,770 74-745 OSED AOMUCA		1.615 77+817	3,600 81+417	1,350 82+767	87+717	2509 90+226 KRNjEV O/TKNOVCE 4.412 04+230 VJET IZ/O OB AČTE					6,920 7+420 PARACIN	Adolati Adata Monda	7,918 42+862 INBIJA	11,170 54+032	8,026	5,724 05+812 SKEMSKI KAKLUVCI 4.400 70+212 KM 70+212 SC	70+870		4,132 /07313 JUNCTION FOUNT 6 NUVESALD #0.210 774010 NOVESAD	79+123	80+684				97+300	5,214 102+514	11,096 113+610	14.013 143+536 BAČKA TOPOLA			108+401	3,023 175+305 BLOK 1 SUBOTICA
of revoluer to	Kight track	1	01.06	1924.											10.12.	1001										10.12	1883.												23.10.1301.					
In ate of	Joert tdai A	-																																				1	4					



	•butitlA.	30	113.62			188,3		T	199		207,2		219,5	235,3		265	C07	267		286,9		514		$\square$	341,6	368.5	C'00C		416,5	T	0 244	0,011						┦			77,0	77,1
	93us3 3nibso.I	29	1-SZ	žS-I	3		ŽS-I	2S-1	72-1 2S-1	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	1-57 % 1	1-52	1-57	žS-1	ŽS-I	ŽS-I	ŽS-1	72-1 * 0 *	1-57	ŽS-I	ŽS-1	75.1	ŢS-1	ŽS-I	ŽS-I	2.5-1	7s-1	1-52 Ž.C.I	1	H	ŽS-I	ŽS-I	ZS-I	ZS-I	1-57	ŽS-I	ŽS-I	ŽS-I
the lime [daV]	←	28	6	0	+	$\vdash$			4		-	~~		•			•			•	~~~	•						~~	-		+		+		•		10	+	0	1		2
Ruling fo sonstaires	$\rightarrow$	27	9	~ ~	•	Π			9		4		s	~		5	-	2	1	9		-			7	r	-		8	Τ	5	3 5	4		•		4		-	1	7	•
	slope	26	~	0	a		0	0	0 5	0	-	0	-	0	•	0 0	0	0	0	0	0	0		0	0		<b>4</b>	0	-		0 v		>		4		~		0	1	7	
fraiberg guiluA	Incline	25	9	000	•	$\square$	61	4	0 0	0	4	9	s	ŝ	<b>n</b> •	0 4	0	m	s	4	9	0	<b>0</b> m	ŝ	s t	- 4	o 4	9	~	0	9	2 =	-		0		e		-	1	5	0
[%] u	Gradient of the statio	24	1.3		1				2.2		2,5			3,09		0.0	25	0.0	2	4,9	0	0,0			6,4	8 0	0,0		8,5	T	0.6	<u>,                                    </u>	1	0,0				T			0,0	0,45
st	півьт эνтир типипіліМ	23	300	300	3		300	200	2000	3000	1000	310	300	300	88	805	450	500	600	497	350	300	400	600	495	800	550	0	3000	00/	200	8.8	30		300	600		200	800			600
gers/freight	dispatching of passen operations	8	<u>т</u> д			ΡÆ	,	Ъ	ч		ч	٩.	д,	٩.	4	2 0	-		Ч	٩.	<u>م</u>	-	<u>م</u> م	ч.	Ч	D/E	E d	Р	д,	- e	L L	I.I.		٩.	ч.	Р	д,	<u>م</u>	<u>م</u> د	Ч	P/F	P/F
	Open for the accepta	_	_	╞	4	Щ		+	_			$\dashv$	_	+	_	_	╀					+	+	$\square$	+	_	_			+	_	+	4				+	+				_
tuiod :	occupancy of service	21	2 0	•	4	A.		+	4		٩.	$\rightarrow$	Þ	٩.	_	4	-		-	٩.	"	2	_		4	0	-		Þ	+	P		4	4		Ч.	Ч	4	-	Ч	Ч	٩.
moth	slq znibsol-bn9\-9bi2		щ	1		SE																				0	2		S		E S											S
	Freight car scales	19	Yes			Ш																									V.v.	3									Yes	
DIC	J - əbos trioq əsivis2	18	23450 23450	23499		12551		12401	12402		12404	12405	12406	12407	12408	12410	12426	12411	12412	12413	12414	12415	12417	12427	12418	12420	12421	12422	12423	12424	12425	12408	12420	16052	16053	16054	16013	16016	16006	16007	22001	21001
he service point	Manner of securing t	$\rightarrow$	= =	:					1		1	$\rightarrow$	-	∞		×	•	~	+	9	$\vdash$	~			∞	4	>		9		4	+					-		-	1		4
noitein	जुना अप्रैत प्रतित रक्ष	16	RC with TWT				AB	AB	AB	AB	AB	station distance	station distance	station distance	station distance	station distance station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	- (Stamora Moravita)		AB with TWT	AB with TWT	AB with TWT	AB	AB	AB	AB	station distance
	acceptance of the longest trains	15	and 2 and 2		- state border - (Dragoman)	3		1	3		4			2		and 3	CDI	and 3		5	5	and 5	t	Ħ	and 3	and 3	Chin		and 3	╈		4	border - (S	3				,	7	7	4 and 5	2 and 3
B→A	Tracks for		13	-	Drag	Ц		$\perp$				$ \downarrow$		$\perp$		0	4	2 8				2 3			2 a	°	4		2 a	$\perp$			por				$\downarrow$				4 8	2 a
Direction	Maximum permitted train length	14	815		- T	488			600		600			524		603	200	614		791		713			624	109	170		626		110	111	state	400				5	160	594	800	471
	longest trains	+	+	⊢	plog	$\vdash$	$\vdash$	+	+	┢		+	+	+	+			6	-		$\vdash$	5	+	$\left  \right $	+	~		$\left  \right $	m	+	+	+	Sac.	0		+	+	+		+		_
		13	1 and 2 1 and 2		tate 1	e			ŝ		4			2		pue	ann.	and		0		and			2 and 3	pue	ann.		and		c	4	- N	8 and 10				•	n	3	4 and	2 and 3
А→В Direction	Tracks for	•														ć		5				2			5	ć	ă.		6				mica	8 a							4	õ
	Maximum permitted tisin length	12	800 404		06 Niš - Dimitrovgrad	490			600		599			524		503	200	614		161		713			624	404	170		626		010	/10	<ul> <li>Pančevo glavna stanica - Vršac - state</li> </ul>	364				200	160	673	810	471
sbeeq beunifted	Asst fisJ	Ξ	100	200	S-Dim											30	2												50			80	čevo g		Ş	3		20		8	100	50
munixeM	Kight track	10	100	200	06 Ni																														8	02			100			- /
A	Railway line category	6	D4	D4	5		D3	D3	D3	D3	D3	D3	D3	D3	ñ	3	6 6	D3	D3	D3	D3	50	5 D3	D3	D3	3	D3	D3	D3	50	D3	2			D4	D4	D4	D4	40 104	D4	D4	D4
	enil yewlier fo scelD	∞ ;	Z Z	Z			M)	×	ΣΣ	Σ	M	X	Σ	≥;	Ξ,	Z Z	×	Σ	M	×	Σ;	Ξ;	ΣΣ	M	X X	Z Z	X	M	X	Ξ;	Z Z	Z X	Beograd	6	Σ	Μ	Z	≥ 2	≅ ≥	W	M	Σ
eui	l Aberdevel and the set of the se	-			1		s	s	s s	s	s	s	s	s	~ v	2 V	2 ×	s	s	s	s	2	n s	s	s	0 0	o s	s	s	n a	s	2 0			Ω	D	D I			D	D	s
	Type of service point	9.		13		_	12	<u>е</u>	n -	e		e	2		n (	0 0	4 m		6	-	en (		n m	6	0 0	n -	- 6	e		<u>n</u> (		- *	5	-	~	3	-		1 0		-	-
	······	-		-			_																									-								-		-
	Name of service point		175+781 SUBOTICA TERETNA 176+550 SUBOTICA	184+635 STATE BORDER		41 NIŠ	0+736 JUNCTION POINT 4 NIŠ	1+766 PALILULSKA RAMPA	3+400 VOINA BOLNICA 5+461 ČELE KULA	6+200 EI NIŠ		00 PROSEK	17+148 SIĆE VO	09 OSTROVICA	25+759 MAJDAN USTKUVICA	231-2000 [KALDUV DOL 31-700 [DOI: AC	31+700 DOLAC 34+300 CR VENI BREG	26 CR VENA REKA	39+680 BELANOVAC	44+912 BELA PALANKA	48+500 CRKVICA	53+500 CIFLIK	20+800 SINJAC 58+800 PURDEVO POLIE	00 CR VENČEVO	17 STANIČENJE	0(+500 SOFUL	76+900 BOŽURAT	00 VELIKI JOVANOVAC		00 CINIGLAVCI	92+700 SRECKOVAC 07±433 DIMITEOVICE AD	717425 DUMLING VUNAU 1034930 STATE RORDER		0+000 BEOGRAD CENTAR	32 KARAĐORĐEV PARK	00 VUKOV SPOMENIK	4+688 PANCEVACKI MOST	00 KRNJACA MOST	8+120 KKNJACA 9+981 SFRFŠ	92 OVČA	20+200 PANČEVO GLAVNA	18+206 PANČEVO VAROŠ
	өѯѕш́ѕdЭ					0+241																										-		0 <del>1</del> 0								
	Distance in km	с ,	0,476	8.085	\$		0,495	1,030	1,634 2,061	0,739	4,300	4,200	2,448	5,361	1,250	2,741 2,700	2,600	2,126	3,254	5,232	3,588	2,000	2,000	3,100	1,917	5,635	3.965	4,800	4,493	4,307	2,200	6 507	3		1,232	1,568	1,888	2,412	1,020	2,51	*7,631	*3,007
public transport	Asa track	2										01.06	1887.									_			:	1887				_				.59	61	20.8	7					11.10.1935.
Date of Dandover to	Right track	-										10	18												-	- 2	2							·63	61	S0.8	7	-28	61	11.1	I	11.10



	obstitlA	30	104.0	146.0	120,0	95.4	01.7	0//0		102,3	820	104.3	1711		153,3		117,9	0.00	000	108.5		110.9	123,6	14.4	6	Γ	186,4	264		1.00	1	487.1	411.9		352,1			311.6			Π		0.000	401
	agusg guibeo.I	29	28-1	757	ž	Z i	d a	ā Z	75	ž	Ā	ſ	757	127	727	72	Ā	Ta a	1	4	25-1	28-1	ž	d i	ā Z	757	287	Ţ.	1	1	12	1	757	72	72	75	75	125-1	12	1-52	12	12	37	12H
[Vab] onit off	←	8	9	e4	П	*	,	~		4	n	L		Ē	a,		9	•	n .	n vi		-	m		•	t	-	•	İ	•	•	16	16		0			98			4		1	• •
Snilus	$\rightarrow$	27	6		n	n.	`	0		5	m		12		9		٠	•	•	n 10		4	4	t	-		80	17	2	9	1	10	-		•						-		*	13
Ruling gradient	Slope		en.	$\rightarrow$	+	90	'		$\vdash$	*	ŝ	┝	0		-	4	90	+	• •	n et		-	e4	•	-	╞	-	0	_		_	8	_		80		4	9	-		•	+	+	0
	anilani	5	00 31		524	m rij t	3	020	00	5	30		2.5 11	$\vdash$	16	_	0		0 4	* *	Н	1 3	4	e	-	╞	3 7		_	01 07	4	1	0	┝	5	+	+	7.5 0		$\vdash$	*	+	_	13 11
[%] D	oitete alt lo insiberD	24	1		$\perp$					Ц	1	F				4	-					-	-			╞	~	-			4	_			ē		4				Ц	+		
st	Minimum curve radii	23	300	500	8	88	80	88	200	200	1905	L	8		400		<u>6</u>	2	64	19		500	49	\$	8		600	30	2	38	5	30	30		500			200			Ц		\$	400
	dispatching of passes anoinense	ន	ł.	ł:	Ł	o. 6	. 1	ŧ.		a.			k	<u>0</u> ,	<u>o.</u>	<b>n</b> ,	ł.	. 8	t B	t it		ł	Ł	n.	ŧ.	۵.	di la	<b>6.</b>	n.	È e		k	Ł	<u>o.</u>	<u>e.</u>	<b>6.</b>	<b>a.</b>	法		<u>o.</u>	È:	o. e	- 8	i de
	Occupancy of service Open for the accepta	-	F	D	n. 1	-	-		+	۵.	+	6		$\vdash$	-	+		+		L F	Η	F	-		-	╞	•	_	+			-	۵.	┝	-	+	+	0.	⊢	$\vdash$	5	+	╞	) @.
	id suiteol-brok-obil		H	+	50	10		0	┢	5	+		⊢	$\vdash$	-	┥	- 8		0 0		Н		8		0	┢		-	ľ			-	90	┢	-		┥		+	$\vdash$	-	+	f	S/E
	Freight car scales				-		Ŧ		┢	Yess	+	F		┢	Η	┥	-	f		-	Н	-		f		┢	-	H	+	╉	╀	┢		┝	Η	+	┥	ž		$\vdash$	H	+	+	00
	-	Η	2	2	2	2 3	2 5				2	-		32	6	켯	2	8 5	2.9	2 2	Η	3	=	-	3 3	2	51	10	-	2 2	2 2	2	8	6	2	2	2			=	2	1		1
nic	- abco triog soivies	81	2100	21003	21004	21005	200012	21008		21009	2100	16.01	15.20	15202	1520	15204	15205	00201	10201	15209		15260	152	15212	1521	1521	1525	1510	15112	16102	15104	15105	15106	15109	15107	15116	15113	15150		1311	15110	15114	CII CI	15151
Iniog solvine ad	Manner of securing t	17	r.	5	en e	90 O	•		$\mathbf{T}$	5	1	-	-		1		-		-	-		-	-		-	t	1		•		•	-	-	$\vdash$	Ţ			-	-			+	-	-
ពល់អង្គែ	אמונוגני ואנוואני אינואני	16	station distance	station distance		station distance	SUCCE OF COMPACT OF CO	station distance	station distance	station distance	Station distance	a good rugs)	BC with ritrino distance	BC with station distance	RC with station distance	RC with station distance		RC with region distance	RC with this of states			RC with station distance	BC with station distance	BC with station distance	SC with station distance SC with station distance	RC with station distance	RC with station distance	BC with station distance	1	BC WEB SHIRE GROUP OF	AC with environ distance	RC with station distance	RC with station distance	RC with station distance	RC with retrice distance	RC with station distance	RC with ritrice distance	BC vith station distance	BC with station distance	RC with station distance	BC with station distance		RC with this of datasets	RC with a fution distance
	anian tengool		13	*	*	5	1	2	┢	5	-		Г	$\vdash$	-	-	-	+			-	-	-	+		-	-		+	+		-	⊢	$\vdash$	-	-	┥		⊢	-	H	+	+	-
Direction A←B	Tracks for Tracks for	15	2 and		m I	2 md	╈	7 000 7		4 and	mice - enter houries		1	$\vdash$	e		~	*	2 4			খ	m	1		Ļ	4	~	ŕ	n 0		m	0	$\vdash$	۳ ۱		4	55	$\vdash$		3	_	_	s 🐔
	Maximum permitted train length	크	8	8	2	8		8		8		e e	505		82		ŝ	1	ŝ	88		682	8	100	8		<b>98</b>	8		83	ŧ	555	ž		8			3495			8		8	8
	aniat tergeo		43	44	14	13	1		Γ	45	1			Γ		T		T			Γ			Τ		Γ			T					Γ					Γ		Π	T	T	
B⊷A	Tracks for Tracks for	<u>а</u>	2 804	3 and 4		2	4	1		4	- 10th		-		Υ.		~	ľ				4	(7)				4	~	ľ	1		<b>~</b>	9		~			85			en		ſ	
Direction	Maximum permitted Maximum permitted	21	663	836	743	662	111	8		640	3	8	204		771		572	100	160	601		649	538	100	866		596	550		800	2	554	544		551			292p 647f			554		144	558
poods	sizera fita.l	=				_							_							Ι.	_												~								0	,		_
Maximum	પ્રેટલ્વા મહિદેવિ	10	Ĺ	_	_	08	6				Summer Barnets		20			;		00	<	1	66		_	001	3			L.	_				50	-	_	_	_			-	100	-	_	90
	Railway line category	•	ß	8	8	88	3	38	8	8	M D2		Z	Z	Z	Z	Z i	82	82	5 2	Z	Z	đ	82	32	Z	Z	Z	8	\$ 2	52	Z	Z	Z	Z	Z	Z	2	Z	Z	R	25	52	52
	Class of nailway line	00	W	M	X	X	8	8 >	N	M			Χ	W	M	N	X)	2	82	8 8	M	W	N	X	8 2	X	M	N	Χ,	8 2	8 2	N	N	N	M	X	X	M	N	M	M	N	8 2	M
) Sei	l shert-oldurable-track l	7	60	90	8	<b>1</b> 2	0	0 00	0	80	10 S	8	95	80	8	50	0	0	0	0 90	90	60	80	<b>1</b> 0	0 00	00	s	60	00	0 0	0 W	90	90	90	00	8	8	99	<b>9</b> 0	8	90	<b>9</b> 0 0	0 0	s o
1	mioq azivras lo aqvī	9		-		- •	•	- 01	9	-	2	-	-	~	e4	0	C4 (	n -		-	æ	-	-	-		m	1	<b>C</b> 1	m •	• •	4 67	-	-	~	1	m	m	-	12	en	e4	en e	-	1
	Chainage Name of generation point	4 5				59-041 BANATSKI KARLOVAC		254300 VLABOV AC	81+757 OPEN LINE JUNCTION A ULAMA	82+833 VRSAC	98+3 14 STATE BORDER	NUCCESSION NO. OF A DESCRIPTION OF A DES				_	VELIKI BORAK	_	30-027 St IPOURVAC	_				GH-900 MLADEVO	074124 DIVCI 694243 LUIKAVACKOLUBARSKI			_	91+600 LESKOVICE	PETURE LADITON	_	-		-		-	135+800 GLUMAC	140+787 POŽEGA				151+500 ZLAKUSA	124-200 BURUYICKA KAMIYA 146-014 SEVORAO	161+900 UZDCE TERETNA
												F													2,089 0					-											1 1			
	mil ni consteid	m	15,8	11,848	7,699	5,207		4,963	6.4	1,056	15,461		7.212	4,568	3,503	2	5,194	4,044	2,889	8,124	1.5	5,700	6,332	4,918	100	4,457	4,024	6.9	7,030	2,000	10076	3.6	7,529	4,519	6,442	3,5	2,200	4,987	1.7	3,11	3,662	2,238		4,926
public public transport	ilashi madik Left madik	1	26.08	1896.			08.12	1894			20.07.18.58			29.11	1958		T	29.11	1958.		107.07	1200		10.00	1968											25.07.	1972							
To sted											11																																_	





	əbrririlA	30	418,4	520,5		631	100	784		612,5		531,5	390.3			447,7	152.7	7,001	1	505.2	561,5	553,7		Τ	109		129,5			153.0	171,6		200,1	236,5		241,9	239	216		210,3		187,7	Π	202,4
		_			- ·	7 -			-		_	_	+	_			-		7 5				7	┝	7	-	-	-				7	_		-	-	7	-	_	_				$\square$
נווה וחוב [מאוע]	egueg gnibeo.I		ŽS-1	ŽS-I	ZS-	-57 *01	-3×	+	ŽS	8 ŽS-I	$\rightarrow$	7c 1	+	ŽS-1	ŽS-I	2S-1	-57 -	+	+	2S-	ŽS-I	$\vdash$	ZS-I		ŽS-I	ŽS-I	SI &	1-5-1 % I	že l		ŽS-1	ŽS-I	ŽS-I	ZS-J	_	+	+	_	+	$\rightarrow$	+	-S-	ŽS-1	ŽS-I
resistance of [Mab] and fine	→	27 28	- 18	- 18	+	9	9 81 9 81	16 2		- 18	-	- 10	11			8	v	+	+	10 1	•	$\vdash$	8	┝	3		•	+	+	10 4	-		•	•	-	+	+	3 9	+	3	-	»	⊢	∞
anilnA	elope		0 1	0	+	-	+	+		17	-	10	12			~ e		+	-	-	5 0	$\vdash$	~	┝	6	$\vdash$	0	+	+	3	-		+	0	-	_	$\rightarrow$	80	$\rightarrow$	4	_	-	⊢	~
Ruling gradient	anilan		16	17	+	6	+	+		0	+	0	0			~	4	+	•	10	6	$\vdash$	~	$\vdash$	0	$\vdash$	s	+	+	~	+		$\rightarrow$	10	-	_	e		+	61		•	┝┤	2
[%] uc	Gradient of the static	24	2,5	2,3		4	3	2		2,5	'	7	0			1,5	4	3	C, I	1.5	2	0	1	F	2,4		3,2	T	T	7.1	2,0		4,3	7,0	1	4,2	2,4	2,0		4,5		1,8	Π	1,0
sni	ibs1 əv1u2 muminiM	23	400	350		400	P+	400		300		300	300			300	350	400	9 <del>1</del>	350	400	400			250		550			550	550		300	300		300	375	300		300		300		290
	Open for the accepta dispatching of passer operations	а	Ρ	Ь	<u>م</u> ،	200	D/F	- L	Р	Ч	1	م ۵	ΡÆ	Р	Р	ΡÆ	a 0	DA	P P	- A	Ь	Р		Ч	P/F	Ь	a ,	2 0			Ρ/F	Р	ΡÆ	Ь	Р	ΡÆ	Ч	ΡÆ	Р	ΡÆ	Ч	P.F.	P	ΡÆ
-	Occupancy of servic	21	Ρ	Þ	+	1		Þ		þ		Þ	р.			Þ	E	- 0	4	Þ	D	д,	+	<u>д</u>	р.		Þ	$\dagger$	╈	Þ	<u>L</u>		<u>n</u> ,	Þ	-	<u>n</u>	D	۵.	+	D	(	a.,	$\square$	<u>6</u> ,
molte	lq znibeol-bn9\-9bi2	20				T	T	T					s			T		v	2						s		T	T	T	T	s		s	s	-	s	s	s		s	(	s	Π	s
	Freight car scales	19				T												T										T	T															
DIC	- əboə triioq əəiviə2	18	15153	15701	15716	11/11	15703	15704	15705	15706	15721	15707	15708	15722	15709	15710	15718	11/01	15719	15713	15714	15715	15723	13450	13201	13202	13203	13204	12206	13207	13250	13209	13210	13211	13212	13213	13214	13215	13221	13216	13217	13218	13220	13251
the service point	Manner of securing t	17	1	-		-	-	-		1		-	1			-	-		-	1	1	1		1	8		~			~	9		~	8	(	~	*	-		*	•	~		4
noiteluț	Manner of traffic reg	16	RC with station distance		RC with station distance	RC with station distance	with station	with station	RC with station distance	RC with station distance	with station	RC with station distance	RC with station distance	with station		RC with station distance	RC with station distance PC with station distance	RC with station distance	RC with station distance RC with station distance	RC with station distance	RC with station distance	RC with station distance	Vacous Dafa - Danard Indexets - and barder - (Valtered)		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance station distance	station distance	station distance
	scceptance of the ongest trains	15	1 R	1 8	~	~ ~		$\uparrow$	2	2 R	~	-	4	×	×	3		t	+	3	1 8	3	A at the	5 and 6	2		e	+		6	e		2	2	,	2	2	e	+	2	,	7		4
Direction B→A	racks for Tracks for	4	346	547	+	\$20	486	2 2		536	-	572	553			549	207	100	2	552	696	544		563 5			2	+	+	734	844		558	632	-	614	620	566	+	597		746	+	738
	Maximum permitted	-	3	ŝ	_	ù	9.4	531		ŝ	_	ò	ŝ			ŝ	2	ñ ¥	Ŧ	ŝ	6	ŝ		5	3		2	+	_	2	ò		ŝ	8		9	8	Š	$\downarrow$	ŝ	'	2	$\square$	7
а⊷А	Tracks for seceptance of the longest trains		1	-		¢	n (r	n m		2		-	4			e	"	n v	0	e	-	3	lia - Dar	2 and 3	2		m			m	e		6	2	•	2	61	e	1	6	•	7		4
-Direction	Maximum permitted digner length		353	545		620	486	531		550		574	551			551	207	105	664	553	738	547	Do Do	530	660		722			734	844		558	632		614	620	591	1	597		746		738
penniffed - peed	Asat fisi	11			50			70		20	,				30						20				60			001	2									40	,					
mumixeM	Kight track	10			ŝ			6		4	,				б						0		daXa I - o		0			1	1									4						
Â	Railway line categor	6	D4	D4	D4	25	5 2	5 P	D4	D4	D4	64 2	04	D4	D4	D4	6 7	5 2	4 7	D4	D4	D4	M D4		ខ	ខ	8	38	3 8	3 8	ខ	ខ	ខ	8	ខ	ខ	ខ	ខ	ខ	ខ	ខ	38	3 13	ខ
F	enil yewlier to scelO	∞	Μ	M	Σ;	Σ	Σ	X	Σ	M	Σ	Z X	Σ	M	Μ	X	ΣZ	X X	ΣΣ	Σ	Μ	Σ	Z s		Μ	M	Σ;	Σ	X X	Z	Σ	M	Σ	Σ	Σ	Σ	Σ	Σ	Σ	Σ	Σ.	ΣΣ	W	Μ
hine	l Abert-elduob\elgni?	7	s	s	s	2 0	0 00	s	s	s	s	s	o s	s	s	s	s v		0 00	s	-												_	_		-	s		s	s	s	s s	S	s
ţ	Type of service poin	9	1	6	<b>m</b> (	n c	4 -				-+	+	+				s s	۳ <b>۳</b>	~	1	S	S	s 1	1	S	s	s	0	0	2 00	S	S	s	s	s	S		S			+	- ~	3	_
				-	-	+		-	e	3	ŝ	0 0	n –	С	ю	+	5 -		- 6	+	2	$\vdash$	13 S	1	1 S	3 S	+	n 0	+	+	1 S	3 S	1	+	3	1 8	-		с. С	1	ε,	—	+	$\square$
	essainsee Service point Service point		163+881 UŽICE		173+400 RISTANOVICA POLJE	1/0+000 IKIPKUVA 1784360 STIÖTA	BRANEŠCI	193+320 ZLATIBOR	LATIBORSKA	JABLANICA	GOLEŠ	214+832 STRPCI 2 210+500 DA/YA 2				NA LIMU	+	TERETNA		0	BRODAREVO 2	1	-12	0+666 LAPOVO 1	BATOČINA 1	GRADAC 3		+	CVETOEVAC 3		-	ZAVOD 3	1	A 1	VUCKOVICA 3			GUBEREVAC 1	2D0	VITKOVAC		73+955 VITANOVAC 79+100 ŠTIMARICE	81+900 SIRČA	84+744 KRALjEVO
		4		170+644	173+400		1/67320/2021CA 1854225 BRANEŠCI		200+300 RIBNICA ZLATIBORSKA	205+407 JABLANICA	211+600 GOLEŠ	I	225+290 PRIBOJ	228+300 POLJICE	232+800 PRIBOJSKA BANJA	241+278 BISTRICA NA LIMU	- n	2524010 FINDEPOLIE	250+600 [FULEPULJE LENETINA 250+600 [VELJKA ŽITPA 3	264+641 LUČICE 2	BRODAREVO 2	285+193 VRBNICA 1	13	LAPOVO	BATOČINA 1	8+300 GRADAC 3	12+284 BADN E VAC	15+800 KESNIK KKAG UJEVACKI 5 10-461 MITATOVAC		22+335 JOVANOVAC	KRAGUJEVAC 1	31+300 ZAVOD 3	34+100 GROŚNICA 1	39+551 DRAGOBRACA	44+600 VUCKOVICA 3	47+586 KNIC	53+474 GRUŽA 1		62+100 TOMIĆA BRDO 3	66+335 VITKOVAC	70+081 MILA VCICI	3,834 73+935 VITANOVAC 5 165 79+100 ŠTIMARICE		
uarsport public	93stristJ	3 4	163+881	170+644	173+400	1/0+1000   IKIPKOVA	6.875 1854-275 RR ANFŠCI		200+300 RIBNICA ZLATIBORSKA	205+407 JABLANICA	211+600 GOLEŠ	214+832 STRPCI 210+600 BAAAA	225+290 PRIBOJ	228+300 POLJICE	232+800 PRIBOJSKA BANJA	241+278 BISTRICA NA LIMU	246+300 D2UROVO 3 242+414 DDTEDOLTE	3.340 3554856 DRIEDOLIS TEDETNA	3,240 2237830 FKUEPOUJE LENETINA 1 3.744 2594600 VELTKA ŽTIPA 3	264+641 LUČICE 2	273+329 BRODAREVO 2	285+193 VRBNICA 1	287+438 STATE BORDER 13	LAPOVO	3+405 BATOČINA 1	8+300 GRADAC 3	12+284 BADN E VAC	5,216 15+800 RESNIK KRAG UJEVACKI 3 2,651 10-1461 MIT A TOVVAC	1674-01 [MILATOVAC 3	22+335 JOVANOVAC	28+829 KRAGUJEVAC	31+300 ZAVOD 3	34+100 GROŚNICA	39+551 DRAGOBRACA	44+600 VUCKOVICA 3	47+586 KNIC	5,888 53+474 GRUŽA 1	7,124 60+598 GUBEREVAC 1	62+100 TOMIĆA BRDO 3	66+335 VITKOVAC	70+081 MILA VCICI			

	əbırtirlA	30		2/1,4	233.4	262,7	304,2		343,1	379.8		393		406,3	416.5				441	454	+0+		470		491	496,6		497	03.7	85.1	85,3		86,6	88.2	89.8	119,6	118,3	124,6	124,7	127	119.3	113,2
	93us3 2nibso.L	29	2S-1	1-C2-1	1-57	ŽS-I	ŽS-I	2S-1	ZS-1	1-S7	ŽS-I	ŽS-I	2S-I	ZS-1	1.5%	ŽS-I	ŽS-I	ŽS-I	2S-1	1-02	1-52	ŽS-I	ŽS-I	ŽS-I	1-57	ŽS-I	ŽS-I	1.5-1		ŽS-I	ŽS-I	ŽS-I	ZS-1	1-57	1-SZ	ŽS-I	ŽS-I	ŽS-I	ŽS-1	1-52	ŽS-I	ŽS-I
[Visb] sail sdf	←	28			5	- 2	9				-	~		0 0	2 4 4		~	~	-	× «	+		4 2		2 4		~ ×		$\vdash$	5	1 2	~	1 2	0 50	-	1 2	5 2	2	4	200	+	6 2
Ruling resistance of	$\rightarrow$	27	~	0	s	8	6	(	~	~	s	s	-	0	9	,		-	~	•	•		∞	,	- 5	4	$\square$					-		n ye	) m	6	e		4	e	, ,	e
	Slope	26	<	>	e	0			0	0	0	0	,	-	e				0	¢	4	$\square$	-			0				S				n v			s		4	e	, ,	9
tneiberg gniluA	Incline	25	4	0	s	6	2	,	9	5	4	4		4	4	·			9	Y	•		s	•	0 4	. 60				0	-		m •	9	) m	6	ю		4	e	5	e
[%] u	Gradient of the statio	24		0,4	0.8	6,7	1,0	1	7,0	4.1		2,2		0,4	4.8				0,0	0.0	0,0		0,0	4	0.0	0,0				0.2	0,2		0,0	t'n	0.9	0,0	1,3		2,5	2.5	2	1,0
sn	йығт өттир тағатайМ	23	000	900	300	300	250		300	270	300	250		300	300	300			300	300	000		300	000	300	300		300		3000	2000		2000	1090	006	3000	3000	1900				610
	Open for the acceptation dispatching of passen operations	8		1		Ч	ፈ	٩,	PÆ	PÆ	ΡÆ	P/F	٩.	Pit	P/F		Ч	٩	P/F	7 2/0	2		P/F	۹.	P/F	ΡÆ	4	4		ΡÆ	Ч		P/F	P/F	4	. <mark>с</mark>	ΡÆ		ΡÆ	ЪÆ		P/F
anioq s	Occupancy of service	21	P	7	H	D	Þ	1	4	۵.	H	д,		a.	F				٩.	٩	4		۵.	;		<b>d</b>	;	>		р.	Þ		H 0	4 0	- a	Þ	۵.		Þ	٩	•	٩.
motte	slq znibsol-bnə\-əbiZ	20	0	0				(	s	s				s	ø					0	0		s	4	n v	s				s	Π			S/E	i	Π	Π		T	T		S/E
	Freight car scales	19		t																	t													Yes					1			
חוכ	- əboə taioq əəiviə2	18	10101	10171	12103	12104	_	12116	12106	12107	12108	12109	12110	12111	12113		12117	12114	12001	12002	12021	12004	12005	12019	12007	12008		12022	25471	25470	25501		25502	25550	24401	24403	24404	24405	24406	24407	24409	23450
he service point	d gaimoer of securing t	17	٩	ø	4	4	e	•	2	~	e	8		s	×	,			-	-	-		-	,		10		10		-	s		s v	0 4	ŝ	s	s		s	v	\$	4
noitelu	Manner of traffic reg	16	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance station distance	station distance	station distance	station distance		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance station distance	station distance	station distance
	longest trains		+	+	+	$\vdash$	$\left  \right $	+	+				+	+	+	+		+	+	+	╀	+	$\left  \right $	+	+	$\vdash$		-		14	13		613	14		13	14		13	ç		13
B→A	Tracks for acceptance of the	15	ſ	n	2	0	~	ľ	6	ŝ	-	2	'	7	0				61	e	0		ę	•	ν –	-		(Indeed)		3 and 4	2 and		2 and 3	3 and 4	2 and 3	2 and 3	3 and 4		2 and 3	2 and 3		2 and 3
Direction	Maximum permitted trisin length	14	107	100	727	630	658		586	644	1005	576		677	638				473	570	610		576		545	640				732	573		511	505	524	522	506		617	733	2	594
	longest trains		+	+	+			+	+		-		+	+	+	+		+	+	~	0	+	$\left  \right $	+	+	$\vdash$	+		rate De	4	3			+	+	0	4		3	e	<u>,</u>	
А→В	Tracks for acceptance of the	13	¢	°.	2	2	2	ľ	2	ŝ	-	2	'	7	0				7	ban C	7 ann		9	•	<u>ہ</u> –	-			- 0A	3 and	2 and		2 and	3 and 4	2 and	2 and	3 and		2 and	2 and		2 and 3
Ділесцов	ttain length	12	5	100	727	630	658		586	644	1005	576		657	638				479	610	610		587	-	551	630	-	137 1 140 Bonointo 4040 hordor	20goc	730	513		488	202	524	522	525		617	716		594
pəəds	Left track Maximum permitted	11									-	~				1			-											-												
mumixeM bənimıəq	Right track	_					40 (50)							50 (60)								50					2	10 Subation	IN SUR	30 (40)						40 /SU	40 () 0 <del>1</del>					
<u>۸</u>	Railway line categor	6	ខ	3 8	3 ប	ខ	ខ	ខ	88	3 8	ខ	ខ	ខ	38	3 8	8	ខ	ខ	82	2	36	D3	D3	D3	50 D3	D3	D3	D3	-	ខ	D3	D3	D3	36	D3	D3	D3	D3	D3	D3	200	D3
	Olass of railway line			+	E N		$\vdash$	+	+	Z Z	$\square$	+	+	+		+ +			+	+		+		-			$\vdash$	W	$\vdash$	M	$\left  \right $	-	N X	+	+		+	M	-		+	
	Single/double-track l		+	+	0 00		$\vdash$	+	s o	+	$\left  \right $		+	+	0 0	+	-		+	0 0	+	+	$\vdash$	+	n v			~	$\vdash$	s	s	+	s o	+	+		$\left  \right $	s	+	s s	+	
			_	+	+	-	•	<b>.</b>	+	+	$\square$	<b>v</b> 2	+	+	+	13	-		+	+	+	+	· · ·	-	+		12			_		+			-	<b>9</b> 2	<b>•</b> 1		-		+	~
•	Type of service point	9	- 12		. –	2	_			<u> </u>	∞	-	3		n	1	e	3	- (	· ·	- (*)	n (n	-	е ·	~ ~	-	1	_	13	-	-	9			-	-	-	3	- (	<u> </u>	• en	-
	Name of service point			93-1913 MATAKUSNA BANJA 02-1400 pp.0.00011104	9/14400 PROGORELICA 00+899 BOGUTOV AČKA BANIA			+600 PUSTO POLJE	127+293 USCE	100 LOZAO H23 JOŠANIČKA BANIA	1313 PISKANJA	H453 BR VENIK	147+600 RVATI	152+310 RASKA	161+088 RI DNJCA	400 ADMINISTRATIVE LINE	165+600 DONJE JARINJE		+300 LESAK	1/17900 DKEN		188+500 SOČANICA	192+300 IBARSKA SLATINA		POU BANJSKA P200 VALAČ		+267 JUNCTION POINT	0+120 KOSOVSKA MLIROVICA SEVER	41+076 STATE BORDER	43+815 BOGOJEVO	50+067 SONTA		58+636 PRIGREVICA 26-1090 DETEONA AVES AT A 81	23-459 SOMBOR	83+369 SVETOZAR MILETIĆ	97+501 ALEKSA ŠANTIĆ	+172 BAJMOK	+845 SKENDEREVO		18+557 LjUTOVO 23+761 ŠEBEŠIĆ		
	egeniedD				_				_									_							202+000		2		41+0								-					131+872
	Distance in km	3	0,970	2 407	3,499	7,962	9,252	5,487	3,693	3.323	2,190	5,140	4,147	4,710	4.788	2,412	1,200	3,324	3,376	0001	5,200	0.500	3,800	3,400	6,200	2,700	2,367	*0,120		2,739	6,252	0,541	8,028	7.379	0166	14,132	7,671	6,673	3,529	5,204	4,460	3,651
Date of handover to public transport	प्रिंध मजटर Left मजटर	1 2	20.00	1021	.1061	00 00	1931.			00 00	1021	1061			12.02.	1931.						12.02.	1931.								20.11	1870.						11 11	1869.			



ine Naximum Permitted speed A→B Direction be service point UIC UIC B→A UIC UIC IIC IIC IIC IIC IIC IIC IIC IIC	Single/double-track li Class of railway line Railway line category	8         9         10         11         12         13         14         15         16         17         18         19         20         21         22         23         24         25         26         27         28	111         Beograd MAKNHALLING YAKD 'A" - USTRIZINGA - Batajnica           1         7 and 8         1         16201         P         F         P	M         D4         30         750         2 and 3         station distance         1         16202         S         P         F         600         0.0         7         1         8         2           N         D4         30         20.0         2.0         2.0         7         1         8         2	D4 /33 3 D4 853 3	112 Beo grad MARSHALLING YARD "B" - Ostružnica 50 1 1 16201 Yes P F	M D4 750	302, 300 and track loco makts 218 ad marshalling vard "A" - Open line	789 6 and 7	0         5         M         D4         00         station distance         1         0         15         0         17         -         25-1           6         S         M         D4         0         500         9         7         10         8         25-1	S M D4 60 730 3 730 3 station distance 1 15501 S P PF 350 1 9 1 11	Ostružnica - Open line junction "B" - ( Open line junction "K/K1")	1 6 S M D4 50 845 3 and 4 845 2.3 and 4 6 S M D4 50 2 S P F 600 3 3 4 7c.	rad marshalling yard "B" - Open line junction "R" - Open line junction "A" - (Resnik)	1         1         16201         Yes         P         F         1         Science           6         S         M         D4         30         castion distance         1         16201         Yes         P         F         1         Science	S         M         D4         20         10         10         1         0         1         0         1         0         1         0         1         0         1         0         1         0         1         0         1         0         1         0         1         0         1         0         1         0         1         0         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 <th1< th=""> <th1< th=""> <th1< th="">         1</th1<></th1<></th1<>	116 (Beograd marshalling yard "B") - Open line junctionN "R" - Rakovica		117 Beograd marshalling yard "A" - Open line junction "T" - Rakovica           1         S         M         D4          789         8 and 9	M         D4         30         station distance         1         500         3         6         4         6           M         D4         20         702         4         703         5         station distance         1         16/103         P         P         300         3         8         4         8		Vac	station distance 1 10201 105 r	at the area of the Open line junction "K/K1": (Open line junction "B") - turnout "K" - turnout "K" - (Jajinci)	D4 V Istance 1	most) - Upen line junction Karadordev park - Upen line junction Lectrifie - (Upen line junction U) 50 50 50	_	66 3 and 4 2.5 11 16801 P P 5.5	80 655 2 and 3 749 4	122 Novi Sad - Novi Sad marshalling yard - Open line junction Sajlovo	12         12         12         13         14         15         16871         158         13         13         2         25-1         82.6           1         2         M         D3         50         798         1 and 2         708         1 and 3         3         2 3         2 3         1         3         2 3         2 4         84.6         1 3         2 3         2 4         1 and 2         3         2 4         1 and 2         3         3         3         3         3         3         3         3	track of the station Mala Krsna: (Kolart) - junction point 1 - junction point 28 - (Osipaonica)	M D4 100
	Right track Left track Distance in km Chainage S S S S S S S S S S S S S S S S S S S	2 3 4 5 6	0+000	3,300 3+300 OSTRUŽNICA 1	1.907. 11,200 1++500 SUKCIN 11,158 25+658 BATAJNICA 1		1970. 5,902 5+902 OSTRUŽNICA 1 S	Distance between begraue Marshailing Taru b and begraue Marshailing Taru A via junction point 113 Beogr	0+000 BEOGRAD MARSHALLING YARD A	_	1,562 10+419 RESNIK 1		28.05. 0+000  OSTRUZNICA 1 1967 2-121 2+121 [OPENTINE TINCTION B 6		1+772 BEOGRAD MARSHALLING YARD B 4+895 OPEN LINE HINCTION R	1,414 6+309 OPEN LINE JUNCTION A	A LOOP AND A REPORT OF A LOOP AND A LOOP	20.10. 4+895 OPEN LINE JUNCTION R 6 1988. 0,903 5+798 RAKOVICA 1	5+250 BEOGRAD MARSHALLING YARD A	- 9	pen li	AA AS 11-774 BEACD AD MAD CHATT NIC VADD D	02.05. 17774 DECOURAD MAN STATLARY DAY	8+872 OPEN LINE JUNCTION K	1967. 0,463 9+335 OPEN LINE JUNCTION KI 6	0+000 KARAĐORĐEV PARK	1,491 1+491 DEDINJE	10.12 0+896 INDIJA 10	*1.949 1+949 INDUA TT 14 *3.527 4+708 GOLUBINCI 1			123 Dev	0.0000         JUNCTION POINT I MALA KRSNA         12           2.314         2.4314         JUNCTION POINT 28 MALA KRSNA         12



Open for the acceptance and       dispatching of passengers/freight       by himmum curve radius       by himmum curve radius       clope     Ruling       clope     Ruling       clope     Ruling       clope     Ruling       clope     Ruling       clope     Radient       clope     Radient       clope     Radient       clope     Radient       clope     Radient	21 22 23 24 25 26 27 28 29 30	P P 102,6	P 500 0,0 3 0 4 -	P/F	P/F 300 3 4 3 6 1000 0 3 5	P P 450 3 6 1 5 2S-1	P         P/F         605         4.0         0         7         0         7         ŽS-I         187.8	P/F 400 5 5 2 7 28-1		293 5 5 5 6 ŽS-I	P P 0,0 82,6	9 10 10 11	P 293 4,5 5 0 5 1 ŽS-1 84,5	P P 0.0 82.6	1 3 1 4	1-07 I C N C C'+ 067	4,5	293 0,0 4 5 5 5 2S-I 84,73		84,5	U 293 0.0 4 7 5 7 ŽS-I 84,73	P P 0.5 T 0001 4 7 5 751 842	10.7 C 7 + 1 0.0	P P 2 0,5 T 0,0 2 5 4 7 2,51 84,2		U P 1.0 2S-I 109,9 U ŽS-I 110,5	1-S2		P/F 1,0 ŽS-I 113,2	I-SZ	U 300 0,0 1 5 1 5 2S-1 110,4
Service point code - UIC Freight car scales Side-/end-loading platform	19 20	1 13405 Vac C	3		1 12601 Yes	1 12301	1 12550 S	1 12551 S/E	kula)		11 16808 S	11	11 23301	11 16808 S	10000	10007 11	11 23301	»		11 23301	11	11 23306 F	00007	11 23306 E	1 1	11 23409 7 23410			1 23450 S/E		1 23706
longest trains Mannet of traffic regulation	16 yard - Lapovo	of station distance			AB	AB	AB	yard) AB	junction point 4 - (Ćele kula)	AB	2		station distance	5		station distance		2 RC with station distance		-1-1	2 RC with station distance	5 station distance		5 t station distance	ootica	2 station distance	station distance		~	station distance	
acceptance of the longest trains Maximum permitted Tracks for B→A acceptance of the acceptance of the	13 14 15 - Lapovo marshalling	7 and 8 836 0 and 10	563	yard - Medur 738	8 885 9	- Niš marchalling vard	8 885 9	Ime_junction         most - (NIS marshalling yard)           490         3         488         3	Niš: (Crveni krst) - junction point 2 - ju		-Sajlovo CL 1 4 and 5 493 4 and 5			Sajlovo CL 2 4 and 5 493 4 and 5		- Rumenka RF		and 4 746 1 and 2	- Rumenka LF		-	a - VIDBS CL IK 2 and 3 532 4 and 5 3 and 4 938 3 and 4	CLL	and 3 532 4 and 5 and 4 938 3 and 4	rade - Blo	3 and 4 876 1 and 2	I I INES	- Horgoš - state border - (Röszke)	and 3 594 2 and 3	-	1 and 2 238 1 and 2
permitted	10         11         12         13         14         15         16           ne iunction Lapovo Varoš - Lapovo marshalling yard - Lapovo         Varoš - Lapovo	10 10 840 7	664	25 Trupale - Niš marshalling 744 3	30 733	126 Crushi bret - Nii		30 490 Albert Internation In 490	station Niš: (Crveni krst	30	Novi Sad 492	65	80	Novi Sad-Sajlovo 492 4 and 5	++	Sajlovo - Ru	80	100 650 3 (	Sajlovo - Ru	80	100 650 3	60 531 2 and 4 943 3 and 4	- 8	60 531 2 1 943 3 1		30 907 3 4	BEGIONAL LINE	201 Subotica - Horgoš -	594 2 1	00	100 238 1
Single/double-track line Class of railway line Railway line category	7 8 9 124 Open lii	6	M B2		N M	1 S M D4		S M D4	meeting track of the	2 S M D4		3	M M		3	0	4	I S M		*	1 S M	N N	2	M	Naumovićevo	5 S M D3	S M D3	20		9 S R D3	S S R R
N an k k k k k k k k k k k k k k k k k k	5 6	0+000 LAPOVO VAROŠ 2±1001 LAPOVO MAD SUATI ING VAD D		TRUPALE	ALLING YARD UNCTION MOST	241+268 MEDUROVO	0+099 CRVENI KRST 3+233 NIŠ MARSHALLING YARD	NIŠ OPEN LINE JUNCTION MOST 6		0+000 JUNCTION POINT 3 NIS 0+572 JUNCTION POINT 4 NIŠ	0+000 NOVI SAD		3+336 SAJLOVO 4	0+000 NOVI SAD	SdL	+ OV010% 05070		0+262 KM 000+262 SC 3+323 RUMENKA 1		0+000 SAJLOVO 4 0+331 KM 000+331 SC 9		NOVA	_	0+000 VRBAS NOVA 1 1+844 VRBAS		166+519 NAUMOVICEVO 111+962 ALEKSANDROVO PREDGRADE 5	BLOK 1 SUBOTICA		0+000 SUBOTICA	BLUK I SUBUIICA 9 KM 1+813 SC 9	AVNA SKLADIŠTA
Distance in km	3 4	1 000+0 0+000 C		235+243		1,988 241+268 M	3,134 0+099 C	3.000 247+632 N	00010	0,572 0+572 JI	N 000+0	*2,370 1+995 N		N 000+0	*2,370 1+995 N			*3,062 3+323 R		0,331 0+331 K	*3,016 3+323 R	*2 248 0+000 VRBAS		*2,248 0+000 V *2,248 1+844 V			*3,212 175+305 B		000+0	0,731 1+813 K	0,687 1,348
Right track Date of public public	1 2	'E†6I	7.41		1942.		1942.	1942.	2010	01.06. 1887.																					16.11.



	əbirtitlA	30	107,7	105,7	90,7	85,7	77	11	80	82	82	20	78,0	80,0	81,0	01,0	81,3	78,9	77,6	80.8	80.8	77,5	80,8	79.3	78,9	80,0	2600				79,3	80,4	82.0	85,5	84,8	82.5	82,5	83,1	89,6	106,6	100.4	109,6	113,2
	egueg gaibeo.	29	ŽS-I	28-1 78-1	ŽS-1	ŽS-I	ŽS-I			ŽS-I	1-SZ	ŢS-I	ŽS-I	ŽS-I	ZS-1	1-57	ŽS-I	ŽS-I	ZS-1	1-S-	ŽS-I	ŽS-I	ZS-I		ŽS-I	1-SZ	ŽS-I		ŽS-I	ŽS-I	ľ	ŽS-I žs-1	1-87	ŽS-I	ŽS-1	1-SZ	ŽS-I	ŽS-I	72-1- 22-1-	ŽS-I	ŽS-1 *c 1	1-57	ŽS-I
[Vab] sail sdt	$\leftarrow$	28	e	4	4	s	$\vdash$		- 1	2		3	4		•	4	4	2	7		-	6	m r	n (1		• -	• •	•		•		4	4		s	5	-	13		$\square$	~ ~	1 0	10
Ruling resistance of	$\rightarrow$	27	-	•	4	4			- 0	-		4	e	4	v	n	2	9	s		0	•	v c	4		4 -	• •			e		2	9	6	9	9	-	10	٢	·	~ ~	n (1	9
gradient	Slope	26	e	4	4	S		•	7	-		9	4	0	¢	4	2	4	2		-	8	m c	4 (1		9	• •			0		3	e	0	5	10	-	10	0		~ ~	1 CI	0
Ruling	Incline	25	-	¢		4			- 6	-		4	e	4	v		2		0		0		s c	-		4 -	• •			6		-	4		9	10		10	7		61 6	n 0	
[%] u	Gradient of the statio	24	0 1.8	-		0	0.0		0,0 0		0.5				0.0		0 3,0		0,0	0.0				0.0		0,0 0,0						0,0 0,0				0,0		0	0 3.0		3,2	_	0 1,0
st	т Мітітит ситуе таді	23	3600	3600	1500	3600		350	300	500	1000	400	300	300	500	6	40	300	200	1000	500	55	48	480	475	500						400	50	500	800	300	300	300	1000	1000	1000	500	500
	Open for the acceptar dispatching of passen operations	22	P/F	P/E	P/F		P/F	4	P/F	٩	P/F	P P	P/F	Ь	a/d	1L	P/F	P/F	P/F		P/F	P/F	PF	P/F		RF R	•				P/F	Р	P/F	٩.	P/F		P/F				P/F		P/F
tniog s	эситалсу об зетиісе	21	д.	E	Р		Ч			Э	a =	Þ	Ч	Р	E	-	Ρ	<u>م</u>	4		F	н		b H		<b>-</b> -	·		Þ		H	D	F	Þ	H	+	٩.		t	Ħ	D	+	Ч
molti	slq znibsol-bnə\-əbi2	20					s		s	s	s s	s s	s		0	0	s	1	s		s	s	s	s		s s	2				s	s	s	s	s		s			Π		Τ	S/E
	Freight car scales	19					Yes										Yes																				$\square$						
DIC	l - əboə triioq əsivrəS	18	23704	23703	23701	23199	22001		22002	22004	22005 22006	22201	22202	22203	10000	40777	22501	22550	22503		22504	22505	22506	22509	22801	22850 22803	22899	IRAFFIC	16104		22509	22601	22603	22604	22605		23801	00000	23802	23804	23805	23807	23450
he service point	t gainose to reamed	17	-	-	-		4	4	~ ~	~		• •	7	10	010	•	4	2	-		∞	∞	r •	• ~		4 0	<b>`</b>	FOR	e	-	2	10		10	6	-	-	-	+	╞	4	+	4
			ance	ance	ance	ance		ance	ance	ance	stance	moe	ance	ance	ance	nuce	ance	ance	ance	ance	ince	ance	ance	ance	ance	ance	nuce	CLOSED	unce	ance		ance	TIDE	ince	ance	ance	noe	ance	stance	ince	ance	noe	ance
nlation	Жаппет оf traffic reg	16	station distance	station distance	station distance	station distance	(Jimbolia)	station distance	station distance station distance	station distance	station distance station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance station distance	station distance	station distance	station distance	station distance	station distance	station distance station distance	station distance	INE CLO	station distance	station distance		station distance	station distance	station distance	station distance	station distance station distance	station distance	ib i	station distance station distance	station distance	station distance	station distance station distance	station distance
			sta	sta	sta		1	sta	star	sta	Star	sta	sta	sta	sta	star	sta	sta	sta	sta						star	star	i most - I	sta	sta		sta	sta	sta	sta	sta	sta	sta	sta	sta	star	sta	sta
B→A	Tracks for acceptance of the longest trains		3 and 4	2 and 3	3 and 4		4 and 5		2 and 3 2 and 3	2 and 3	3 and 4 2 and 3	2 and 3	2 and 3	1 and 2	Chard 2	c nin 7	2 and 3	2 and 3	2 and 3		2 and 3	2 and 3	2 and 3	2 and 3		1 and 2 2 and 3		evački n	12	ti co	2 and 3	2 and 3	2 and 3	2	3 and 4		2 and 3				2 and 3		2 and 3
Direction	hgani ning permitted train length	4	643	206	+		nda - stat 835		473	++	534	+	$\square$	253	, PCS	+	633		629		647			740		842	8	<ul> <li>Beograd Dunav - Open line junction Pančevački most - LINE omčider (by 4+195) - Open line junction Gⁿ - (R alcovica)</li> </ul>	615	Canta - Subotion	740	568	523		619	+	523				009	t	594
	acceptance of the longest trains	13	3 and 4	2 and 3	and 4		- Kikii nd 5	:	2 and 3 2 and 3	and 3	and 4	and 3	2 and 3	1 and 2	6 1 10	C DIR 7	and 3	and 3	2 and 3		2 and 3	and 3	nd 3	and 3	:	1 and 2 2 and 3		line iun		- Cant	and 3	2 and 3	and 3	2	3 and 4	+	2 and 3			H	2 and 3	t	2 and 3
Direction A→B	Tracks for		ŝ	ç	3 8		njanin 4 au	•	7 6	2	e c		2 8	18	ć	7	2 8	5	2 8		2 8	2 8	6 c	100			í	onen lir		- I v x w	2 8	2 8	2 8		3 8	$\perp$	28	$\square$	$\perp$	Щ	2	$\perp$	2 8
	train length Maximum permitted	12	654	677	626	1	3 - Zre 845		409	537	554	617	665	253	103	47C	633	585	629		647	519	576	740		842	8	av - OI		A A	740	568	523	570	619		523				600		594
permitted speed	Left track	Ξ		120			lavna stanica	50			50 (70)				30 (40)	(no)		30		30		00	50 (70)			50 (60)		Seograd Dunav	6	0 Z0 Danateko Miložano -			09			20	20(30)	(no)					
mumixeM	Right track	10				i	Glavi				2	; 		-	30	5							2	; 		50		- Beog	6	3	1						20	1				_	
Å	Каіlway line category	$\vdash$	+	<u>5</u>	D4	D4	ančevo	D2	202	×	<	<	D2	D2	<	s B2	B2	B2	B2	29 E	B	B2	< <	<	ខ	88	8	-041). 204 T.	•	D4		33	38	ខ	ଅ <b>-</b>	< <	<	×۰	< <	4	<	< <	Y
	Class of railway line	$\vdash$	+	2 a	R	Я	202 P	ч	××	×	× ¤	4 24	Я	Я	2	4 24	R	× I	× •	××	4 ¥	Я	≃ ∘	4 24	×	× ¤	K N	(kM 7		Я		ж a	4 24	Я	2	* *	×	2	××	<b>* *</b>	2	××	Ж
əni	i Aəstə-əlduob\əlgni?	5	s	s s	s	s		s (	N N	s	s s	s so	s	s	s o	0 -	s	s	so o	N N	s so	s	s o	o so	s	s s	s so	Grad		D		s	o so	s	s	s s	s so	s	s s	s	so	n N	s
:	Type of service point	9	-	m (		13	-	۰ <del>د</del>		-		-	-	6	• -	- 6	-	-		2 6	-	-	- =	-	en 1		13	Jonji (	-	9	-	~ ~	n —	∞		9 5	-	12	n m	e	- "	n m	-
	point																											203 Beograd Donji Grad (km 7															
	Name of service point	5		11+757 HAJDUKOVO 15+419 RAČKI VINOGRADI	0Š	STATE BORDER	PANČEVO GLAVNA	17+659 OPEN LINE JUNCTION 2a	REVO	JA	DEBELJACA KOVAČICA		61+939 TOMAŠEVAC	ORLOVAT STOP	64+760 OPEN LINE JUNCTION 1a	L 400 SC	ZRENJANIN FABRIKA	ANIN	R TON DON'T ID	JUNCTION POINT IK KM 102+000 SC	VCI	NE	BECEJ Feko Mii oševo dol 11	BANATSKO MILOŠEVO		KIKINDA BANATSKO VELIKO SFLO	STATE BORDER		5+700 TOPČIDER TERETNA	LINE JUNCTION G	0+356 BANATSKO MILOŠEVO	*		25+230 OSTOJIĆEVO	00.00	KM 35+187 SC JUNCTION POINT 22 SENTA			I BREG RAŠ	E	4	0	ICA
			ALIĊ	AČKI	HORGOŠ	TATE	ANČE	PENI	JABUKA KAČAREVO	CREPAJA	OV A	UZDIN	OMA	RLOV	OPEN LINE	M 081	RENJA	ZRENJANIN	ELEMIR	M 102	MELENCI	KUMANE	NOVI BECE	ANAT	ERIĆ	RANATSI	LATE		OPČII	PEN I	INAT	5+105 BOČAR	ADEJ	STOL	ČOKA	INCT N	SENTA	INCI	GORNJI BH BOGARAŠ	DOLINE	OROM GABBIÓ	BIKOVO	SUBOTICA
		$\mathbb{H}$	7+658 PALIC	57 H 19 R	18 H	97 S.	96 P.	59 0		58 C	25 D 35 K	0 I L		450	60 0	50 K	98 Z	95 Z	75 E	00 K	15 M		24 N	91 B.	00 D	14 K 99 R	23 S		00 T	95 0	56 B.	05 B	63 P.	30 O	76 Č	A 18	00 SI		95 U	23 D	180	92 B	85 SI
	Spanisd	4	7+6.	11+757	24+018	27+897	16+196	17+6.	26+799	33+858	41+325	56+271	61+9	64+045	64+760	81+950	84+398	88+75	97+475	99+030 102+000	105+815	112+702	121+624	141+291	148+600 DERIĆ	11+090	14+423		5+7(	6+2	0+35	5+105	18+00	25+2	31+176	35+187 38+407	0+000	1+391	42+293 49+210	54+223	58+048	64+592	76+685
	Distance in km	3	3,810	3,662	8,599	3,879		1,463	4,65	7,059	4 510	10.436	5,668	2,106	0,715	6.355	2,448	4,397	8,680	2.970	3.815	6,887	8,922	4.153	7,309	*10.398	3,324			1,095		4,749	7.363	7,167	5,946	3.220	*1,082	1,391	*3,129 6.917	5,013	3,825	2.521	12,093
transport public	Left मंत्रck	2	1870.								00 04	1884.						.1889.									15.11. 1857.			88T 1'E0	15.00	1896.		1896	ŝ	1915.				14.11.	 %		
Date of Dandover to	Right track	-	18								g	18						04.05.1889.									15.11.			61 771	1	18	:	- <u>-</u>	1	19				14.	18		



	əbırtitlA	30	1			81.3	84,9	84,8	85.9	85,7	84,4	85	85,4		Т	Τ	86,4	83,1		81,8	81,5	78.6	78,4	88,4	77,4	79.8	82.8	80,5	80				80,3 80,9		80.9	81,6	81,8	79,2
	egueg gaibeo.	29	1-S2	5		1-S2-1	ŽS-I	1-S2	1-52	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-1		ŽS-I	ZS-I		ŽS-I	ZS-1	1-87	ŽS-I	ŽS-I	ZS-1	1-SZ	ŽS-I	ŽS-I	ZS-1	H	1-S2-1		ŽS-I	┢	Į-SŽ	ŽS-I	ZS-1	1-87
[Visb] ənil ədt	→	28 2	-	1		0 2 0	+	4 %	-	- 2	2	1	- 2	_	2		$\vdash$	2 %	22	s Ž	4 -	4 4		3	61 ×6	9	3	_	2		A A		- 2	+	1	+	828	1.61
Ruling resistance of	$\rightarrow$	21	-	•	H	2	+	s c	4	-	-	e	3	•	5			9	+	4	0 0	0 0		s	+	=	s	-	9	H	4		s	╞		+	7	
gradient	sqolS	26	-			7	ŝ	4 0	>	0	2	0	0	•	2		$\vdash$	s		s	4 -	4	·	3		~	-	$\rightarrow$	4		0		0		9	+	-	
Ruling	Incline		0,45	2	$\square$	0.0 5		1,0 4	1 0 1	1.0	0,0	1,0 1	2,0 1	•	2		1 1	2,0 5	+	1,0 3	0,0	0.0 2		0,0 5	0,0	0.0 10	4,0 3		0,0 6	$\left  \right $	m		0,0 0,0 2		0,0		0,0	<b>N</b> 'N
[%] ti	Gradient of the statio	5	500 0.		$\square$	100		450 1			300	300	300	_	-			450 2	+					450 0					300	$\mid$	_	$\left  \right $	300		300			400
sn	Minimum curve radii	33	~	5		=	S	4 4	i ð		3	3(	3(					4		1000	1000	500	4	4	29	4	4	4	ž				š			5	ν. Υ	64
	open tor me acceptan dispatching of passen operations	3	P/F			P/F	P/F	P/F	4	P/F	Ч	Ч	P/F	104	P/F			P/F		P/F	and	P	Ч	P/F	a, a	-	Ч	-	4	<u>د</u>	н,				P/F	٩	P/F	4
	Occupancy of service Open for the accepta	21	d D	>	Ч	F	d ;	D F		Р	Р	D	Ч	¢	4		Ч	Ь	+	D			)	H	+	D	D	D	Ч	$\left  \right $	d		Þ	1	а 🗅		Ь	+
mon	elq zaibsol-bas'-sbi2	20	s	1	H	s	ŝ	s v	2	s		s	s	0	s			s	╈	s	0	0		s		s	s	s		Ħ		1	s		s s	s	s	0
	Freight car scales	19			$\square$													1			1									Yes		1						
nic	l - əboə taioq əəivrə2	8	21001		23301	24003	24004	24005	25001	25002	25003	25401	25402	25403	25470		23301	23001		22311	22310	60077	22307	22306	22305	22303	22302	22301	22203	16871	23301		22301		16550	16602	16603	10001
he service point	Manner of securing t	17			-	~		10	+	4	7	10	-		-		$\vdash$		10	$\square$	9 0	_		4		s	+		10	4	-		10	,	- ~		3	-
noitslu	ger offtert fo retta M	16	station distance	A THE OF A THE OWNER		station distance station distance	station distance	station distance station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	Sailovo - Rimski šančevi - Orlovat stajalište	station distance	station distance	station distance station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance		station distance block nost distance	ANTINO IN LOS A MANUA	station distance	Zvornik Novi)	station distance	station distance	station distance	station distance
	longest trains	1	d 3	1	$\vdash$	d 3	and 3	and 2 and 3	2	and 3	d 3	d 2	and 3		d 4	- Orlov	$\square$	d 3	+	d 3	and 3	CD	$\left  \right $	and 3	+	and 3	d 3	d 3			+	(0)	d 3	rder - ()	d 6 d 3		d 3	+
B→A	Tracks for acceptance of the	2	a - (Jabuka 2 and 3	00		2 and 3	2 an	2 and	10 4	2 an	2 and 3	1 and 2	2 an		3 and 4	ančevi		2 and 3		2 and 3	2 au			2 an		2 an	2 and	2 and 3	253 1 and 2 Sailovo Onen line			la - (Lukićevo)	2 and 3	state border	5 and 6 2 and 3		2 and	
Direction	train length Maximum permitted	14	506	ogoje		544	624	710	60	744	457	240	693	002	732	nski š		558		593	533	<b>P</b>		573		804	787	555	253 ailovo	2		1a - (I	555	na - st	639		628	
	longest trains		and 3	aci - B	H	and 3	and 3	and 2	2	and 3	and 3	and 2	and 3	-	1d 4	o - Rin		and 3	+	and 3	and 3	C DIR		and 3	╈	and 3	and 3	and 3				junction	e pi	Donja Borina -	1d 6		ld 3	
Direction A→B	Tracks for acceptance of the	-	2 an	- Odž		2 an	2 an	2 and	4	2 an	2 an	1 an	2 an		3 and 4	Sailove		2 an		2 an	2 au	7		2 an		2 an	2 an	2 an	V AF			line jur	2 and 3	Donj	5 and 6 2 and 3		2 and	
noiteeriO	train length Maximum permitted	12	506 506	Novi Sad - Odžaci - Bogojevo		544	624	387	100	744	457	240	686	0.00	730			558		593	533	₽£		573		804	787	555	253 11 INC			Open I	555	ine junction	639		628	
pəəds	भेत्रहार मित्र	=	VO Val	207 No					_					_	1	ine jur		T			6	-				6			A SH A			1 1		line ju	_	6		
Maximum Mermitted	Right track	9	200         Fancevo Varos - Open line Junction 2a           50         506         2 and 3         506			8			100			65	8	100		-Open line junction	40				60 (80)					60 (80)		ě	50 253 1 and 2 Sad MAR SHALLING VARD	10	20	210 Orlovat	30	- Open I		60 (70)		
Á	Railway line category	6	D2 70	5	1	38	D3	D3 ²⁾	$D3^{2}$	D3	$D3^{2})$	$D3^{2}$	$D3^{2}$	D3 ²⁾	D3	Sad)		88	3	¥	V V		V	¥	۷ <		V	¥.	Aovi		88		۷	Sabac	D3	D3	D3	S E
	Class of railway line	∞	×	4	ч,	××	ч	2 2	+	R	К	Я	К		¥	Novi		2	×	Я	2	4 24	R	Я	2	4 24	R	ч	8 200	î i	××		R	uma-	Я	ч	2	4 M
əni	i alsert-slduob\slgni?	5	~	5	s o	s s	s	s s	0 V	s	s	s	s	s o	s	208		so o	×	s	s o	0 00	s	s	s o	0 00	s	s	s		s s		s	211 F	×	s	s o	o so
1	Type of service point	9	1	>	4	s –	- :	10	3	-	-	10	-	с -	-		4	- `	٥	-	- 10	10	3	-	m "		-	- (	7	-	4		1 6	,		~		9
																			0														1a					
	Name of service point	5	0+275 PANČEVO VAROŠ 1+539 OPEN LINE JUNCTION 2a		SAJLOVO	VEI EKNIK FUTOG	PETROVAC-GLOŽAN	29+542 BACKI MAGLIC 36+092 GAIDORR A	PARAGE	50+447 RATKOVO	DDžACI	61+240 ODŽACI KALVARIJA	65+448 KARAVUKOVO	72+471 BOGOJEVO SELO	4,214 76+685 BOGOJEVO servicepoints Gajdobra, Odfazi and Karavukovo line category A		ÔAOTICAS	10+148 RIMSKI SANCEVI	OPEN LINE JUNCTION 1 OPEN LINE JUNCTION 2 (UKINUTO)	¢AČ	25+218 BUDISAVA	VILOVO/GARDINOVCI	LOK	TITEL	DONJI TITEL VNIČANIN	PERLEZ	FARKAŽDIN	ORLOVAT	76+256 ORLOVAT STOP	1+141 NOVI SAD MARSHALLING YARD	NOVI SAD LOKOTERETNA SAJLOVO	0.1.0728.8	75+915 ORLOVAT 76+545 OPEN LINE JUNCTION ORLOVAT		0+517 RUMA 11+344 BUĐANOVCI	NIKINCI	PLATICEVO VI ENIAV	31+373 OPEN LINE JUNCTION 1
	эзғшғдС	4			000+0	9+100 12+554	25+111	29+542 36+092			59+003 ODžACI			72+4711	obra, Odžaci and Kar			10+148	15+751	20+569		38+394	43+845	49+432	51+132	58+175	65+522				1+595 2+185				0+517 RUMA 11+344 BUĐAI		21+344	
	Distance in km	e	1.264			*6,029 3.454	12,557	4,431 6 550	8 132	6,223	8,556	2,237	4,208	7,023	4,214			*6,479	1.143	4,818	7 006	6.170	5,451	5,587	2 713	4.330	7,347	9,859	0,875		*2.048		0,630		10.827	5,331	4,669	2,473
Date of handover to transport transport	Right track Left track	H	09.04. 1894.						1				24.12.	1908.	) At the area of service		31.05.	1964.		1889.			02.07.	1007	1927		15.09.	1925.					11.09. 1935.			1901.		



	əbırtitlA	30	79,1	78,5	70.1	1621		82,4	85,5	91,2 00.8	96.2	101.9	105.2	109.4	114,4	122,3	121,6	119,8	124 6	134,0	137,7		0.00	<i>د,</i> ۲۱		Τ			144	144		147,4	153.4	6004	167,5		169,5	174,8		186.8	0001		195,2	202.4
	egusg gaibsoL	29	ŽS-I	ZS-1	1-52	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-1	1-SZ	Į-SŹ	I-SZ	ŽS-I	ŽS-I	ŽS-I	ŻS-I	ZS-I	1-67		78-1	ŽS-I	┢	ŽS-I		¥0.1	1.2	ŽS-I	ŽS-I	ŽS-I	ZS-I	1-57	1.5	Į-SZ	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-1	1-07	I-SZ	ŽS-I	ŽS-I	
[Vab] enil eth	→ 1	28	~~ ~	2*			Ž	ž.	$\rightarrow$	2 %	1 ~ 1		- ×	N N	×	4 Ž		2 ×	2 %			6 Ž	╞	ž		*	2	×	10 Ž	2×	N ×	2*	2 2	-	7 Ž	Ž	5 Ž	5 Z	28	2 4	+	Ž	4 ×	7 7
Ruling resistance of	$\rightarrow$	27 2		2	+	+	$\vdash$		+	2	0				$\vdash$	4		e	v	+	s.	•	┝			+	+	+	10 1	0	-	-	v	+	7		5	ŝ	+	4	+	$\vdash$	4	-
gradient	Slope	- 1		2	+	+		0	,	-	0	,	0	+	$\vdash$	2		2	•	_	0	4	┢	0		+	+	$\vdash$	s	-	•	4	-		2		3	e	+	v	+	$\vdash$	4	4
BuiluA	Incline			5				3		7	2	1	3			4		2		4	4	0		0					7	2		0	v		7		5	4		y			4	9
[%] uo	Gradient of the static	24		0,0				0,0			1.0				0,0				0,0								Ţ		3,4	0		4,4	53		0,8		6,2	5,3		4.55			0,75	
sn	т Мітітит сигve гаді	23	600	300		300			700	600	700	700	5	700	700	700	5500	200	000	202	700	300		300		,_			200	250		250	700	5	200		500	500		500	5		500	300
	Open for the accepta dispatching of passer operations	22	-	P/F			Р	P/F	Ч	P/F	P/F	٩	P/F	Р	Ч	P/F	ч.	d P	P/F	P F	. d.					P/F		Ч	P/F	P/F	<u>а</u> с	2		. a	Р	Р	P/F	Ь	<u>م</u> م	- a	-	Ч	P 1	P/F
e point	Occupancy of servic	21	\$	Ч				Ч		Þ		)	Ч			Ρ		D	٩	24	Р					Р			D	Р	:		F	)	D		Р	D		I			D	р
unotte	dq gaibsol-bas\-sbi2	20	1	S/E				Π			T					s		T	0	<b>N</b>					[	s	T		s	s	C	×	X	2	s		s	s		v	0		s	S/E
	Freight car scales	19		1											-								F				1	-																Ţ
DIC	- sbos mioq soivis?	18		16350			16300	16301	16302	16303	16305	16306	16307	16308	16309	16310	16311	16312	1631	16315		16319				13352	12201	12202	12203	12204	12218	12205	12207	12220	12208	12209	12210	12211	12212	12213	12217	12214	12215	13251
the service point	Manner of securing t	17	- (	2	-	-		∞		4	~		4			4		4		4	e		•	1		-	Ţ		*	4	•	7	~	1	2		3	0		ç	4		2	4
noitsLin	ger offtert fo renneM	16	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	- (Štitar)	station distance			station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance							
B→A	Tracks for acceptance of the longest trains							1 and 2		2 and 3	2 and 3		2 and 3			2 and 3	1	2 and 3	2 and 4	5 and 4			junction 3 -						2	4		7	e	, ,	3		3	3		"	- -		3	4
Direction	train length	4	+	+	+	+		614	+	497	542	!	614		t	853 3		574	+	810	+	$\vdash$	line jı	+	tega	+	+	t	412	714	2	280	505		602		693	680	+	647		$\vdash$	657	738
	longest trains Maximum permitted			13	+	+		$\vdash$	_	e 0	+	+	+	+	-			+	+	+			- Open		vo - Požega	+	+		4	7		ň	8	5	6(		6	8	+	3	>		6	-
Direction A→B	Tracks for acceptance of the			2 and				1 and 2		2 and	2 and 3		2 and 3			2 and 3		2 and 3	2 and	5 and 4			(Platičevo) - Open line junction 1 - Open line		- Kraljevo	4			2	4	•	7	"	0	3		3	3		"	0		3	4
	train length		5	467				614		497	542		614			853		574	610	919			line jur		Stalać	582			412	714	102	980	509		602		693	680		647	5		657	738
permitted speed	Left track	=		30	00		60.07.03	(n/)							50 (70)							50	- Open	30	213			30 (50)										25 (40)						
mumixeM	Right track	9				_	9	б			_	_	_	_	50								ičevo)				,	8						_				52			_			
Â	Каіlway line categor	6	D3	D3	A D3	D3	D3	D3	A	4	4	V	¥	D3	D3	Α	Y	¥	A 5	50 D3	A A			D3	[	8	3 8	8	S	ប	B2	82 B	B2 B2	B2	B2	<b>B</b> 2	B2	B2	B2	B2 B2	B2	B2	B2	B2 B2
	enil yawlist fo szalO	8	R e	a a	××	R	R	R	R	ч Ч	4 M	K N	R	R	Я	R	R	a a	×	××	K N	R	212	R	[	¢	¥ ¥	R	R	R	ж	×	××	R R	R	R	R	Я	ж с	¥ ¤	R N	R	R	R R
əni	Single/double-track l	7	s	s	n v	s s	s	s	s	s	o os	s	s	s	s	s	s	s	<b>~</b> •	n v	s	s		s	[	6	0 V	s	s	s	s	s o	0 00	s	s	s	s	s	s o	0 V	s s	s	s	s s
1	Type of service poin	9	9,	-	y	9	3	2	3	- ~		( (m	, –	ŝ	e	1	ŝ	- 0	n -		9	13	Ň	9		- (	0 (1	ŝ	-	-	m •	- ~	n -	· ~	-	3	-	-	m (	o -	÷	e	- (	n –
	Name of service point	5	UNCTION 2		km) INCTION 2	UNCTION 3			VANSKO		JAČVANSKI	NOVO SELO		TRAŽA			BRIKA	11 : A 🖉 A	TLJACA	44	68+685 OPEN LINE JUNCTION DONJA BORINA	ER	INTERNAL I	UNCTION 3		Ŷ	6	8-4						KOVINA		ODŽACI		ANJA						
				IS SABAC	33+092 SABAC ( end km) 0+712 OPEN LINE ILINCTION 2	04 OPEN LINE JUNCTION	4+000 MAJUR	7+725 ŠTITAR	14+300 DUBLjE MAČVANSKO	22+031 PETLOVACA	13 PRNIAVOR MAČVANSKI	33+300 PODRINSKO NOVO SELO	35+000 LEŠNICA	38+900 JADARSKA STRAŽA	45+400 LIPNICA	51+396 LOZNICA	53+400 LOZNICA FABRIKA	56+183 KOVILJACA	61+/00 GUKNJA KUVILJACA 664364 DD A CINTA	62+800 DONIA BORINA	12 OPEN LINE JU	0+800 STATE BORDER	o construction of	0+675 OPEN LINE JUNCTION 3		74 STALAĆ	3+887 MRZENICA	70 MAKREŠANE	11+923 DEDINA	14+559 KRUŠEVAC	00 CITLUK	21+384 KUSEVI	29+017 STOPANIA	33+700 DONIA POČEKOVINA	35+547 POČEKOVINA	38+949 TR STENIČKI ODŽACI	42+455 TR STENIK	49+200 VRNjAČKA BANJA	53+238 LIPOVA	57+651 PODI INAVCI	59+938 VRANEŠI	25 VRBA	65+881 RATINA	68+908 SIRCA 71+621 KRALiEVO
	Shainage	4				1+394	4+00	7+72	14+30			33+30						56+18	0/+10			0+80	00.00			0+374	3+88	8+970	11+92		19+400	21+58			35+54				53+23	57465	59+93	62+225		71+62
	Distance in km	3	0,579	0,763	0,980	0,682	2,606	3,725	6,575	3 760	2.913	4.587	1.700	3.900	6,500	5,996	2,004	2,783	110,0	5,634 2.446	0,885	*0,800		0,675		ò	2.487	5.083	2,953	2,636	4,841	1,984	3,700	4.683	1,847	3,402	3,506	6,745	4,038	2 013	2.287	2,287	3,656	2.713
Date of handover to public transport	Right track Left track		03.06.	1934.								15.05.	1950.	1		<u> </u>				15.05.	1950.	09.03.1978.					15.05	1909.						1			01.12	1958.						



	əbırtirlA	30		198		212,4	228.7	16044	228,4		237,3	0000	9 100	0 T 1 1 0	298,2											70,9			85,1		83,0				Π	83,0	
	egusg gnibsoL	6	ŽS-I	ŽS-I	ZS-I	ZS-I		ŢS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	1-07	1-SZ	78-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I			ŽS-I		ŽS-I	$\vdash$	ŽS-I	ŽS-I	I-SZ	-S-I	1-S2	1-SZ	$\left  \right $	+	+	$\left\{ \right\}$	;	<u>ZS-I</u>
[Nsb] ənil ədt			-	-	+	-	_	+		X)	_	_	_	+	+	ž	Ž	ž			1	×1		X.	$\vdash$	ž	X	-	+	24	+	╞	_	_	$\left  \right $	*	
resistance of	$\rightarrow$	27 28	-	3	+	9	~	+	4 4		5 5	r 1	0	+	5 5	╞	$\vdash$		5 5		+	+	$\left  \right $	-	┝		+	$\rightarrow$	14 8	+	7 4	╞	+	+	┥┝	+	1 7
gradient Ruling	Slope		-	5	+	~	~	+	4		4	-	- 0	+	-	$\vdash$			-		-	+	$\vdash$	-	┢			-+	-	+	4	╞╞	+	+	1	+	9
BuiluA	anilonI			e	,	9	5	-	4		S	~	o 🗙	>	4				\$			1	H		F			:	12	1	9	t	+	╈	11	+	-
[%] u	Gradient of the statio	24		0	1	7	4.6	0 ⁶ ±	6,6		6,17	5	3.0	160	3,3											0,0					0,7					0,7	2,6
sn	Minimum curve radio	23		300		600	600	200	900		500															185			250		450						350
	Open for the acceptar dispatching of passen operations	22		P/F	ч,	d. (	a a	. <u>a</u>	Р	Ч	P/F	d la	D D		P/F	Ч	Р		P/F							P/F		Ч	P/F	٩	P/F					P/F	P P/F
tniog s	оссиралсу оf service	21		H	;	Þ			D		Р	1		>	d				Р	FIC						Ч	D	6	Ч		Ч		D		11	Ч	Ρ
unolta	slq znibsol-bnə\-əbi2	20		s	(	s	S.	2	s		s	0	0		s				s	TRAF											s					s	
	Freight car scales	19			$\downarrow$	$\downarrow$					Yes		$\perp$	$\downarrow$	_				Yes	² OR 1		_						_	_	_	_		_	_	$\left  \right $	_	$\square$
nıc	l - sbos triog sourcede - I	8		13001	13002	13003	13005	13014	13006	13012	13060	13010	13008	13013	13009	13015	13011		15150	OSED F			(0)			13670		13602	13603	13604	13551					13551	14551 14550
he service point	Manner of securing t	17		3	(	3		2	2		3	•	3	2	3			1	1	NE CI		-	igačev 1	1		3			-	-	-	Į			] [	-	3
noitslu	ger offtert fo renneM	16	station distance	station distance	station distance	station distance	station distance station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	jevo: (Mataruška Banja) - junction point No 72 - junction point No 73 - (Adrani) LINE CLOSED FOR TRAFFIC	station distance	station distance	uck of the station Pozega: (Uziči) - junction point No 53 - junction point No 54 - (Dragačevo)	a Krena		station distance	station distance	station distance	station distance	station distance	station distance				mac)		station distance station distance
ver	acceptance of the longest trains	15		3		e	~	•	2 and 3		6		° c	4	3					ion point		-	- juncti	R D4 216 Smederevo - Onen line innetion Iezava - Radinac - Mala Krena		3			m		4	o luka		T	- (Vražogmac)	4	2
В→А В→А	train length Tracks for			605	3	909	605	2	602 2		877	2	210	į	618					- juncti			It No 53	- Radine		458			743		633	nederev		+	n .,2" - (	633	543
	longest trains Maximum permitted				+	╉	+						+	┢	+				_	t No 72		-	on poin	P 29V9			-	-	+		+	tva - Sn		+	line junction "2"	+	-
Direction.	Tracks for acceptance of the			e	_	e	"	,	2 and 3		2	ſ	0 0	•	3					on poin			- juncti	Inction		3			m		4	217 Open line junction Jezava - Smederevo luka			ken line	4	2
	Maximum permitted train length			605		909	605	200	602		222	212	610	5	618					- juncti			(Uzići)	n line i		458			E		629	ne junct			- Bor - open	629	543
speed permitted	Азат Пэск	=					60 (70)								100					Banja)			Požega: 50	0.0	2		50			70	2	Open li			(rsna - ]	ç	40
mumixeM	Right track																			aruška		_	ation	dener								217(			218 Mala Krsna		
	Railway line category	6	D4	<u>5</u>	4	4 7	5 5	5 A	D4	D4	D4	5 Z	5 2	24	D4	D4	D4	D4	D4	: (Mat		8	f the st	16 Smv	_	D4	D4	<u>5</u>	5	88	38		2	5 5	218 ]	2	D4 D4
	Class of railway line	~	Ч	-	+	×	* *	-		R	R	_	2 2	+	+	R	R	R	R			×	rack o	_	'_	R	$\rightarrow$	-	+	2 0	+	╎╎		××	┤╎	-	R
	i Asart-slduob\slgni?	5	_	_	+	+	s s	-	s		s	_	0 00	+	$\vdash$	s		s	s	on Kr		s	ting	s		s	_	_	+	s v	+	$\left  \right $		o s		-	s s
1	Type of service point	9	12	-		- (	~ =		1	3	-	··· -	- 0	1 (1)	-	3	3	12	-	the stati	12	12	215 Connecting tra	12		-	9	ς. Γ	- :	- 12 	<u> </u>		9	- 0			° 1
110dsuen	Left track Distance in km Chainage Service point Service point	3 4			81+528	2,913	4,169 88+610 GORICANI 3.650 92+260 MRŠINCI				6,541 105+541 ČAČAK	4,659	2,194 1127994 FRUEVOR 7 500 1204404 OVČAR RANIA			1,534	133+700	2,334 136+034 JUNCTION POINT 54 POŽEGA	0,073 136+107 POŽEGA	214 Connecting track of the station Kral		*0,444 0+000 JUNCTION POINT 73 KRAL JEVO	0+000 JUNCTION POINT 54 POZEGA	0,752 0+752 JUNCTION POINT 53 POŽEGA	-0+870 BEGINNING OF THE LINE	0,813 -0+057 SMEDEREVO	*1,832	*1,475	6+711	2,413 9+124 JUNCTION POINT 64 RADINAC 0.342 0+466 URANDVO	10+872		0+000 OPEN LINE JUNCTION JEZAVA	2,484 2+484 OFEN LINEJUNCTION JUGOFETROL 1.527 4+011 SMEDEREVO LUKA			10.928 82+200 LjUBICEVSKI MOST 5,563 87+763 POŽAREVAC
Date of handover to public	Right track					00.00	29.09.					28.11.	1976.			28.11.	1976.						25 09 2001	No. 100100				10.11.	1888.							01.12.	1920.





	əbmitlA	30			76,2		125,1	175.3	129,2		105,3	Τ		127,0	153.0	154.1	14cT			210,0		000	7,682	376,9			474,5	Τ	518.3	ning n		426,1		364,6	356,4	2/8/7	152.1		
	-Sading gaibsoL	29	ŽS-I	ŽS-I	ŽS-I	ŽS-I	1-52	ŽS-I	ŽS-I	ŽS-I	ZS-I	ŽS-I	ZS-I	ZS-1	1.2	1.54	1-07	ŽS-I	ŽS-I	ŽS-I	ŽS-I	-C2-1		ŽS-I	ŽS-I	ZS-I	ZS-1	1-07	1-07	7S-1	ŽS-I	ŽS-I	ŽS-I	ŽS-I	28-I	1-07		žs-I	ŽS-I
[Vab] sail sht	←	28			10	$\rightarrow$	1	,	10		10		$\rightarrow$	2	·	+	-	6		•				•			•	+	9			15		$\rightarrow$		0 2		_	
Ruling resistance of	$\rightarrow$	27		8	•	\$	2	Ξ	61		6		4	6	=		°.	~		6		0	7	15		1	16		ž	2		•		•	e	• (	• •	•	•
gradient	Slope	26		0	~		7	0	<u> </u>		10		•	2	6	_	-	0		1		<	D	0		$\rightarrow$	0		10	+		14		13	=	ci X	1 1	6	9
BuiluA	Incline	25			0		8	010			5 2	$\downarrow$		»	8			5 8		0 7	+	r <		0 14			0 13	_	14	-		0 0	$\vdash$						0
[%] u	Gradient of the statio	24			0,0		0,0	4.0	0,0		8,5			0,0	1 8			1.5		0,0		00		2,0			3,0					2,0					1.0		
sn	ороници сигуе гади Мітітит сигуе гади	23			300	000	800				400			450	400	300	200			300		00 0	nnc	350			300					350		350	250	002	300	-	
	Open for the acceptar dispatching of passen operations	22	Р	Р	Ч	Ч	P P	- a	Ч	Р	P/F	d.	۹ ۱	- e	P/R	4	-	Ч	Р	P/F	<u>а</u>	<b>1</b>	P	Р	Р	۹.	PFF		4	- a	Ч	Р	Р	Ч	P/F	r ng	P/F		
	Occupancy of service	21			D	:	-	D	D	D	Ч	+	:		E	- =	>			D	+	¢	24	D			a.	+	F	>		n		Þ	e :				
unoiti	siq znibsol-bnə\-əbi2	20					╈	$\top$							v	2	╈			s		0	0	s			×	T		1		s			s	~	0 v	,	
	Freight car scales	19																																		+		$\Box$	
DIC	l - əboə tnioq əəiviə2	18	14606	14502	14503	14504	14506	14507	14508	14509	14510	14511	14522	14512	14513	14515	14517	14523	14518	14519	14520	14521	14410	14402	14403	14411	14404	14415	14405	14409	14406	14407	14413	14350	14305	14304	14302		
he service point	t gnimoes to reansM	17		9	~	•	~	~	4	10	~	+		4	2 1	- 1-	-	10		-		2 -	-	-			-	$^{+}$	-	•	┢	1	$\square$	-	4 -			-	-
noitsIu	ष्ट्रेश अमेरा १० क्याला वि	16	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
	acceptance of the longest trains	15	_				7	5	5		3		-	7	, ,	4 C	4			3		111	5 and 4	2 and 3		:	2 and 3	+	╈	┢		1		2 and 3	2 and 3	2 4 3	2 and 3		
Direction B→A	tracks for Tracks for				_		_		9		4	+	_		9		_	$\vdash$		2	_	+	+			-+	+	+	╀	╞	$\vdash$	6		-	-		+	+	$\square$
	Maximum permitted					1	540	533	676		604		:	520	929	002	2			562		107	8	631		-	538					666		652	582	450	560	1	
	acceptance of the longest trains	1 1					7	2	5		3			7	۰	4 C	4			3		1	5 and 4	2 and 3		:	2 and 3					1		2 and 3	2 and 3	7 7	2 and 3		
Direction A→B	tracks for Tracks for	+ +			-		•	0	9		¥	+	-	0	4		-	$\vdash$		2	+	+	+		-	-+	+	+	╀	╞	╞	6		+	+	+	+	+	$\vdash$
	bettimneq mumixeM	-					040	533	676		604			220	959	2002	<			562		3	180	631			538					666		652	582	447 560	5 8	-	
pernitted speed	भेत्रति मित्रदहि	=						09										9	00												4								
mumixeM	Right track	10							_							_		_				_						_	_	_	_					_			_
Å	Каіlway line category	6	B2	B2	B2	β β	ñ ñ	D3	D3	D3	D3	D3	Ξ	ñ.	<		< <	Y	Υ	Y	۷	< -	3 م	ខ	ខ	ខ	88	38	38	88	ខ	C	ខ	ខ	ខ	38	3 ଅ	8	ខ
	Class of railway line	~	R	R	Я	× c	××	4 ×	Я	R	R	К	<b>۲</b>	¥ 1	× ¤	4 🗠	4 2	Я	R	R	R I	¥ •	××	Я	R	× I	× 4	×	< ~	4 ×	×	R	R	Я	2	× ¤	4 24	4 K	R
əni	l Asert-slduob\slgni2	5	s	s	s	s	n v	s s	s		s	s	s	s o	× v	0 O	o so	s	s	s	s	n o	n so	s	s	s	so o	0 U	0 X	ŝ	s	s	s	s	ŝ	~ v	o v	s s	s
;	Type of service point	9	3	3	-	<del>ر</del>	- ~	0	5	10	-	ŝ	с ·	- (	~ -	-	- ~	∞	3	-	~	<b>n</b> -	- 6	2	3	ς, .	- •	0 4	0	۱ <del>(</del>	e	1	e	-		4 -		. 9	9
	Name of service point	5	89+100 JUGOVIĆEVO	90+090 SOPOT POŽAREVAČKI	95+632 BUBUŠINAC/BRATINAC	100+800 BARE/KASIDOL	102+727 SLIG 106+350 MATH_OVAC	109+055 SIRAKOVO	116+414 LjUBINjE	122+272 ČEŠLJEVA BARA	126+038 RABROVO/KLENjE	131+800 MUSTAPIĆ	133+900 MISL JENOVAC	136+067 ZVIZD	140+650 KUCE VSKA TUKIJA 144+546 k adna	148+582 KTIČEVO	1407.302 RUCE VO 1534616 NER ESNICA	156+492 NERESNICA	159+700 VOLUJA	163+582 BRODICA	166+800 BOSILJKOVAC	1/0+/40 BLAG0JEV KAMEN	1/8+822  MAJDANFEA 181+800  DEBELI LUG	187+674 LESKOVO	191+800 JASIKOVO	194+700 VLAOLE SELO	1974-187 VLAOLE	2004-200 GUKNJANE 2004-200 ČETČETT A TV A	20213000 30.300LAJAAA 3054673 (FEROVO	207+800 KRIVELISKI MOST	211+800 KRIVEL SKI POTOK	215+200 MALI KRIVELj	217+500 BREZONIK	BOR	224-350 BOR TERETNA	251+092 BURSKA SLALINA 338+081 7 A G PADE	220-100 LAURADE 244+699 RGOTINA	249+032 OPEN LINE JUNCTION 3	250+045 OPEN LINE JUNCTION 2
	Эзьтіяде	4	89+100	90+06	95+632	100+800	106+350 MAJI	109+055	116+414	122+272	126+038	131+800	133+90(	136+067	140+65(								181+800			194+70(	197+187	0024000	2051502	207+800	211+800	215+200	217+500						
	Distance in km	3	1,337	0,990	5,542	5,168	3.623	2.705	7,359	5,858	3,766	5,762	2,100	2,167	3 806	4 036	5.034	2.876	3,208	3,882	3,218	0,940	2.948	5,874	4,126	2,900	2,487	0110	3 373	2.127	4,000	3,400	2,300	3,901	2,949	6,/42 6 080	6.618	4,333	1.013
transport public	Left track	2							12.03.	1939.	1						+	15.05.	50.		.60	58.						04.			1				.1967.	⊥ ≓ s		98 19	
Date of Dandover to	Right track	-							12.	19.								15.	1950.		29.09.	1958.						03.04.	1972.						29.11.1967	1963	2	25.06.	4



	əbirtitlA	30		7 700	0,082		443	L TLC	5/4,/				245,7	143	210,2		188,5		Τ	140	9+1		128	116,1		115			84,4		66,6		56.9	56.7			39,1	40,3	4,00	
	9gusg gnibsoL	50	H	ŽS-I *c 1	1-52	I-SZ	ŽS-I	2S-1		ŽS-I	ŽS-I	ŽS-I	ŽS-1		1-57	I-SZ	ŢS-I	ZS-I	ZS-I	1-57	KC-I	ŽS-I	ŽS-I	ŽS-I	ZS-1 *c 1	1-SZ	ŢS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	ZS-I	1-SZ	žS-I	ŽS-I	ŽS-I	ŽS-I	ZS-1	1-57	1.2
[Vab] suil sut	←	38		~~~			•	_	2		Ž	~	13	0	_		9	~		N ×	-	~	7 2	8	~~~~	12	-	~	9 2	$\rightarrow$	9		4	+	~	~	$\vdash$	6 -		
Ruling resistance of	$\rightarrow$	21		:	2		13		+			+	•	-	•	+	ŝ	╈	+		0		2	6	+	10	-		2	+	•	+		6	Η		- (	~ v	+	-
gradient	slope	26		<	>		0	:	=				10	0	~		9		T	t			9	~		10	2		∞		4		e	0			4	∞ -	- 5	1
guiluA	Incline	25			1		Ξ	4					0		0		3			v			-	∞		10			-		0		0		1 1			r v		-
[%] u	Gradient of the statio	24		2	0,0		2,0	00	5				6,0	0	0,0		0,0			2	0,0		0,0	2,0		3.0	5		1,0		0,0		1.0	0.0				0,0		
st	Мілітит сигve гаді	23		050	007		240	020	007				250	250	007		400			010	740		300	250		250			250		250		250	250			250	250	020	007
	Open for the acceptar dispatching of passen operations	22	P/F	d a	P/F	Ъ	Р	d a	LIL	Ь	Р	Ч	d. e	a, a		. <u>a</u>	P/F	ч,	e, e	4	I/L	Р	P/F	P/F		d	Ч	ч	Р	Ч	P/F	a. a	4	. <u>а</u>	Р		Ч	P/F	P/F	LIL
tniog s	оссиралсу оf service	21	Ρ	f	-		D	P	4		U		D	1	5		Ч			1	>		Ч	Ч		f	•		D		Ч			D			6	<u>а</u> а	2	4
umoitu	slq gnibsol-bnə\-əbi2	$\vdash$	s	0	0		s	٥	0				s	v	<b>n</b>		s			0	0		s	s							s		ø	s s			s	s o	n o	0
	Freight car scales	19						+	_			_	+	_	+	-	$\square$	$\downarrow$	$\downarrow$		_			_	+					_	_	_	+	$\vdash$	Ц		$\vdash$	+	$\downarrow$	+
DIC	l - ebos tritog estvise.	18	12550	14003	14001	14004	14005	14006	/00+T	14008	14009	14010	14011	14012	14015	14015	14016	14017	14018	14019	14021	14022	14060	14301		14101	14102	14103	14104	14105	14106	14107	14109	14110	14111	14112	14113	14114	14170	1+1/0
he service point	Manner of securing t	17	-	٥	×		8	۰	•		8		9		-		8		٥	× 4	0		4	8		-	∞	∞	8		∞		8	» »			8	<u>ہ</u>	× °	0
noitelu	gər offisti fo tennsM	16		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	Station distance Crahay HM	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
	acceptance of the longest trains	S	3	5	c pue 7		3	5	7 DUB 1		td 3	1	5	677	7 and 5	t	2 and 3	1	t	5	c nue 7		1 and 2	nd 3	╈	2 and 3			and 2		2 and 3		1 and 2	2 and 3			rd 3	and 3	and 5	7 01
B→A	Tracks for	1	000	ę	7 9I			-	1 12		2 and 3		<u> </u>	, 10	797		2 ar			ę	10 7		1 ar	2 and 3		2.ar			1 ar		2 ar		1 ar	2 ar			2 and 3	28	c pue 7	1
Direction	Maximum permitted train length	Crusti bret - Zajačar - Drahovo Dort	- FTAII	3	474		470	50	16+		511		583	617	10		650			181	000		828	819		549			364		721		511	547			329	583	100	674
	longest trains	- Action	ccar	5	2			5	1	+	13	┥	+		2	┢	13	+	+	5	2		$\vdash$	-	+				12		13	+	0	13	Η		13	2 2	2 5	1
A→B	Tracks for Tracks for	13 13	3		7 and		3	-	7 DUR 1		2 and 3		2	Cur C	5 gud 3		2 and 3				c pue 7		1 and 2	2 and 3		2 and 3			1 and 2		2 and		1 and 2	2 and 3			2 and 3	2 and 3	2 and 5	T all C
Direction	train length	2 i brei	686 KI		494	+	475	101	-		$\square$	+	628	-	/10	+	650	+	+	+	000	$\mathbf{T}$	828	819	+	549	+		364	+	721	╈	115	+	$\vdash$		$\vdash$		+	0
	Maximum permitted	-	8		<del>4</del>		4		÷		511		8	9	ō		9			10	6		8	8		5			3		8		5	S. S			3	583	0	f
sbeeq bermitted	Хеft track			65			65	2			9	2		65				20 (30)			60(80)	0000			65									30 (40)						
mumixeM	Right track	10 11 219 Alia	1617	9			6	-			4			9				20			909	Ş	8		Ŭ									30						
Å	Railway line categor	6		B2	2 2	B2	B2	83 83	83 B2	B2	B2	B2	B2	B2	2 E	B2	B2	B2	B2	82	B2	B2	B2	ខ	88	3 8	8	ខ	ខ	ខ	ខ	88	38	88	ខ	ខ	8	88	38	3 8
	Class of railway line	~		ж с	× ¤	4 24	К	R a	× ×	R	R	R	R	× 0	××	a a	м	R	× 4	×	× d	R N	К	Я	R	4 24	R	В	Я	R	Ч	× a	4 2	R	К	R	Ч	2 a	×	4 2
ani	l Asert-elduob\elgniß	7		s	0 v	s s	s	s	0 00	s	s	s	s	s o	n v	n w	s	s	s o	× o	° -	s	s	s	s	0 00	ŝ	s	s	s	s	s o	0 v	s s	s	s	s	s o	N O	0 0
;	Type of service point	9	-	<del>.</del> -	- ~	n (n	2		- 6	e	2	ю	61 6	- m	- ~	n (m	-	en e	m 0	~ -	- 6	3	-	-	9		9	e	-	e	-	с с	9	-	e	3	10			-
	Name of service point	5			NA NA							KOVAC			L L										CTION 2					A REKA									тампёть	TANISTE
	Stainage	4	0+957 CRVENI KRST		7 12+582 MATEJEVAC 3 20+645 GORNIA VRFŽINA		30+257		8 45+916 KM 045+916 SC						4 08+305 KNJAZEVAC 0 72+105 GORNE ZUNIČE	75+013		84+459			2 105+046 UKLJAN 0 106+906 KM 106+906 IIB		6 111+606 ZAJEČAR	118+834	6 121+000 OPEN LINE JUNCTION 0 131+000 OPEN LINE ILINICTION		128+533					4 148+460 TAMNIC 0 151+230 CDNOMA SNICA			160+192		167+850			0 10413/0 FNAHUVU FNISLANISLE 11 1854070 FND OF LINE
	Distance in km	3		6,536	8 263	6,808	2,804	2,343	5.898	0,094	3,322	2,360	9,186	1,863	3.740	2.908	6,894	2,552	*3,831	*7 063	3.860	0,394	4,306	7,228	2,166	2.731	3.902	*2,871	4,809	2,568	6,892	2,804	2.136	3.362	3,364	3,416	4,242	6,278	188.1	0 501
				_		-				-					1	-	- 1				-	-		_		-	-			_	_		-	-					-	
public transport	Left track	2						15.12.	1922.								1914.												1914											

		sbutitlA	30				353,3				194				212,3					241		255	2.48.8	0.01-7	290	313,6			T			381,4		430,4		500,9		T		$\top$
		Sung games	50	$\vdash$	S-I	-				S-I		S-	S-I				7 2	5 5	5 I-5	S-I	S-I	S-I	_	-	S-I		<u>s</u>	I-S-I	7 1	5 3	5 5						S-I		5	
		←	$\square$	$\vdash$		┢	-			-		×	Ž	-	-		1 20				Ž	× <b>N</b> ×			Ž	Ž	N,			- N	1 20	1 10	×	- 2	Ž	- Ž	× ×	- 1		
3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3		$\rightarrow$	<b>⊢</b>				6			e					∞					8			•						٢	-				10		15	:	2		
1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2 <td>Ruling gradient</td> <td></td> <td>H-1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><u> </u></td> <td>-</td> <td></td> <td>2</td> <td> </td> <td>-</td> <td>-</td> <td>-</td> <td>+</td> <td></td> <td>+</td> <td></td> <td></td> <td>-</td> <td>_</td> <td>+</td> <td>0</td> <td></td> <td>$\rightarrow$</td> <td>-</td> <td>-</td> <td>-</td> <td>+</td> <td>-</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td>	Ruling gradient		H-1						<u> </u>	-		2		-	-	-	+		+			-	_	+	0		$\rightarrow$	-	-	-	+	-	-						1	
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1			$\vdash$			-	~		$\vdash$	0	12		3			S 4	4 0	0 4	∩ ∞						,0 7		S	9	0 4	0 0							2	4	2	
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	[%] u	Gradient of the statio	54		Ц					_	0		0			0			0								0	0				-					0	0 9	2	
	sn		23				_					32	90	30	99	90	DC Y	f 8	100	30	30	100	30	3	35	50	30	88	38	000	8 8	8 8	30	30	30	40	30	05	5	
1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2		nessed to guidotequib	53								Ь	٩.	Р	Ч	<u>م</u>	a   a	2	-	-	P/F	Р	P/F	P D/F	4	Р	Ь		Ч		٩			Ъ	Р	Ч	Ъ	<u>م</u>	4		
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1			5	$\vdash$	H	-			5	D	Р			_	Б	+	+	-	+	L		D	-		D	D	_	-		2		D	-	D		D	+	+	+	
Non-state         Non-state <t< td=""><td></td><td></td><td>$\vdash$</td><td></td><td>$\square$</td><td></td><td></td><td></td><td>$\vdash$</td><td></td><td>s</td><td></td><td></td><td>-</td><td>+</td><td>+</td><td>+</td><td></td><td>+</td><td>s</td><td></td><td></td><td>_</td><td>+</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>s</td><td></td><td></td><td></td><td></td><td>+</td><td>+</td><td>-</td><td></td></t<>			$\vdash$		$\square$				$\vdash$		s			-	+	+	+		+	s			_	+								s					+	+	-	
No.         No. <td></td> <td>Freight car scales</td> <td>$\mapsto$</td> <td></td> <td>1</td> <td>1</td> <td></td>		Freight car scales	$\mapsto$																																			1	1	
No.         No. <td>210</td> <td>F - sboo truiog soivies</td> <td>18</td> <td></td> <td></td> <td></td> <td>1113</td> <td></td> <td>1113</td> <td></td> <td>1001</td> <td>1101</td> <td>1121</td> <td>1102</td> <td>1103</td> <td>6211</td> <td></td> <td>1102</td> <td>1124</td> <td>1106</td> <td>1130</td> <td>1107</td> <td>8011</td> <td>1128</td> <td>1110</td> <td>1111</td> <td>1126</td> <td>1112</td> <td></td> <td>113</td> <td>113</td> <td>1115</td> <td>1127</td> <td>1116</td> <td>1123</td> <td>1117</td> <td>1120</td> <td>1118</td> <td></td> <td></td>	210	F - sboo truiog soivies	18				1113		1113		1001	1101	1121	1102	1103	6211		1102	1124	1106	1130	1107	8011	1128	1110	1111	1126	1112		113	113	1115	1127	1116	1123	1117	1120	1118		
Nome         Nome <th< td=""><td>ne service point</td><td>MANDRY OF SECURING U</td><td>5</td><td>9</td><td>9</td><td>4</td><td></td><td></td><td>$\square$</td><td>9</td><td>-</td><td>-</td><td>-</td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td>+</td><td></td><td></td><td>-</td><td>_</td><td>0 4</td><td>_</td><td>-</td><td>_</td><td></td><td></td><td></td><td></td><td></td><td>-</td><td>+</td><td></td></th<>	ne service point	MANDRY OF SECURING U	5	9	9	4			$\square$	9	-	-	-	_									_	+			-	_	0 4	_	-	_						-	+	
300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300 <td>,,</td> <td>,</td> <td>-</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>+</td> <td></td> <td>_</td> <td></td>	,,	,	-	-										-										+															_	
300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300 <td></td> <td>_</td> <td></td> <td></td> <td>istance</td> <td></td> <td>istance</td> <td></td> <td></td> <td>istance</td> <td></td> <td>istance</td> <td>istance</td> <td>istance</td> <td>istance</td> <td>Istance</td> <td>Istance</td> <td>stance</td> <td>istance</td> <td>istance</td> <td>istance</td> <td>istance</td> <td>Istance</td> <td>stance</td> <td>istance</td> <td>istance</td> <td>istance</td> <td>stance</td> <td>Istance</td> <td>stance</td> <td>stance</td> <td>stance</td> <td>istance</td> <td>istance</td> <td>istance</td> <td>istance</td> <td>stance</td> <td>Istance</td> <td>stance</td> <td></td>		_			istance		istance			istance		istance	istance	istance	istance	Istance	Istance	stance	istance	istance	istance	istance	Istance	stance	istance	istance	istance	stance	Istance	stance	stance	stance	istance	istance	istance	istance	stance	Istance	stance	
300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300         300 <td>noitelu</td> <td>Manner of traffic reg</td> <td>16</td> <td>avac)</td> <td>tion d</td> <td></td> <td>tion d</td> <td></td> <td></td> <td>tion d</td> <td></td> <td>tion d</td> <td>tion</td> <td>tion d</td> <td>tion d</td> <td>tion d</td> <td>tion d</td> <td>tion d</td> <td>tion d</td> <td>non a</td> <td></td>	noitelu	Manner of traffic reg	16	avac)	tion d		tion d			tion d		tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion d	tion	tion d	tion d	tion d	tion d	tion d	tion d	non a	
Andoware to public transfer         Andoware to public transfer <t< td=""><td></td><td></td><td>1</td><td>Ē</td><td>sta</td><td></td><td>sta</td><td></td><td></td><td>sta</td><td></td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>Sta</td><td>Sta cta</td><td>sta eta</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>Sta cto</td><td>sta</td><td>ets 6</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>sta</td><td>Sta</td><td>SIZ</td><td>a)**)</td></t<>			1	Ē	sta		sta			sta		sta	sta	sta	sta	Sta	Sta cta	sta eta	sta	sta	sta	sta	sta	sta	sta	sta	sta	sta	Sta cto	sta	ets 6	sta	sta	sta	sta	sta	sta	Sta	SIZ	a)**)
Andoware to public transfer         Andoware to public transfer <t< td=""><td></td><td></td><td>5</td><td>"."</td><td></td><td>lillia</td><td>5</td><td></td><td>5</td><td></td><td>e</td><td></td><td></td><td></td><td>nd 2</td><td></td><td>1</td><td></td><td></td><td>3</td><td></td><td>nd 3</td><td>5 Pu</td><td></td><td>3</td><td>2</td><td></td><td>T</td><td>T</td><td></td><td></td><td>0</td><td></td><td>nd 3</td><td></td><td>2</td><td></td><td>T</td><td></td><td>Drenic</td></t<>			5	"."		lillia	5		5		e				nd 2		1			3		nd 3	5 Pu		3	2		T	T			0		nd 3		2		T		Drenic
Andoware to public transfer         Andoware to public transfer <t< td=""><td></td><td>Tracks for</td><td></td><td>mctio</td><td></td><td>Kurš</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td>-</td><td>_</td><td>_</td><td>_</td><td>_</td><td></td><td></td><td>-</td><td></td><td>+</td><td></td><td></td><td>_</td><td>_</td><td>+</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>+</td><td>** &gt;0</td><td>-1-0</td></t<>		Tracks for		mctio		Kurš								_	-	_	_	_	_			-		+			_	_	+									+	** >0	-1-0
Andoware to public transfer         Andoware to public transfer <t< td=""><td></td><td></td><td>14</td><td>n line</td><td></td><td>"."</td><td>618</td><td>astrat</td><td>618</td><td>01000</td><td>00000</td><td></td><td></td><td></td><td>564</td><td></td><td></td><td></td><td></td><td>661</td><td></td><td>585</td><td>480</td><td></td><td>583</td><td>410</td><td></td><td></td><td></td><td></td><td></td><td>557</td><td></td><td>565</td><td></td><td>493</td><td></td><td></td><td>d - eii</td><td>unctio</td></t<>			14	n line		"."	618	astrat	618	01000	00000				564					661		585	480		583	410						557		565		493			d - eii	unctio
Andoware to public to 2 - 3 - 3         Distance in ham         Andoware to 2 - 3         Andoware to a - 3         Andoware - 3 <td></td> <td></td> <td>13</td> <td>- Oper</td> <td>ŀ</td> <td>unction</td> <td>5</td> <td>ja - Ka</td> <td>5</td> <td>T I</td> <td>4 - 1</td> <td></td> <td></td> <td></td> <td>nd 2</td> <td></td> <td></td> <td></td> <td></td> <td>3</td> <td></td> <td>nd 3</td> <td>5 pu</td> <td></td> <td>3</td> <td>2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>5</td> <td></td> <td>md 3</td> <td></td> <td>2</td> <td></td> <td></td> <td>Matoh</td> <td>line ji</td>			13	- Oper	ŀ	unction	5	ja - Ka	5	T I	4 - 1				nd 2					3		nd 3	5 pu		3	2						5		md 3		2			Matoh	line ji
Andoware to public transfer         Andoware to public transfer <t< td=""><td></td><td></td><td></td><td>n.,3"</td><td></td><td>line</td><td></td><td>ršumli</td><td>$\square$</td><td>Vact</td><td></td><td></td><td></td><td>_</td><td>_</td><td>_</td><td></td><td></td><td>_</td><td></td><td></td><td>-</td><td>+</td><td>+</td><td></td><td></td><td></td><td>_</td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>$\rightarrow$</td><td>+</td><td></td><td>- oper</td></t<>				n.,3"		line		ršumli	$\square$	Vact				_	_	_			_			-	+	+				_	_								$\rightarrow$	+		- oper
Andoware to public transfer         Andoware to public transfer <t< td=""><td></td><td></td><td>12</td><td>junctio</td><td></td><td>- ober</td><td>618</td><td>22 Ku</td><td>618</td><td>lavia</td><td>600</td><td></td><td></td><td></td><td>564</td><td></td><td></td><td></td><td></td><td>661</td><td></td><td>585</td><td>480</td><td>P</td><td>583</td><td>410</td><td></td><td></td><td></td><td></td><td></td><td>557</td><td></td><td>565</td><td></td><td>493</td><td></td><td></td><td>D D</td><td>eretma</td></t<>			12	junctio		- ober	618	22 Ku	618	lavia	600				564					661		585	480	P	583	410						557		565		493			D D	eretma
Andoware to public transfer         Andoware to public transfer <t< td=""><td></td><td>Left track</td><td>=</td><td>en line</td><td></td><td>arlovo)</td><td>0</td><td>~</td><td></td><td>22 Do</td><td>3</td><td></td><td></td><td></td><td></td><td>_</td><td>•</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>04 Ko</td><td>Polje T</td></t<>		Left track	=	en line		arlovo)	0	~		22 Do	3					_	•																						04 Ko	Polje T
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1		Right track	10	do -(	*	21 (B	6		5		4					¢	1							1															8	sovol
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	A	Railway line category	6	goting			A			V		Bl	B1	BI	BI	BI	a a		BI	B1	A	A.	<	×	A	Α	A	۷.	A A	<	< <	v	A	A	A	A	٩.	4 4	V	225 Kc
Main         Main <th< td=""><td></td><td>Class of railway line</td><td>~</td><td>220 (R</td><td>¥</td><td></td><td>× ×</td><td></td><td></td><td>¥</td><td></td><td>Я</td><td>Ч</td><td>ч</td><td>2</td><td>≃ ª</td><td>× 0</td><td>4 0</td><td>4 24</td><td>R</td><td>R</td><td>2</td><td>× 2</td><td>4 24</td><td>R</td><td>R</td><td>~</td><td>2</td><td>× °</td><td>4 24</td><td>4 ~</td><td>4 24</td><td>Я</td><td>В</td><td>×</td><td>R</td><td>2</td><td>× •</td><td>×</td><td></td></th<>		Class of railway line	~	220 (R	¥		× ×			¥		Я	Ч	ч	2	≃ ª	× 0	4 0	4 24	R	R	2	× 2	4 24	R	R	~	2	× °	4 24	4 ~	4 24	Я	В	×	R	2	× •	×	
Induction         Induction           2         3         4         Name of service point           3         4         Name of service point           3         0.439         0PEN LINE JUNCTION 1           2         25494         NUNCTION 1           2         2300         11-000         ZITON KASTRAT           2         2301         2-300         OPEN LINE JUNCTION 1           2         2301         2-3100         NUNCHON 1           2         2302         2-3100	ine	l Abart-slduob\slgniS	5		S		S			s		s	s	s	s	s o	n u	0 0	0 v	s	s	s	s s	n v	S	s	s	s s	n u	o v	2	s s	s	s	s	s	s	N O	0	
Product fo Individual         Distance in kmi           2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2	1	Type of service point	9	9	9	4	-		-	9	-	m	e	ŝ	- (	m (1	0 4	0 (1	n m	-	ŝ	~ ~	- m	ŝ	∞	8	m	ε	0 9	о m	0 (1	9 2	ę	-	m	8	с (	n f	3	
Product fo Individual         Distance in kmi           2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2																																								
Product fo Individual         Distance in kmi           2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2																																								
Product fo Individual         Distance in kmi           2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2		ji.								E																			E	-										
Producer to Individual         Distance in kmi           1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1		ice bo								STRA																			V D V											
Producer to Individual         Distance in kmi           1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1		ofserv	2	N 3	I N	IN	z			N KA			ç									ANA					E	-	NKA											
Producer to Individual         Distance in kmi           1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1		ame		CTIO	CTIO					CTIO			VJEV/			TAR					NjA	APL		Z			IVAL							νČΑ		z		1 20	N E F	
Image: constraint of the constrant of the constraint of the constraint of the constraint of the c		Z		JUN	NDCE	D III	NE		VI	ND I		0	BAD			CEN			rok	ш	RAG/	MAL	5	MILA			SKE I	AC C						CA RA		IVA:	9	TT A CL		
Image: constraint of the constrant of the constraint of the constraint of the constraint of the c				ILINI	N LINI		OF LIN		NIMI		EVAC	NOVA	JČKI	NICA	RAD/	RAD/	AIM	NIN	NPO	CUPL	VjA D	IČKA	NICIO	ICA	NIK	OV0	DSEL	LJEV.		KA		ARE	ŠKA	<b>NIČ</b>	<b>NIC</b>	NNČIC	LJEV	DARE	ICIN	
Image: constraint of the constrant of the constraint of the constraint of the constraint of the c				OPEN	OPEN	ODDN	KURŠ		KURŠ	OPEN	DOLi	ŠAJĪŇ	TOPL	JASE	ZITO	ZITO			BABI	PROK	GOR	TOPL	BRES	TOPL	PLOČ	BARL	NOVC	PEPE	OPEN	VISO	N I I	RUD/	DEŠI	KOS/	KOS/	KOS ∕	VASI	MERU	MUN	
Image: constraint of the constrant of the constraint of the constraint of the constraint of the c				000+	+439	1221	+894		000+	+320	+247	+300	+800	+597	+096	000	100	201	+800	+327	+014	+734	+500	+700	+718	+646	+300	1000	1024	+100	008+	+810	+325	+880	+700	+895	000+	1001	00+1	
70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70          70         70         70<		Sperind	4	5	Ъ	52	55-		J	4	5	÷	4	£	5	= 2	51	1	18-	22+	25+	31+	34-	4	42+	46+	49+	52+	-00	5 65	ŝ	8	67-	69	73+	75+	-6L	83-	5	
70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70         70          70         70         70<					,439		560			,320		,053	,500	797	499	904		30,	575	,527	,687	,720	,766	.856	,018	,928	,654	200	400°	245	002	010	515	,555	,820	,195	,105	057	040	
19         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10 <th10< th="">         10         10         10<!--</td--><td></td><td>mal ni eanetziU</td><td></td><td></td><td>0</td><td></td><td>6</td><td>1</td><td></td><td>0</td><td></td><td>с,</td><td>-</td><td>-</td><td>ς Γ</td><td>0</td><td>- (</td><td>4</td><td>- 6</td><td>3</td><td>0</td><td>9</td><td>61 6</td><td>6</td><td>0</td><td>ŝ</td><td>0</td><td>C1 -</td><td>-</td><td></td><td>-</td><td></td><td>4</td><td>0</td><td>ő</td><td>6</td><td>e .</td><td>4 -</td><td></td><td></td></th10<>		mal ni eanetziU			0		6	1		0		с,	-	-	ς Γ	0	- (	4	- 6	3	0	9	61 6	6	0	ŝ	0	C1 -	-		-		4	0	ő	6	e .	4 -		
	public	Left track	0												02.	25.					1	29.		2 2	.62		06.	30.						05.	49.					
	Date of Dandover to	Right track	-												28.	19.					04	ģ		4 š	.61		00	19						15.	19,					



		əbmülA	30		84,2	84,9	84,5	85	87,7	89,2	89,5	88,2						75,9								137,7	140,1	147,7	147,7			77	77	77	77		82,5	83,1
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$				$\left  \right $		-	-	-	-	-	1	-							_		╞		_		ŀ		+	_					1	-	-			-
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		egueg gaibeo.I	3			ŽS-	\$Z	Ś	ŻS-	Ż.	Ż\$	Ž\$-							Ž\$-			3	Ś			X	\$	Ż	ŽS-				ŽS-	ŽS-	<u>z</u> s-			
$ \begin{array}{                                    $		←	+			2	<mark>~</mark>	9	_	e		-							•				m			$\downarrow$		e	e					5				
Number of the strate point           NULL         NU		$\rightarrow$	+				$\rightarrow$	-	4	-		-									╞		_			_	$\downarrow$	_										_
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			+	$\frac{1}{2}$			$\rightarrow$	-	+	-		-							$\square$		╞		—		┝	+	+	-						3	-			_
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			+	ł	0,0							0,3							~		┢					0,0	2,0					0,5	0,2	2,0	8,0		0,0	-
$ \begin{array}{                                    $				ł			500	500	500	500	450	700									╞		-		$\left  \right $		200		700									300
$ \begin{array}{                                    $	ngers/freight		8	ł					+			P/F						F			╞		_		$\left  \right $	T	+	P/F				9/F	Р	Р				_
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$									$\downarrow$											FIC		_					$\downarrow$	_										$ \rightarrow$
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$				$\left  \right $	T	D	Þ	Þ	+	Þ	Þ							T		IRAF	╞	_	_		1	4	+	Р						Р	-			$\neg$
Nime of service point           Nime of service point           S         Nime of service point         Direction           S         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I <tdi< td="">         I         I</tdi<>	molts			$\left  \right $	s		_		_			cs S/I								OR ]	+	$\downarrow$	$\neg$		╞	+	$\downarrow$	_				s						-
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$		saless res traiarH	=	$\frac{1}{2}$	5	~	~	-+	5	5	-								-	EDI	┝	+	$\dashv$		┢	-	_	-	-				-	_	$\vdash$			$\neg$
Nime of service point           Nime of service point           S         Nime of service point         Direction           S         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I <tdi< td="">         I         I</tdi<>	DIC	- ebos trioq esiviel	8		23306	24202	24203	24204	24205	24206		2555(								E CLOS							16316	16317	16317			21001	16014	21101				
Name of service point         Same of service point           5         5           6         7           7         5           8         8           8         8           9         8           9         9           9         9           10         9           10         9           11         10           12         11           12         12	the service point	Manner of securing t	1		-	5	5	2	_	0	10	4						10	2	LR	ŀ	5	5		•	\$	_	4	4					4		-	1	-
Name of service point     Name of service point       5     6     7       5     5       6     7       7     5       7     5       7     5       7     5       8     5       9     5       9     5       9     5       10     10       11     10       12     10	noitslır	ger offtert fo renneM	16	SERVICE		station distance	station distance	station distance	station distance	station distance	station distance	station distance		<b>VFFIC</b>	AFFIC	OR TRAFFIC	- (Kać)		station distance		3" - (Podbara)		station distance	FIC	nik Grad		station distance	station distance	station distance				station distance	station distance	station distance	tion point 23 - (Oron	station distance	station distance
Name of service point 5         Name of servic					d 4	d 3	d 3	d 3		d 3		d 3		TR	N I	DF	n "2"	d 2	$\square$		ion "		┨	RAF	ZVOI		┥	d 3				d 3		d 4		junc		1
Name of service point     Name of service point       5     6     Type of service point       6     7     5     5       7     7     5     5       8     8     8     8       8     8     8     8       9     8     9     8       10     1     1     1       10     1     1     1       10     1     1     1       11     1     1     1       12     1     1     1			-	D IR	3 an	2 an	2 an	2 an		2 an	6	2 an		FOR	FOF	LOSI	inctio	1 an			jund			B.	rina-			2 an			vica	2 an		3 an		t 22 -		
Name of service point     Name of service point       5     6     Type of service point       6     7     5     5       7     7     5     5       8     8     8     8       8     8     8     8       9     8     9     8       10     1     1     1       10     1     1     1       10     1     1     1       11     1     1     1       12     1     1     1	Direction			NDEI	338	t64	152	738		525	124	103	1	)SED	OSEL	NEC	ine ju	145			n line			EDF	aj Bo	Τ		398			Vojlo	506		174		n poin		
Name of service point         Same of service point           5         5           6         7           7         5           8         8           8         8           9         8           9         9           9         9           10         9           10         9           11         10           12         11           12         12			+	SPE			_	-	+	~	4		SB	GLC	BCD	caLI	pen l		-		- obe	+	$\neg$	S	Don	+	+	_			če vo				<u> </u>	nction		$\neg$
Name of service point     Name of service point       5     6     7       5     5       6     7       7     5       7     5       7     5       7     5       8     5       9     5       9     5       9     5       10     10       11     10       12     10	<i>a.</i> v	edt to eonstqeoos		Y St	and	and	and	and		and	6	and	LIN	LINE	LIN	žioni	3"- c	and						NE	lion			and			- Pan	and		and		-ini		
Name of service point     Name of service point       5     6     7       5     5       6     7       7     5       7     5       7     5       7     5       8     5       9     5       9     5       9     5       10     10       11     10       12     10			-	ARIL			-	-	-+	-		-	)CAL	orika	Inica	ad Lo	tion "				nction	+	$\neg$	alj L		+	+	-			aroš				-	Čoka		$\neg$
Name of service point     Name of service point       5     6     7       5     5       6     7       7     5       7     5       7     5       7     5       8     5       9     5       9     5       9     5       10     10       11     10       12     10			12	APOR	943	464	492	738		625	424	403	Ĕ	ica fat	ica bo	Vovi S	e junct	445			ine ju		3	i - Zat	TNE			398			Sevo V	506		174		enta: (		
Name of service point     Name of service point       5     6     7       5     5       6     7       7     5       7     5       7     5       7     5       8     5       9     5       9     5       9     5       10     10       11     10       12     10	•	भेत्रहमे मिश्र	=	oor TEI										- Subot	- Subo	042)-]	pen lin	10	2		- open	10		šančev	DEN		20		Ŧ		09 Pan		20	3		lation S	40	≩
Name of service point     Name of service point       5     6     Type of service point       6     7     5     5       7     7     5     5       8     8     8     8       8     8     8     8       9     8     9     8       10     9     9     9     1       10     1     1     1     1       11     1     1     1     1       12     10     1     1     1		Right track	2	- Som										otica	botica	4 H	ara - o				čevi)			timski	na) - (						ŝ			-		f the st		
Name of service point 5         Name of servic	À	Каіlway line categor	6	/rbas		8	8	Υ	A	Υ	Α	Y		01 Sul	02 Sul	Sad (	Podb		ខ	ខ	ski šar		8	306 F	Brasi		Α	Α	Υ				D2	D2	D2	rack of		Υ
Name of service point         Same of service point           5         5           6         7           7         5           8         8           8         8           9         8           9         9           9         9           10         9           10         9           11         10           12         11           12         12		Olass of tailway line	*	226 \		Я	Ч	R	К	Я	R	R		3	3	Novi	304		Г	Ц	(Rim		Ц		308		4	Г	Г				Γ	Т	Ţ	ting ti		Ч
Name of service point 5 S S S S S S S S S S S S S S S S S S S	əni	l Aəsti-əlduob\əlgni?	7			s	s	s	s	s	s	s				303			s	s	305		s			0	s	s	s				s	s	s			s
Name of service point 5 Name of service point 5 Name of service point 8 Name of service point 8 Name of service point 8 Name of service point 9 Name o	1	Type of service poin	9	İ	1	-	-	-	3	-	10	-						1	9	9		9	9		•	9	~	-	-			-	3	1		10 Cc	12	12
21.12         2.1.69         0.910         1.01516         3.3         Distance in km           1906.         2.1.12         2.1.12         3.3         3.3         3.3         3.3           1905.         10.516         10.516         3.3         3.3         3.3         3.3           11.11.         10.516         10.015         4.255         3.3         3.3         3.3           11.11.         0.737         10.016         10.015         10.015         0.9         0.737				-	37+137 VRBAS	47+653 KULA			65+700 NOVI SIVAC									4+413 II0ДБАРА		7+659 OPEN LINE JUNCTION 2		0+000 OPEN LINE JUNCTION 1	0+910 OPEN LINE JUNCTION 3		A			73+454 [ZVORNIK		imum permissible speed is 10 km/h		0+568 PANČEVO VAROŠ	1+300 PANČEVO STRELIŠTE				38+407 JUNCTION POINT 22 SENTA	
		Distance in km	3			10,516	7,318	7,705	3,024	9,740	4,255	10,015							2,169	1,077			0,910				<b>CIU</b>	2,854	1,846	000 the maxin			0,732	1,614	0,561			0,757
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1 <th1< th=""> <th1< th=""> <th1< th=""> <th1< th=""></th1<></th1<></th1<></th1<>	-	Left track	10					ci.	ė											1			1969.		Γ		1950			m 074+				5.				1
		Right track	-	1				21.1	1900														11.03.				5 05 1			up to kn			I.II	193:				



Numerical interval interv		sbrittA	30			101,7			167	195,4	245.0	C1012	5115	261.1			101	101	84	79	73	72	89,5	2		101			80		T						┤	1
1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2		эзияз зайью.	29			ŽS-I	ŽS-I	ŽS-I	1.54	1.04	70-1	102	Å CI	žs.				ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	75.1			ŽS-I			- 24	1-57				ŽS-I	ŽS-I			
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1		$\leftarrow$	28			$\rightarrow$		+	•	•				┢			$\vdash$				-		4	1			-			•				-				
1         1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2		$\rightarrow$	27			4		•	× 1	-	:	=	18	2					6		9		9							•								
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	Ruling gradient	Slope	26			3		4	0	0	_	+	_	_					3		3	•	4						0	0				8				
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1		Incline	52			.					5	2					5	0		0		_				5	_		-	•				0	$\square$			
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	[%] u	Gradient of the statio	24																		I	<del></del>				3												
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	sti		23			338	500	200	000	000	040	004	030	200			280	300		948	300	494	300	2					-	800				_				
1         2         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3		dispatching of passer	22		P/F	<u>۲</u> ۰			F	-							P/F									P/F	r.		P/F				<u>ا</u> ت	ч				
1         1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2	tniog s	Occupancy of service	21	ĺ	Ч	Ч		;	⊃ E	-	11	2	11	)							D	;				$\square$	D		Р				Ч					
1         1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2	motte	slq gnibsol-bnə\-əbiS	20		s	s			¢	n	v	٥	ø	)			s S/E					4	×			s S/E			s				s					
1         1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2		Freight car scales	19						_														_												Н			
1         3         4         3         9         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	nc	- sboo tnioq soivis2	18		13404	13901	13902	13903	10005	12006	12007	13008	13000	10/01			21009		21301	21302	21303	21304	21305			21009			22850				16203	16205				
Image: constraint of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the sectin of the section of the section of the section of the sec	he service point	Manner of securing t	17		-	9			1	٥	9	>	9	,			5				6	4	6			7			\$	9			-	10				
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td>noitslu</td><td>प्रिंग्रास्य १० ग्रियम् इन् राग्रीहर्म १० ग्रियम्</td><td>16</td><td></td><td></td><td>station distance</td><td>station distance</td><td>station distance</td><td></td><td>station distance</td><td>station distance</td><td>station distance</td><td>station distance</td><td>station distance</td><td></td><td></td><td></td><td>station distance</td><td>station distance</td><td>station distance</td><td>station distance</td><td>station distance</td><td>station distance</td><td></td><td></td><td></td><td></td><td>3)</td><td></td><td>station distance</td><td>AFFIC</td><td>2</td><td></td><td>station distance</td><td>station distance</td><td>D FOR TRAFFIC</td><td>FIC</td><td>HC</td></th<>	noitslu	प्रिंग्रास्य १० ग्रियम् इन् राग्रीहर्म १० ग्रियम्	16			station distance	station distance	station distance		station distance	station distance	station distance	station distance	station distance				station distance	station distance	station distance	station distance	station distance	station distance					3)		station distance	AFFIC	2		station distance	station distance	D FOR TRAFFIC	FIC	HC
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td></td><td></td><td></td><td>savica)</td><td>5</td><td>3</td><td></td><td>1</td><td>,</td><td>2</td><td>,</td><td>4</td><td>4</td><td></td><td>1</td><td></td><td>nd 5</td><td></td><td></td><td></td><td>nd 2</td><td>:</td><td>nd 3</td><td></td><td></td><td>nd 5</td><td></td><td>0+41</td><td>nd 3</td><td>a to</td><td>TDAF</td><td></td><td>3</td><td></td><td></td><td>LOSE</td><td>TRAF</td><td>LKAr</td></th<>				savica)	5	3		1	,	2	,	4	4		1		nd 5				nd 2	:	nd 3			nd 5		0+41	nd 3	a to	TDAF		3			LOSE	TRAF	LKAr
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td></td><td>Tracks for</td><td></td><td>- (Res</td><td></td><td></td><td>_</td><td>_</td><td>_</td><td></td><td>_</td><td>+</td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td>2 a</td><td>-</td><td></td><td>$\vdash$</td><td>_</td><td>ks (km</td><td></td><td></td><td></td><td></td><td></td><td></td><td>$\square$</td><td>INEC</td><td>FOR</td><td>ЧČ</td></th<>		Tracks for		- (Res			_	_	_		_	+		-							-		2 a	-		$\vdash$	_	ks (km							$\square$	INEC	FOR	ЧČ
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td></td><td></td><td></td><td>tovac</td><td>812</td><td>667</td><td></td><td></td><td>000</td><td>06/</td><td>16A</td><td>5</td><td>\$06</td><td>2</td><td>(**</td><td>kva</td><td>643</td><td></td><td></td><td></td><td>753</td><td></td><td>681</td><td>S</td><td>arište</td><td>643</td><td></td><td>mple</td><td>842</td><td>1901</td><td></td><td>ečmer</td><td>733</td><td></td><td></td><td>na) Ll</td><td></td><td>)SED</td></th<>				tovac	812	667			000	06/	16A	5	\$06	2	(**	kva	643				753		681	S	arište	643		mple	842	1901		ečmer	733			na) Ll		)SED
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td></td><td></td><td></td><td>espot</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>nizne</td><td>ela Cr</td><td>d 5</td><td></td><td></td><td></td><td>d 2</td><td>:</td><td>d 3</td><td>LIN</td><td>ic Vaš</td><td>d 5</td><td></td><td>stni ko</td><td>d3</td><td></td><td></td><td>vo Be</td><td></td><td></td><td></td><td>Bijelji</td><td></td><td>E</td></th<>				espot											nizne	ela Cr	d 5				d 2	:	d 3	LIN	ic Vaš	d 5		stni ko	d3			vo Be				Bijelji		E
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td></td><td></td><td>=</td><td>ac - L</td><td>4</td><td><del>с</del>о</td><td></td><td></td><td></td><td><u>,</u></td><td>ſ</td><td></td><td>P</td><td></td><td>- <u>n</u></td><td>c - B</td><td>4 an</td><td></td><td></td><td></td><td>1 an</td><td></td><td>2 an</td><td>DND</td><td>- Vrša</td><td>4 an</td><td></td><td>o sirće</td><td>2 an</td><td>1.1</td><td>I I I</td><td>- Jako</td><td>e.</td><td></td><td></td><td>er - ()</td><td></td><td>Ľ</td></th<>			=	ac - L	4	<del>с</del> о				<u>,</u>	ſ		P		- <u>n</u>	c - B	4 an				1 an		2 an	DND	- Vrša	4 an		o sirće	2 an	1.1	I I I	- Jako	e.			er - ()		Ľ
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td>Direction</td><td></td><td></td><td>- Svilajn</td><td>855</td><td>667</td><td></td><td></td><td></td><td>6</td><td>764</td><td>Ş</td><td>506</td><td>8</td><td>2 Metob</td><td>313 Vrša</td><td>643</td><td></td><td></td><td></td><td>753</td><td></td><td>681</td><td>SHUNI</td><td>1 Vršac -</td><td>643</td><td></td><td>etano lsko</td><td>842</td><td>ala alar</td><td>VSKa Ob</td><td>Surčin-</td><td>733</td><td></td><td></td><td>tate bord</td><td>ka Skela</td><td>Fabrika</td></th<>	Direction			- Svilajn	855	667				6	764	Ş	506	8	2 Metob	313 Vrša	643				753		681	SHUNI	1 Vršac -	643		etano lsko	842	ala alar	VSKa Ob	Surčin-	733			tate bord	ka Skela	Fabrika
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td>-</td><td>Left track</td><td>Ξ</td><td>kovac</td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>5</td><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td>4</td><td></td><td></td><td>a - M</td><td>_</td><td>2</td><td>- Dung</td><td>40;</td><td></td><td>_</td><td></td><td>va-s</td><td>adins</td><td>Apatu</td></th<>	-	Left track	Ξ	kovac			_									5				_					4			a - M	_	2	- Dung	40;		_		va-s	adins	Apatu
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td></td><td>Right track</td><td>10</td><td>1 Mar</td><td></td><td></td><td>20</td><td>í</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3(</td><td>5</td><td></td><td></td><td></td><td></td><td>1</td><td>5</td><td>Kikind</td><td>4(</td><td>-</td><td>ojevo -</td><td></td><td></td><td>й</td><td></td><td>ača Nc</td><td>vča - I</td><td>- nta</td></th<>		Right track	10	1 Mar			20	í												3(	5					1	5	Kikind	4(	-	ojevo -			й		ača Nc	vča - I	- nta
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td>À</td><td>Railway line categor</td><td>6</td><td>31</td><td></td><td>B2</td><td>V</td><td>¥.</td><td>A A</td><td>&lt;  &lt;</td><td>V V</td><td>•</td><td>4</td><td></td><td>:</td><td></td><td></td><td>V</td><td>Α</td><td>A</td><td>A</td><td>A .</td><td>A</td><td>:</td><td></td><td></td><td>3</td><td>402</td><td></td><td>A C</td><td>5 B0g 104 De</td><td>1 1 1</td><td></td><td>Α</td><td>۷</td><td>ıska R</td><td>407 0</td><td>408 50</td></th<>	À	Railway line categor	6	31		B2	V	¥.	A A	<  <	V V	•	4		:			V	Α	A	A	A .	A	:			3	402		A C	5 B0g 104 De	1 1 1		Α	۷	ıska R	407 0	408 50
Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image         Image <th< td=""><td></td><td>Class of railway line</td><td>~</td><td></td><td>-</td><td>ц</td><td>Г</td><td>ц,</td><td>ц,</td><td>а,</td><td>- F</td><td>- F</td><td><u>ا</u> ا</td><td>1</td><td>1</td><td></td><td></td><td>Ц</td><td>L</td><td>ц</td><td>Г</td><td>, L</td><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td>nan</td><td>€</td><td>1</td><td></td><td>nan</td><td>nan</td><td>Srem</td><td></td><td></td></th<>		Class of railway line	~		-	ц	Г	ц,	ц,	а,	- F	- F	<u>ا</u> ا	1	1			Ц	L	ц	Г	, L		1						nan	€	1		nan	nan	Srem		
Distance in hm         Distance in hm           3.3         4         A         0.010000000000000000000000000000000000	ຸ່ມເ	Single/double-track l	2			s	s	s	N o	n u	0 0	0	o 0	0	5			s	s	s	s	s	s s	5												P		
Distance in fam           3         3           3         3           3         3           1         17,560           7,5700         7,560           7,560         7,5700           1         1,580           1         1,580           1         1,580           1         1,118           8+599         7,560           0,390         0,390           1         1,118           1         1,118           1         1,118           2,4431         1           1         2,4431           1         2,430           1         2,4431           1         1,000	1	Type of service point	9		-		ŝ	ε,			° -	- ~	n -		1		-	9	8	ŝ	-	ω.	-	1		-	0		-				-	1		406		
Distance in fam           3         3           3         3           3         3           1         17,560           7,5700         7,560           7,560         7,5700           1         1,580           1         1,580           1         1,580           1         1,118           8+599         7,560           0,390         0,390           1         1,118           1         1,118           1         1,118           2,4431         1           1         2,4431           1         2,430           1         2,4431           1         1,000									╈		1	t		t	1									1				ľ										
Distance in fam           3         3           3         3           3         3           1         17,560           1         1,580           1         1,580           1         1,580           1         1,580           1         1,580           1         1,580           1         1,580           1         1,580           1         1,118           8+599         1           2,4431         1           2,4433         1           2,4431         1           1,000         0,390				-	+500 MARKOVAC	+932 SVILAJNAC	+500 SEDLARE	+200 RESAVSKO JASENOVO	+4/0 KESAVA	+820 DESPOTOVAC	7400 VOJNIN +564 INVORIČTE	+800 DITOVO	+360 RESAVICA	+750 END OF LINE			+546 VRŠAC	+664 OPEN LINE JUNCTION B JASENOVO	+263 POTPORANj	+699 STRAŽA	+515 JASENOVO	+649 CRVENA CRKVA	+067 BELA CKKVA +500 FND OF LINE	makanana wakanana kakanana kakana		+558 VRŠAC	+415 VRŠAC VAŠARIŠTE	·	+000 KIKINDA	+285 MSK (INDUSTRIAL TRACK)			+100 SURČIN	+500 JAKOVO-BEČMEN	+500 END OF LINE			
		Spanage	4		ţ												87+.									÷							12+					
0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0		Distance in km	e			9,43.	7,56	5,70	4,27	051	80°1	3 23	756	0.39	cafe.			1+1	8+59	5+43.	4+81	7+13	2+41				2,85		000	0,28				3,40	1,00			
Date of I         Date of I         Date of I         Date of I         Date of I         Date of I	public	Left track	10		.09.	51.	1	Ë,						1	1			5	.07.				.1820.										F					
		Right track	-		01	15		53 5	5			10	1					6	97 97	¥		1	01.11															



	sbutitlA	30									
	əgusg gaibso.I	6	ł			┝	$\vdash$	-			
[Vab] suit suit	aprice puibeo I	8 29	ļ								
tesistance of		27 28	ł			-	$\vdash$				
guiluA	Slope	26 2	ł			-	╞				
Ruling gradient	Incline	-	ł			-					(je)
[%] u	Gradient of the statio	24	t								of the li
st	Minimum curve radi	23	l								s the end
	Open for the acceptar dispatching of passer operations	22				Р	Р	Р			). ming toward
	Occupancy of service	21	t			H	D	H			, 2002
molt	slq gnibsol-bnə\-əbiZ	20	t								om the field
	Freight car scales	19	1								ated M order transi
DIC	- ebos truiog estvice	18									2 - 153 dated May be left track (from State border . Track transition
he service point	Manner of securing t	17	ł			$\vdash$					300/2002 13. 14.
noitslu	Mannet of traffic reg	16	FFIC		ad)		station distance	station distance	station distance		1 Temperary Agreement between ŽTP Belgrade and UNMIK railways, dated May 31, 2002 (records Norrack, the data are provided for each track separately: the numentor relates to the right and the denominant recording point and stop 9. Speed change acting point and stop 11. Traffic and transport dispuching point ling point and stop 11. Traffic and transport dispuching point time point and stop 11. Traffic and transport dispuching point to the right and stop 11. Traffic and transport dispuching point to the routes. There is technical dependance between turnouts and signals, signals and routes. There is technical dependance between turnouts and signals, signals and routes. There is technical dependance between turnouts and signals, there is no dependance between turnouts and signals. Hetween turnouts and signals. Hetween turnouts and signals. Hetween turnouts and signals.
	longest trains		TRA		išegn						lated h ates to top tchi ipatchi d sign
B→A	Tracks for acceptance of the	15	OR	E	5						rade and UNMIK railways, date opurately: the numenator relates 9. Speed change 10. Dispatching point and stop 11. Traffic and transport dispat 12. Loading point 12. Loading point 12. Loading point 12. Loading point 12. adding between turnouts and si nical dependance between and signals.
Direction	train length		EDI	VY LI	orden						set the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set
	bettimneq mumixeM	-	OTO	ILW/	ate B						and UNMIK r ately: the num- stely: the num- Dispatching point Traffic and tra- Louding point dependance h accebetween tu ad signals. als.
	longest trains		E	RA	a - Si						and U ately: Speed Loadi Loadi Loadi Loadi ad sig ad sig als.
Direction A→B	Tracks for		ra L	RIST	Gor						grade separ- 9. 10. 1 11. ' 11. ' 12. 12. ' 12. ' 12. ' 12. ' 13. ' als. ' als.
	Maximum permitted Usin length		409 Bačka Palanka - Gaidobra LINE CLOSED FOR TRAFFIC	MUSEUM-TOURIST RAILWAY LINE	Šargan Vitasi - Mokra Gora - State Border - (Višegrad)						e Temporary Agreement between ŽTP Belgrade and UNMIK railways, dated May track, the data are provided for each track separately: the numenator relates to the in recording point and stop 9. Speed change ar-line junction 10. Dispatching point and stop in-line junction and stop 11. Traffic and transport disputching inding point and stop 12. Loading point MU 13. Traffic and transport disputching and stands and routes. There is technical dependance between turnouts and signals and routes. There is technical dependance between turnouts and signals, signals and stamphore kignals. There is no dependance between turnouts and signals, terkenen turnouts. There is technical dependance between turnouts and signals. There is no dependance between turnouts and signals. There is and semaphore signals.
pəəds	Left track	Ξ	lanka -	USEUN	Vitasi -		0		0		between between op utes. Th- re is tech ce is tech gnals. 'semaph
Maximum pettimpq	Right track	10	čka Pa	Μ	argan		30		20		the Temporary Agreement be eff track, the data are provided frank, the data are provided Dren-line junction of the junction and stop Oren-line junction and stop of mouts, signals and routes. There is, signals and routes. There is, signals and routes. There is, signals and routes there is and is and routes there are there in through and semption via ginals. There is no dependence in through and semption via submode between turnouts and so othere between turnouts and so are the between turnouts and so admine the between turnouts and so admine turnouts and so admine turnouts and so admine the between turnouts and so admine the between turnouts and so admine the between turnouts and so admine the between turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnouts and so admine turnout and so admine turnout and so adm
A	Railway line categor	6	09 Ba		501						ury Agr data ar at a point ction an and st and st and rout of sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema a sema sema a sema sema sema sema a sema a sema sema s
	Class of railway line	∞	4								k, the coordin coordin ine jum ine jum ine jum ine jum als are there in the tween in
ຸ່ມເຈ	Single/double-track l	2	t				s	s	s		to the Temporary Agreemen left track, the data are provi Train recording point and s Open-line junction and stop Open-line junction and stop or DMU or DMU and, signals and routes. Th and through signals and routes. Th outs, signals and routes. The signals and routes. The stands event transults via the otherweet turnouts and semaphore.
1	Type of service point	9	t			-	6	-	13		ding to 5. 5. 6. 6. 8. 7. 7. 7. 8. 8. 17. 10. 11. 11. 10. 11. 10. 10. 10. 10. 10
	ce point									cir line km positions	supervision of UNMIX, acco arresistance differ for the rig ding point adfatte maximum permitted s adfatte maximum permitted s does for partial contralisation o costs key dependance between tores is technical dependance of device. There is no technical there is technical dependance of device. There is no technica to signals.
	Name of service point	5				254+706 ŠARGAN VITASI	ATARE	270+146 MOKRA GORA	276+951 STATE BORDER	*) Distance in km between the service points is not equal to the difference of their line km positions	<ul> <li>**) The lines on the territory of Kosovo and Metoling are temperarily under the supervision of UMIK, according to the Temperary Agreement between ZTP Belgrade and UNMIK railways, dated May 31, 2002. 153 dated May 31, 2002.</li> <li>in columns 25-28, for double-track railwy interse point</li> <li>Cold</li> <li>1. Station</li> <li>5. Train recording point and req</li> <li>8. Train recording point and stop</li> <li>9. Speed change</li> <li>3. Rop</li> <li>3. Rop</li> <li>4. Open line junction and stop</li> <li>10. The first of the right and the denominator to the left track (from the beginning towards the end of the line)</li> <li>3. Rop</li> <li>3. Rop</li> <li>4. Open line junction and stop</li> <li>11. Traffs: and transport dispetching point</li> <li>3. Rop</li> <li>4. Open line junction and stop</li> <li>12. Loading point</li> <li>3. Electroverdus signalling-safety devices for comprehense interformed to an advise point</li> <li>3. Electroverdus signalling-safety devices for comprehense interformed to a transform dispetching point</li> <li>3. Electroverdus signalling-safety devices for comprehense interformed to a transform of transform dispetching point</li> <li>3. Electroverdus signalling-safety devices for comprehense interformed to the relative and stop</li> <li>3. Electroverdus signalling-safety devices for comprehense interformed to a transform of transform dispetching point</li> <li>3. Electroverdus signalling-safety devices for comprehense interformed to the relative and stop</li> <li>3. Electroverdus signalling-safety devices for comprehense interformed to the relative and stom interformed to a transform of transmission of transmission and stop</li> <li>3. Electroverdus signalling-safety devices for comprehense interformed to the relative devices the relative devices the relative devices the relative devices the relative of threases signals and routes. There is technical dependance between thronts and signals.</li> <li>4. Open line protinon interfording block devices threase intransmistant on</li></ul>
	sganiadO	4	ļ			254+706	5 262+262 JATARE			the service points	ry of Kosovo and ry of Kosovo and Col.6 T Col.6 2 2 2 3 3 4 5 5 5 5 6 6 6 5 7 7 7 7 7 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9
	Distance in Icm	3					7.556	7,884	6,805	between.	s, for doub
		-	ł	1		H-		I		5	-28
transport transport	Left track	0								lce in	lines of the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second sec



Col 20-5 for the service point with side-loading platform, E for the service point with side and end-loading platform Col 21 P for permanently manned. U for permanently unmanned and T for temporarity manned service points Col 22- P for service points open for the acceptance and dispatching of passengers, and for fieight, operations Col 22- P for service points open for the acceptance and dispatching of passengers and for fieight operations

11. Access signals. Turnouts are secured by locking devices without signal.

	Primary train delay causes (IŽS)
No	Name
1.	Waiting for dispatch
2.	Waiting at the automatic block signal or protective signal
3.	Dispatcher's order
4.	Delay caused by the fault of an infrastructure manager's employee
5.	Entrance/exit to a turn
6.	Traffic on the left track
7.	Speed decrease requested by the infrastructure manager
8.	Delivery of order to the train driver
9.	Unplanned line closure by the infrastructure manager
10.	Level-crossing failure
11.	Failure on the overhead contact line
12.	Extended stay of railway vehicles
13.	Delay caused by restricted-speed running
14.	Rail crack
15.	Deformed track
17.	Technically defective switch
18.	Collision, bumping, derailment, avoided collision of railway vehicles
19.	Failure of signalling-interlocking and telecommunication devices
20.	Extension of the foreseen closure (more than 30 min)

## Appendix 7. Overview of primary train delay causes

	Primary train delay causes (railway undertaking)
No	Name
1.	Increased passenger frequency
2.	Waiting for railway undertaking staff
3.	Waiting for locomotive or multiple-unit set
4.	Delay caused by the fault of an railway undertaking's employee
5.	Cleaning of wagon or multiple-unit set requested by the railway undertaking
6.	Brake test
7.	Failure of wagon, traction unit or multiple-unit set
8.	Wagon repair without de-coupling
9.	Decreased train speed due to failure of wagon/multiple-unit set/traction unit
10.	Change of composition requested by the railway undertaking
11.	Intervention of police officers, requested by train staff



13.	Waiting for shunting locomotive
15.	Shift change of railway undertaking's employees
16.	Waiting for train forming
17.	Weighing
18.	Special consignment transport
20.	Stopping for cooling of brake shoes
21.	Delay caused by turnover of the multiple-unit set/traction unit of the same composition
22.	Accident on industrial siding of the transport client
23.	Breakdown of brake system air duct
24.	Train passing by the signal which indicates that the further running is forbidden
25.	Unallowed train passing through the service point where it had to stop

	Primary train delay causes (external influences)
No	Name
1.	State needs
2.	Train accepted with delay by another railway management
3.	Train rejected by another railway management
4.	Waiting for train staff of another railway management
5.	Train incorrectly formed by another railway management
6.	Taking a defective wagon of another railway management out of service
7.	Taking an incorrectly sent wagon of another railway management out of service
8.	Another railway management's employee being late
9.	Natural disasters (landslide, flood, current, snow-drift, avalanche, fire, fog)
10.	Falling out of train
11.	Jumping in or out of train
12.	Holding of the train by police officers
13.	Holding of the train by custom-inspection officers
14.	Emergency brake abuse
15.	Emergency service intervention
16.	Level-crossing device breaking
17.	Train rocking
18.	Theft of equipment or devices owned by the infrastructure



	Secondary train delay causes
No	Name
1.	Waiting for crossing
2.	Waiting for overtaking of a train
3.	Waiting for annunciation
4.	Waiting with the train which is in delay
5.	Extended stay in the station due to waiting for regular passing
6.	Waiting for locomotive or multiple-unit set from turnover
7.	Waiting for railway undertaking's staff from turnover
8.	Delay caused by failure of another train's traction unit
9.	Waiting for train connection (passenger or goods) of another railway management
10.	Abuse of emergency brake on another train
11.	Announced strike of IŽS or RU
12.	Another train accident



## Appendix 8. Overview of platforms and arranged surfaces in service points

Service point	Location	km position of the beginning and the end	Platform/arranged		Dimensions	Widt
Service point	Location		surface	Length	Height	
1	2	of platform	4	(m)	(m)	(m)
1	2	3	4	5	6	7
		MAIN LINES				
	101 Belgrade Center- Stara				,	
	next to 3rd track	0+120-0+00-0+300	platform	420,00	0,55	10,0
	between the 4th and 5th track	0+155-0+00-0+300	platform	455,00	0,55	10,0
BELGRADE CENTER	between the 6th and 7th track	0+155-0+00-0+300	platform	455,00	0,55	10,0
	between the 8th and 9th track	0+120-0+00-0+300	platform	420,00	0,55	10,0
	next to 10th track	0+120-0+00-0+300	platform	420,00	0,55	7,0
	next to 1st track	3+204,17 - 3+679,48	platform	475,00	0,55	5,6
	between the 1st and 2nd track*	3+204,17 - 3+679,48	platform	475,00	0,55	3,8
	between the 2nd and 3rd track	3+204,17 - 3+679,48	platform	475,00	0,55	10,4
NOVI BEOGRAD	between the 3rd and 4th	3+204,17 - 3+679,48	platform	475,00	0,55	3,8
	track*	2.204.17 2.670.40	1.0	175.00	0.55	10.4
	between the 4th and 5th track	3+204,17 - 3+679,48	platform	475,00	0,55	10,4
	next to 5th track	3+204,17 - 3+679,48	platform	475,00	0,55	5,6
Tošin bunar	next to right track	5+104,79 - 5+274,76	platform	110,00	0,55	4,0
i osm ounur	next to left track	5+104,79 - 5+274,76	platform	110,00	0,55	4,0
	between the 1st and 2nd track	8+276-8+676	platform	400,00	0,55	6,1
ZEMIN	between the 3rd and 4th track	8+276-8+676	platform	400,00	0,55	6,1
ZEMUN	between the 6th and 7th track	8+321 - 8+676	platform	355,00	0,55	6,1
	between the 8th and 9th track	8+321 - 8+676	platform	355,00	0,55	6,1
Altina	next to left track	11+256 - 11+366	platform	110,00	0,55	4,0
	next to right track	10+997 - 11+107	platform	110,00	0,55	4,0
	between the 1st and 2nd track	12+264 -12+374	platform	110,00	0,55	4,0
ZEMUNSKO POLJE	between the 2nd and 3rd track	12+154 -12+374	platform	220,00	0,55	6,1
	between the 3rd and 4th track	12+264 -12+374	platform	110,00	0,55	4,0
	next to left track	13+955-14+065	platform	110,00	0,55	4,0
Kamendin	next to right track	13+744 - 13+854	platform	110,00	0,55	4,0
	next to 1st track	18+884-19+104	platform	220,00	0,55	4,0
BATAJNICA	between the 2nd and 3rd track	18+884 - 19+104	platform	220,00	0,55	6,1
DATAMEA	next to 6th track	18+884 - 19+104	platform	220,00	0,55	7,4
NOVA PAZOVA	between the 4th and 5th track	26+993-27+243 l.n.	platform	250,00	0,55	7,4
NOVAFALOVA			•			3,0
STARA PAZOVA	next to 1st track between the 5th and 6th track	35+015-35+235 l.n. 35+015-35+265 l.n.	platform platform	220,00 250,00	0,55	6,1
	between the 2nd and 3rd track		P	,	0,55	
GOLUBINCI		45+767-45+914	platform	147,00	0,35	1,6
	between the 3rd and 4th track	45+767-45+914 53+611,93-53+691,91	platform platform	147,00 79,98	0,35 0,35	<u>1,6</u> 1,6
PUTINCI	between the 2nd and 3rd track					
	between the 3rd and 4th track	53+611,93-53+691,91	platform	79,98	0,35	1,6
Kraljevci	next to right track	59+982,18-60+062,18	platform	80,00	0,55	4,0
-	next to left track	59+985,29-60+065,29	platform	80,00	0,55	4,0
	between the 2nd and 3rd track	64+733-64+973	platform	240,00	0,35	1,6
RUMA	between the 3rd and 4th track	64+733-64+973	platform	240,00	0,35	1,6
	between the 4th and 5th track	65+821-64+937	platform	116,00	0,35	1,6
VOGANJ	between the 2nd and 3rd track	73+368-73+518	arranged surface	150,00	0,00	2,0
	between the 3rd and 4th track	73+368-73+518	arranged surface	150,00	0,00	2,0
SREMSKA MITROVICA	between the 2nd and 3rd track	81+563-81+763	platform	200,00	0,35	1,6
	between the 3rd and 4th track	81+563-81+763	platform	200,00	0,35	1,6
Laćarak	between the right and left track	86+109,30-86+159,30	platform	50,00	0,35	1,6
MARTINCI	between the 2nd and 3rd track	94+059-94+159	platform	100,00	0,35	1,6
	between the 3rd and 4th track	94+131-94+141	platform	10,00	0,35	1,6
Kuzmin		NONE			, ,	
KUKUJEVCI-ERDEVIK	between the 2nd and 3rd track	104+935-104+985	platform	50,00	0,45	1,6
	between the 3rd and 4th track	104+990-105+040	platform	50,00	0,45	1,6
Bačinci	next to right track	109+070-109+097	platform	27,00	0,35	1,6
Gibarac		NONE	1			
	between the 1st and 2nd track	116+300-116+490	arranged surface	190,00	0,10	2,5
ŠID	between the 2nd and 3rd track	116+300-116+665	platform.	365,00	0,45	1,6
	between the 3rd and 4th track	116+300-116+677	platform	377,00	0,45	1,6



164

<b>a</b>	<b>T</b>	km position of the	Platform/arranged		Dimensions	
Service point	Location	beginning and the end	surface	Length	Height	Widt
		of platform		(m)	(m)	(m)
	2	3	4	5	6	7
102 Belgrade Cent	er– Junction "G" – Rakovica - N					10.0
	next to 3rd track	0+120-0+00-0+300	platform	420,00	0,55	10,0
	between the 4th and 5th track	0+155-0+00-0+300	platform	455,00	0,55	10,0
BELGRADE CENTER	between the 6th and 7th track	0+155-0+00-0+300	platform	455,00	0,55	10,0
	between the 8th and 9th track	0+120-0+00-0+300	platform	420,00	0,55	10,0
	next to 10th track	0+120-0+00-0+300	platform	420,00	0,55	7,0
	next to 2nd track - right	8+460-8+786	platform	326,00	0,55	6,1
RAKOVICA	between the 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,1
	between the 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,2
Kneževac	next to right track	10+645-10+758	platform	113,00	0,55	1,5
Kilezevae	next to left track	10+645-10+758	platform	113,00	0,55	1,5
Kijevo	next to right track	11+626-11+731	platform	105,00	0,55	1,5
Rijevo	next to left track	11+713-11+819	platform	106,00	0,55	1,5
	next to 1st track	14+080-14+240	arranged surface	160,00	0,55	4,0
RESNIK	between the 1st and 2nd track	14+080-14+240	platform	160,00	0,35	1,5
	between the 3rd and 4th track	13+943-14+238	platform	295,00	0,55	6,2
PINOSAVA		NONE				
Ripanj Kolonija	next to railway line - left	20+080-20+180	platform	100,00	0,35	1,0
<b>_</b>	between the 1st and 2nd track	21+324,00-21+356,40	platform	32,40	0,35	1,0
RIPANJ	between the 2nd and 3rd track	21+265,70-21+361,20	platform	95,50	0,35	1,5
	between the 3rd and 4th track	21+265,70-21+361,20	platform	95,50	0,35	1,5
	between the 1st and 2nd track	24+743,40-24+804,00	platform	60,60	0,35	1,0
KLENJE	between the 2nd and 3rd track	24+743,40-24+804,00	platform	60,60	0,35	1,0
RIPANJ TUNEL	between the 1st and 2nd track	29+565-29+615	platform	50,00	0,40	1,6
D 41 14	between the 1st and 2nd track	34+695-34+774	platform	79,00	0,40	1,6
RALJA	between the 2nd and 3rd track	34+695-34+774	platform	79,00	0,40	1,6
SOPOT KOSMAJSKI	between the 2nd and 3rd track	41+454-41+544	platform	90.00	0,40	1,6
VLAŠKO POLJE	between the 2nd and 3rd track	47+684-47+784	platform	100,00	0,40	1,6
MLADENOVAC	between the 2nd and 3rd track	53+089-53+190	platform	101,00	0,40	1,6
MERIDENCOVINC	between the 3rd and 4th track	53+030-53+190	platform	160,00	0,40	1,6
~	between the 1st and 2nd track	59+954-60+109	platform	155,00	0,40	1,6
KOVAČEVAC	between the 2nd and 3rd track	59+907-60+056	platform	149,00	0,40	1,6
Rabrovac	next to railway line - left	62+909-63+045	platform	136,00	0,40	1,6
	between the 1st and 2nd track	67+497-67+650	platform	153,00	0,40	1,6
KUSADAK	between the 2nd and 3rd track	67+453-67+600	platform	147,00	0,40	1,0
Ratare	next to railway line - left	70+821-70+931	platform	110,00	0,40	1,0
Ratare	between the 1st and 2nd track	73+941-74+041	platform	100,00	0,50	1,0
GLIBOVAC	between the 2nd and 3rd track	73+978-74+078	platform	100,00	0,50	1,5
			platform			1,5
DALANIZA	between the 1st and 2nd track	78+476-78+586		110,00 110,00	0,50	
PALANKA	between the 2nd and 3rd track	78+476-78+586	platform	/	0,50	1,5
MALA PLANA	between the 3rd and 4th track	78+476-78+586	platform	110,00	0,50	1,5
WIALA FLANA	between the 2nd and 3rd track	85+505-85+605	platform	100,00	0,50	1,5
	between the 1st and 2nd track between the 2nd and 3rd track	90+350-90+400	platform	50,00	0,40	1,6 1,6
VELIKA PLANA		90+289-90+430	platform	141,00	0,40	/
	between the 3rd and 4th track	90+370-90+510	platform	140,00	0,40	1,6
	between the 4th and 5th track	90+360-90+464	platform	104,00	0,40	1,6
Staro Selo	next to right track	94+008-94+055	platform	47,00	0,40	1,6
	next to left track	94+008-94+055	platform	47,00	0,40	1,6
Novo Selo	next to right track	97+660-97+706	platform	46,00	0,40	1,6
	next to left track	97+660-97+706	platform	46,00	0,40	1,6
MARKOVAC	between the 2nd and 3rd track	100+400-100+450	platform	50,00	0,40	1,6
MARKOVAC	between the 3rd and 4th track	100+350-100+452	platform	102,00	0,40	1,6
	between the 4th and 5th track	100+350-100+448	platform	98,00	0,40	1,6
Lapovo Varoš	next to right track	106+250-106+310	platform	60,00	0,35	1,6
1	next to left track	106+250-106+310	platform	60,00	0,35	1,6
Lapovo Marshalling Yard	next to right track	108+350-108+400	platform	50,00	0,35	1,6
Eurovo maismanning Talu	next to left track	108+340-108+390	platform	50,00	0,35	1,6
	next to 1st track	109+460-109+510	platform	50,00	0,35	1,6
LAPOVO	between the 2nd and 3rd track	109+560-109+680	platform	120,00	0,35	1,6
	between the 3rd and 4th track	109+560-109+680	platform	120,00	0,35	1,6
	next to right track	114+140-114+190	platform	50,00	0,35	1,6



Service point	Location	km position of the beginning and the end	Platform/arranged surface	Length	Dimensions Height	s Widtl
1	2	of platform		(m)	(m)	(m)
1	2	3	4	5	6	7
	next to left track	114+140-114+190	platform	50,00	0,35	1,60
Miloševo	next to right track	116+940-116+990	platform	50,00	0,35	1,60
	next to left track	116+940-116+990	platform	50,00	0,35	1,60
BAGRDAN	between the 2nd and 3rd track	120+229-120+330	platform	101,00	0,35	1,60
BRORDARY	between 3rd and 4th track	120+268-120+390	platform	122,00	0,35	1,60
Lanište	next to right track	126+920-126+970	platform	50,00	0,35	1,60
Laniste	next to left track	126+920-126+970	platform	50,00	0,35	1,60
	next to right track	131+229-131+279	platform	50,00	0,35	1,60
Bukovče	next to left track	131+229-131+279	platform	50,00	0,35	1,60
	between the 1st and 2nd track	135+192-135+342	platform	150,00	0,20	1,90
JAGODINA	between the 2nd and 3rd track	135+122-135+364	platform	242,00	0,20	1,90
010021.01	between the 3rd and 4th track	135+182-135+416	platform	234,00	0,20	1,90
	next to right track	140+550-140+670	platform	120,00	0,55	3,00
Gilje			platform	120,00	0,55	3,00
	next to left track	140+550-140+670	•			
PARAĆIN	between the 3rd and 4th track	155+081-155+184	platform	103,00	0,35	1,60
	between the 4th and 5th track	155+065-155+166	platform	101,00	0,20	1,90
Sikirica- Ratari	next to right track	163+560-163+610	platform	50,00	0,35	1,60
Sixiiva- Natall	next to left track	163+565-163+615	platform	50,00	0,35	1,60
Dr	next to right track	166+605-166+655	platform	50,00	0,35	1,60
Drenovac	next to left track	166+605-166+655	platform	50,00	0,35	1,60
/_/	between the 2nd and 3rd track	171+550-171+640	platform	90,00	0,35	1,60
ĆIĆEVAC	between 3 rd and 4 th track	171+550-171+640	platform	90,00	0,35	1,60
	next to right track	173+625-173+674	platform	49,00	0,35	1,60
Lučina	next to left track	173+625-173+674	platform	49,00	0,35	1,60
			1			
GTAL A Ó	between the 2nd and 3rd track	176+222-176+425	platform	203,00	0,28	6,40
STALAĆ	between the 4th and 5th track	176+222-176+425	platform	203,00	0,28	1,60
	between the 6th and 7th track	176+270-176+378	platform	108,00	0,28	5,30
STEVANAC		NONE				
BRALJINA	between the 2nd and 3rd track	186+443-186+563	platform	120,00	0,35	1,60
DRALJINA	between the 3rd and 4th track	186+443-186+563	platform	120,00	0,35	1,60
Cerovo-Ražanj	next to railway line - left	190+320-190+370	platform	50,00	0,35	1,60
STARO TRUBAREVO	between the 1st and 2nd track	192+150-192+220	platform	70,00	0,35	1,60
	between the 2nd and 3rd track	194+882-195+003	platform	121,00	0,35	1,60
ÐUNIS	between the 3rd and 4th track	194+882-195+003	platform	121,00	0,35	1,60
	next to right track	199+160-199+210	platform	50,00	0,35	1,60
Vitkovac	next to left track	199+160-199+210	platform	50,00	0,35	1,60
			1			
Donji Ljubeš	next to right track	201+175-201+225	platform	50,00	0,35	1,60
5 5	next to left track	201+175-201+225	platform	50,00	0,35	1,60
Gornji Ljubeš	next to right track	203+560-203+610	platform	50,00	0,35	1,60
Goniji Ejuoes	next to left track	203+560-203+610	platform	50,00	0,35	1,60
KODMAN	between the 2nd and 3rd track	205+565-205+675	platform	110,00	0,35	1,60
KORMAN	between 3 rd and 4 th track	205+545-205+665	platform	120,00	0,35	1,60
	next to right track	208+087-208+186	platform	99,00	0,35	1,60
Trnjani	next to left track	208+087-208+186	platform	99,00	0,35	1,60
	next to 1st track	210+445-210+530	platform	85,00	0,33	5,00
ADROVAC	between the 1st and 2nd track		platform	89,00		
ADKUVAU		210+432-210+521	•		0,35	1,60
	between the 2nd and 3rd track	210+440-210+562	platform	122,00	0,35	1,60
ALEKSINAC	between the 2nd and 3rd track	214+067-214+277	platform	210,00	0,35	1,60
	between the 3rd and 4th track	214+067-214+277	platform	210,00	0,35	1,6
Nozrina	next to right track	217+400-217+500	platform	100,00	0,35	1,6
INUZIIIIa	next to left track	217+400-217+500	platform	100,00	0,35	1,60
T≚-	next to right track	218+705-218+790	platform	85,00	0,35	1,60
Lužane	next to left track	218+708-218+785	platform	77,00	0,35	1,60
	next to right track	222+062-222+164	platform	102,00	0,35	1,60
Tešica	next to left track	222+062-222+164	platform	102,00	0,35	1,60
	between the 2nd and 3rd track			,		1,60
GREJAČ		224+656-224+758	platform	102,00	0,35	
	between the 3rd and 4th track	224+656-224+708	platform	52,00	0,35	1,60
Supovački Most	next to right track	228+087-228+155	platform	68,00	0,35	1,60
Superview most	next to left track	228+091-228+159	platform	68,00	0,35	1,60
Mezgraja	next to right track	229+306-229+416	platform	110,00	0,35	1,60
wiezgraja	next to left track	229+306-229+416	platform	110,00	0,35	1,60



Service point	Location	km position of the beginning and the end	Platform/arranged	Length	Dimensions Height	S Widt
Service point	Location	of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
	next to right track	232+544-232+631	platform	87,00	0,35	1,60
Vrtište	next to left track	232+544-232+631	platform	87,00	0,35	1,60
	between the 2nd and 3rd track	234+893-234+994	platform	101,00	0,40	1,60
TRUPALE	between the 4th and 5th track	234+893-234+994	platform	101,00	0,40	1,60
CRVENI KRST	between the 2nd and 3rd track	240+842-240+994	platform	152,00	0,40	1,60
	next to 1st track	243+410-243+763	platform	353,00	0,40	5,80
	between the 2nd and 3rd track	243+410-243+813	platform	403,00	0,40	8,00
NIŠ	between the 4th and 5th track	243+410-243+771	platform	361,00	0,40	8,00
1115	between 1b. and 1. track	243+643-243+763	platform	120,00	0,40	5,80
	next to 1a. track	243+660-243+763	platform	103,00	0,40	1,60
MEĐUROVO		NONE		100,00	0,10	1,00
BELOTINCE	between the 1st and 2nd track	253+906-253+987	platform	81,00	0,40	1,60
Čapljinac	next to railway line - left	255+443-255+493	platform	50,00	0,40	1,60
Malošište	next to railway line - left	257+890-257+940	platform	50,00	0,40	1,60
	between the 1st and 2nd track	261+419-261+527	platform	108,00	0,40	1,60
DOLJEVAC	between the 1st and 2nd track	261+419-261+526	platform	100,00	0,40	1,60
	next to railway line - right	263+218-263+263	platform	45,00	0,40	1,10
Kočane	next to railway line - right	263+274-263+287	platform	13,00	0,40	1,10
	next to railway line - right	265+833-265+862	platform	29,00	0,40	1,60
Pukovac	next to railway line - right	265+870-265+897	platform	27,00	0,40	1,60
BRESTOVAC	between the 2nd and 3rd track	267+906-267+971	platform	65,00	0,40	1,60
BRESTOVAC	next to railway line - left		1	25,00	0,40	1,00
Lipovica		270+819-270+844	platform platform	37,00		1,10
PEČENJEVCE	next to railway line - left	270+850-270+887			0,40	1,10
	between the 2nd and 3rd track	275+522-275+596	platform	74,00	0,40	
Živkovo	next to railway line - right	278+820-278+865	platform	45,00	0,40	1,10
Priboj Leskovački	next to railway line - right	280+440-280+480	platform	40,00	0,40	1,30
VINARCI		NONE		210.00	0.40	1 (1
LESKOVAC	between the 1st and 2nd track	287+460-287+679	platform	219,00	0,40	1,60
DODDEUO	between the 2nd and 3rd track	287+507-287+630	platform	123,00	0,40	1,60
ÐORÐEVO		NONE	1	45.00	0.40	1.00
GRDELICA	between the 2nd and 3rd track	301+841-301+886	platform	45,00	0,40	1,60
	between the 3rd and 4th track	301+841-301+886	platform	45,00	0,40	1,60
Palojska Rosulja	next to railway line - left	308+614-308+629	platform	15,00	0,40	1,60
PREDEJANE	between the 1st and 2nd track	312+675-312+750	platform	75,00	0,40	1,60
DŽEP	between the 2nd and 3rd track	319+629-319+710	platform	81,00	0,40	1,60
MOMIN KAMEN	next to railway line - left	322+900-322+930	platform	30,00	0,40	1,60
Šelince		NONE		201.00	0.40	1.00
VLADIČIN HAN	between the 1st and 2nd track	329+472-329+676	platform	204,00	0,40	1,60
SUVA MORAVA	next to 1st track	334+043-334+095	platform	52,00	0,40	1,60
Lepenički most		NONE				
Stubal		NONE				
PRIBOJ VRANJSKI		NONE		100.00		
VRANJSKA BANJA	between the 1st and 2nd track	347+958-348+080	platform	122,00	0,40	1,60
VRANJE	between the 1st and 2nd track	354+080-354+260	platform	180,00	0,40	1,60
	between the 2nd and 3rd track	354+125-354+242	platform	117,00	0,40	1,60
Neradovac		NONE				
RISTOVAC	between the 1st and 2nd track	365+666-365+768	platform	102,00	0,40	1,60
	between the 2nd and 3rd track	365+666-365+768	platform	102,00	0,40	1,60
BUJANOVAC	between the 1st and 2nd track	373+665-373+720	platform	55,00	0,40	1,60
Letovica		NONE				
BUKAREVAC		NONE				
PREŠEVO	between the 1st and 2nd track	392+256-392+357	platform	101,00	0,40	1,60
	103 (Belgrade Center) - Rako	vica - Jajinci - Mala Krsı	na - Velika Plana			
	next to 2nd track - right	8+460-8+786	platform	326,00	0,55	6,10
RAKOVICA	between the 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
	between the 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20
JAJINCI		NONE				
	between the 2nd and 3rd track	16+240-16+337	platform	97,00	0,40	1,60
BELO POTOK	between the 3rd and 4th track	16+240-16+351	platform	111,00	0,40	1,60
Zuce staj.	next to railway line - right	20+305-20+363	platform	58,00	0,40	1,60



		km position of the		Г	Dimension	2
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width
Service point	Location	of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
ZUCE	between the 1st and 2nd track	21+180-21+287	platform	107,00	0,40	1,60
	between the 1st and 2nd track	24+824-24+932	platform	108,00	0,40	1,60
VRČIN	between the 2nd and 3rd track	24+824-24+934	platform	110,00	0,40	1,60
Kasapovac	next to railway line - left	27+840-27+938	platform	98,00	0,40	1,60
LIPE	between the 1st and 2nd track	31+208-31+316	platform	108,00	0,40	1,60
	next to 1st track	36+858-36+925	platform	67,00	0,40	1,60
MALA IVANČA	between the 1st and 2nd track	36+863-36+925	platform	62,00	0,40	1,60
Brestovi	next to railway line - left	39+208-39+305	platform	97,00	0,40	1,60
	between the 1st and 2nd track	41+250-41+356	platform	106,00	0,40	1,60
MALI POŽAREVAC	between the 2nd and 3rd track	41+250-41+358	platform	108,00	0,40	1,60
Dražanj-Šepšin		43+114-43+219	platform	108,00	0,40	1,60
Drazanj-Sepsin	next to railway line - right between the 1st and 2nd track	47+730-47+839	platform	103,00	0,40	1,60
UMČARI			-		-	
Ž' 1	between the 2nd and 3rd track	47+730-47+837	platform	107,00	0,40	1,60
Živkovac	next to railway line - left	52+290-52+340	platform	50,00	0,40	1,60
VODANJ	between the 2nd and 3rd track	55+130-55+229	platform	99,00	0,40	1,60
KOLARI	between the 1st and 2nd track	60+558-60+656	platform	98,00	0,40	1,60
Ralja Smederevska	next to railway line - left	66+573-66+605	platform	32,00	0,40	1,60
	between the 1st and 2nd track	69+030-69+175	platform	145,00	0,40	1,90
MALA KRSNA	between the 2nd and 3rd track	69+030-69+175	platform	145,00	0,40	1,90
	between the 3rd and 4th track	69+042-69+184	platform	142,00	0,40	1,90
	between the 4th and 5th track	69+080-69+230	platform	150,00	0,40	1,90
Skobalj	next to railway line - left	71+981-72+015	platform	34,00	0,40	1,60
Osipaonica staj.	next to railway line - left	74+749-74+784	platform	35,00	0,40	1,60
OSIPAONICA	between the 1st and 2nd track	76+168-76+231	platform	63,00	0,40	1,60
OSIPAONICA	between the 2nd and 3rd track	76+177-76+229	platform	52,00	0,40	1,60
Lugavčina	next to railway line - right	77+867-77+904	platform	37,00	0,40	1,30
Saraorci		NONE	•			
LOZOVIK-SARAORCI	between the 2nd and 3rd track	82+710-82+812	platform	102,00	0,40	1,60
Miloševac	next to railway line - left	85+500-85+602	platform	102,00	0,40	1,60
KRNJEVO-TRNOVČE	between the 2nd and 3rd track	90+248-90+348	platform	100,00	0,40	1,60
	between the plateau in front of		P		.,	-,
· · · · · · · · · · · · · · · · · · ·	the station building and 2 nd	94+626,50-94+658,50	platform	32,00	0,40	1,6
VELIKO ORAŠJE	track	,	pinnioini	02,00	0,10	1,0
	between the 2nd and 3rd track	94+586,50-94+689,50	platform	103,00	0,40	1.6
	between the 1st and 2nd track	90+350-90+400	platform	50,00	0,40	1,60
	between the 2nd and 3rd track	90+289-90+430	platform	141,00	0,40	1,60
VELIKA PLANA	between the 3rd and 4th track	90+370-90+510	platform	140.00	0,40	1,60
	between the 4th and 5th track	90+360-90+464	platform	104,00	0,40	1,60
	104 (Jagodina) – Open Lin			104,00	0,40	1,00
	between the 1st and 2nd track			125.00	0.20	1.60
ĆUPRIJA		0+516-0+641	platform	125,00	0,20	1,60
	between the 2nd and 3rd track	0+516-0+641	platform	125,00	0,30	1,60
PARAĆIN	between the 3rd and 4th track	155+081-155+184	platform	103,00	0,35	1,60
	between the 4th and 5th track	155+065-155+166	platform	101,00	0,20	1,90
10:	5 (Belgrade Center) - Stara Pazov				0.7-	
STARA PAZOVA	next to 1st track	34+015-35+235 л.н.	platform	220,00	0,55	3,00
	between the 5th and 6th track	35+015-35+265 л.н.	platform	250,00	0,55	6,16
INÐIJA	next to 1 st track	42+577 - 42+977	platform	400,00	0,55	4,10
	between the 4th and 5th track	42+577 - 42+977	platform	400,00	0,55	7,55
BEŠKA	next to 1st track	53+922 - 54+142	platform	220,00	0,55	4,00
	next to 4 th track	53+922 - 54+142	platform	220,00	0,55	4,00
	between the 1st and 2nd track	65+759 - 65+979	platform	220,00	0,55	4,00
SREMSKI KARLOVCI	between the 1st and 2nd track	65+759 - 65+979	platform	220,00	0,55	4,00
	between the 1st and 2nd track	70+603 - 70+823	platform	220,00	0,55	6,10
PETROVARADIN	between the 5 th and 6 th track	70+708 - 70+928	platform	220,00	0,55	6,10
	between the 10th and 11th	77+077-77+214		,		
			platform	137,00	0,55	6,10
	track	76+794-76+919	platform	125.00	0.55	
NOVI SAD	track between the 7th and 8th track	76+794-76+919	platform platform	125,00	0,55	8 60
NOVI SAD	track	76+794-76+919 76+809-77+214 76+819-77+247	platform platform platform	125,00 405,00 428,00	0,55 0,55 0,55	8,60 8,60



		km position of the	Platform/arranged		Dimension	
Service point	Location	beginning and the end	surface	Length	Height	Widtl
		of platform		(m)	(m)	(m)
1	2	3	4	5	6	7
	next to the 6th track	76+892-77+177	platform	285,00	0,55	6,00
RUMENKA		NONE	1 1		-	
KISAČ	next to the 1st track left	90+222-90+442	platform	220,00	0,55	4,00
	next to the 4th track right	90+222-90+442	platform	220,00	0,55	4,00
Stepanovićevo	next to the 1st track right	97+227-97+447	platform	220,00	0,55	4,00
Stepanovicevo	next to the 4th track left	97+227-97+447	platform	220,00	0,55	4,00
ZMAJEVO	next to the 1st track right	102+481-102+701	platform	220,00	0,55	4,00
	next to the 4th track left	102+664-102+884	platform	220,00	0,55	4,00
	next to the 1st track right	113+500-113+720	platform	220,00	0,55	4,00
VRBAS NOVA	between the 1st and 2nd track	113+410-113+810	platform	400,00	0,55	6,60
	between the 5th and 6th track	113+410-113+810	platform	400,00	0,55	6,60
LOVĆENAC – MALI IĐOŠ	next to the 1st track right	129+386-129+606	platform	220,00	0,55	4,00
	next to the 4th track left	129+386-129+606	platform	220,00	0,55	4,00
BAČKA TOPOLA	next to the 1st track left	143+406-143+806	platform	400,00	0,55	4,00
	next to the 4th track right	143+406-143+806	platform	400,00	0,55	4,00
ŽEDNIK	next to the 1st track right	156+965-157+185	platform	220,00	0,55	4,00
	next to the 4th track left	156+965-157+185	platform	220,00	0,55	4,00
NAUMOVIĆEVO	next to the 1st track left	166+393-166+613	platform	220,00	0,55	4,00
	next to the 4th track right	166+393-166+613	platform	220,00	0,55	4,00
	next to the 1st track left	176+606-176+850	platform	244,00	0,55	3,00
	between the 2nd and 3rd track	176+450-176+850	platform	400,00	0,55	6,10
Subotica	between the 4th and 5th track	176+550-176+820	platform	270,00	0,55	6,10
	between the 6th and 7th track	176+605-176+826	platform	221,00	0,55	6,10
		GRAD - state border –(D		,	,	,
	next to 1st track	243+410-243+763	platform	353,00	0,40	5,80
	between the 2nd and 3rd track	243+410-243+813	platform	403,00	0,40	8,00
NIŠ	between the 4th and 5th track	243+410-243+771	platform	361,00	0,40	8,00
NIS	between 1b and 1 st track	243+643-243+763	platform	120,00	0,40	5,80
	next to 1a. track	243+660-243+763	platform	103,00	0,40	1,60
	next to railway line - left	1+669-1+769	platform	100,00	0,40	1,60
Palilulska rampa	next to railway line - left	1+809-1+875	platform	66,00	0,40	1,60
Vojna Bolnica	next to full way fine for	NONE		00,00	0,40	1,00
ĆELE KULA	between the 2nd and 3rd track	5+422-5+502	platform	80.00	0,40	1,60
EI NIŠ	between the 2nd the 5rd their	NONE	plutioni	00,00	0,10	1,00
NIŠKA BANJA	between the 2nd and 3rd track	10+450-10+558	platform	108,00	0,40	1,60
	next to railway line - right	14+712-14+731	platform	19,00	0,40	1,60
Prosek	next to railway line - right	14+740-14+770	platform	30,00	0,40	1,00
SIĆEVO	next to fanway fine - fight	NONE		50,00	0,40	1,00
OSTROVICA	between the 1st and 2nd track	22+475-22+529	platform	54,00	0,40	1,60
Majdan Ostrovica	between the 1st and 2nd track	NONE		54,00	0,40	1,00
Radov Dol	next to railway line - left	29+494-29+520	platform	26,00	0,40	1,60
DOLAC	between the 2nd and 3rd track	31+640-31+739	platform	79,00	0,40	1,60
					,	,
Crveni Breg	next to railway line - left	34+262-34+292	platform	30,00	0,40	1,60
CRVENA REKA	between the 2nd and 3rd track	36+393-36+451	platform	58,00	0,40	1,60
Belanovac	next to railway line - left	39+691-39+761	platform	70,00	0,40	1,60
BELA PALANKA	between the 2nd and 3rd track	44+907-44+977	platform	70,00	0,40	1,60
<u>Crkvica</u>		NONE				
ČIFLIK		NONE				
Sinjac		NONE				
Đurđevo polje		NONE				
Crvenčevo		NONE				
STANIČENJE		NONE				
Sopot		NONE		05.01		
PIROT	between the 1st and 2nd track	72+901-72+989	platform	87,00	0,40	1,60
	between the 2nd and 3rd track	72+868-73+021	platform	153,00	0,40	1,60
Božurat		NONE				
Veliki Jovanovac		NONE				
SUKOVO		NONE				
Činiglavci	next to railway line - left	90+465-90+471	platform	6,00	0,40	1,60



		km position of the	Platform/arranged		Dimensions	
Service point	Location	beginning and the end	surface	Length	Height	Widtl
		of platform		(m)	(m)	(m)
1	2	3	4	5	6	7
C /1	next to railway line - left	90+485-90+491	platform	6,00	0,40	1,60
Srećkovac	n and da 14th due als	NONE		141.00	0.40	2.50
DIMITROVGRAD	next to 14th track between the 1st and 2nd track	97+126-97+267	platform platform	141,00 401,00	0,40 0,40	2,50 3,20
107	Belgrade Center– Pančevo Mai	97+316-97+717 n St. Vršeg, state bordov			0,40	5,20
107	next to 3rd track	0+120-0+00-0+300	platform	420,00	0,55	10,00
	between the 4th and 5th track	0+155-0+00-0+300	platform	455,00	0,55	10,00
BELGRADE CENTER	between the 6th and 7th track	0+155-0+00-0+300	platform	455,00	0,55	10,00
BELOWIDE CENTER	between the 8th and 9th track	0+120-0+00-0+300	platform	420,00	0,55	10,0
	next to 10th track	0+120-0+00-0+300	platform	420,00	0,55	7,00
	between the tracks					
77 4 4 1	(next to left Banat track)	1+123-1+215	platform	92,00	0,55	7,00
Karađorđev park	between the tracks	1.000.1.014	1.6	02.00	0.55	7.00
	(next to right Banat track)	1+222-1+314	platform	92,00	0,55	7,00
		2+754,13-2+829,13				
	between the tracks	(chainage along the left)	central platform	75,00	0,95	18,60
	between the tracks	2+850,52-2+925,52		75,00	0,75	10,00
		(chainage along the right)				
	between the tracks		lateral platform			
	(next to right Banat track)	2+785,52-2+850,52	towards the	65,00	0,95	3,50
	(		Center			
Vukov spomenik	between the tracks	0.005.50.0.010.50	lateral platform	05.00	0.05	2.50
1	(next to right Banat track)	2+925,52-3+010,52	towards the	85,00 0,95	3,50	
			bridge			
	between the tracks	2+690 12 2+754 12	lateral platform towards the	65.00	0.05	2 50
	(next to left Banat track)	2+689,13-2+754,13	Center	65,00	0 0,95	3,50
			lateral platform			
	between the tracks	2+829,13-2+914,13	towards the	85,00	0,95	3,50
	(next to left Banat track)	2+829,13-2+914,15	bridge	85,00	0,95	5,50
	next to 1st track	4+590-4+741	platform	151,00	0,90	4,94
<b>,</b> ,	next to 2nd track	4+694-4+845	platform	151,00	0,90	4,94
PANČEVAČKI MOST			Danube			
	next to railway line - right	10+500-10+600	platform	100,00	0,35	1,60
	Between the left and right					
Krnjača most	track	7+003,50-7+223,50	platform	220,00	0,60	7,00
	next to 4th track	8+165,06-8+385,06	platform	220,00	0,55	3,00
KRNJAČA	next to 1st track	8+182,24-8+402,24	platform	220,00	0,55	3,00
	next to left Banat track	9+975,05-10+085,05	platform	110,00	0,60	3,10
Sebeš	next to right Banat track	9+975,05-10+085,05	platform	110,00	0,60	3,10
OVČA	next to 1st track	12+537,60-12+757,60	platform	220,00	0,55	4,00
OVČA	between the 4th and 5th track	12+537,60-12+757,60	platform	220,00	0,55	6,10
	between the 1st and 2nd track	15+913-16+033	platform	120,00	0,40	1,60
PANČEVO MAIN	between the 1st and 2nd track	16+090-16+210	platform	120,00	0,40	1,60
STATION	between the 2nd and 3rd track	15+913-16+210	platform	297,00	0,40	1,60
	between the 3rd and 4th track	15+987-16+137	platform	150,00	0,40	1,60
	next to 1st track	18+131-18+223	station plateau	92,00	0,40	1,60
PANČEVO VAROŠ	between the 1st and 2nd track	18+105-18+345	platform	240,00	0,40	1,60
	between the 2nd and 3rd track	18+100-18+364	platform	264,00	0,40	1,60
BANATSKO NOVO SELO	between the 2nd and 3rd track	33+981-34+035	arranged surface	54,00	0,30	0,50
VLADIMIROVAC	between the 1st and 2nd track	45+806-45+906	arranged surface	100,00	0,00	1,30
	between the 2nd and 3rd track	45+806-45+906	arranged surface	100,00	0,00	1,30
ALIBUNAR	between the 1st and 2nd track	53+503-53+603	arranged surface	100,00	0,00	1,30
	between the 2nd and 3rd track	53+503-53+603	arranged surface	100,00	0,00	1,30
BANATSKI KARLOVAC	between the 2nd and 3rd track					
Nikolinci		NONE				
ULJMA	between the 2nd and 3rd track					
Vlajkovac		NONE				
	between the 1st and 2nd track	82+807,5-82+902,5	platform	95,00	0,40	1,60
VRŠAC	between the 2nd and 3rd track	82+807,5-82+902,5	platform	95,00	0,40	1,60



Service point	Location	km position of the beginning and the end	Platform/arranged	Length	Dimensions Height	s Width
Service point	Location	of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
	next to 1st track	14+080-14+240	arranged surface	160,00	0,55	4,00
RESNIK	between the 1st and 2nd track	14+080-14+240	platform	160,00	0,35	1,55
	between the 3rd and 4th track	13+943-14+238	platform	295,00	0,55	6,20
BELA REKA	between the 1st and 2nd track	7+538-7+648	platform	110,00	0,35	1,60
Nenadovac	next to railway line - left	12+077-12+127	platform	50,00	0,35	1,60
BARAJEVO	between the 2nd and 3rd track	15+654-15+764	platform	110.00	0,35	1,60
Barajevo Centar	next to railway line - left	17+895-18+003	platform	108,00	0,35	1,60
VELIKI BORAK	between the 1st and 2nd track	23+039-23+151	platform	112,00	0,35	1,60
Leskovac Kolubarski	next to railway line - right	27+720-27+770	platform	50,00	0,35	1,60
STEPOJEVAC	between the 2nd and 3rd track	30+572-30+682	platform	110,00	0,35	1,60
	between the 2nd and 3rd track	37+150-37+300	platform	150,00	0,35	1,60
VREOCI	between the 3rd and 4th track	37+150-37+300	platform	150,00	0,35	1,60
	between the 1st and 2nd track	45+311-45+462	platform	151,00	0,35	1,60
LAZAREVAC	between the 2nd and 3rd track	45+311-45+462	platform	151,00	0,35	1,60
	between the 1st and 2nd track	52+547-52+697	platform	150,00	0,33	1,60
LAJKOVAC	between the 1st and 2nd track	52+527-52+697	platform	170,00	0,40	1,60
	between the 1st and 2nd track	58+899-59+052	platform	153,00	0,35	1,60
SLOVAC	between the 2nd and 3rd track	58+899-59+052	platform	153,00	0,35	1,60
Mlađevo	next to railway line - right	63+958-64+035	platform	77,00	0,35	1,60
IVIIauEVO	between the 1st and 2nd track	67+043-67+213	platform	170,00	0,35	1,60
DIVCI	between the 2nd and 3rd track		platform	170,00	0,35	1,60
Lukavac Kolubarski	next to railway line - right	<u>67+043-67+213</u> <u>69+165-69+265</u>	platform	100,00	0,35	1,60
					,	· · · · ·
Iverak	next to railway line - right	72+725-72+825	platform	100,00	0,35	<u>1,60</u> 5,4
VALJEVO	next to 1st track	77+550-77+851	platform	301,00	0,35	,
	between the 2nd and 3rd track	77+562-77+863	platform	301,00	0,35	7,55
VALJEVSKI GRADAC	next to railway line - right	84+560-84+610	platform	50,00	0,35	1,60
Leskovice	next to railway line - left	91+605-91+655	platform	50,00	0,35	1,60
LASTRA	between the 2nd and 3rd track	93+985-94+131	platform	146,00	0,35	1,60
SAMARI	between the 2nd and 3rd track	103+118-103+168	platform	50,00	0,40	1,60
Drenovački Kik	next to railway line - right	107+700-107+750	platform	50,00	0,40	1,60
RAŽANA	between the 3rd and 4th track	111+284-111+430	platform	146,00	0,35	1,60
KOSJERIĆ	between the 3rd and 4th track	118+748-118+948	platform	200,00	0,40	1,60
	between the 4th and 5th track	118+748-118+948	platform	200,00	0,40	1,60
Tubići	next to railway line - left	123+446-123+496	platform	50,00	0,35	1,60
KALENIĆI	between the 3rd and 4th track	129+772-129+918	platform	146,00	0,35	1,60
Otanj	next to railway line - right	133+600-133+710	platform	110,00	0,40	1,50
Glumač	next to railway line - right	135+807-135+863	platform	56,00	0,40	1,60
POŽEGA	next to 1st track	140+720-140+975	platform	255,00	0,45	10,00
TOLLON	between the 2nd and 3rd track	146+675-140+984	platform	309,00	0,45	6,20
Rasna	next to railway line - right	145+618-145+650	platform	32,00	0,40	1,00
UZIĆI	between the 1st and 2nd track	149+125-149+255	platform	129,00	0,40	1,60
OZICI	between the 2nd and 3rd track	149+255-149+389	platform	134,00	0,40	1,60
Zlakusa	next to railway line - right	151+536-151+566	platform	30,00	0,40	1,60
Bukovička Rampa	next to railway line - right	154+141-154+161	platform	20,00	0,40	1,60
SEVOJNO	between the 1st and 2nd track	156+882-157+082	platform	200,00	0,40	1,60
UŽICE EDEICUT OTATION	between the 2nd and 3rd track	161+795-161+995	platform	200,00	0,40	1,60
UŽICE FREIGHT STATION	between the 1st and 2nd track	161+813-161+953	platform	140,00	0,40	1,60
UŽIOF	next to 1st track	163+645-163+900	platform	255,00	0,40	3,00
UŽICE	between the 2nd and 3rd track	163+626-163+881	platform	255,00	0,60	5,10
STAPARI	between the 1st and 2nd track	170+590-170+710	platform	120,00	0,40	1,60
	next to railway line - left	173+412-173+425	platform	13	0,40	1,60
Ristanovića Polje	next to railway line - right	173+426-173+464	platform	38	0,40	1,60
Tripkova	next to railway line - right	176+045-176+095	platform	50	0,40	1,60
SUŠICA	between the 2nd and 3rd track	178+251-178+371	platform	120,00	0,40	1,60
2021011	next to 1st track	185+181-185+291	platform	110,00	0,40	5,50
BRANEŠCI	between the 1st and 2nd track	185+181-185+291	platform	110,00	0,40	1,60
DIAMEDEI	between the 2nd and 3rd track	185+181-185+291	platform	110,00	0,40	1,60
ZLATIBOR	between the 2nd and 3rd track	193+234-193+404	platform	170,00	0,40	1,60
Ribnica Zlatiborska	next to railway line - left	200+350-200+400	platform	50,00	0,40	1,60
KIUIICa ZIAUUUISKa	next to ranway fille - left	200+330-200+400	platform	145,00	0,40	1,60



		km position of the		Г	Dimensions	
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width
I I I I I I I I I I I I I I I I I I I		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
Goleš	next to railway line - right	211+590-211+616	platform	26,00	0,40	1,00
ŠTRPCI	between the 2nd and 3rd track	214-755-214-900	platform	145,00	0,40	1,60
Rača	next to railway line - right	219+515-219+536	platform	21,00	0,40	1,00
PRIBOJ	between the 2nd and 3rd track	225+227-225+490	platform	263,00	0,50	5,10
FRIBOJ	between the 6th and 7th track	225+137-225+237	platform	100,00	0,50	3,00
Poljice	next to railway line - right	228+110-228+190	platform	80,00	0,40	1,60
Pribojska Banja	next to railway line - right	232+867-232+899	platform	32,00	0,40	1,00
BISTRICA NA LIMU	between the 2nd and 3rd track	241+208-241+352	platform	144,00	0,40	1,60
Džurovo	next to railway line - right	246+300-246+328	platform	28,00	0,40	1,00
PRIJEPOLJE	next to 1st track	252+396-252+705	platform	309,00	0,40	4,60
I RIJEI OLJE	between the 2nd and 3rd track	252+396-252+705	platform	309,00	0,40	7,00
PRIJEPOLJE FREIGHT	between the 2nd and 3rd track	255+789-255+982	platform	187,00	0,35	1,60
STATION	between the 3rd and 4th track	255+789-255+982	platform	187,00	0,35	1,60
Velika Župa	next to railway line - right	259+605-259+624	platform	19,00	0,40	1,00
LUČICE	between the 2nd and 3rd track	264+581-264+714	platform	133,00	0,35	1,60
BRODAREVO	between the 2nd and 3rd track	273+255-273+404	platform	149,00	0,30	1,60
VRBNICA	between the 1st and 2nd track	285+205-285+255	platform	50,00	0,30	1,60
	between the 2nd and 3rd track	285+112-285+256	platform	144,00	0,30	1,60
109 La	<u>povo - Kraljevo - Lešak - Kosovo</u>	) Polje – Đeneral Janković				
	between the 2nd and 3rd track	109+560-109+680	platform	120,00	0,35	1,60
LAPOVO	between the 3rd and 4th track	109+560-109+680	platform	120,00	0,35	1,60
	next to 1st track	109+460-109+510	platform	50,00	0,35	1,60
BATOČINA	between the 1st and 2nd track	3+374,70-3+421,90	platform	47,20	0,12	1,30
Gradac	left side	8+243,40-8+292,90	platform	49,50	0,30	1,05
BADNJEVAC	between the 2nd and 3rd track	12+264,50-12+311,50	platform	47,00	0,14	1,80
Resnik Kragujevački		NONE	1		1	
Milatovac	right side	18+206,90-18+253,70	platform	46,80	0,33	1,10
Cvetojevac	right side	20+381-422,20	platform	41,20	0,25	1,20
JOVANOVAC	between the 2nd and 3rd track	22+308-22+352	platform	44,00	0,22	1,75
KRAGUJEVAC	between the 1st and 2nd track	28+726-28+918,70	platform	192,70	0,24	1,20
	between the 2nd and 3rd track	28+752-28+907	platform	155,00	0,24	1,80
Zavod	right side	31+280,50-31+288,25	platform	7,75	0,10	0,50
GROŠNICA	between the 1st and 2nd track	34+062,80-34+104,30	platform	41,50	0,22	1,50
DRAGOBRAĆA	between the 1st and 2nd track	39+529-39+565	platform	36,00	0,20	1,20
Vučkovica	right side	44+513-44+538	platform	25,00	0,30	1,20
KNIĆ	between the 1st and 2nd track	47+560-47+607	platform	47,00	0,30	1,40
GRUŽA	between the 1st and 2nd track	53+458-53+505,5	platform	47,50	0,22	1,40
GUBEREVAC	between the 1st and 2nd track	60+567-60+614	platform	47,00	0,20	1,55
Tomića Brdo	right side	64+795-64+822,50	platform	27,50	0,35	1,00
VITKOVAC	between the 1st and 2nd track	66+309-66+353	platform	44,00	0,25	1,25
Milavčići	left side	70+141,80-70+172,80	platform	31,00	0,35	1,40
VITANOVAC	between the 1st and 2nd track	73+904,30-73+948,70	platform	44,40	0,22	1,40
Šumarice	left side	79+111-79+128,4	platform	17,40	0,25	0,50
Sirča	right side	82+006-82+069	platform platform	63,00	0,35	1,90
KRALJEVO	between the 1st and 2nd track	84+649-84+733		84,00	0,33	1,60
MATARUŠKA BANJA	between the 2nd and 3rd track between the 2nd and 3rd track	84+649-84+748	platform	99,00	0,33	1,60
		<u>93+895-93+940</u> 97+352-97+386	platform	45,00	0.20	1,80
Progorelica BOGUTOVAČKA BANJA	left side between the 1st and 2nd track	100+868-100+919	platform platform	<u>34,00</u> 51,00	0,25 0,22	1,40 1,80
DOBRE STRANE	between the 1st and 2hu track	100+868-100+919 NONE	prationi	51,00	0,22	1,00
POLUMIR	between the 1st and 2nd track	118+291-118+344	platform	53,00	0,26	1,50
Pusto Polje	left side	123+555-123+589	platform	34,00	0,20	1,00
UŠĆE	between the 1st and 2nd track	127+223-127+281	platform	58,00	0,23	1,00
Lozno	right side	132+832-132+866	platform	34,00	0,34	0,50
JOŠANIČKA BANJA	between the 1st and 2nd track	136+102-136+152	platform	50,00	0,22	1,45
Piskanja	left side	138+842-138+884	platform	42,00	0,23	1,45
BRVENIK	between the 1st and 2nd track	143+481-143+528	platform	47,00	0,21	1,50
Rvati	left side	148+258-148+304	platform	46,00	0,32	1,00
					0,22	1,80
RAŠKA	between the 1st and 2nd track	152+236-152+353	plattorm	11/10	U. 12.	
RAŠKA Kaznovići	between the 1st and 2nd track left side	<u>152+236-152+353</u> <u>157+700-157+740</u>	platform platform	<u>117,00</u> 40,00	0,32	1,00



		km position of the		Г	Dimensions	
Service point	Location	beginning and the end	Platform/arranged	Length	Height	, Width
I I I I I I I I I I I I I I I I I I I		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
Donje Jarinje		NONE			<u>.</u>	
Jerina	next to railway line - left	168+865-168+935	arranged surface	70,00	0,20	1,60
	between the 1st and 2nd track	172+294-172+394	platform	100,00	0,35	1,60
LEŠAK	between the 2nd and 3rd track	172+294-172+394	platform	100,00	0,35	1,60
Dren		NONE		,	L	
LEPOSAVIĆ	between the 1st and 2nd track	182+675-182+775	platform	100,00	0,35	1,60
Pridvorica	· · · · · · · · · · · · · · · · · · ·	NONE		,	· · · · · ·	, i i i i i i i i i i i i i i i i i i i
Sočanica	next to railway line - left	190+000-190+040	platform	40,00	0,35	1,00
IBARSKA SLATINA	· · · · · · · · · · · · · · · · · · ·	NONE	· · ·			
Plandište		NONE				
BANJSKA		NONE				
Valač	between the 1st and 2nd track	208+170-208+230	arranged surface	60,00	0,35	1,00
ZVEČAN	next to 1st track	210+900-211+000	platform	100,00	0,35	1,60
Kosovska Mitrovica Sever	next to railway line - left	213+390-213+440	platform	50,00	0,35	1,60
	110 Subotica - Bo	gojevo - state border - (Er	dut)			
BOGOJEVO		NONE	·			
SONTA		NONE				
	between the 1st and 2nd track	58+619-58+649	platform	30,00	0,30	1,55
PRIGREVICA	between the 2nd and 3rd track	58+619-58+649	platform	30,00	0,30	1,57
BUKOVAČKI SALAŠI		NONE		,	· · · · ·	,
	between the 1st and 2nd track	73+417-73+477	platform	60,00	0,31	1,61
	between the 1st and 2nd track	73+584-73+612	arranged surface	28,00	0,05	1,50
	between the 1st and 2nd track	73+673-73+823	arranged surface	150,00	0,05	1,50
SOMBOR	between the 2nd and 3rd track	73+417-73+477	platform	60,00	0,38	1,61
	between the 2nd and 3rd track	73+584-73+612	arranged surface	28,00	0,05	1,50
	between the 3rd and 4th track	73+584-73+701	arranged surface	117,00	0,05	1,50
SVETOZAR MILETIĆ	between the 2nd and 3rd track	83+340-83+397	platform	56,70	0,30	1,50
ALEKSA ŠANTIĆ	between the 2nd and 3rd track	97+500-97-556	platform	55,61	0,30	1,00
BAJMOK	between the 2nd and 3rd track	105+138-105+193	platform	55,00	0,24	1,90
Skenderevo	between the 2nd and 5rd track	NONE	plationi	35,00	0,23	1,70
TAVANKUT	between the 2nd and 3rd track	115+350-115+400	platform	50,00	0,30	1,80
Ljutovo	between the 2nd and 5rd track	NONE	plationi	30,00	0,50	1,80
ŠEBEŠIĆ		NONE				
Subotica predgrađe	next to railway line - left	128+229-128+270	platform	41,00	0,25	1,60
Suborica predgrade	between the 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,25	1,00
	between the 1st and 2nd track	176+414-176+487	platform	73,00	0,05	1,70
SUBOTICA	between the 1st and 2nd track	176+487-176+838	arranged surface	351,00	0,23	1,00
SUBUTICA					,	,
	between the 2nd and 3rd track	176+322-176+838	arranged surface	516,00	0,05	1,70
	between the 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70
	111 Belgrade Marshallin	eg Yard "A" – Ostružnica	- Batajnica			
BELGRADE		NONE				
MARSHALLING YARD A	-	NONE				
OSTRUŽNICA		NONE				
SURČIN		NONE	1.0	0.50.00	0.07	1.00
	between the 1st and 2nd track	20+510 - 20+768	platform	258,00	0,35	1,90
BATAJNICA	between the 2nd and 3rd track	20+543 - 20+722	platform	179,00	0,35	1,90
	between the 3rd and 4th track	20+598 - 20+722	platform	124,00	0,35	1,60
	between the 4th and 5th track	20+598-20+722	platform	124,00	0,35	1,60
	112 Belgrade Mars	shalling Yard "B" - Ostru	žnica			
BELGRADE		NONE				
MARSHALLING YARD B						
OSTRUŽNICA		NONE				
	de Marshalling Yard,,A" - Open	line junction "B" - Open	line junction "K/K	1" - Resnik	κ	
BELGRADE		NONE				
MADSHALLING VADDA		NONE				
MARSHALLING YARD A	1 1	14+080-14+240	arranged surface	160,00	0,55	4,00
MARSHALLING TARD A	next to 1st track			1 (0,00		1,55
RESNIK	between the 1st and 2nd track	14+080-14+240	platform	160,00	0,35	1,55
		14+080-14+240 13+943-14+238	platform platform	295,00	0,35	6,20
	between the 1st and 2nd track between the 3rd and 4th track	13+943-14+238	platform		,	
	between the 1st and 2nd track	13+943-14+238	platform		,	



Service point 1 BELGRADE MARSHALLING YARD B		km position of the	Platform/arranged		Dimension	1
	Location	beginning and the end	surface	Length	Height	Width
		of platform	surrace	(m)	(m)	(m)
	2	3	4	5	6	7
MARCHALLING VADD D		NONE				
MARSHALLING I AKD B						
	116 (Belgrade Marshalling Yar		on "R" - Rakovica			
	next to 2nd track - right	8+460-8+786	platform	326,00	0,55	6,10
RAKOVICA	between the 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
	between the 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20
	117 Belgrade Marshalling Yar	d,,A" - Open line junctio	n "T" - Rakovica			
BELGRADE		NONE				
MARSHALLING YARD A		NONE				
	next to 2nd track - right	8+460-8+786	platform	326,00	0,55	6,10
RAKOVICA	between the 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
	between the 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20
	118 Belgrade Marshalling Yard	d.,,B" - Open line junction		,		
BELGRADE			· · · · · · · · · · · · · · · · · · ·			
MARSHALLING YARD B		NONE				
	one of Open line junction "K/K1	": (Open line junction "B	") - Open line junct	tion "K" -	Open line	iunctio
		K1" - (Jajinci)	) • F • • • • • • • •		• <b>r</b> • • • • • •	J
120 (Open line junction Panč	ževački most)-Open line junctior		line junction Dedin	nie-(Open l	ine iunct	ion "G")
(° <b>F J</b>	between the tracks	· ·	, i i i i i i i i i i i i i i i i i i i		ľ	
	(next to left Banat track)	1+123-1+215	platform	92,00	0,55	7,00
Karađorđev park	between the tracks					
	(next to right Banat track)	1+222-1+314	platform	92,00	0,55	7,00
		nđija - Golubinci				
	between the 1st and 2nd track	42+840-42+970	platform	130,00	0,40	1,60
INĐIJA	between the 2nd and 3rd track	42+783-42+928	platform	145,00	0,40	1,60
	between the 2nd and 3rd track	45+767,00-45+914,00	platform	,		1,60
GOLUBINCI		, , ,	1	147,00	0,35	
	between the 3rd and 4th track	45+767,00-45+914,00	platform	147,00	0,35	1,60
	122 Novi Sad- Novi Sad Mars					
	next to 11th track	77+836-77+950	platform	114,00	0,40	3,00
	between the 11th and 10th track	77+822-77+950	platform	128,00	0,40	3,72
	between the 10th and 1st track	77+835-77+887	platform	52,00	0,40	4,20
NOVI SAD	next to 1st track	77+835-78+250	platform	415,00	0,40	4,20-8,9
	between the 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75
	between the 12thand 1st track	78+104-78+250	platform	146,00	0,40	8,90
	between the 14 th and 13 th track	78+104-78+249	platform	145,00	0.40	6,46
NOVI SAD			F	,	-,	-,
MARSHALLING YARD		NONE				
	of Mala Krsna station: (Kolari) -	separation switch No1 - s	separation switch N	028 - (Osii	paonica)	
123 by-pass track o	124 Open line junction Lapovo			, ,		
	next to right track	106+250-106+310		60.00	0.05	1
			platform	60.00	0.35	1.60
	next to left track		platform platform	<u>60,00</u>	0,35	1,60
Lapovo Varoš	next to left track	106+250-106+310	platform platform	60,00 60,00	0,35	1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING	next to left track		•			, ,
Lapovo Varoš		106+250-106+310 NONE	platform	60,00	0,35	1,60
Lapovo Varoš LAPOVO MARSHALLING YARD	between the 2nd and 3rd track	106+250-106+310 NONE 109+560-109+680	platform	60,00 120,00	0,35	1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING	between the 2nd and 3rd track between the 3 rd and 4 th track	106+250-106+310 NONE 109+560-109+680 109+560-109+680	platform platform platform	60,00 120,00 120,00	0,35 0,35 0,35	1,60 1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING YARD	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510	platform platform platform platform	60,00 120,00	0,35	1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING YARD	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b>	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među	platform platform platform platform	60,00 120,00 120,00 50,00	0,35 0,35 0,35 0,35	1,60 1,60 1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994	platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00	0,35 0,35 0,35 0,35 0,40	1,60 1,60 1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994	platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00	0,35 0,35 0,35 0,35 0,40 0,40	1,60 1,60 1,60 1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994	platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00	0,35 0,35 0,35 0,35 0,40	1,60 1,60 1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING YARD	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289	platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00	0,35 0,35 0,35 0,35 0,40 0,40	1,60 1,60 1,60 1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track next to 1a. track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289 NONE	platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00	0,35 0,35 0,35 0,35 0,40 0,40	1,60 1,60 1,60 1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING YARD MEĐUROVO	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track next to 1a. track <b>126 Crveni K</b>	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289 NONE rst - Niš Marshalling yard	platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00 101,00 73,00	0,35 0,35 0,35 0,35 0,40 0,40 0,40	1,60 1,60 1,60 1,60 1,60 2,20
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING YARD MEĐUROVO CRVENI KRST	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track next to 1a. track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289 NONE	platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00	0,35 0,35 0,35 0,35 0,40 0,40	1,60 1,60 1,60 1,60 1,60
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING YARD MEĐUROVO	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track next to 1a. track <b>126 Crveni K</b>	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289 NONE rst - Niš Marshalling yard	platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00 101,00 73,00	0,35 0,35 0,35 0,35 0,40 0,40 0,40	1,60 1,60 1,60 1,60 1,60 2,20
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING YARD MEĐUROVO CRVENI KRST	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track next to 1a. track <b>126 Crveni Ki</b> between the 2nd and 3rd track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289 NONE rst - Niš Marshalling yard 240+842-240+994	platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00 73,00 152,00	0,35 0,35 0,35 0,35 0,40 0,40 0,40 0,40	1,60 1,60 1,60 1,60 1,60 2,20
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING YARD MEĐUROVO CRVENI KRST NIŠ MARSHALLING	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track next to 1a. track <b>126 Crveni Ki</b> between the 2nd and 3rd track next to 1a. track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289 NONE rst - Niš Marshalling yard 240+842-240+994	platform platform platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00 73,00 152,00	0,35 0,35 0,35 0,35 0,40 0,40 0,40 0,40	1,60 1,60 1,60 1,60 1,60 2,20
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING YARD MEĐUROVO CRVENI KRST NIŠ MARSHALLING	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track next to 1a. track <b>126 Crveni Ki</b> between the 2nd and 3rd track next to 1a. track <b>127 Niš - Open line junc</b>	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289 NONE rst - Niš Marshalling yard 240+842-240+994 238+216-238+289	platform platform platform platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00 101,00 73,00 152,00 73,00	0,35 0,35 0,35 0,35 0,40 0,40 0,40 1,60 0,40	1,60 1,60 1,60 1,60 1,60 2,20 0,40 2,20
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING YARD MEĐUROVO CRVENI KRST NIŠ MARSHALLING YARD	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track next to 1a. track <b>126 Crveni Kn</b> between the 2nd and 3rd track next to 1a. track <b>127 Niš - Open line june</b> next to 1st track	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289 NONE rst - Niš Marshalling yard 240+842-240+994 238+216-238+289 ction Most - (Niš Marshal 243+410-243+763	platform platform platform platform platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00 101,00 73,00 152,00 73,00 353,00	0,35 0,35 0,35 0,35 0,40 0,40 0,40 1,60 0,40	1,60 1,60 1,60 1,60 1,60 2,20 0,40 2,20 5,80
Lapovo Varoš LAPOVO MARSHALLING YARD LAPOVO TRUPALE NIŠ MARSHALLING YARD MEĐUROVO CRVENI KRST NIŠ MARSHALLING	between the 2nd and 3rd track between the 3 rd and 4 th track next to 1st track <b>125 Trupale - Niš</b> between the 2nd and 3rd track between the 4th and 5th track next to 1a. track <b>126 Crveni Ki</b> between the 2nd and 3rd track next to 1a. track <b>127 Niš - Open line junc</b>	106+250-106+310 NONE 109+560-109+680 109+560-109+680 109+460-109+510 Marshalling Yard - Među 234+893-234+994 234+893-234+994 238+216-238+289 NONE rst - Niš Marshalling yard 240+842-240+994 238+216-238+289	platform platform platform platform platform platform platform platform platform platform	60,00 120,00 120,00 50,00 101,00 101,00 73,00 152,00 73,00	0,35 0,35 0,35 0,35 0,40 0,40 0,40 1,60 0,40	1,60 1,60 1,60 1,60 1,60 2,20 0,40 2,20



			1					
<b>a</b> • • • •	T di	km position of the	Platform/arranged		Dimension			
Service point	Location	beginning and the end	surface	Length	Height	Width		
1		of platform	4	(m)	(m)	(m)		
1	2	3	4	5	6	7		
100 0	next to 1a. track	243+660-243+763	platform	103,00	0,40	1,60		
128 Connecting t	rack of Niš station: (Crveni Krst)	) - separation switch No3 - AL RAILWAY LINES	- separation switch	No4 - (Cel	e Kula)			
		orgoš - state border - (Rös						
		0		54.00	0.05	1.70		
	between the 1st and 2nd track between the 1st and 2nd track	<u>176+360-176+414</u> <u>176+414-176+487</u>	arranged surface	54,00	0,05	1,70		
SUDOTICA		176+414-176+487	platform arranged surface	73,00	0,25	1,60		
SUBOTICA	between the 1st and 2nd track between the 2nd and 3rd track	176+322-176+838	Ŭ	351,00 516,00	0,05 0,05	1,70 1,70		
	between the 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70		
JAVNA SKLADIŠTA	next to railway line - left	2+275-2+385	platform	238,00	0,05	3,00		
PALIĆ	next to 2 nd track (right)	7+575-7+685	platform	110,00	0,55	3,00		
TALIC	next to 2 track (fight)	7+575-7+685	platform	110,00	0,55	8,00		
Hajdukovo	next to railway line - right	12+002-12+112	platform	110,00	0,55	3,00		
BAČKI VINOGRADI	next to 2 nd track (right)	15+360-15+470	platform	110,00	0,55	3,00		
	next to 2 nd track (right)	23+995-24+105	platform	110,00	0,55	4,00		
HORGOŠ	next to 5th track	23+995-24+105	platform	110,00	0,55	4,00		
	202 Pančevo Main St Zrenj			110,00	0,55	4,00		
	between the 1st and 2nd track	15+913-16+033	platform	120	0,40	1,60		
PANČEVO MAIN	between the 1st and 2nd track	16+090-16+210	platform	120	0,40	1,60		
STATION	between the 2nd and 3rd track	15+913-16+210	platform	297	0,40	1,60		
Similar	between the 3rd and 4th track	15+987-16+137	platform	150	0,40	1,60		
JABUKA	between the sid and sur track	NONE	plationin	150	0,40	1,00		
KAČAREVO	between the 1st and 2nd track	26+784-26+834	platform	50	1,6	0,35		
CREPAJA		NONE	praction	20	1,0	0,00		
DEBELJAČA		NONE						
KOVAČICA	between the 1st and 2nd track		NONE					
UZDIN		NONE						
	between the 1st and 2nd track	61+920-61+970	platform	50	1,6	0,35		
TOMAŠEVAC	between the 2nd and 3rd track	61+920-61+970	platform	50	1,6	0,35		
ORLOVAT STAJALIŠTE	between the 1st and 2nd track	64+025-64+075	platform	50	1,6	0,35		
LUKIĆEVO		NONE						
ZRENJANIN FABRIKA		NONE						
	next to 1st track	88+705-88+776	platform	71	1,3	0,55		
ZRENJANIN	between the 1st and 2nd track		NONE					
	between the 2nd and 3rd track		NONE					
ELEMIR		NONE						
MELENCI	between the 2nd and 3rd track		NONE					
KUMANE		NONE						
NOVI BEČEJ		NONE						
BANATSKO MILOŠEVO		NONE						
POLJE	next to 1st track		NONE					
BANATSKO MILOŠEVO	between the 1st and 2nd track		NONE NONE					
BANAISKO MILOSEVO	between the 2nd and 3rd track		NONE					
Derić	between the 2nd and 5rd track	NONE	NONE					
	next to 1st track	160+030-160+166	platform	136,00	0,19	3,30-4,40		
KIKINDA	between the 1st and 2nd track	160+064-160+190	arranged surface	126,00	0,19	1,50		
BANATSKO VELIKO	between the 1st and 2nd track		arranged surface	120,00	0,00	1,50		
SELO		NONE						
	rad (km 7+041) – Belgrade Duna	v - Open line junction Pa	nčevački most – TK	AFFIC SI	ISPENDE	ED		
200 Deigrade Doliji O	204 Topčider Putnička (km 4+							
	•	Miloševo - Senta - Subotic						
	next to 1st track		NONE					
BANATSKO MILOŠEVO	between the 1st and 2nd track		NONE					
	between the 2nd and 3rd track		NONE					
Bočar	between the 1st and 2nd track		NONE					
Ester		NONE						
PADEJ	between the 1st and 2nd track		NONE					
	between the 2nd and 3rd track		NONE					
Ostojićevo	between the 1st and 2nd track		NONE					
ČOKA	between the 1st and 2nd track		NONE					



		km position of the	Dlatform / amon and	Ι	Dimension	5	
Service point	Location	beginning and the end	Platform/arranged surface	Length	Height	Width	
_		of platform	surface	(m)	(m)	(m)	
1	2	3	4	5	6	7	
	between the 2nd and 3rd track	NONE					
	between the 3rd and 4th track	NONE					
SENTA	between the 1st and 2nd track	102+905-102+950	platform	45,00	0,17	1,90	
Gornji Breg	NONE						
Bogaraš	NONE						
Doline		NONE					
OROM		NONE					
Gabrić		NONE					
Bikovo		NONE					
	between the 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,05	1,70	
	between the 1st and 2nd track	176+414-176+487	platform	73,00	0,25	1,60	
SUBOTICA	between the 1st and 2nd track	176+487-176+838	arranged surface	351,00	0,05	1,70	
	between the 2nd and 3rd track	176+322-176+838	arranged surface	516,00	0,05	1,70	
	between the 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70	

	206 Pančevo Varoš - C	<b>Open line junction 2a - (</b> .	Јабука)								
	next to 1st track	18+131-18+223	station plateau	92,00	0,40	1,60					
PANČEVO VAROŠ	between the 1st and 2nd track	18+105-18+345	platform	240,00	0,40	1,60					
	between the 2nd and 3rd track	18+100-18+364	platform	264,00	0,40	1,60					
	207 Novi Sa	d- Odžaci - Bogojevo									
	next to 11th track	77+836-77+950	platform	114,00	0,40	3,00					
	between the 11th and 10th track	77+822-77+950	platform	128,00	0,40	3,72					
	between the 10th and 1st track	77+835-77+887	platform	52,00	0,40	4,20					
NOVI SAD	next to 1st track	next to 1st track 77+835-78+250 platform 415,00 0,4									
	between the 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75					
	between the 12 th and 1 st track	78+104-78+250	platform	146,00	0,40	8,90					
	Between 14 th and 13 th track	78+104-78+249	platform	145,00	0,40	6,46					
Veternik		NONE									
FUTOG		NONE									
PETROVAC - GLOŽAN		NONE									
Bački Maglić NONE											
GAJDOBRA		NONE									
Parage		NONE									
RATKOVO		NONE									
ODŽACI		NONE									
Odžaci - Kalvarija		NONE									
KARAVUKOVO		NONE									
Bogojevo Selo		NONE									
BOGOJEVO		NONE									
	8 (NOVI SAD) - Open line junction	SAJLOVO - Rimski Šai	nčevi- Orlovat Staj	alište							
RIMSKI ŠANČEVI		NONE									
KAĆ		NONE									
Budisava		NONE									
ŠAJKAŠ		NONE									
Vilovo-Gardinovci		NONE									
Lok		NONE									
TITEL		NONE									
Donji Titel		NONE									
Knićanin		NONE									
PERLEZ		NONE									
FARKAŽDIN		NONE									
ORLOVAT		NONE		1	i .						
ORLOVAT STAJALIŠTE	between the 1st and 2nd track	64+025-64+075	platform	50,00	1,6	0,35					
	Iarshalling yard separation switch N	No7 - Novi Sad Lokotere	etna - Open line ju	nction SAJI	LOVO						
NOVI											
SADMARSHALLING		NONE									
YARD											
	210 Orlovat - Open	line junction 1a - (Luki	ćevo)								
ORLOVAT		NONE									
	<b>1 Ruma - Šabac - Open line junctio</b>				1	1					
RUMA	between the 2nd and 3rd track	64+733-64+973	platform	240,00	0,35	1,60					



<b>a</b> • • • •	<b>T</b> (*	km position of the	Platform/arranged		Dimensions	
Service point	Location	beginning and the end	surface	Length	Height	Widtl
1		of platform	4	(m)	(m)	(m)
1	2	3	4	5	6	7
	between the 3rd and 4th track	64+733-64+973	platform	240,00	0,35	1,60
	between the 4th and 5th track	65+821-64+937	platform	116,00	0,35	1,60
BUÐANOVCI	between the 1st and 2nd track	11+324,00-11+355,00	platform	31,00	0,35	1,60
Nikinci	next to railway line - left	16+657,70-16+688,70	platform	31,00	0,35	1,60
PLATIČEVO	between the 1st and 2nd track	21+293,00-21+323,00	platform	30,00	0,35	1,60
Klenak	next to railway line - right	28+873,15-28+904,15	platform	31,00	0,35	1,60
ŠABAC	between the 1st and 2nd track	32+684,00-32+738,00	platform	54,00	0,40	1,00
Majur	next to railway line - left	3+975-4+025	platform	50,00	0,35	
ŠTITAR	between the 1st and 2nd track	7+713,70-7+735,70	platform	22,00	0,35	1,60
Dublje Mačvansko		NONE				
PETLOVAČA		NONE				
Ribari		NONE				
PRNJAVOR MAČVANSKI		NONE				
Podrinsko Novo Selo		NONE				
LEŠNICA	between the 1st and 2nd track	34+900,00-35+025,00	platform	125,00	2,40	0,55
Jadarska Straža	next to railway line - right	38+860,00-38+940,00	platform	80,00	0,35	1,60
Lipnica	· · · · · · · · · · · · · · · · · · ·	NONE	F	, - 0	.,	-,00
LOZNICA		NONE				
Loznica Fabrika		NONE				
KOVILJAČA	between the 1st and 2nd track	56+170.00-56+213.00	platform	43,00	0,35	1,60
Gornja Koviljača	between the 1st and 2nd tack	<u> </u>	plationi	-5,00	0,55	1,00
BRASINA	between the 2 nd and 3 rd track	65+212-65+354	platform	142,00	0,35	3,20
Donja Borina	next to railway line - right	68+650-68+750	platform	142,00	0,35	1.60
Dolija Bolilia	212 (Platičevo) - Open line ju			100,00	0,55	1,00
			cuon 5 - (Stitar)			
		né - Kraljevo - Požega	1.40	202.00	0.00	6.40
am to the	between the 2nd and 3rd track	176+222-176+425	platform	203,00	0,28	6,40
STALAĆ	between the 4th and 5th track	176+222-176+425	platform	203,00	0,28	6,40
	between the 6th and 7th track	176+270-176+378	platform	108,00	0,28	5,30
Mrzenica	right side	3+868-3+910	platform	42,00	0,35	2,00
Makrešane		NONE				
DEDINA		NONE	1			
KRUŠEVAC	between the 2nd and 3rd track	14+451-14+626	platform	175,00	0,35	2,84
	between the 3 rd and 4 th track	14+490,3-14+610,3	platform	120,00	0,35	1,60
Čitluk		NONE				
KOŠEVI		NONE				
Globoder		NONE				
STOPANJA		NONE				
Donja Počekovina		NONE				
POČEKOVINA		NONE				
Trstenički Odžaci		NONE				
TRSTENIK	between the 2nd and 3rd track	42+400-42+500	platform	102,00	0,35	1,80
VRNJAČKA BANJA	between the 2nd and 3rd track	49+136-49+241	platform	102,00	0,35	1,60
Lipova	setween the 2nd and 5rd tack	NONE	Pianorini	100,00	0,00	1,00
Tominac	1	NONE				
PODUNAVCI		NONE				
Vraneši		NONE				
Vrba		NONE				
RATINA		NONE				
	1-6 1		1-+6	50.70	0.25	1
Sirča	left side	68+880,70-68+940,40	platform	59,70	0,35	1,60
	between the 1st and 2nd track	84+641,9-84+774,9	platform	133	0,30	1,60
KRALJEVO	between the 2nd and 3rd track	84+644,4-84+773	platform	128,6	0,30	1,60
			1.46	25.00	0,35	1,60
ADRANI	between the 2nd and 3rd track	78+622,20-78+657,20	platform	35,00		
ADRANI Mrsać		81+513-81+553	platform	40,00	0,33	0,50
ADRANI Mrsać SAMAILA	between the 2nd and 3rd track left side	81+513-81+553 NONE	platform	40,00	0,33	
ADRANI Mrsać SAMAILA Goričani	between the 2nd and 3rd track left side left side	81+513-81+553 NONE 88+610-88+658	platform platform	,		
ADRANI Mrsać SAMAILA	between the 2nd and 3rd track left side	81+513-81+553 NONE	platform	40,00	0,33	1,00
ADRANI Mrsać SAMAILA Goričani MRŠINCI Kukići	between the 2nd and 3rd track left side left side	81+513-81+553 NONE 88+610-88+658 92+241-92+279 NONE	platform platform	40,00 48.00	0,33 0.37	1,00
ADRANI Mrsać SAMAILA Goričani MRŠINCI	between the 2nd and 3rd track left side left side	81+513-81+553 NONE 88+610-88+658 92+241-92+279	platform platform	40,00 48.00	0,33 0.37	1,00
ADRANI Mrsać SAMAILA Goričani MRŠINCI Kukići	between the 2nd and 3rd track left side left side	81+513-81+553 NONE 88+610-88+658 92+241-92+279 NONE	platform platform	40,00 48.00	0,33 0.37	1,00
ADRANI Mrsać SAMAILA Goričani MRŠINCI Kukići ZABLAĆE Baluga	between the 2nd and 3rd track left side left side	81+513-81+553 NONE 88+610-88+658 92+241-92+279 NONE NONE	platform platform	40,00 48.00	0,33 0.37	0,50 1,00 1,00 6,50
ADRANI Mrsać SAMAILA Goričani MRŠINCI Kukići ZABLAĆE	between the 2nd and 3rd track left side left side between the 2nd and 3rd track	81+513-81+553 NONE 88+610-88+658 92+241-92+279 NONE NONE NONE	platform platform platform	40,00 48.00 38.00	0,33 0.37 0.35	1,00



		km position of the		Ι	5	
Service point	Location	beginning and the end	Platform/arranged - surface	Length	Height	Width
-		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
Trbušani	next to railway line - left	110+240-110+263	platform	23,00	0,40	1,60
PRIJEVOR	between the 2nd and 3rd track	112+820-113+070	platform	250,00	0,40	1,60
	next to railway line - right	120+450-120+550	platform	100,00	0,40	1,60
OVČAR BANJA	between the 1st and 2nd track	120+450-120+652	platform	202,00	0,35	1,60
Jelen Do	next to railway line - right	127+180-127+230	platform	50,00	0,40	1,60
DRAGAČEVO	between the 2nd and 3rd track	128+295-128+405	platform	110,00	0,40	1,60
Gugali		NONE		110,00	0,10	
Boračko		NONE				
	next to 1st track	140+720-140+975	platform	255,00	0,45	10,00
POŽEGA	between the 2nd and 3rd track	140+675-140+984	platform	309,00	0,45	6,20
214 connecting treak of	f Kraljevo station: (Mataruška I					
214 connecting track o 215 connecting tr	ack of Požega station: (Uzićo) - s	enaration switch No53 - s	enaration switch N	o54 - (Drag	<del>-5 - (Aura</del> vačevo)	ш <i>)</i>
210 connecting ti				ue i (Diag	Juccioj	
	between the 1st and 2nd track	216 Smederevo – Open line junction Jezava – Radinac - Mala Krsbetween the 1st and 2nd track0+000-0+103platform				1,60
SMEDEREVO	between the 1st and 2nd track	0+000-0+105	platform	103,00 105,00	0,40 0,40	1,60
Godomin		3+303-3+350		,	,	,
Godomin	next to railway line - left		platform	47,00	0,40	1,60
RADINAC	next to 1st track	6+650-6+800	platform	150,00	0,50	2,20
· · · · ·	between the 2nd and 3rd track	6+650-6+800	platform	150,00	0,60	6,20
Vranovo	next to railway line - left	9+475-9+537	platform	62,00	0,40	1,90
	between the 1st and 2nd track	69+030-69+175	platform	145,00	0,40	1,90
MALA KRSNA	between the 2nd and 3rd track	69+030-69+175	platform	145,00	0,40	1,9
MALA KRSNA	between the 3rd and 4th track	69+042-69+184	platform	142,00	0,40	1,90
	between the 4th and 5th track	69+080-69+230 platform		150,00	0,40	1,90
	217 Open line junc	tion Jezava – Smederevo		,		· · · · · ·
	218 Mala Krsna - Bor - (	Open line junction "2" - (	Vražogrnac)			
	between the 1st and 2nd track	69+030-69+175	platform	145,00	0,40	1,90
	between the 2nd and 3rd track	69+030-69+175	platform	145,00	0,40	1,90
MALA KRSNA	between the 3rd and 4th track	69+042-69+184	platform	142,00	0,40	1,90
	between the 51d and 4th track	69+080-69+230	platform	150,00	0,40	1,90
Ljubičevski most	between the 4th and 5th track	NONE		130,00	0,40	1,90
Ljubicevski illost	h stress on the last and Ond two als			122.00	0.40	1.90
POŽAREVAC	between the 1st and 2nd track	87+703-87+826	platform	123,00	0,40	1,80
· · · · ·	between the 2nd and 3rd track	87+712-87+816	platform	104,00	0,40	1,60
Jugovićevo	next to track - left	89+078-89+094	platform	16,00	0,50	1,00
Sopot Požarevački	next to track -right	90+082-90+107	platform	24,00	0,40	1,60
BUBUŠINAC-BRATINAC		NONE				
Bare - Kasidol		NONE	1		1	
STIG	between the 1st and 2nd track	102+693-102+764	platform	71,00	0,40	1,60
Majilovac		NONE				
SIRAKOVO	between the 1st and 2nd track	109+026-109+079	platform	53,00	0,40	1,60
LJUBINJE	between the 1st and 2nd track	116+381-116+444	platform	63,00	0,40	1,60
Češljeva Bara	next to railway line - left	122+138-122+200 platform		62,00	0,40	1,60
RABROVO-KLENJE	between the 1st and 2nd track	126+007-126+067	platform	60,00	0,40	1,60
Mustapić		NONE		, -	. , -	
Mišljenovac		NONE				
ZVIŽD		NONE				
Kučevska Turija		NONE				
KAONA		NONE				
KUČEVO		NONE				
Neresnica		NONE				
Neresnica (tov.)		NONE				
Voluja		NONE		<i>c</i> 1.00	0.40	
BRODICA	between the 2nd and 3rd track	164+515-164+576	platform	61,00	0,40	1,60
Bosiljkovac		NONE				
Blagojev Kamen		NONE			,	
MAJDANPEK	between the 2nd and 3rd track	178+769-178+920	platform	151,00	0,35	1,60
Debeli Lug	next to railway line - left	181+300-181+318	platform	18,00	0,35	1,60
LESKOVO	between the 2nd and 3rd track	187+660-187+722	platform	62,00	0,35	1,60
Jasikovo	next to railway line - left	191+810-191+890	arranged surface	80,00	0,09	1,60
	next to railway line - right	194+740-194+780	arranged surface	40,00	0,20	1,60
viaole Selo						-,00
Vlaole Selo VLAOLE	between the 2nd and 3rd track	197+163-197+224	platform	61,00	0,35	1,60



		km position of the		Ι	s	
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width
		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
CEROVO		NONE				
Kriveljski most	next to railway line - right			90,00	0,35	1,60
Kriveljski potok	next to railway line - left	211+873-211+913	arranged surface	40,00	0,35	1,60
MALI KRIVELJ	between the 1st and 2nd track	215+171-215+206	platform	35,00	0,35	1,60
Brezonik	next to railway line - left	217+490-217+540	platform	50,00	0,35	1,60
BOR	next to 1st track	221+369-221+452	platform	83,00	0,35	8,00
BOK	between the 2nd and 3rd track	221+352-221+452	platform	100,00	0,35	1,60
BOR FREIGHT STATION	between the 2nd and 3rd track	224+320-224+375	platform	55,00	0,35	1,60
BORSKA SLATINA		NONE				
ZAGRAĐE		NONE				
RGOTINA	between the 1st and 2nd track	244+658-244+738	platform	80,00	0,35	1,60
		rst - Zaječar – Prahovo Pr				
CRVENI KRST	between the 2nd and 3rd track	240+842-240+994	platform	152,00	0,40	1,60
Pantelej	next to railway line - left	7+455-7+507	platform	52,00	0,35	1,60
MATEJEVAC	between the 1st and 2nd track	12+370-12+395	platform	25,00	0,35	1,50
Gornja Vrežina		NONE				
Jasenovik		NONE			· · · ·	
GRAMADA	between the 1st and 2nd track	30+232-30+282	platform	50,00	0,35	1,60
Hadžićevo		NONE	· · · · · · · · · · · · · · · · · · ·		·	
SVRLJIG	between the 1st and 2nd track	39+925-40+075	platform	150,00	0,35	1,60
Niševac	next to railway line - right	46+002-46+018	platform	16,00	0,35	1,60
PALILULA	between the 1st and 2nd track	49+320-49+355	platform	35,00	0,35	1,60
Svrljiški Miljkovac		NONE	I		1	
PODVIS	between the 1st and 2nd track	60+853-60+903	platform	50,00	0,35	1,60
Rgošte		NONE	1			
KNJAŽEVAC	between the 1st and 2nd track	68+338-68+392	platform	54,00	0,35	1,60
Gornje Zuniče	next to railway line - right	72+080-72+142	platform	62,00	0,35	1,60
Donje Zuniče	next to railway line - right	74+988-75+076	platform	88,00	0,35	1,60
MINIĆEVO	between the 1st and 2nd track	81+830-81+930	platform	100,00	0,35	1,60
	between the 2nd and 3rd track	81+930-81+975	platform	45,00	0,35	1,60
Selačka Reka	next to railway line - right	84+450-84+500	arranged surface	50,00	0,35	1,60
Mali Izvor	next to railway line - right	88+180-88+230	platform	50,00	0,35	1,60
Vratarnica	between the 1st and 2nd track	96+048-96+098	platform	50,00	0,35	1,60
GRLJAN	between the 1st and 2nd track	102+955-103+105		platform 150,00	0,35	1,60
Timok	next to railway line - left	107+320-107+380	-107+380 arranged surface 60,00		0,35	1,60
~	between the 1st and 2nd track	111+622-111+820	platform	198,00	0,35	1,60
ZAJEČAR	between the 2nd and 3rd track	111+662-111+815	platform	153,00	0,35	1,60
	between the 3rd and 4th track	111+651-111+803	platform	152,00	0,35	1,60
VRAŽOGRNAC	between the 1st and 2nd track	118+760-118+910	platform	150,00	0,35	1,60
TRNAVAC	between the 1st and 2nd track	124+593-124+668	platform	75,00	0,35	1,60
Čokonjar	next to railway line - left	128+500-128+550	platform	50,00	0,35	1,60
Sokolovica	next to railway line - right	131+100-131+125	platform	25,00	0,35	1,60
TABAKOVAC	between the 1st and 2nd track	136+170-136+223	platform	53,00	0,35	1,60
Tabakovačka reka	next to railway line - right	138+740-138+790 platform		50,00	0,35	1,60
BRUSNIK	between the 1st and 2nd track	145+616-145+696	platform	80,00	0,35	1,60
Tamnič	next to railway line - right	148+420-148+480	platform	60,00	0,35	1,60
Crnomasnica	next to railway line - right	151+323-151+364	platform	41,00	0,35	1,60
Rajac	next to railway line - right	154+430-154+505	platform	75,00	0,35	1,60
ROGLJEVO	between the 1st and 2nd track	156+795-156+875	platform	80,00	0,35	1,60
Veljkovo		NONE				
Mokranja		NONE				
Kobišnica		NONE				
NEGOTIN	between the 2nd and 3rd track	174+049-174+199	platform	150,00	0,35	1,60
PRAHOVO	between the 2nd and 3rd track	181+974-182+054	platform	80,00	0,35	1,60
PRAHOVO PRISTANIŠTE		NONE			<u> </u>	, -
	220 (Rgotina) - Open line junct	ion "3" - Open line juncti	on "1" - (Trnavac)			
		n line junction "1" - Kurš				
KURŠUMLIJA		NONE	<b>پ</b>			
	222 Ki	ıršumlija - Kastrat				
KURŠUMLIJA		NONE				
Rendering	223 Dolievac - Ka	strat – Merdare - Kosovo	Polie			
DOLJEVAC	between the 1st and 2nd track	261+419-261+527	platform	108	0,40	1,60
			pracionin	100	U.TU	1.00



		km position of the		Dimensions				
Service point	Location	beginning and the end	Platform/arranged	Length	Height	, Width		
I I I I I I I I I I I I I I I I I I I		of platform	surface	(m)	(m)	(m)		
1	2	3	4	5	6	7		
	between the 2nd and 3rd track	261+419-261+526	platform	107	0,40	1,60		
Šajinovac		NONE						
Toplički Badnjevac		NONE						
Jasenica		NONE NONE						
ŽITORAĐA	1							
Žitorađa Centar	next to railway line - left	10+925-10+977	platform	52,00	0,40	1,60		
Rečica		NONE						
Lukomir		NONE						
Podina		NONE	1.6	10.00	0.40	1.60		
Babin Potok	next to railway line - right	18+726-18+774	platform	48,00	0,40	1,60		
PROKUPLJE	between the 1st and 2nd track	22+257-22+370	platform	113,00	0,40	1,60		
Gornja Draganja Toplička Mala Plana	next to railway line - left	24+990-25+027 NONE	platform	37,00	0,40	1,60		
Bresničići		NONE						
BELOLJIN		NONE						
Toplica Milan		NONE						
Pločnik		NONE						
Barlovo		NONE						
Novoselske Livade		NONE						
Pepeljevac		NONE						
Rasputnica Kastrat		NONE						
Visoka		NONE						
Ljuša		NONE						
Rudare		NONE						
Dešiška		NONE						
KOSANIČKA RAČA		NONE						
Kosanica		NONE						
Kosančić Ivan		NONE						
Vasiljevac		NONE						
Merdare		NONE						
		Polje - Metohija – Peć** t - Open line junction 1 - (	Duanica) **					
	<u> </u>	<u>r - Open line junction 1 - (</u> Vrbas - Sombor	Dreilica)					
	between the 2nd and 3rd track	116+702-116+770,3	platform	68,00	0,35	1,40		
VRBAS	between the 3rd and 4th track	116+702-116+770,3	platform	68,00	0,35	1,40		
KULA	between the 2nd and 3rd track	47+626-47+667	platform	41,00	0,25	1,52		
CRVENKA	between the 1st and 2nd track	54+956-54+986	platform	30,00	0,15	1,56		
SIVAC		NONE		,		,		
Novi Sivac		NONE						
KLJAJIĆEVO	between the 1st and 2nd track	75+417-75+456	platform	39,00	0,15	1,38		
Čonoplja	between the 1st and 2nd track	79+692-79+722	platform	30,00	0,15	1,31		
	between the 1st and 2nd track	73+417-73+477	platform	60,00	0,31	1,61		
	between the 1st and 2nd track	73+584-73+612	arranged surface	28,00	0,05	1,50		
SOMBOR	between the 1st and 2nd track	73+673-73+823	arranged surface	150,00	0,05	1,50		
SOMDOR	between the 2nd and 3rd track	73+417-73+477	platform	60,00	0,38	1,61		
	between the 2nd and 3rd track	73+584-73+612	arranged surface	28,00	0,05	1,50		
	between the 3rd and 4th track	73+584-73+701	arranged surface	117,00	0,05	1,50		
	• <i>p</i> . <i>n</i>							
		RAILWAY LINES	MIT OF SEDVICE					
	301 Subotica - Subotica Fabrika 302 Suboti	<u>i – KAILWAY LINE IS O</u> ica - Subotica Bolnica	JUI OF SERVICE					
	between the 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,05	1,70		
	between the 1st and 2nd track	176+414-176+487	platform	73,00	0,05	1,70		
		176+487-176+838	arranged surface	351,00	0,05	1,00		
SUBOTICA	between the 1st and 2nd track		0			,		
SUBOTICA	between the 1st and 2nd track between the 2nd and 3rd track		arranged surface	516.00	0.05	1.70		
SUBOTICA		176+322-176+838 176+335-176+573	arranged surface	516,00 238,00	0,05 0,05	1,70 1,70		
SUBOTICA	between the 2nd and 3rd track between the 3rd and 4th track	176+322-176+838 176+335-176+573	arranged surface					
SUBOTICA	between the 2nd and 3rd track between the 3rd and 4th track	176+322-176+838	arranged surface					
	between the 2nd and 3rd track between the 3rd and 4th track <b>303 Novi Sad(km</b>	176+322-176+838 176+335-176+573 <b>1+042) - Novi Sad Ložion</b> 77+836-77+950	arranged surface ica platform	238,00 114,00	0,05 0,40	1,70 3,00		
SUBOTICA NOVI SAD	between the 2nd and 3rd track between the 3rd and 4th track <b>303 Novi Sad(km</b> next to 11th track	176+322-176+838 176+335-176+573 <b>1+042) - Novi Sad Ložion</b>	arranged surface	238,00	0,05	1,70		



		km position of the		Dimensions				
Service point	Location	beginning and the end	Platform/arranged surface	Length	Height	Width		
		of platform	surface	(m)	(m)	(m)		
1	2	3	4	5	6	7		
	next to 1st track	77+835-78+250	platform	415,00	0,40	4,20-8,9		
	between the 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75		
	између 12. и 1. колосека	78+104-78+250	platform	146,00	0,40	8,90		
	између 14. и 13. колосека	78+104-78+249	platform	145,00	0,40	6,46		
	304 Podbara - Open line jun	ction "3" - Open line junc	tion "2" - (Kać)					
30	<u>5 (Rimski Šančevi) - Open line ju</u> 306 Rij	inction "1" - Open line ju mski Šančevi- Bečej	nction "3" - (Podba	ra)				
RIMSKI ŠANČEVI		NONE						
Bački Jarak		NONE						
TEMERIN		NONE						
GOSPOÐINCI		NONE						
ŽABALJ		NONE						
ČURUG		NONE						
Bačko Gradište		NONE						
Bečej predgrađe		NONE						
BEČEJ		NONE						
	308 (Brasina) - Open line	junction Donja Borina – Z	vornik Grad					
ZVORNIK GRAD		NONE						
		Varoš - Pančevo Vojlovica		02.00	0.40	1.60		
<u>*</u>	next to 1st track	18+131-18+223	station plateau	92,00	0,40	1,60		
PANČEVO VAROŠ	between the 1st and 2nd track	18+105-18+345	platform	240,00	0,40	1,60		
	between the 2nd and 3rd track	18+100-18+364	platform	264,00	0,40	1,60		
Pančevo Strelište	next to railway line - left	1+290-1+400	platform	110,00	0,40	1,60		
PANČEVO VOJLOVICA	between the 3rd and 4th track	2+632-2+852 platform		220,00	0,40	1,60		
	next to 4th track	2+645-2+965	platform					
310 Connectir	ng track of Senta station: (Čoka)			No23 - (Or	rom)			
		lajnac – Despotovac – (Re		50	0.4	1.6		
	between the 2nd and 3rd track	100+400-100+450	platform	50	0.4	1.6		
MARKOVAC	between the 3rd and 4th track	100+350-100+452	platform	102	0.4	1.6		
	between the 4th and 5th track	100+350-100+448	platform	92	0.4	1.6		
		etohija - Prizren**						
		ršac – Bela Crkva			0.40	4 - 50		
VRŠAC	between the 1st and 2nd track	82+807,5-82+902,5	platform	95,00	0,40	1,60		
	between the 2nd and 3rd track	82+807,5-82+902,5	platform	95,00	0,40	1,60		
Potporanj		NONE						
Straža		NONE						
JASENOVO		NONE						
Crvena Crkva		NONE			1			
	between the 1st and 2nd					1,60		
BELA CRKVA	track	119+052-119+082	platform	30,00	0,30			
		UNTING LINES						
		ac - Vršac Vašarište	1	95,00	0.40	1.60		
VRŠAC	between the 1st and 2nd track	82+807,5-82+902,5			0,40	1,60		
	between the 2nd and 3rd track	82+807,5-87+902,5	platform	95,00	0,40	1,60		
		olsko sirćetni kompleks (k		10100	0.40	0.00.1		
KIKINDA	next to 1st track	160+030-160+166	platform	136,00	0,19	3,30-4,		
	between the 1st and 2nd track	160+064-160+190	arranged surface	126,00	0,00	1,50		
		ka Obala – TRAFFIC SU						
		opovac - TRAFFIC SUSP	ENDED					
QUIDČIDI	405 Sure	čin – Jakovo-Bečmen	,					
SURČIN	ADG Stid Superster De	NONE						
		ča Nova - state border - (H		100.00	0.10	0.50		
ČID	between the 1st and 2nd track	116+300-116+490	arranged surface	190,00	0,10	2,50		
ŠID	between the 2nd and 3rd track	116+300-116+665	platform.	365,00	0,45	1,60		
	between the 3rd and 4th track	116+300-116+677	platform	377,00	0,45	1,60		
Adaševci		NONE 12,200	1.0	00.00	0.27	4		
MOROVIĆ	between the 1st and 2nd track	12+360-12+390	platform	30,00	0,35	1,60		
VIŠNJIĆEVO	between the 1st and 2nd track	19+633-19+655	platform	22,00	0,35	1,60		
Rasputnica Rača		NONE	11		r	1		
SREMSKA RAČA NOVA	between the 1st and 2nd track	24+169-24+205	platform	36,00	0,35	1,60		



		km position of the	Dlatform / amon and	Γ	Dimensions	S						
Service point	Location	beginning and the end	Platform/arranged surface	Length	Height	Width						
	•	of platform	suitace	(m)	(m)	(m)						
1	2	3	4	5	7							
	407 Ovča – Padinska Skela - TRAFFIC SUSPENDED											
	408 Sonta – Apatin Fabrika											
	409 Bačka Palanka – Gajdobra - TRAFFIC SUSPENDED											

* not intended for handling of passengers

** The lines on the territory of Kosovo and Metohija are temporarily under the supervision of UNMIK, according to the Temporary Agreement between ŽTP Belgrade and UNMIK railways, dated May 31, 2002 (records No 300/2002 - 153 dated May 31, 2002).

Note: In column one halts are marked with small letters and all other service points with capital letters.



## **Appendix 9.** Method for calculation of electricity consumption for train traction

Compensation for calculation of electricity consumption for train traction is determined as follows:

$$Csv/brtkm = \frac{MES.RAČ - TROŠ.INF}{BRTKMter + K * BRTKMput}$$

where:

**Csv/brtkm** – monthly rate of electric energy spent for train traction, expressed in RSD per gross-tonne km.

MES.RAČ – monthly bill amount for high voltage electric energy issued by electric energy supplier. TROŠ.INF – monthly expenses for electric energy for train traction need used by "Infrastruktura železnice Srbije"

**BRTKMter** – total (all railway undertakings) monthly freight transport expressed in gross-tonne km.  $\mathbf{K}$  – coefficient by means of which is taken into consideration that passenger trains consume more electric energy per gross-tonne km than freight trains.

**BRTKMput** – total (all railway undertakings) monthly passenger transport expressed in gross-tonne km.

The compensation amount per individual RU is calculated by multiplication of monthly rate of electrical energy for train traction with gross-tonne kilometers realized by the respective RU (BRTKMter for freight service, and K* BRTKMput for passenger service):

**Ntern = Csv/btkm * BRTKMtern** for freight service, i.e **Nputn = Csv/btkm * K * BRTKMputn** for passenger service,

where:

Ntern – compensation paid by x RU in freight service for the consumption of electrical traction, expressed in RSD.

**BRTKMtern** – gross-tonne kilometres realized by x RU in freight service in the given month. **Nputn** - compensation paid by x RU in passenger service for the consumption of electrical traction, expressed in RSD.

**BRTKMputn** - gross-tonne kilometres realized by x RU in passenger service in the given month.

The compensation is paid to Infrastructure Manager on a monthly basis, based on the issued bill.

K coefficient values are as follows:

month	Ι	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
K	2	1,8	1,7	1,5	1,35	1,4	1,4	1,4	1,35	1,5	1,7	1,9

