# INFRASTRUCTURE OF SERBIAN RAILWAYS JSC

# NETWORK STATEMENT 2026

Adopted by the Shareholders' Meeting of "Infrastructure of Serbian Railways" JSC

No: 5/2024-584-227 dated December 12th, 2024

Effective as of December 14th, 2025

Applicable to 2025/2026 Timetable

# Amendments, corrections, and interpretations

No	Subject	Determined by Decision No.	Valid as of	
1.	1.1; 2.4.8; 4.6; 7.3.4; Appendices 1, 3.11 and 6	Infrastructure of Serbian Railways JSC Shareholders' Meeting Decision No 5/2025- 233 dated March 17, 2025	March 17, 2025	
2.	1.3.1; 4.8.1; 5.1; 5.2; 5.3; 5.4; 5.5; 5.8; 6.3.2	Infrastructure of Serbian Railways JSC Shareholders' Meeting Decision No 5/2025- 235 dated April 29, 2025	April 29, 2025	
3.	1.1;2.3.1;5.5;7.3.7, Appendices 3.11,6 and 10	Infrastructure of Serbian Railways JSC Shareholders' Meeting Decision No 5/2025- 602-237 dated June 06, 2025	June 06, 2025	



# TABLE OF CONTENTS

		AND ABBREVIATIONSRAL INFORMATION	
	1.1	Introduction	
	1.2	Purpose of the Network Statement	
	1.3	Legal Aspects	
		1 Legal Framework	
		2 Legal Status and Liability	
		3 Appeals Procedure	
	1.4	Structure of the Network Statement	
	1.5	Validity Period, Updating and Publishing	
		1 Validity Period of the Network Statement	
		2 Updating Process	
		3 Publishing, Distribution and Availability of the Network Statement	
	1.6	Contacts	
	1.7	Cooperation Between European IMs/ABs	
	1.7.	1 Rail Freight Corridors	16
	1.7.2	2 RailNetEurope	16
2.	INFR/	ASTRUCTURE	19
	2.1	Introduction	19
	2.2	Extent of Network	19
	2.2.	1 Limits	19
		2 Connecting Railway Networks	
	2.3	Network Description.	
		1 Geographic data and types of railway lines	
		2 Track Gauges	
		3 Stations	
		4 Loading Gauge	
		5 Weight Limits	
		6 Line Gradients	
		7 Maximum Line Speeds	
		8 Maximum Train Lengths	
		9 Power Supply	
		10 Signalling Systems	
		11 Traffic Control Systems	
		12 Communication Systems	
		13 Train Control Systems	
	2.4	Traffic Restrictions	
		1 Specialised Infrastructure	
		2 Environmental Restrictions	
		3 Dangerous Goods	
		4 Tunnel Restrictions	
		5 Bridge Restrictions	
	2.5	Availability of the Infrastructure	
	2.6	Infrastructure Development	
3.	ACCE	SS CONDITIONS	
	3.1	Introduction	
	3.2	General Access Requirements	34
	3.2.	1 Conditions for Applying for Capacity	34
		2 Conditions for Access to the Railway Infrastructure	
		3 Licenses	
		4 Safety Certificate	
		5 Coverage for Civil Liability (Insurance)	
	3.3	Contractual Arrangements	
		1 Framework Agreement	
		2 Contracts with RUs.	

3



•	pecific Access Requirements	
3.4		
3.4	1	
3.4		
3.4		
4. CAPA	ACITY ALLOCATION	
4.1	Introduction	
4.2.	Description of infrastructure capacity allocation procedure	
4.3	Allocation of capacity for maintenance, including the allocation process	
4.4.	Impact of Framework Agreements	
4.5	Schedule for Path Requests and Allocation Process	
	.1 Schedule of requests submission for new annual timetabling process	
	.3 Allocation of capacities during annual Timetable validity period on ad hoc request	
	.4 Path Allocation and Coordination Process	
	.5 Dispute Resolution Process	
4.6	Congested Infrastructure	
4.7	Exceptional Transports and Dangerous Goods	
4.8	Rules After Path Allocation	
	.1 Non-usage of allocated train path	
	.2. Rules of Cancellation	
4.9.		
	.1. Objectives of TTR	
	VICES AND CHARGES	
5.1	Introduction	
5.2	Charging Principles	
5.3	Minimum Access Package and Charges	
5.4	Additional Services and Charges	
5.5	Ancillary Services and Charges.	
5.6 5.7	Discounts  Performance Scheme	
5.8	Changes to Infrastructure Access Charges	
5.9	Billing Arrangements	
5.10	Tariff system	
	RATIONS	
6.1	Introduction	
6.2	Operational Rules	
6.3	Operational Measures	
	.1. Principles	
	.2. Operation regulation	
	3. Foreseen and Unforeseen problems.	
	/ICE FACILITIES	
7.1.	Introduction	
7.2.	Service Facility Overview	
7.3.	Service Facilities Managed by IŽS	
	.1. Common Provisions	
	.2 Use of station buildings in the function of passenger traffic	
	.3 Freight Terminals	
	.4 Marshalling Yards and Train Formation Facilities, including Shunting Facilities	
	.5 Storage Sidings	
	.6 Maintenance facilities	
	.7 Other Technical Facilities, including Cleaning and Washing Facilities	
	.8 Maritime and Inland Port Facilities	
	.9 Relief Facilities	
	.10 Refuelling Facilities	
	PENDICES	
Appendi	ix 1: Organizational chart of "Infrastructure of Serbian Railways" JSC	80
	ix 2: Internal regulations (documents) and technological procedures	

4



Appendix 3.1. Loading Gauge ŽS I	82
Appendix 3.2. Loading Gauge UIC-GA	83
Appendix 3.3. Loading Gauge UIC-GB	84
Appendix 3.3a Loading Gauge UIC-GC	85
Appendix 3.4. Electrified lines	86
Appendix 3.5 Power supply facilities	
Appendix 3.6 Overview of signaling & safety devices equipping level	90
Appendix 3.6a Request for issuance of encryption keys for communication in the ETCS system	94
Appendix 3.7 Overview of telecommunication devices equipping level	95
Appendix 3.8. List of service points where it is possible to perform the transshipment of dangerous go	ods 102
Appendix 3.9. Alternative transport routes	107
Appendix 3.10. Facilities for rolling stock maintenance	108
Appendix 3.10a. Information on the service facility managed by Nelt Co	
Appendix 3.11. Railway infrastructure development projects	123
Appendix 4.1. Request for train path allocation (form)	124
Appendix 4.1a. Request for train path allocation (e-papir)	
Appendix 4.1b Template for submission of traction vehicle technical data	
Appendix 4.2. Instruction for completion of the Request for train path allocation	
Appendix 4.3. Deadlines for annual 2025/2026 timetable preparation	
Appendix 4.4. Deadlines for amendments to annual 2025/2026 Timetable	132
Appendix 5.1. Overview of railway lines on which train running is possible when they are manned on	ly with
ngine driver	
Appendix 5.2. Overview of the lines lines that do not meet the conditions for train running with an	engine
lriver only	
Appendix 5.3. Geometry of pantograph (current collector) TIP POS - 254/III used on IŽS network	
Appendix 6. Register of infrastructure data	
Appendix 7. Overview of primary train delay causes	
Appendix 8. Overview of platforms and arranged surfaces in service points	
Appendix 9. Method for calculation of electricity consumption for train traction	
Appendix 10. Railway node boundaries	179



# TERMS AND ABBREVIATIONS

Terms:

Public railway infrastructure

means the entire railway infrastructure constituting a network operated by the infrastructure manager, but not including the railway lines and secondary tracks (industrial railway lines and industrial tracks) connected to the network;

Infrastructure Manager is a public enterprise or a company responsible for construction, exploitation, maintenance, and rehabilitation of railway infrastructure on the network, as well as for participation in its development within the general policy of infrastructure development and financing;

Railway Undertaking

is a company or other legal entity, registered for the prevailing activity of provision of freight and/or passenger railway transport services, to whom the license was issued, with an obligation to provide train traction or that provides train traction only. In terms of access to railway infrastructure, service facilities and services in connection to performing of railway transport, a railway undertaking is also a company or other legal entity that performs railway transport for its own purposes and to whom the license for transport for its own purposes was issued;

Freight Terminal

is a facility along the railway lines with freight transport, specifically arranged in order to enable loading of goods onto the freight trains and/or unloading of goods from such trains, as well as integration of services of railway freight transport with the services of road, maritime, inland waterway and air transport, i.e. forming or changing the composition of freight trains, and, if necessary, it is used to implement the border procedures at the borders with other countries;

Transport License

is a document by which a relevant licensing authority confirms the capacity of a company or other legal entity, registered for provision of the activity of public transport of goods and/or passengers, to provide railway transport services as a railway undertaking, which can be limited to the provision of certain types of services or the provision of railway transport for own purposes;

**Applicant** 

means a railway undertaking or an international grouping of railway undertakings, or other persons or legal entities, such as competent authorities, consignors, forwarding agents or combined transport operators, having the commercial interest for provision of public service or commercial interest for allocation of railway infrastructure capacity;

Ad hoc request

is a request for individual train paths submitted during the validity of the established timetable;

Network

is a network of railway lines, including the connecting lines and secondary tracks, with elements of railway infrastructure, operated by the Infrastructure Manager; intended for railway transport of goods and/or passengers, as well as for transport for own purposes, which can be performed by railway undertakings according to the principle of transparent and non-discriminatory access to the network;

Path

is the capacity of railway infrastructure necessary for train movement between two service points, within the envisaged period of time and under the precisely determined technical and technological conditions on the public railway infrastructure;



Timetable

is a formal document of the public railway infrastructure manager setting out the schedule of operation for passenger and freight trains as well as for trains operated for own purposes on the public railway infrastructure of the infrastructure manager;

Infrastructure capacity

is a possible number of train paths for timetabling on the particular part of public railway infrastructure over a given period of time;

Congested infrastructure

is a section of railway infrastructure for which infrastructure capacity demand cannot be completely satisfied during certain time periods, even after different infrastructure capacity requests have been coordinated;

Path allocation

is the allocation of public railway infrastructure capacities by the infrastructure manager;

Access right

is the right of a railway undertaking to use the railway infrastructure;

Coordination

is a process whereby the infrastructure manager and applicants make an adjustment of individual requests for path allocation;

Safety Certificate

means evidence that a railway undertaking has established the safety management system and that it meets the requirements set out in the technical specifications of interoperability, national safety regulations and other relevant regulations in order to control the risks and perform safe railway traffic operations on the network;

Competent institution, Relevant authority (body)

is an authority entitled to adopt various decisions relating to particular fields;

Relevant Railway Authority is an authority authorised to act regarding the administrative issues in the railway sector of the Republic of Serbia (Directorate for Railways or the Ministry of Construction, Transport and Infrastructure, as the case may be).

Service Facility Operator

is an entity responsible for operating one or more service facilities or for providing one or more services to railway undertakings (basic, additional and/or accompanying), including operating of railway infrastructure which forms a part of a service facility.

Information about service facility

is a document containing detailed information necessary for access to a service facility and services (basic, additional and accompanying) with reference to performing of railway transport provided by the operator in that service facility.



The abbreviations used in the Network Statement have the following meanings:

ATC Automatic Train Control

AGC European Agreement on Main International Railway Lines

AGTC European Agreement on Important International Combined Transport Lines and Related

Installations

EU European Union FTE Forum Train Europe IM Infrastructure Manager

MCTI Ministry of Construction, Transport and Infrastructure of the Republic of Serbia

MF Ministry of Finance of the Republic of Serbia

NS Network Statement
DG Dangerous goods
OSS One-Stop-Shop

RID (2017) Regulations concerning the international carriage of dangerous goods by rail

RNE RailNetEurope (European Infrastructure Managers Association)

UIC International Union of Railways

DR Directorate for Railways – Regulatory Body in the Republic of Serbia

IŽS "Infrastructure of Serbian Railways" JSC

EMU Electric multiple-unit set DMU Diesel multiple-unit set

TOR Top of rail

RS Republic of Serbia

LTDG Law on Transport of Dangerous Goods ("Official Gazette of the RS" no. 106/2016,

8

83/2018, 95/2018 (other law), 10/2019 (other law))

GSM-R Global System for Mobile Communications – Railway

ERTMS European Rail Traffic Management System

ETCS European Train Control System



# 1. GENERAL INFORMATION

### 1.1 Introduction

"Infrastructure of Serbian Railways" JSC (hereinafter IŽS) is a joint stock company for the management of public railway infrastructure (hereinafter: railway infrastructure), founded by the Republic of Serbia.

Railway infrastructure represents goods in general use, owned by the Republic of Serbia, that can be used by railway undertakings, on equal terms, in accordance with the Law on Railways.

Management of railway infrastructure is an activity of general interest.

Railway infrastructure includes permanent way and substructure, tunnels, bridges and other track structures, station tracks, level crossings including devices for securing of level crossings; safety, signaling and telecommunication installations on open lines, in stations and marshalling yards, including the plants for generating, transforming and distribution of electric energy for signaling and telecommunications; buildings for such installations or plants; track brakes; plants for transformation and transmission of electric energy for train traction: 110 kV two-phase transmission lines, sub-stations except for 110 kV distribution switchgear in such substation, supply cables between substations and contact wire, catenary and girders, third rail with beams, lighting installation for traffic and safety needs, service points' buildings and other facilities on trackside land used for regulation of railway traffic including the part of the equipment for calculation and charging of transport charges and buildings for railway infrastructure maintenance, accesses for passengers and goods, including road access and access to passengers for arrival and departure of pedestrians, track-side land and the airspace above the track, 12 m high, i.e. 14m high at over 220kV overhead power lines, measured from the top of rail.

The Network Statement is a document that contains all the information in accordance with the Law on Railways of the Republic of Serbia ("Official Gazette of the RS" No. 41/18 and 62/23).

The document is compliant to all the norms set forth under the guidelines provided by the association RailNetEurope (hereinafter RNE) and shall be used as informative material for the interested railway undertakings. Moreover, the Network Statement has been harmonized with relevant EU Directives.

Network Statement provides general information on railway network, terms and conditions for access to railway infrastructure, principles and criteria for allocation of capacities, principles for charge calculation and their amounts, procedures for dispute resolution and other important details for usage of services provided to railway undertakings.

### **Infrastructure Manager Basic Information**

Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade (hereinafter: Company) was founded with the Decision on founding of Joint Stock Company for Public Railway Infrastructure Management ("Official Gazette of the RS", no.60/15 and 73/15) and registered in the registry of Serbian Business Registers Agency, under the number BD 69692/2015 from August 10, 2015.

The founder of the Company is the Republic of Serbia, as the sole stakeholder of the Company, of behalf of which the founder's right is enforced by the Government of the Republic of Serbia, Belgrade, Nemanjina 11, company number 07020171. The Company is under the jurisdiction of the Ministry of Construction, Transport and Infrastructure.

Business company name: Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade

Abbreviated Company Name: "Infrastructure of Serbian Railways" JSC

Company Headquarters is in Belgrade, and the address of company's headquarters is 6 Nemanjina, Belgrade.



The main activity of company is "Service activities in land transport", activity code is 5221.

Company Reg. No is 21127094, TIN 109108420.

Company Business Accounts are 205-222959-26 and 160-438771-53.

The main activity of the Company includes: Service activities in land transport. The activity includes the management of public railway infrastructure in the segment of maintenance of public railway infrastructure, organization and control of railway traffic, provision of access and use of public railway infrastructure to all interested railway undertakings and protection of public railway infrastructure. The company performs the activity of general interest in accordance with the law. The company may also perform other activities in accordance with the law. The company performs the activities and services in domestic and international trade in accordance with the law.

Responsible persons: Acting General Manager Zoran Jevtić

Tel.: +381 11 3618 330

kabinet.infrastruktura@srbrail.rs

# **Infrastructure Manager Organisational Chart**

The organizational structure of Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade is based on the Rulebook on organization and systematization of operations of Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade.

Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways", Belgrade, (hereinafter: the Company), in order to perform the activities of management of public railway infrastructure, is organized according to the groups of operations, as follows:

- organization and control of railway traffic,
- maintenance of railway infrastructure,
- economic affairs,
- investments,
- human resources and common affairs, and
- operations that are organizationally related to the General Manager's Office.

The Company operations are performed within its departments, divisions, sections, units, technical-technological divisions, stations and operational sections and other lower organizational forms.

The management of public railway infrastructure includes the maintenance of public railway infrastructure, the organization and control of railway traffic, the provision of access and use of public railway infrastructure to all interested railway undertakings, the protection of public railway infrastructure, as well as the performing of investor function in construction and reconstruction of public railway infrastructure.

The following operations are also performed within the Company: traffic engineering, civil engineering and electrical engineering operations, development, investment and project management operations, as well as common affairs: financial, planning and analysis operations, restructuring and cooperation with international financial institutions, accounting, public procurement and warehousing operations, human resources management, occupational health and safety, operations related to property and inventory-taking, information technologies implementation and development operations, internal safety, international affairs and ethic's operations. Furthermore, in order to implement the operative, professional and administrative functions within the Company, the operations which are organizationally related to the General Manager's Office are also performed.

The operations referred to in the previous paragraph are performed within:

1. Traffic Department,



- 2. Railway Infrastructure Access Department,
- 3. Centre for Relief Train Operations,
- 4. Centre for Infrastructure Technical Monitoring,
- 5. Civil Engineering Department,
- 6. Electrical Engineering Department,
- 7. Centre for Railway Infrastructure Testing and Diagnostics,
- 8. Centre for Infrastructure Rail Vehicles Maintenance System Management,
- 9. Warehousing Department,
- 10. Finance Department,
- 11. Accounting Department,
- 12. Centre for Planning, Analysis and Restructuring,
- 13. Inventory Department,
- 14. Development Department,
- 15. Investment Department,
- 16. Department for EU-Funded Projects Management (PIU),
- 17. Human Resources and General Affairs Department,
- 18. IT Department,
- 19. Centre for Security,
- 20. Real Estate Department,
- 21. Centre for International Affairs,
- 22. Department for Maintenance of Railway Station Buildings and Other Service Facilities,
- 23. Procurement Department,
- 24. Company's Management Secretariat,
- 25. Legal Department,
- 26. Centre for Safety Management System,
- 27. Media Centre.
- 28. Ethic's Office.
- 29. Centre for Internal Audit,
- 30. Centre for Internal Control.

The Organizational Chart of "Infrastructure of Serbian Railways" JSC is provided in Appendix 1.

### **Contact details**

"Infrastructure of Serbian Railways" JSC contact details are the following:

Acting General Manager

Zoran Jevtić

Tel.: +381 11 3618 330

kabinet.infrastruktura@srbrail.rs

Nemanjina 6

11000 Belgrade, Serbia

Traffic Department

Nemanjina 6

11000 Belgrade, Serbia

Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.sp@srbrail.rs

Railway Infrastructure Access Department

Nemanjina 6

11000 Belgrade, Serbia

Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs



Civil Engineering Department Nemanjina 6 11000 Belgrade, Serbia

Tel: +381 11 3618 248 Fax: +381 11 3616 874 infr.sektorzagp@srbrail.rs

Electrical Engineering Department Nemanjina 6 11000 Belgrade, Serbia Tel: +381 11 3618 241 Fax: +381 11 3618 130

etp@infrazs.rs

Centre for Relief Train Operations Nemanjina 6 11000 Belgrade, Serbia Tel.: +381 11 3620 899

Fax: +381 11 3620 899 radomir.brkic@infrazs.rs

Warehousing Department Nemanjina 6 11 000 Belgrade, Serbia stovarista.infra@srbrail.rs

Finance Department Nemanjina 6 11 000 Belgrade, Serbia Tel.: +381 11 3618 465 Fax: +381 11 3618 465

finansijeizs@srbrail.rs

# 1.2 Purpose of the Network Statement

The purpose of this Network Statement is provision of single source basic information to the users of services provided to railway undertakings on the railway infrastructure operated by IŽS.

The Network Statement is a document which sets out the detailed general rules, deadlines, procedures and criteria related to the manner of calculation of charges and allocation of infrastructure capacities, including other relevant information necessary for submitting the request for infrastructure capacity allocation.

The Network Statement will be published on the web site of "Infrastructure of Serbian Railways" JSC, <a href="https://www.infrazs.rs">www.infrazs.rs</a>, and the decision on its adoption will be published in the "Official Gazette of ŽS".

# 1.3 Legal Aspects

The functioning of infrastructure and traffic on the network operated by "Infrastructure of Serbian Railways" JSC is regulated by:

- legislation of the Republic of Serbia,
- formal documents of the Infrastructure Manager "Infrastructure of Serbian Railways" JSC,
- formal documents and technological procedures of the railway undertakings falling within the scope indicated in the above legislation.



# 1.3.1 Legal Framework

# Regulations of the Republic of Serbia

Regulations of the Republic of Serbia of particular importance to this Network Statement include the following documents:

- Law on Railways ("Official Gazette of the RS", No. 41/18 and 62/23);
- Law on Interoperability of Railway System ("Official Gazette of the RS", No. 62/23);
- Law on Safety in Railway Traffic ("Official Gazette of the RS", No. 41/18")
- Regulation on Categorization of Railway Lines that belong to Public Railway Infrastructure ("Official Gazette of the RS", No. 92/20, 6/21, 33/22 and 63/23);
- Rules on Railway Infrastructure Elements ("Official Gazette of the RS", No.30/19);
- Rules on the Timetable ("Official Gazette of the RS", No. 58/19 and 1/2020);
- Regulation on Methodology for Valuation of the Elements for Determining the Level of Charge for the Use of Railway Infrastructure ("Official Gazette of the RS", No. 122/14);
- Rules on the Manner of Transport and Mandatory Operational Monitoring of Dangerous Goods Carried by Rail, as well as on the Obligations of the Participants in the Transport of Dangerous Goods by Rail and Emergencies ("Official Gazette of the RS", No. 81/15);
- Rules on training programme and method of knowledge checking of employees and of participants of dangerous goods transport in the railway transport, as well the manner in which the documentation is processed and their training ("Official Gazette of the RS", No. 81/15);
- Law on Transport of Dangerous Goods, passed by the National Assembly of the Republic of Serbia ("Official Gazette of the RS", No. 104/2016-34, 83/2018-57, 95/2018-389 (other law), 10/2019-13 (other law));
- Rules on Mandatory Elements of the Contract on the Use of Railway Infrastructure ("Official Gazette of the RS", No. 8/2019);
- Rules on Special Loads Transport ("Official Gazette of the RS", No. 74/19);
- Regulation on the Manner of Conclusion and Content of Framework Agreements for Allocation of Railway Infrastructure Capacity ("Official Gazette of the RS" No. 74/19);
- Regulation on Particularities of Procedures and Criteria Applicable to Access to the Services Provided in Service Facilities ("Official Gazette of the RS" No. 57/19 and 13/20);
- Rules on the Elements of Service Facility Information ("Official Gazette of the RS" No. 66/19).

# **International Regulations**

When using the allocated train path, the railway undertaking must abide by all legal norms contained in the sources of international law (Convention concerning International Carriage by Rail (COTIF), its annexes, agreements and protocols governing the cross-border railway traffic and border control, UIC standards and any other relevant international regulations) as well as in the national laws and bylaws.

# Formal documents of the Infrastructure Manager

Internal regulations (formal documents) and technological procedures of the Infrastructure Manager are listed in Appendix 2.



# 1.3.2 Legal Status and Liability

The Network Statement is based on the legal framework defined in section 1.3.1. In case of any ambiguities or legal proceedings, the relevant provisions of the legislation of the Republic of Serbia will apply.

The present Network Statement has been developed on the basis of the information available at the moment of drafting thereof. IŽS is liable for accuracy of the information given in the present Network Statement. All regulations and technical documentation which become effective upon publishing of this Network Statement shall apply and shall be taken into consideration on the occasion of construing this Network Statement.

IŽS is not liable for the accuracy of data published herein, which are submitted by the service facility operators.

### **1.3.3** Appeals Procedure

Appeals procedure in respect of the Network Statement, and in respect of other formal documents of the Infrastructure Manager relating to the path allocation procedure and use of railway infrastructure, is governed by the Law on Railways.

The function of the regulatory body for the railway sector is performed by the Directorate for Railways (hereinafter: the Directorate), as a separate organization which runs the railway-specific state administration affairs as set forth in the Law on Railways.

The scope of the Directorate for Railways has been set out in Articles 118-129 of the Law on Railways ("Official Gazette of the RS" No. 41/2018 and 62/23) and by the provisions of the Law on Safety of Railway Transport ("Official Gazette of the RS" No.41/2018).

Article 120 of the Law on Railways provides that the Directorate is in charge of the following:

- regulation of railway services market;
- licensing of railway undertakings;
- passenger rights;
- safety in railway traffic and interoperability of railway system;
- cableway;
- realization of international cooperation within its scope of competence;
- other tasks in accordance with this law and other laws governing the area of safety in railway transport, interoperability of railway system and cableways for transport.

The applicant for train path allocation may lodge a complaint with the Directorate for Railways against the decision made by the Infrastructure Manager to reject its application for path allocation or against the established conditions for supply of infrastructure capacity, and also when it is not satisfied with the train path allocation procedure and its outcome, subject to payment of a fee in the amount of administrative fee charged for the appeals to the authority.

As a regulatory body, the Directorate deliberates, in the segment of regulation of railway services market, on the complaints lodged by applicants for train path allocation, especially taking into account any potential unfair treatment or discrimination by the Infrastructure Manager or railway undertakings, in connection with:

- (1) the Network Statement,
- (2) the criteria set out in the Network Statement,
- (3) the train path allocation procedure and its outcome,
- (4) the method for determining the charge for the use of train path;
- (5) the level or structure of charges for the use of train path which it is or may be obliged to pay,
- (6) information about service facilities;
- (7) the application of provisions of article 13 of the Law on Railways and particularly of access and charges.



The decision of the Directorate is final. The appeal against it may be lodged with the Administrative Court within 30 days of its receipt.

# 1.4 Structure of the Network Statement

The structure of 2026 Network Statement is in accordance with the general structure for network statements of the European Railway Association (RailNetEurope association) which is applied by most infrastructure managers in Europe in the process of network statement preparation.

The general structure of Network Statement is reviewed as necessary and the latest version is available on the RNE's web-site. The objective of general structure is that all applicants and interested parties may find the same information at the same place in the Network Statement.

The Network Statement consists of 7 chapters that make up the basic document and a series of attachments that contain additional information.

Table No 1. Network Statement Structure

No	Chapter	Description
1.	General information	Contains the general information about Network Statement and contacts
2.	Infrastructure	Contains the description of the network operated by JSC "Infrastructure of Serbian Railways" (IŽS)
3.	Access conditions	Provides a specification of conditions, which will be met by the railway undertaking, prior to gaining the track access
4.	Capacity allocation	Provides the principles and criteria for infrastructure capacities allocation
5.	Services and charges	Provides an overview of services provided by "Infrastructure of Serbian Railways" JSC and charges
6.	Operations	Contains operational rules
7.	Service facilities	Provides an overview of service facilities connected to rail network operated by IŽS

### 1.5 Validity Period, Updating and Publishing

# 1.5.1 Validity Period of the Network Statement

This Network Statement shall be valid during the timetable validity period, from December 14<sup>th</sup>, 2025 to December 12<sup>th</sup>, 2026.

The Network Statement shall be published not later than two months prior to the commencement of the final deadline for submission of applications for path allocation and shall remain valid during the entire timetable validity period.

# 1.5.2 Updating Process

The Network Statement will be updated in case of change of important pieces of information published in the Network Statement. Any amendment to the Network Statement will be published separately in the "Official Gazette of Serbian Railways", whereas the updated (amended) Network Statement will be published on the "Infrastructure of Serbian Railways" JSC website.



# 1.5.3 Publishing, Distribution and Availability of the Network Statement

The Network Statement will be published on the "Infrastructure of Serbian Railways" JSC website (www.infrazs.rs), both in Serbian and English languages.

If so requested by a railway undertaking, "Infrastructure of Serbian Railways" JSC may provide the Network Statement or a part of it, free of charge, in electronic format.

### 1.6 Contacts

Contacts relevant for information contained in the Network Statement:

"Infrastructure of Serbian Railways" JSC Railway Infrastructure Access Department 6, Nemanjina St. 11000 Belgrade Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

# 1.7 Cooperation Between European IMs/ABs

# 1.7.1 Rail Freight Corridors

The Pan-European Corridor X from Salzburg in Austria to Thessaloniki in Greece stretches via the infrastructure network of "Infrastructure of Serbian Railways" JSC. On the territory of the Republic of Serbia, on the network of "Infrastructure of Serbian Railways" JSC, Corridor X includes the following railway lines from Šid to Preševo:

- Belgrade Šid State border,
- Belgrade Mladenovac Niš,
- (Belgrade) Rakovica Jajinci Mala Krsna Velika Plana,
- Niš Preševo State border.

The following branches connect to the primary route of the Corridor:

- Xb, (Budapest) Novi Sad Belgrade (railway line (Belgrade) Stara Pazova Subotica), and
- Xc, Niš Dimitrovgrad (Sofia Istanbul) (railway line Niš Dimitrovgrad State border).

Infrastructure of Serbian Railways is a member of Railway Freight Corridor Alpine-Western Balkans (RFC 10). The corridor connects five countries: Austria, Slovenia, Croatia, Serbia and Bulgaria. The corridor route goes from Svilengrad in Bulgaria, via Sofia, Belgrade, Zagreb to Zidani Most in Slovenia, where the route branches off to two routes via Maribor, Gratz to Wels and via Ljubljana, Villach to Salzburg. The corridor covers 2,114 km of main lines and 31 km of connecting lines. There are 21 intermodal terminals and 12 marshalling yards on the corridor.

More details on the corridor are available on its website <a href="https://www.rfc-awb.eu/">https://www.rfc-awb.eu/</a>.

# 1.7.2 RailNetEurope

RailNetEurope association (hereinafter RNE) was established in January 2004 by virtue of an agreement between 12 Infrastructure Managers from the entire Europe, and their number is constantly rising.



Through its members, RNE operates over 230,000 km long railway lines, including the important ferry lines, and cooperates with more than 120 railway undertakings in international traffic and with more than 300 railway undertakings that, for the time being, operate only in the domestic traffic of the members.

The main efforts are put towards enhancing the access conditions and performance of international railway transport, particularly with respect to operability. To achieve this, RNE is focused on the overall process of international transport operations. It starts with harmonization of mid-term and long-term planning of particular members, joint marketing and sales approach, appropriate planning and operation, and ends with provision of services after transport has been performed, such as monitoring, control and assessment of performed transport.

One of the first steps towards progressive harmonization was creation of a structure model for the preparation of Network Statement, applied by all RNE members.

One of the most important RNE steps was creation of an international network of One Stop Shop offices.

The list of all RNE members and further information on this association may be found at <a href="https://www.railneteurope.com">www.railneteurope.com</a>.

"Infrastructure of Serbian Railways" JSC is a full member of the association from April 21, 2016.

# **One Stop Shop - OSS**

Infrastructure Managers have opened national One Stop Shop (OSS) offices that jointly make up a network of contact points for the users within the RNE. As regards the international path allocation applications, the users only need to contact one of these OSSs that will initiate the entire process of international path allocation.

In close cooperation with other IMs, the contacted OSS will:

- offer support and information to undertakings on the entire range of Infrastructure Managers' products and services along the whole route;
- provide all information on the conditions for access to the infrastructure of any Infrastructure Manager within the RNE;
- process the applications for international path allocation within the RNE;
- make sure that all the applications for the next year's Timetable are timely taken into account during preparation of the annual Timetable;
- provide offers for railway paths on the entire route in international traffic.

In accordance with its motto "one face to the customer", the OSS provides professional and efficient assistance via all border crossings, underpinned by transparent procedures based on trust and non-discrimination. The list of contacts by member countries is available at <a href="https://www.railneteurope.com">www.railneteurope.com</a>.

"Infrastructure of Serbian Railways" JSC, as a RNE member, conducts intensive activities on defining the procedures so as to implement the OSS in the near future in the railway sector of the Republic of Serbia.

### **RNE tools**

Since 2005, the RNE has taken over the full responsibility for preparation of the international timetable and the support to its activities; it operates the following information systems: for path coordination - PCS (Path Coordination System), for charging - CIS (Charging Information System) and for train information - TIS (Train Information System).

# PCS

PCS (Path Coordination System) – is an international path request coordination system for path applicants i.e. railway undertakings, infrastructure managers and allocation bodies. This web-based application optimises



international path coordination by ensuring that path requests and offers are harmonised by all involved parties. The input for international path requests needs to be entered only once into the system – either via the domestic application or directly into the PCS. More information is available on: <a href="http://pcs.RNE.eu/">http://pcs.RNE.eu/</a>.

### CIS

CIS (Charging Information System) — is an infrastructure charging information system for railway undertakings, infrastructure managers and allocation bodies. This web-based application provides fast information on charges related to the use of the European rail infrastructure and estimates the charge for the use of international train paths within minutes. This is an umbrella application for various national rail infrastructure charging systems. More information is available on: <a href="http://cis.RNE.eu/">http://cis.RNE.eu/</a>.

### TIS

TIS (Train Information System) — is a web-based application which manages the operation of international trains by delivering information on movements of international passenger and freight trains in real time. These data are obtained directly from the system. More information is available on: http://tis.RNE.eu/.



# 2. INFRASTRUCTURE

### 2.1 Introduction

The purpose of this section is to provide the information on the railway infrastructure owned by the Republic of Serbia and managed by IŽS, to provide the description and overview of the characteristics of the railway lines and appertaining facilities and equipment that can be used by all those to whom the access to and use of infrastructure have been granted in accordance with the provisions of the Law on Railways. Other information on the IŽS network can be found on the website <a href="https://www.infrazs.rs">www.infrazs.rs</a>.

Information on the railway infrastructure published in this document is based on the facts that were familiar at the time of its preparation. All changes occurring after publishing of this document will be updated on the website <a href="https://www.infrazs.rs">www.infrazs.rs</a>.

### 2.2 Extent of Network

The total structural length of standard-gauge lines on the territory of "Infrastructure of Serbian Railways" JSC network amounts to 3 357.341 km, out of which 3 012.201 km of single-track and 345.140 km of double-track lines. The above-mentioned line length includes 1 758.971 km of main lines and 1 598.37 km of other lines. The total of 1 313.257 km of open tracks have been electrified, together with main running tracks (968.117 km of single-track and 345.140 km of double-track lines).

The total length of electrified lines - open tracks and main running tracks is 1 659.525 km. All the above data relate to standard-gauge 1435 mm tracks. More detailed information is available in Appendix 6.

In addition, "Infrastructure of Serbian Railways" JSC also operates the museum-tourist railway line - "Shargan Eight" - which is 22.471 km long and whereof track gauge is 760 mm.

### **2.2.1 Limits**

In terms of ownership and management of public railway infrastructure, there is only one railway network in the Republic of Serbia and this is a state-owned network, managed by IŽS. Therefore, the term "limit" also means state borders which at the same time represent borders with the neighbouring railway networks.

The IŽS railway network borders with the neighbouring railway networks are the following border stations: Subotica, Horgoš, Kikinda, Vršac, Bogojevo, Šid, Brasina, Preševo, Đeneral Janković, Vrbnica and Dimitrovgrad.

Upon crossing of state borders, the track gauge remains unchanged.

The type of traction is changed only at the border crossing with the Republic of Bulgaria, at Dimitrovgrad station on the railway line Niš-Dimitrovgrad-State Border.

# 2.2.2 Connecting Railway Networks

The railway network of the Republic of Serbia is connected with the railway networks of the following seven countries: Croatia, Hungary, Romania, Bulgaria, North Macedonia, Montenegro and Bosnia and Herzegovina. Traffic can be organized via ten border crossings, while one border-crossing is under the control of UNMIK.

For more detailed information please refer to Table No 2. The names of neighbouring countries' stations in the table are given in authentic form, as registered in the official timetables.

The term joint border station means a border station in which border control is jointly performed by the competent state authorities, as well as traffic handover between the railway undertakings. Joint border stations are governed by bilateral state agreements. Performing of traffic handover in other border stations is within decision—making domain and agreement between the railway undertakings.



Table No 2. Border crossings, border railway lines and border stations

aor	Neighbouring country	ngs, border railway lines and b Border railway lines	Border stations	Neighbouring infrastructure	Note
1		Šid-State Border -Tovarnik	Šid Tovarnik	manager HŽI	
1	Croatia	Bogojevo-State Border- Erdut	Bogojevo Erdut	HŽI	
		Subotica-State Border- Kelebia	Subotica Kelebia	MAV Zrt	
2	Hungary	Horgoš-State Border- Roszke	Subotica Roszke	MAV Zrt	In case of freight trains, each country conducts the border police and customs' inspections on its own territory, wheras for passenger trains, joint border control is performed in Roszke station.
3	Romania	Vršac- State Border - Stamora Moravita	Vršac Stamora Moravita	CFR SA	
		Kikinda-State Border- Jimbolia	Kikinda Jimbolia	CFR SA	
4	Bulgaria	Dimitrovgrad-State Border Dragoman	Dimitrovgrad Dragoman	NKŽI	
		Preševo- State Border Tabanovci	Preševo/ Ristovac Tabanovci	IŽRSM	Joint border station Tabanovci
5	North Macedonia	Đeneral Janković - State Border -Volkovo	Đeneral Janković	IŽRSM	Temporary under the supervision of UNMIK Railways
6	Montenegro	Vrbnica - State Border – Bijelo Polje	Vrbnica / Bijelo Polje	ŽICG	Joint border station Bijelo Polje
7	Bosnia and Herzegovina	Brasina - State Border – Zvornik Novi	Brasina Zvornik Novi	ŽRS	



Within the national network, the public railway infrastructure operated by IŽS is connected with other railway infrastructures in the Republic of Serbia. The sidings of Elektroprivreda Srbije and HBIS Group Serbia Iron & Steel" d.o.o. are connected to IŽS national railway network.

These sidings are used for transport of goods for own needs (industrial railways) and they do not belong to the national railway network.

Railway infrastructure operated by IŽS is also connected with a number of railway industrial sidings owned by the business entities.

For other information on railway infrastructure operated by IŽS, which are not contained and presented herein, please contact IŽS at the following address:

"Infrastructure of Serbian Railways" JSC Railway Infrastructure Access Department 6 Nemanjina St., 11000 Belgrade, Serbia

Phone.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

# 2.3 Network Description

# 2.3.1 Geographic data and types of railway lines

General network information is given in Table No. 3.

Table No 3. Structural length of the lines within the network

Total network length	3 357.341 km
Single-track lines	3 012.201 km
Double track lines	345.140 km
Narrow-gauge lines	22.471 km*
Non-electrified lines	2 044.084 km
Electrified lines	1 313.257 km

<sup>\*</sup> Narrow-gauge line Šargan Vitasi – Mokra Gora – State Border (Višegrad)

### Types of railway lines

Pursuant to the Regulation on categorization of railway lines that belong to public railway infrastructure ("Official Gazette of the RS", No. 92/20, 6/21, 33/22 and 63/23) applied by the "Infrastructure of Serbian Railways" JCS, railway lines are classified as main lines, regional lines, local lines, shunting lines and museum-tourist lines.

Pursuant to the law governing the railways, railway lines are classified as follows:

- 1. main lines- of importance to international and domestic service;
- 2. regional lines of importance to regional and local service;
- 3. local lines of importance to local service;
- 4. shunting lines of importance to business entities,
- 5. museum-tourist railway lines.

### Main lines with associated line number are:

- 101 Belgrade Centre-S. Pazova-Šid-State border-(Tovarnik);
- 102 Belgrade Centre Junction "G"- Rakovica-Mladenovac-Lapovo-Niš-Preševo-State border-(Tabanovce);
- 103 (Belgrade Centre )- Rakovica-Jajinci-M.Krsna-V.Plana;
- 104 (Jagodina) Ćuprija Junction Ćuprija-Paraćin;
- 105 (Belgrade Centre)-S.Pazova-N.Sad-Subotica-State border-(Kelebia);



- 106 Niš-Dimitrovgrad-State border-(Dragoman);
- 107 Belgrade Centre-Pančevo Main St.-Vršac- State border-(Stamora Moravita);
- 108 (Belgrade Centre)-Resnik-Požega-Vrbnica- State border-(Bijelo Polje);
- 109 Lapovo-Kraljevo-Lešak-Kosovo Polje-Djeneral Janković- State border-(Volkovo);
- 110 Subotica-Bogojevo-State border-(Erdut);
- 111 Belgrade Marshalling Yard "A"-Ostružnica-Batajnica;
- 112 Belgrade Marshalling Yard "B"-Ostružnica;
- 113 Belgrade Marshalling Yard "A"-Junction, B"- Junction "K/K1"-Resnik;
- 114 Ostružnica-Junction "B"-(Junction "K/K1");
- 115 Belgrade Marshalling Yard "B"-Junction "R"- Junction "A"-(Resnik);
- 116 (Belgrade Marshalling Yard "B")-Junction "R"-Rakovica;
- 117 Belgrade Marshalling Yard "A"-Junction "T"-Rakovica;
- 118 Belgrade Marshalling Yard "B"-Junction "T"-(Rakovica);
- 119 Connecting track in the area of Junction "K/K1": (Junction "B")--Points "K"-Points "K1"-(Jajinci);
- 120 (Junction Pančevo Most)-Junction Karadjordjev park-Junction Dedinje-(Junction "G");
- 121 Indjija-Golubinci;
- 122 Novi Sad-Novi Sad Marshalling Yard-Junction Sajlovo;
- 123 By-pass track at the station Mala Krsna: (Kolari)-Junction points 1-Junction points 28-(Osipaonica);
- 124 Junction Lapovo Varoš-Lapovo Marshalling Yard-Lapovo;
- 125 Trupale-Niš Marshalling Yard-Medjurovo;
- 126 Crveni Krst-Niš Marshalling Yard;
- 127 Niš-Junction Most-(Niš Marshalling Yard);
- 128 Connecting track at the station Niš: (Crveni Krst)-Junction points 3-Junction points 4-(Ćele Kula).

# Regional lines with associated line number are:

- 201 Subotica-Horgos-State border-(Roszke);
- 202 Pančevo Main St.-Zrenjanin-Kikinda-State Border-(Jimbolia);
- 203 Belgrade Donji Grad (km 7 + 041) Belgrade Danube Junction Pančevo most<sup>1</sup>;
- 204 Topčider Passenger Station (km 4 + 195) Junction "G" (Rakovica)<sup>2</sup>;
- 205 Banatsko Miloševo-Senta-Subotica;
- 206 Pančevo Varoš-Junction "2a"-(Jabuka);
- 207 Novi Sad-Odžaci-Bogojevo;
- 208 (Novi Sad)-Junction Sajlovo-Rimski Šančevi-Orlovat stop;
- 209 Novi Sad Marshalling Yard Junction points 7-Novi Sad Lokoteretna-Sajlovo Junction;
- 210 Orlovat- Junction "1a"-(Lukićevo);
- 211 Ruma-Šabac-Junction Donja Borina-State border-(Zvornik Novi);
- 212 (Platičevo)-Junction "1"-Junction "3"-(Štitar);
- 213 Stalać-Kraljevo-Požega;
- 214 Connecting track at the station Kraljevo: (Mataruška Banja)-Junction points 72-Junction points 73-(Adrani)
- 215 Connecting track at the station Požega: (Uzići)-Junction points 53-Junction points 54-(Dragačevo);
- 216 Smederevo Junction Jezava Radinac Mala Krsna;
- 217 Junction Jezava Smederevo Port;
- 218 Mala Krsna-Bor-Junction "2"-(Vražogrnac);
- 219 (Nis) Crveni krst-Zaječar-Prahovo Port;
- 220 (Rgotina)-Junction ,,3"-Junction ,,1"-(Trnavac);
- 221 (Barlovo)-Junction "1"-Kuršumlija;

<sup>&</sup>lt;sup>2</sup> By virtue of the Conclusion adopted by the Government of the Republic of Serbia No 340-2989/2022 dated April 7<sup>th</sup>, 2022, the Decision of the Shareholders' Meeting of Infrastructure of Serbian Railways JSC on termination of public railway service, dismounting and reconstruction of infrastructure capacities on railway line Topčider Putnička (km 4 + 195 – Junction "G" – (Rakovica) has been approved.



\_

<sup>&</sup>lt;sup>1</sup> By virtue of the Conclusion adopted by the Government of the Republic of Serbia No 340-2986/2022 dated April 7<sup>th</sup>, 2022, the Decision of the Shareholders' Meeting of Infrastructure of Serbian Railways JSC on termination of railway line Belgrade Donji Grad (km 7+041) – Belgrade Danube – Junction Pančevo Most has been approved.

- 222 Kuršumlija-Kastrat;
- 223 Doljevac-Kastrat-Merdare Kosovo Polje;
- 224 Kosovo Polje-Metohija-Peć;
- 225 Kosovo Polje Freight St.-Junc. "1"-(Drenica);
- 226 Vrbas Sombor.

### Local lines with associated line number are:

- 301 Subotica-Subotica Factory;
- 302 Subotica-Subotica Hospital;
- 303 Novi Sad (km 1+042)-Novi Sad Ložionica;
- 304 (Podbara)-Junction "3"-Junction "2"-(Kać);
- 305 (Rimski Šančevi)-Junction "1"-Junction "3"-(Podbara);
- 306 Rimski Šančevi-Žabalj;
- 308 (Brasina)-Junction Donja Borina-Zvornik Grad;
- 309 Pančevo Varoš-Pančevo Vojlovica;
- 310 Connecting track at the station Senta: (Čoka)-Junction points 22-Junction points 23-(Orom);
- 311 Markovac-Svilajnac-Despotovac- (Resavica);
- 312 Metohija-Prizren;
- 313 Vršac Bela Crkva.

# Shunting lines with associated line number are:

- 401 Vršac-Vršac Vašarište;
- 402 Kikinda-Metanolsko sirćetni kompleks(km 6+413);
- 403 Bogojevo-Dunavska Obala;
- 404 Paraćin-Stari Popovac;
- 405 Surčin-Jakovo-Bečmen;
- 406 Šid-Sr.Rača Nova-State Border-(Bijeljina);
- 407 Ovča-Padinska Skela;
- 408 Sonta Apatin factory;
- 409 Bačka Palanka Gajdobra

### Museum-tourist line with its associated number is:

501 Šargan Vitasi – Mokra Gora – State Border (Višegrad).

Due to the technical condition of particular local and shunting lines, traffic is no longer possible on such lines and is currently completely or partially suspended. More details can be found in Appendix 6.

The following IŽS lines belong to main international railway lines according to AGC (European Agreement on Main International Railway Lines):

### <u>Direction North – South</u>

- E 771 Subotica-Bogojevo
- E 79 Belgrade Vrbnica
- E 85 Subotica-Belgrade-Niš-Preševo
  - -Kraljevo-Djeneral Janković

### Direction West – East

- E 66 Belgrade-Vršac
- E 70 Šid-Belgrade-Niš-Dimitrovgrad

# 2.3.2 Track Gauges

Track gauge along the network is 1435 mm, except for the museum-tourist line the "Shargan Eight", whose gauge is 760 mm.



### 2.3.3 Stations

Names, km-points and distances in km between particular service points are given in Appendix 6.

# 2.3.4 Loading Gauge

Loading gauge is a limited space viewed as a cross section vertical to the track axis that may not be exceeded by any part of the rail vehicle, whether loaded or empty. The loading gauge registered for all IŽS lines for international traffic is UIC GB, except for parts of the railway lines Valjevo – Kalenić and Grlica - Djeneral Janković, where the registered loading gauge is UIC GA. These loading gauges are in line with the UIC Leaflet 506.

The loading gauge that applies to domestic traffic on IŽS lines is ŽS I. The ŽS I gauge is slightly larger than the UIC GA loading gauge and slightly smaller than UIC GB. The summary of loading gauges is presented in Appendices 3.1.-3.3.

IŽS lines have not been coded for the combined transport gauges in accordance with UIC Leaflet 596-6. However, the measurements that were performed have shown that movements of wagons carrying combined transport load units - such as high cube containers (HCC), semi-trailers and entire road vehicles - are possible. Movements of such consignments are possible under special safety conditions in the exceptional transport regime.

For further information, please contact IŽS:

"Infrastructure of Serbian Railways" JSC Traffic Department 6 Nemanjina St. 11000 Belgrade Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 E-mail: sp@infrazs.rs

# 2.3.5 Weight Limits

In accordance with UIC Leaflet 700, depending on track capacity to bear loads by vehicles on the railway network, various weight limits are applicable and expressed in tonnes per axle and tonnes per linear metre.

The load by a railway vehicle per linear metre is the load of an unloaded or loaded railway vehicle divided by the length of the railway vehicle expressed in metres and measured between tops of uncompressed buffers.

Axle load of a railway vehicle is the load of an unloaded or loaded railway vehicle divided by the number of axles of the railway vehicle.

Based on the above-stated, railway lines were classified into categories (Regulations on classification of railway lines No. 325, published in the Official Gazette of the Community of Yugoslav Railways (ZJŽ) Nos. 7/89 and 9/90). The classification of IŽS railway lines is shown in Table No. 4.

Table No 4: Categories of admissible loads on IŽS network

A d	11-		Admissible loads per axle				
Admissible		per	A	В	C	D	
linear metre			16 t	18 t	20 t	22,5 t	
1	5.0 t/m		A	B1			
2	6.4 t/m			B2	C2	D2	
3	7.2 t/m				C3	D3	
4	8.0 t/m					D4	



The overview of admissible loads in tonnes per axle and in tonnes per linear metre is presented in Appendix 6

### 2.3.6 Line Gradients

In order to determine required train braked weight, the ruling gradients for braking must be determined for each line or track section. The ruling line gradient for braking means the value of its longitudinal gradient, on the basis of which braked weight percentages are determined, i.e. the required train braked weight on a certain line or track section. The longest longitudinal gradient (rising or falling) on a specific line (or section), over the length of 1000 metres or more, is considered to be the ruling gradient of that specific line or section. In determining the ruling gradient for braking, the curve and tunnel related resistances are not taken into consideration.

The ruling resistance of a line or one of its sections means the value of its specific resistance due to gradient, curve and tunnel, on the basis of which train weight i.e. locomotive hauled load is determined.

The overview of ruling gradients and ruling resistances of particular lines is presented in Appendix 6.

# 2.3.7 Maximum Line Speeds

The maximum permissible speed with respect to line capacity is the maximum speed permitted on a line or line section with respect to the railway line superstructure and its structures (carrying capacity of the track, its lining and levelling, curve radius, points design, etc.), fixed electric traction installations and signalling and interlocking devices on the line, and it may not exceed the lowest one of such speeds.

Restricted speeds are permanently prescribed speeds that are lower than the maximum permissible speed on the railway line and that are applied on a certain section of the railway line due to its technical condition or that are applied while running in the points area.

For further information on maximum permissible speeds and restricted speeds with respect to line capacity, please refer to Appendix 6.

# 2.3.8 Maximum Train Lengths

The length of each train is determined during the capacity allocation procedure and it is expressed in rounded metres. The maximum permissible length of a train operating on a line, for the purposes of its smooth acceptance and forming in railway stations, at passing points and other service points, is determined on the basis of the maximum permissible train length in certain stations, passing points and other service points along the given line and with respect to usable length of main lines.

Maximum permissible length of a train for station tracks is obtained by subtracting the length of 25 m to be taken up by the locomotive and spare 10 m to be taken up by the train, from the usable track length expressed in metres and determined under the Instructions (Instructions on the technical standards and data for the preparation of timetable implementation, "Official Gazette of ZJŽ Nos. 9/89, 6/91, 8-9/91, 4/92, and 9/92).

Actual length of a train is obtained by totalling the lengths over uncompressed buffers of all vehicles included in the train, except for the locomotive hauling the train, whose length has been taken into account during determination of maximum permissible train length at a station. If a train has double heading, banking locomotive or intermediate-haul locomotive, their lengths must be taken into account when determining the train length.

The overview of distances between the service points and maximum permissible train lengths relative to usable track lengths is presented in Appendix 6.

The provisions of paragraph 2 of this article shall also apply to the length of the passenger train. The passenger train may be longer than the length of the platforms and arranged areas in service points, and if the railway undertaking requires their dwelling in such service points, it must set and ensure the necessary safety measures



for passengers in accordance with local and/or other specific circumstances. The overview of platforms and arranged areas in service points is given in Appendix 8 and for further details, please contact IŽS:

"Infrastructure of Serbian Railways" JSC Railway Infrastructure Access Department 6 Nemanjina St. 11000 Belgrade Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

# 2.3.9 Power Supply

IŽS ensures the transmission of required electric energy from the public power supply network of the Republic of Serbia via the fixed electric traction installations (substations) and the catenary for electric train traction. All electrified railway lines have the basic power supply system, which is single-phase AC 25 kV 50 Hz system. The overview of electrified railway lines is presented in Appendix 3.4. The overview of power supply installations is presented in Appendix 3.5.

The power supply system voltage is U=25 kV, and its frequency is f=50Hz. The height of the contact wire are Hkpmin=5000 mm, Hkpnom=5500 mm and Hkpmax=6000 mm. The staggering of the OCL is p=±200 mm along the straight track, and p=300 mm in curves.

In the 25kV, 50 Hz power supply system, the use of pantograph (current collector) for electric motive power is permitted according to the General Contact Line Catalogue (type POS-III/E). The design of pantograph is shown in Figure No 1.

The basic parameters for the asymmetric pantograph used on IŽS network, with double contact strip and pneumatic actuator, are in accordance with the provisions of UIC Leaflet 608 and are shown in Table No 5.




Figure No 1. – Dimensions of pantograph



Table No. 5: Pantograph parameters

Permissible width of horned slipper holder (mm)	Width of metal horns (mm)	Rated current (A)	Height of contact line (mm)	Minimum length of contact strip (mm)	Static force Fa (N	Maximum aerodynamic force Fa (N)	Maximum speed (km/h)	Type of contact strip
1600	1400	400	6200 5500 5000	800	60-90	70	160	graphite

# 2.3.10 Signalling Systems

Railway signals provide signals by means of which railway staff can mutually communicate in a fast and reliable way about train operation, shunting, permitted and forbidden runnings via a certain location, the track condition, the need for speed restriction, etc. Some signals are used for preserving of personal safety of railway staff and other persons.

Regulations on types of signals, signal markings and track markings ("Official Gazette of the RS" No.50/20) are applicable to the use of signals and signal markings.

There are eleven types of station track interlocking on the network of "Infrastructure of Serbian Railways" JSC, and they are presented in Appendix 6.

On IŽS network, the main arterial routes are equipped with fully centralized electrical relay signalling & interlocking equipment, as follows:

- Belgrade Center-Niš-Preševo: Siemens SpDrS-64/JZ track circuit system,
- (Belgrade Center) Resnik-Vrbnica: Siemens SpDrS-64/JZ axle counter system,
- Stara Pazova Golubinci: Siemens SpDrS-64/JZ track circuit system,
- Golubinci-Ruma: Siemens SpDrS-64/JZ axle counter system,
- Ruma-Šid: Siemens SpDrS-64/JZ track circuit system,

In all stations on Belgrade Center – Stara Pazova – Novi Sad – Subotica line section, new electronic signalling and interlocking devices type "DS6-60" with "MMI" electronic control and monitoring system have been installed. Within the upgrade performed on trackside and station electronic signalling and interlocking devices, all service points on Belgrade Center – Stara Pazova – Novi Sad – Subotica line section have been included in the central traffic control and command system – remote control type "FZt – CTC".

The main arterial routes Šid- Golubinci – (Stara Pazova) – (Belgrade Center)-Niš-Preševo and Belgrade Center- Vrbnica are included in the system of remote traffic control and command – remote control centre (manufactured by Westinghouse). There are three remote control centres - in Belgrade, Požega and Niš. Based on this device, 3 remote control centres were set-up in Belgrade, Niš and Požega with the total of 133 controlled stations.

Dimitrovgrad Station (railway line Niš-Dimitrovgrad-State Border) is equipped with electronic signalling & interlocking device Simis-W with Iltis control & supervision system manufactured by Siemens.

In addition to the above-mentioned, Pančevo Main St. and Ćuprija stations are equipped with electronic signalling & interlocking devices.

Other railway lines are equipped with other above stated interlocking types, but there is no continuity as regards to one system of interlocking.

The overview of signalling and interlocking devices is presented in Appendix 3.6.



# 2.3.11 Traffic Control Systems

The movement of trains running in opposite directions and consecutive train movements are controlled by requesting and giving the permission i.e. announcement of arrival and departure.

Consecutive trains can follow one another only in particular space intervals. For the control of trains following one another in particular space intervals, railway lines can be divided into:

- Block sections between stations when two neighbouring stations control the sequence of trains in the station interspace,
- Train-recording sections when two neighbouring train-recording points or a station and a neighbouring train-recording point control the sequence of trains in announcement intervals,
- Block sections when the traffic of consecutive trains is controlled by automatic positioning of automatic block signals in the position of permitted or forbidden train ride.

In addition to space distance, in case of consecutive trains in train reporting and block intervals, there should be a time interval so as to avoid train stopping before automatic block signals due to different train journey times over block sections (time spacing).

On the railway lines of "Infrastructure of Serbian Railways" JSC there are also interstation interlocking devices (MZ) which regulate train traffic at distances between stations, where an interstation track occupation is reported by means of axle counters.

There can only be one train in one block section on the same track and at the same time.

Train operation is regulated by movements inspectors who uses the station signal boxes and along railway lines through remote control – by the remote control dispatcher from the central signal box, except at the stations that are not included in the remote control system. The traffic of trains running in opposite directions and consecutive trains is regulated by movements inspectors at manned stations and along the railway lines included in the remote control system it is regulated by remote control dispatchers.

"Infrastructure of Serbian Railways" JSC uses "Flexi code 560" remote control system on its territory, manufactured by Westinghouse. It uses semiconductor technology and a code system, and controls instruction completeness at the stages of forwarding and acceptance. It was developed as a standard format and it consists of a remote control centre, which can control 32 stations on one railway line and of one or more lines for data transfer, as well as the remote control equipment at stations (satellites).

Based on this device, 3 remote control centres were constructed in Belgrade, Nis and Pozega, with 140 controlled stations.

On Belgrade Center – Stara Pazova – Novi Sad – Subotica line section , all service points are included in the central traffic control and management system – remote control center type FZt-CTC.

The train control system is governed by the Traffic Regulations ("Official Gazette of RS" No 34/22 and 107/22) and Instructions on particular procedures in performing of traffic service on the territory of Infrastructure of Serbian Railways ("Official Gazette of Serbian Railways" No 43/22).

The train control methodology is presented in Appendix 6.

# 2.3.12 Communication Systems

In the course of traffic operations, communication is carried out via telecommunication devices – telephone and ground-train radio links. Communication via means that provide reliable and continuous registration of notifications (teleprinter, telephone or radio link with registration devices) is considered to be verifiable communication. The notifications related to the control of train movements (permissions and instructions given to train crew via telephone or ground-train radio links) are furnished exclusively via devices for verifiable communication.



The communication between movements inspectors, remote control centre dispatchers and drivers is carried out in Serbian language.

All notifications are given in the format and manner set forth in the Traffic Regulations ("Official Gazette of RS" No 34/22 and 107/22), Instructions on particular procedures in performing of traffic service on the territory of Infrastructure of Serbian Railways ("Official Gazette of Serbian Railways" No 43/22) and Regulation on records kept by the railway undertaking and the railway infrastructure manager ("Official Gazette of the RS" no.56/19, 154/20 and 159/20).

The overview of telecommunication links and installations is presented in Appendix 3.7.

IŽS network uses analogue ground-train radio system (RDV) for transmission of specially coded voice information in the frequency range of 460 MHz and by using frequencies belonging to quadrifrequency groups according to UIC Leaflet 751-3. The system operates in full duplex (modes A and B), with selective calling option including automatic identification and making special calls (group, intervention).

There is a possibility of integrating into local radio networks (mode C) and automatic telephone exchange. The devices were manufactured by AEG (now EADS telecom) in the '70s and the '90s.

On the lines with a dispatcher control system, the train operating staff is connected with the remote control centre dispatchers via mobile RDV units, which represent mandatory driver's cab equipment.

The GSM-R system enables voice communication and transmission of text messages within the ERTMS, i.e. for ETCS L2 and ETCS L3. The GSM-R system is installed on line section Belgrade Center – Stara Pazova–Novi Sad – Subotica.

# 2.3.13 Train Control Systems

For the time being, there is no automatic train control system on the railway lines of "Infrastructure of Serbian Railways" JSC.

Intermittent transmission AS device (automatic train control) with resonant frequencies of 1000Hz and 2000Hz, type Indusi (I 60), is used for the control of train movements. It is comprised of:

- track magnet (stationary trackside part of the device)
- transmission system (inductive link between the track magnet and locomotive auto-stop device), and
- locomotive part installed on the traction unit.

Track magnets are installed on the right-hand side of the track, in the direction of train movement.

Functioning and operating of AS devices have been stipulated under the Operator's Manual for inductive I-60 AS devices (Instructions No 425), Instructions for installation, testing and putting into operation and maintenance of the locomotive part of I-60 AS device (Instructions No 426), and Instructions for use, installation, testing and maintenance of trackside AS devices on the lines of Yugoslav Railways (Instructions No 427).

The overview of the lines equipped with AS device is presented in Appendix 3.6.

The ERTMS is the European Rail Traffic Management System. The ETCS is a part of ERTMS. On Belgrade Center – Stara Pazova – Novi Sad – Subotica line section the ETCS L2 is installed.

Functioning of the KMC (Key Management Center) system for the ETCS key management, enabling the railway carriers to use the GSM-R and ETCS, is prescribed in the *Instructions for creating the KMC keys for registering the new devices on the ETCS-2 system*. The instructions, in the format of Infrastructure Manager's act, is provided in Appendix 2.

In accordance with the instructions and aimed at using the GSM-R and ETCS, it is necessary for the railway carrier to submit a Request for issuance of encryption keys for communication in the ETCS system via the



Railway Infrastructure Access Department. The request is submitted in a prescribed format, in line with Appendix 3.6a.

### 2.4 Traffic Restrictions

# 2.4.1 Specialised Infrastructure

According to Article 40 of the Law on Railways ("Official Gazette of RS" No 41/18 and 62/23), if there are appropriate alternative routes, the Infrastructure Manager may, upon consulting interested parties, designate the specialised infrastructure for particular types of traffic.

In case that a specialized infrastructure is designated, the Infrastructure Manager may, when allocating the infrastructure capacity, give priority to such type of traffic, however prioritizing may not be in collision with the competition protection rules. Designating of specialized infrastructure will not exclude the use of such infrastructure for other types of traffic when capacities are available.

There is no specialised infrastructure on the network operated by IŽS in the above sense.

### 2.4.2 Environmental Restrictions

Environmental restrictions, such as noise levels, are not currently applied on the network managed by IŽS.

# 2.4.3 Dangerous Goods

The transport of dangerous goods on the railway infrastructure operated by IŽS is regulated by international and national regulations in the field of transport of dangerous goods in accordance with 3.4.4 - Dangerous Goods.

On the Niš – Dimitrovgrad – State Border – (Dragoman) railway line, the transport of tank wagons carrying ammonia is prohibited.

Locations for loading, unloading, transshipment of dangerous goods may be performed only in places that meet prescribed requirements. The stations (service points open to the acceptance and forwarding of goods) within the rail infrastructure do not meet this requirement, wherefore handling of dangerous goods in the station areas (service points) is not allowed.

Handling of certain types of dangerous goods () can be performed on special tracks under special conditions, i.e. on particular parts of the tracks in particular stations. The list of service points in which transshipment of dangerous goods can be performed is given in Appendix 3.8.

For further details, please contact IŽS:

"Infrastructure of Serbian Railways"
Traffic Department
Central Operational Department
Main Dispatcher for Transport of Dangerous Goods
6 Nemanjina St
11000 Belgrade
Serbia

Tel.: +381 11 3619 288 e-mail: <u>rid1@srbrail.rs</u>.



### 2.4.4 Tunnel Restrictions

On the railway line Belgrade Centre –Pančevo Main St. - Vršac- State border, through the "Vračar" tunnel i.e. on the section junction Karađorđev park – junction and Pančevo Most stop and through the "connecting" ("vezni") tunnel i.e. on the route Karađorđev park junction - Dedinje junction, the trains with diesel traction vehicles, DMUs, diesel motor track vehicles, as well as vehicles with their own diesel generator set (power supply wagon, reefers with generator set station) cannot be regularly dispatched. Exceptions to this are DMUs series 711 and relief (auxiliary) trains with diesel traction of the infrastructure manager which are urgently dispatched to the accident/incident locations and diesel motor track vehicles used for urgent elimination of obstacles disrupting the traffic, while respecting the limitations that interval of sequence and the time between meeting of any two vehicles with diesel drive cannot be shorter than 30 minutes.

In other cases, the diesel motor vehicles of the infrastructure manager can run on the specified sections when the transport of trains for transport of passengers is not organized in the service point Vukov spomenik.

Along with the obligation to respect the restrictions regarding the vehicle drive, for the transport of freight trains containing wagons with a RID marking (loaded or empty vehicles for transport of dangerous goods), the following conditions apply:

- on the part of railway line Pančevo Most–Rakovica and Pančevo Most Belgrade Centre, trains can operate only in the period when traffic of passenger trains is not organized i.e. when the station is closed for passenger transport,
- on the part of railway line Pančevo Most –Rakovica and Pančevo Most Belgrade Centre, there can be only one train with RID marked wagons i.e. meeting of two freight trains if at least one is composed of RID marked wagons is not permitted;
- during the operation of trains composed of RID marked wagons, an additional technical inspection must be carried out, which includes checking of bearing temperature and enhanced visual control of loads (valve, clamps etc.) for the train which operaters in direction Pančevo Most Rakovica and Pančevo Most Belgrade Centre in Pančevo Main St., and for the trains operating in direction Rakovica Pančevo Most either in Rakovica station or in Belgrade Marshalling Yard (if it is performed in Belgrade Marshalling Yard, there is no need for the inspection to be performed in Rakovica station);
- obligation of railway undertaking upon performed additional technical inspection of a train in stations Pančevo Main St., Rakovica and Belgrade Marshalling Yard, is to register a clause in the telegraph-telephone log "The additional technical inspection of train No \_\_\_\_\_ was performed on date \_\_at\_\_ hours (signature of authorized representative of railway undertaking)", thereby to inform the train dispatcher in a proved way that technical inspection of train was completed before dispatching it on the part of railway line Pančevo Most-Rakovica. In the event that railway undertaking does not have an organized inspection service in stations Pančevo Main St., Rakovica and Belgrade Marshalling Yard, and that technical inspection of trains composed of loaded or empty RID marked wagons has not been performed, such train cannot operate on the part of railway line Pančevo Most -Rakovica.

Freight trains, which have loaded or empty RID marked wagons, must in no case operate in the direction Belgrade Center - Pančevo Most.

### 2.4.5 Bridge Restrictions

There are no bridge restrictions in terms of specifically defined requirements apart from those arising from the bridge structural parameters. Exceptionally, until the construction of the fifth longitudinal bridge girder into the construction of "Pančevo Most" across Danube river, on the railway line Belgrade Centre – Pančevo Main St. – Vršac – State Border, between location on junction Pančevo Most—Krnjača Most all assemblies of two freight trains are prohibited on "Pančevo Most".

# 2.4.6 Maximum Train Weight Restrictions

The maximum train weight for the trains running on the Niš – Dimitrovgrad – State Border – (Dragoman) is restricted to 1200 tonnes.



### 2.4.7 Train Traction Restrictions

On the Stara Pazova – Novi Sad – Subotica line section, trains with diesel traction must not be dispatched. The exception from this rule are the trains of railway undertakings performing construction, reconstruction or maintenance of railway infrastructure. In case of trains that, in addition to the train locomotive, also contain the additional active locomotives, i.e. double heading locomotives, such locomotives must run within the train composition along the entire Batajnica – Novi Sad – Subotica line section. Inclusion i.e. removal of the double heading locomotive from the train composition is allowed only in Novi Sad Marshalling Yard.

### **2.4.8 Train Speed Restrictions**

On the Batajnica – Stara Pazova – Novi Sad – Subotica line section, the speed of freight trains is 90 km/h. The exception from this rule are the trains of railway undertakings performing construction, reconstruction or maintenance of railway infrastructure. Trains operating between Batajnica and Stara Pazova, from/to Šid, do not have this speed restriction.

### 2.5 Availability of the Infrastructure

All railway lines operated by IŽS are open to railway traffic from 0.00 h to 24.00, except for the lines on which the traffic due to technical condition is temporary impossible/ or with the Decision of the Government of the Republic of Serbia the consent for the suspension of public transport of passengers and goods on the part on the railway infrastructure was given ("Official Gazette of the RS"no.80/2016), and they are listed in Appendix 6. Service points are open for railway traffic permanently, as some of them may have limited operating hours envisaged for the effective staff of the traffic service, as stated in Appendix 6. Details about mentioned working time are published in the timetable material, and for more datils please contact:

"Infrastructure of Serbian Railways" JSC Traffic Department 6 Nemanjina Street, 11 000 Belgrade, Serbia Tel/Fax: +381 11 3618 214 E mail: sektor.sp@infrazs.

Exceptionally, on the railway lines with limited hours of operation where mentioned staff is working in limited operating hours, train operations can take place outside the mentioned hours when trains have to operate via auxiliary routes due to the occurrence of an accident or incident. Appendix 3.9 contains an overview of auxiliary routes that may be used as alternative to regular ones. Certain lines that may be used as auxiliary routes can be of different class from the line class along the regular routes with respect to permitted loads per axle or m'.

A railway operator may also submit a request for train path allocation outside the operating hours of the line or railway service points, in which case such railway operator has to bear all the costs of entire traffic organization for longer operating hours of the line, i.e. service points.

If several railway operators are using longer operating hours, they will jointly bear the costs.

Infrastructure Manager is responsible for maintenance, overhaul and modernization of the infrastructure in order to provide appropriate service and safe performance of transport operations. In this respect, IŽS plans regular maintenance of the lines that affect the availability of infrastructure, in the sense of closure of specific line sections for a specific time period or introduction of temporary train speed restrictions.

The infrastructure use restrictions required for regular infrastructure maintenance are part of the capacity allocation process and are published within the timetable documents, in the timetable booklets (KRVs).

IŽS will issue for all railway operators a 3-months' prior notice of any planned longer works to be performed on the railway infrastructure and which could affect the transport operations and the timetable due to the speed restrictions, route changes, use of buses instead of trains for the carriage of passengers, etc.



For all freight trains running in the South-North and transit the part of railway infrastructure between station Velika Plana and node Belgrade, regular routing is across the railway line (Belgrade)-Rakovica-Jajinci-M. Krsna-V. Plana and the compiling of paths in done in this way. Exceptionally this rule cannot be applied during the planned works on reconstruction of above-mentioned railway line.

For all freight trains running in the south-north and transit the part of railway infrastructure between node Belgrade and station Velika Plana, regularly routing is across the railway line (Belgrade)-Resnik-Mladenovac-V. Plana and the compiling of paths in done in this way.

The railway lines on the territory of Kosovo and Metohija are under interim supervision of UNMIK, according to the Temporary Agreement between ZTP Beograd and UNMIK Railways of 31/05/2002 (ref. number 300/2002 - 153 of 31/05/2002), wherefore the path allocation requests for this territory will not be taken into consideration.

# 2.6 Infrastructure Development

Railway infrastructure, which is managed by IŽS, is constantly being renewed and modernized, in order to enable to the users the best possible service quality.

Development projects of the infrastructure are defined within Strategic plan of IŽS (Decision of the Assembly of Joint stock company for public railway infrastructure management "Infrastructure of Serbian Railways" JSC, Belgrade no. 5/2017-116-49 from June 29, 2017)", which is prepared on the base of the National program of the infrastructure ("The Official Gazette of RS", no. 53/17). Development of the railway infrastructure is directed towards the modernization of the lines which are part of the Pan-European corridor.

Possibility of the realization of the planned works depend upon the amount of the financial means, which are provided from the state budget of the Republic of Serbia and from the amount provided from the other sources of financing.

Appendix 3.11. contains a list of development projects.



# 3. ACCESS CONDITIONS

### 3.1 Introduction

This chapter of the Network Statement describes the conditions associated with access to the railway infrastructure managed by the IŽS. These conditions also apply to the part of freight corridors passing through the railway infrastructure managed by the IŽS.

# 3.2 General Access Requirements

A railway undertaking can provide transport services on IŽS railway infrastructure based on:

- valid license for carriage in railway transport over the infrastructure, issued by Directorate for Railways (hereinafter: DR),
- valid certificate on safety for carriage in railway transport,
- allocated capacity path and contract on provision of access to and use of public railway infrastructure concluded with the infrastructure manager.

Requirements for the submission of application for license, safety certificate and thereof contents are stipulated in the Law on Railways ("Official Gazette of RS" No 41/18 and 62/23), Law on Safety in Railway Traffic ("Official Gazette of RS" No 41/18), Rules on transport licenses in railway traffic ("Official Gazette of RS" No 53/19), Rules on joint safety methods for evaluation of compliance with the requirements for obtaining of safety certificates and safety management system elements ("Official Gazette of RS" No 32/21) and Rules on transport safety certificate forms ("Official Gazette of RS" No 63/19).

# 3.2.1 Conditions for Applying for Capacity

Request for train path allocation can be submitted by a railway undertaking or an international group of railway undertakings or other persons or legal entities, such as competent authorities, consignors and forwarding agents and operators in combined transport, having interest in provision of public service or having commercial interest in the allocation of railway infrastructure capacity.

Where a train path is allocated to an applicant other than a railway undertaking, the contract on the use of railway infrastructure shall be concluded between the infrastructure manager and the railway undertaking hired by such applicant.

If a request has been submitted after a specified deadline, train path in accordance with remaining capacities will be offered to the applicant, and if there are no capacity constraints, a new path will be subsequently created.

### 3.2.2 Conditions for Access to the Railway Infrastructure

Services of carriage in railway transport may be provided by a company, other legal entity or entrepreneur registered for provision of public transport services or transport for own purposes, incorporated in the Republic of Serbia, subject to the submission of evidence of fulfilment of the conditions related to good reputation, financial capability, and competence, and the cover for civil liability.

The license for carriage in railway transport and the certificate on safety is issued by DR or a competent authority of another country, based on reciprocity, with which country Serbia has signed an intergovernmental agreement on mutual recognition of certification.

Transport on railway infrastructure may be performed by railway undertakings meeting the requirements referred to in paragraph 1 hereof, who signed the Contract for use of public railway infrastructure. The Contract for use of public railway infrastructure regulates the mutual rights and obligations between the infrastructure manager and railway undertakings and they are concluded in line with article 19 of the Law on Railways.



### 3.2.3 Licenses

Directorate for railways issue transport license: for transport of goods/passengers and for transport for own purposes.

Transport License is issued to applicant, company, other legal entity whose main registered activity is for provision of railway transport of good and/or passengers, or to a company or other legal entity who performs or will perform transport for own purposes, incorporated in the Republic of Serbia, subject to the submission of evidence of fulfilment of the conditions related to:

- a) good reputation,
- b) financial capability,
- c) proficiency and
- d) cover for civil liability in line with the Law on Railways.

Details related to licensing of railway undertakings are set from article 81.to article 85. of the Law on Railways.

Contact of competent institution for issuance of license is:

Directorate for Railways 6 Nemanina St., 11000 Belgrade The Republic of Serbia Manager's Office tel. (011) 361 68 66 fax (011) 361 83 46 e-mail: kontakt@raildir.gov.rs

web page: www.raildir.gov.rs

# 3.2.4 Safety Certificate

The railway undertaking must have safety certificate for transport to be allowed to access infrastructure. The type and scope of operations of railway undertaking related to certificate are specified in the safety certificate.

The safety certificate may include the entire network or certain part thereof.

Safety certificate is consisting of:

- 1) part A confirming the acceptance of railway security management system of railway undertaking;
- 2) part B confirming the acceptance of provisions adopted by railway undertaking in order to meet the specific requirement set for transport safety on appropriate network; these requirement may include the application of technical specification, the national safety regulation and internal regulation of railway undertaking, the acceptance of employee's certificates and permissions for usage of rolling stock used by that railway undertaking.

Directorate for Railways is responsible for issuance of safety certificate for transport in set form and in the form of decision. The decision to issue or to refuse to issue safety certificate for transport is ultimately in the administrative procedure and a dispute can be brought against it at Administrative Court.

The validity period of the safety certificate for transport is five years and can be renewed at the request of the holder.

Directorate for Railways determine in more detail forms of safety certificate for transport, numbering of forms of safety certificate for transport in line with European identification number, the application form for issuance of safety certificate for transport and instructions for its completion, as well as necessary documentation enclosed with the request for issuance of safety certificate for transport.



Provisions regarding safety certificate for transport are set in Law on Railway Transport Safety.

Contact of competent institution for issuing safety certificate is:

Directorate for Railways 6 Nemanjina St., 11000 Belgrade The Republic of Serbian Manager's Office tel. (011) 361 68 66 fax (011) 361 83 46

e-mail: kontakt@raildir.gov.rs

web page: www.raildir.gov.rs

# **3.2.5** Coverage for Civil Liability (Insurance)

One of the conditions for issuing a transport license is the fulfillment of the requirements related to civil liability coverage (Insurance).

The requirement relating to civil liability coverage for a company or other legal entity that is registered for the public transport of goods and / or passengers, or performs or will carry out transport for its own purposes, is fulfilled if it is adequately insured or has adequate guarantees under market conditions for coverage, in accordance with legal requirements and confirmed international treaties, for their liability in the event of an accident.

Civil liability coverage may not be required to take effect before the railway undertaking starts operating the service.

### 3.3 Contractual Arrangements

# 3.3.1 Framework Agreement

The Infrastructure Manager and an applicant may, by way of exception, draw up a framework agreement on the use of capacity on the relevant railway infrastructure for a period longer than the period of validity of the timetable.

The Framework Agreement between the infrastructure manager and the applicant shall contain the characteristics of the infrastructure capacity for which the applicant applied and which he was offered for a time period exceeding the period of validity of one timetable.

The Regulation on the Manner of Conclusion and Content of Framework Agreements for Allocation of Railway Infrastructure Capacity lays down the procedures, content and criteria relating to the framework agreements for the allocation of railway infrastructure capacity, as well as the obligations of the infrastructure manager regarding information regarding the framework capacity.

At present, the infrastructure manager does not offer the possibility of concluding a framework agreement with the applicant. However, it intensively conducts the activities aimed at defining the procedures so as to have this option open in the near future.

### 3.3.2 Contracts with RUs

The Law on Railway of the Republic of Serbia stipulates the obligation of concluding a contract on the use of infrastructure that allows railway undertakings to use railway infrastructure. Contracts for use of public railway infrastructure regulate in more detail the mutual rights and obligations of infrastructure managers and railway undertakings related to guaranteeing the technical and other conditions for safe transport operation, the application of regulations governing the transport of dangerous goods, as well as payment of access charges



and charges of services. Contracts for use of public railway infrastructure are concluded under non-discriminatory and transparent conditions.

Contracts on the use of infrastructure are concluded no later than 1 (one) month prior new timetable enter into force or immediately after the allocation of ad hoc train path.

If during the validity period of Contract for use of public railway infrastructure, the railway undertaking through an authorized person submit ad hoc request in approved way for allocation of train path, it is considered that addendum of that contract is concluded at the moment of allocation of requested train path by infrastructure manager.

For other services (basic, additional and accompanying) provided by infrastructure manager special contracts are concluded.

### 3.4 Specific Access Requirements

# 3.4.1 Rolling Stock Acceptance

Railway undertaking may use only the rolling stock that complies with the technical regulations and standards. Rolling stock shall, by virtue of their structure and technical condition, ensure safety of transport on the infrastructure, safety of transported persons and goods, safety of staff, and shall meet the health and environment protection requirements.

All requirements relating to rolling stock and thereof use on the railway infrastructure of IŽS are set forth in the Law on Railway Safety and Interoperability ("Official Gazette of the RS", no. 41/18) and Law on Railway Traffic Safety ("Official Gazette of the RS", no.41/18). Railway undertaking shall be responsible for the technical condition, maintenance and operation of the rolling stock.

# 3.4.2 Staff Acceptance

Railway undertaking shall be responsible for ensuring that his staff meets the requirements stipulated by the Law on Railway Safety ("Official Gazette of the RS", No. 41/8) and applicable by-laws.

The railway undertaking's train manning shall be familiar with the official language in the Republic of Serbia.

Railway undertaking shall be responsible for staff training, validity of periodical knowledge tests, knowledge of track condition and local conditions at stations/stops. Railway undertaking is obliged in that respect to abide by the applicable legislation of the Republic of Serbia.

### 3.4.3 Exceptional Transport

A load shall be considered special if due to its external dimensions, weight or properties, and with respect to the station installations or wagons in transport by one of the railways participating in transport, it causes particular difficulties, wherefore it is received for transport only under special technical or operating conditions. Carriage of special loads in domestic and international railway transport, as well as the conditions under which such carriage may take place, shall be approved by the Infrastructure Manager whose railway infrastructure will be used for transport. IŽS provides the special loads service (for vehicles or goods) in accordance with the provisions on transport of special loads set forth in the Rules on Transport of Special Loads ("Official Gazette of the RS", no. 6/17).

IŽS shall be responsible for the allocation of capacity and defining the conditions for transport of special loads.

In addition to what was stated above, the railway undertaking in international transport shall comply with the provisions of UIC 502.1 and 502.2, governing the process of approval of requests for transport of special loads. The railway undertaking shall submit a request for transport of loads to the relevant department of IŽS. Special loads will be accepted for transport only if special operating and technical conditions are met. For more details on transport of special loads please refer to Chapters 4 and 5 of this Network Statement.



For more details on transport of special loads please contact:

Infrastructure of Serbian Railways"JSC Traffic Department 6 Nemanjina Street 11000 Belgrade Serbia

Tel.: +381 11 3618 214 Fax: +381 11 36<u>16 814</u> <u>sektor.sp@</u>srbrail.rs

# 3.4.4 Transport of Dangerous Goods

Transport of dangerous goods by rail in the Republic of Serbia shall be performed in accordance with: Annex C to Convention concerning international carriage by rail (–COTIF) - Regulations governing the international carriage of dangerous goods by rail (RID); the Law on the Transport of Dangerous Goods; the by-laws based on LTDG and other regulations in the Republic of Serbia.

The Ministry of Construction, Transport and Infrastructure is responsible for performance of administrative, inspection, technical and other expert activities in the field of transport of dangerous goods in the Republic of Serbia(www.utot.gov.rs).



# 4. CAPACITY ALLOCATION

#### 4.1 Introduction

Pursuant to the Law on Railways and Decision of the Government of the Republic of Serbia on incorporation of Joint Stock Company for Public Railway Infrastructure Management and the Company's Articles of Incorporation, "Infrastructure of Serbian Railways" JSC performs the activities of public railway infrastructure management and is responsible for allocation of infrastructure capacities for the purposes of international and domestic transport in a transparent and non-discriminatory manner, provided that all legal provisions on the conditions for access and use of railway infrastructure set out in Chapter 3 of this Network Statement have been previously fulfilled.

# 4.2. Description of infrastructure capacity allocation procedure

The Infrastructure Manager normally allocates the train paths once a year, upon reconciling the train path allocation requests in the timetabling process, not exceeding the Timetable validity period.

Allocation of infrastructure capacities in the form of a train path is carried out in accordance with the procedures specified in this document for:

- infrastructure capacities allocation procedure for the new Timetable,
- infrastructure capacities allocation procedure during Timetable validity period (including train path allocation on ad hoc request).

A Railway Undertaking may not assign the allocated train path to another Railway Undertaking. Train path trading is prohibited. Train path user will pay a charge for the use of railway infrastructure and for railway traffic organization and control.

### How to apply?

Request for infrastructure capacity allocation can be submitted by railway undertakings using the train path request form, which is available in Appendix 4.1, and published on IŽS we<u>bsite: www.infrazs.rs</u>.

When submitting the request, the RU is obliged to submit the following technical data for each traction vehicle series: series, description (axle layout), length (mm), weight (t), maximum speed (Vmax), inertia factor, resistance formula (coefficients a, b and c), traction diagram and braking diagram (tabular and graph presentation), traction type (diesel or electric), as per template provided in Appendix 4.1.b. The requested data are input data for capacity allocation, i.e. for software based timetabling. The data are submitted once for each traction vehicle as well as in case of change of data. If within the same series there are traction vehicles with different technical properties ("subseries") the data need to be provided for each "subseries".

Requests are submitted according to procedures defined under section 4.5.

The request should contain the following data:

- Full registered name of the Railway Undertaking (TIN, company identification number),
- Train type (in accordance with the Traffic Rulebook, Official Gazette of RS No 34/22 and 107/22),
- The desired time of train departure from the departure station and the time of train arrival to the terminal station,
- Traffic route and transport route,
- Necessary stops with minimum lengths of delays,
- Traffic period and days (traffic calendar),
- Series and number of wagons/series and number of train units,
- Train length and mass (length in meters, mass in tons),



- Type and serial number of the traction vehicle (traction passport),
- Additional locomotives (type and serial number) and on which section,
- Maximum train speed,
- Braking type,
- Special notes, such as vehicle shunting, change in train composition, implementation of connections, crew change, type of intermodal transport unit, type of dangerous goods (UN number, number for marking of danger or, for Class 1 dangerous goods, the subclass and compatibility group for substances and items, NHM code with minimum 6 digits and the name of dangerous goods based on RID), exceptional consignments, handover procedures on border crossings, technical hold ups (inspection, water supply, removing of waste and similar) and the required time period, the need for additional track capacities (storing, preheating/cooling, train formation and similar), the need for access to other facilities for provision of additional services and similar.

Upon the request of IŽS, a Railway Undertaking will be required to provide all the missing data within five working days, otherwise the request for capacity allocation will not be considered as submitted.

A request for capacity allocation submitted to IŽS on time and containing all the necessary elements makes a basis for timetabling and train path allocation. If a Railway Undertaking changes the request completely or partially after the determined deadlines for request submission it assumes the risk of not having the request granted.

After the annual timetable drafting process has been completed, the remaining available capacities will be allocated according to the deadlines defined in Appendix 4.3 according to the sequence of request submission.

### Manner of capacity allocation

IŽS decides on capacity allocation taking into account all legally valid requests and legal provisions in force. In accordance with the Law on Railways, the procedures and deadlines in capacity allocation have been determined under point 4.5 of the present Network Statement.

Defining of procedures and deadlines in capacity allocation is harmonized with Directive 2012/34/EU and its appendices, as well as the RNE recommendations from "Procedures for International Path Requests".

# Relevant bodies involved in the capacity allocation process and their responsibility

Bodies participating in capacity allocation process:

- IŽS "Infrastructure of Serbian Railways" JSC as Infrastructure Manager and capacity allocation body
- Railway Undertakings railway undertakings submitting capacity allocation requests
- RNE RailNetEurope body coordinating the allocation of international train paths and determining processes and deadlines for submission of international train path requests
- FTE ForumTrainEurope European organization of railway undertakings representing the European Forum for technical planning of international passenger and freight transport.

IŽS, as Infrastructure Manager and capacity allocation body, is a member of RNE and is actively involved in the activities of FTE.

# 4.3 Allocation of capacity for maintenance, including the allocation process

Allocation of infrastructure capacities for maintenance, renewal and modernization of railway infrastructure is an integral part of capacity allocation process. Aiming at maintaining a certain level of quality, safety and reliability of railway infrastructure, IŽS — Department for access to railway infrastructure will, during the timetabling process, reserve a part of infrastructure capacities for scheduled railway infrastructure maintenance, for specific time periods and specific line sections.



Periods reserved for scheduled railway infrastructure maintenance are published in the Timetable Booklet.

# 4.4. Impact of Framework Agreements

"Infrastructure of Serbian Railways" is currently not concluding framework agreements with interested applicants for allocation of infrastructure capacities.

# 4.5 Schedule for Path Requests and Allocation Process

Each year IŽS prepares a schedule for path request submission and capacity allocation which is applied in the annual timetabling process and in the capacity allocation process outside the annual timetabling process published in the Network Statement.

Railway Undertakings allocation requests for the new Timetable and during Timetable validity period should be submitted in the form defined in Appendix 4.1, to the following address:

By mail, to the following address:
"Infrastructure of Serbian Railways" JSC
Department for access to railway infrastructure
6, Nemanjina St
11000 Belgrade, Serbia
By e-mail: sektor.pzi@srbrail.rs

# 4.5.1 Schedule of requests submission for new annual timetabling process

The Applicant submits a request for capacity allocation not earlier than 12 months and not later than 10 months before the new Timetable enters into force. Deadlines for requests submission regarding Timetable 2025/2026 which enters into force on December 14<sup>th</sup>, 2025 with validity until December 12<sup>th</sup>, 2026 are presented in Appendix 4.3.

For the needs of Railway Undertakings wishing to use additional capacities or to change parametres of already allocated train paths, the new capacity allocation during Timetable validity period is enabled by:

- Regular amendments of and supplements to the Timetable
- Special amendments of and supplements to the Timetable
- Train path allocation on ad hoc request

In the form defined by Articles 4.5.2 and 4.5.3 in this Network Statement.

# 4.5.2 Schedule of requests submission for train path allocation during annual Timetable validity period through regular and special amendments of and supplements to the Timetable

During the Timetable validity period, there are regular amendments of and supplements to the Timetable 5 times a year, in accordance with internationally determined terms which are presented in Appendix 4.4. Deadlines for submission of requests for capacity allocation are presented in the column 1, Appendix 4.4.

Requests for regular amendments of and supplements to the Timetable that are submitted after deadlines specified in the column 1, Appendix 4.4, will be considered as special requests and shall be included in regular amendments of and supplements to only in case of existence of available infrastructure capacities and technical possibilities for their processing.

After the 5<sup>th</sup> regular amendments of and supplements to the 2025/2026 Timetable enter into force it will be only possible to submit ad hoc requests for capacity allocation.

Besides regular amendments of and supplements to the Timetable in accordance to the terms specified in the column 3, Appendix 4.4, Railway Undertakings may submit special request for infrastructure capacity



allocation outside specified terms. If there is possibility for allocation of the requested capacities, consequent changes in the Timetable shall be considered as special amendments of and supplements to the Timetable.

# 4.5.3 Allocation of capacities during annual Timetable validity period on ad hoc request

Ad hoc requests for infrastructure capacity allocation are requests for allocation of single train path, which are submitted during annual Timetable validity period.

Infrastructure Manager is obliged to respond to ad hoc requests as soon as possible and not later than five working days upon receiving the request.

### 4.5.4 Path Allocation and Coordination Process

IŽS will allocate the infrastructure capacity if the applicant fulfils the conditions for capacity allocation set out in the Network Statement and if the infrastructure capacity allows such allocation. IŽS will act in such a manner so as not to favour any applicant.

The following criteria will be applied in the path allocation process:

- Volume of service;
- Utilization of railway infrastructure;
- Volume of additional services provided by the IM in connection with the transport provided on the path;
- Business reputation;
- Public service obligation; and
- Quality of performed transport service in the previous period.

After the final deadline for submission of requests for the annual timetabling has expired, IŽS will initiate the capacity allocation process in a transparent and non-discriminatory manner.

Requests for capacity allocation received after the annual timetable drafting cannot affect draft alteration, except with the consent of the Railway Undertaking to whom the capacity has been originally allocated.

Allocated capacity can be used upon conclusion of Access Contract between IŽS and the Railway Undertaking submitting a request for capacity allocation.

Allocated capacity cannot be transferred onto another Railway Undertaking in accordance with the Law on Railways.

# **Coordination process**

Every year at the beginning of the new annual timetabling process, IŽS will conduct consultations with railway undertakings on their plans for the timetable which will come into force in not less than 11 months (x-11). In the course of these consultations, IŽS will inform railway undertakings on major maintenance works, overhaul and modernization of railway infrastructure.

The coordination process is run by IŽS – Department for access to railway infrastructure, which is preparing and publishing the annual Timetable and preparing of all required working materials.

Upon the expiry of the final deadline for submission of requests for capacity allocation for the annual Timetable, IŽS – Department for access to railway infrastructure will start the coordination process, together with railway undertakings for the purposes of solving conflicting requests and their better harmonization, aiming to fulfil the needs of users as much as possible in a non-discriminatory and transparent way.

Timetable planning includes reviewing all received requests, including all restrictions imposed by IŽS and the scheduled infrastructure maintenance plans.



If the number of requests for allocation of the same infrastructure capacity exceeds the permitted capacity of the particular railway line, IŽS apply priority rules from 4.6.

Following the completion of the coordination procedure, IŽS will deliver the draft timetable to railway undertakings. Together with railway undertakings IŽS will perform the final consultations concerning the draft timetable. Railway undertakings must state, in written form, whether they accept, partially or completely, that is, do not accept, the Timetable.

Deadline for making the statement is one month from the day of the draft submission, at the latest.

After the expiry of the deadline for making the statement, IŽS will define the Timetable according to the requests submitted on time and it will be deemed that the train paths have been allocated.

IŽS will subsequently allocate the remaining available capacities according to requests received after the final deadline, in the order of their receipt.

# **4.5.5 Dispute Resolution Process**

IŽS will initiate the dispute resolution process upon delivery of written complaints by railway undertakings, relating to complete or partial acceptance/non-acceptance of the proposed Timetable.

Complaints are to be addressed to IŽS:

- By mail, to the following address:
- "Infrastructure of Serbian Railways" JSC

Department for access to railway infrastructure

6, Nemanjina St

11000 Belgrade, Serbia

- By e-mail: sektor.pzi@srbrail.rs

IŽS will evaluate all complaints and objections and conduct consultations with railway undertakings aiming to fulfil their requests.

If a mutual solution is not found, IŽS will determine the capacity and inform the railway undertakings of this. If after the request coordination it is still not possible to satisfy all the requests for capacity allocation, IŽS will be obliged to announce that the said line section is congested.

Railway undertakings can appeal to the Directorate for Railways with respect to IŽS decision.

A potential appeal of a Railway Undertaking cannot be the reason to delay the process of Timetable adoption and coming into force.

# 4.6 Congested Infrastructure

If in the coordination process IŽS is unable to adequately satisfy all railway undertaking requests due to capacity limitations, IŽS will declare the requested infrastructure capacity to be "congested".

In cases when IŽS declares infrastructure "congested", it will conduct an analysis of capacities on congested infrastructure and define limitations due to which it was not possible to satisfy capacity allocation requests as well as propose a plan to enhance the particular capacity.

Infrastructure capacity will not be considered congested if the infrastructure capacity cannot be allocated due to the execution of works on the infrastructure maintenance, modernization, construction and reconstruction.

If the number of requests for allocation of the same infrastructure capacity exceeds the permitted capacity of a specific railway line, and if congested infrastructure is declared regarding that line, i.e. the part of that line, IŽS will, in an effort to allocate the train paths, apply priority rules according to the following order:



- 1) passenger trains in international traffic
- 2) passenger trains in domestic traffic
- 3) international freight trains
- 4) other freight trains

Considering the above mentioned priorities, the train path allocation process will be carried out according to the following rules:

- Requests for train paths of regular trains have the priority over the requests for train paths of special trains and trains transporting exceptional consignments;
- Requests for train paths according to framework agreements have the priority over new requests;
- Requests for train paths for a longer time period of service have the priority over requests for train paths for a shorter time period;
- Requests for train paths for a longer route have the priority over train paths for a shorter route.

If a Railway Undertaking considers that its rights were withheld, it can appeal to the Directorate for Railways.

# 4.7 Exceptional Transports and Dangerous Goods

# **Exceptional Transports**

Transport of exceptional consignments is transport in the course of which there is a deviation from at least one technical standard applied on the given infrastructure, such as for example, axle load, railway vehicle gauge, loading gauge and similar. Taking into account all the elements required for the transport of an exceptional consignment, IŽS will decide whether the requested infrastructure capacity will be allocated and under what conditions.

Deadline for submission of request for transport of exceptional consignments is not later than 20 days in domestic and 30 days in international traffic prior to service provision. Decision on the request for transport of exceptional consignments shall be made as soon as possible and not later than 15 days upon submission of the request.

Detailed information can be obtained at the below address. Deadline for capacity allocation will be as soon as possible. IŽS will decide whether it is possible to accept a certain transport and under which conditions.

Requests are submitted to:

"Infrastructure of Serbian Railways" JSC Traffic Department 6, Nemanjina St 11000 Belgrade, Serbia Tel.: +381 11 3618 214

Fax: +381 11 3616 814 E<u>-mail: sektor.sp@</u>srbrail.rs

In their request for capacity allocation, railway undertakings are required to list all the necessary information on the exceptional consignment which is being transported, regardless of whether it is a capacity allocation process for the annual Timetable or an ad hoc capacity allocation.

#### **Dangerous Goods Transport**

Dangerous goods transport on railway infrastructure operated by IŽS is regulated by international and national regulations in the field of dangerous goods transport, in accordance with point 3.4.4 of the Network Statement.

Based on clauses 1.4.2.2.5 and 1.4.3.6 of *RID* and Article 23, para 4, item 2) and Article 29 para 2 of the Law on Transport of Dangerous Goods, a Railway Undertaking is obliged to report every consignment of dangerous goods to railway Infrastructure Manager.



Reporting of dangerous goods transport can be done by phone: +381 11 3618 288 and in writing to the below address. The below address can be also used for more detailed information:

"Infrastructure of Serbian Railways" JSC 6, Nemanjina St, 11000 Belgrade Central Operations Unit Main dispatcher for dangerous goods transport Tel.: +381 11 3618 288

E-mail: rid1@srbrail.rs; glavni.riddisp@srbrail.rs

For the purposes of safe transport of dangerous goods on IŽS network, a Railway Undertaking is obliged to:

- Report each transport of dangerous goods consignment in real time i.e. immediately before the commencement of transport or at acceptance from the successive carrier.
- Report completion of transport of dangerous goods consignment in real time i.e. at the moment of completion of transport after the completed handover of consignment to the consignee at the destination station or upon handover of consignment to successive carrier.

Railway Undertakings are responsible for obtaining appropriate consents regarding the safety of dangerous goods transport.

Pursuant to clauses 1.4.2.3.1 of *RID* and Article 24 para 2 item 1) of the Law on Transport of Dangerous Goods, the consignee of dangerous goods in railway transport is obliged not to postpone the acceptance of dangerous goods consignment which is resulting in the railway undertaking's obligation not to postpone the handover of dangerous goods consignment after having performed the transport service.

Railway Undertaking is obliged to, after having accepted the dangerous goods consignment for transport at the forwarding station, immediately start the process of transporting the said consignment without any additional delays at the station, except for traffic reasons, accident or incident etc. Phased collecting of wagons loaded with dangerous goods (and non-cleaned empty wagons which were previously loaded with dangerous goods) in the forwarding station for the purposes of subsequent dispatching is prohibited due to the safety in transport of dangerous goods. The process of transport of dangerous goods (acceptance of consignment for transport from the consignor, dispatching, transport and handover of consignment to the consignee) must be performed in accordance with the technologically specified time in order to avoid the potential safety risks in transport.

After the customs clearing of consignment, it is exceptionally permitted for the consignment to remain on station sidings but only for a time period which is necessary to organize the dispatching and continuing of planned transport route, or handover to the consignee in accordance with the specified technological process for station operation i.e. Station Regulations, Part II.

# Obligation to announce the transport of dangerous goods Class 1 and Class 7

Exceptionally in transport of dangerous goods Class 1 and Class 7, a Railway Undertaking is obliged to submit to the Infrastructure Manager, in writing (Central Operational Unit – Main dispatcher for transport of dangerous goods) an announcement for the said transport in the time period which is not less than 24 hours prior to the moment of acceptance for transport (entry onto IŽS network). Railway Undertaking may send the announcement of transport also in the form of an email with scanned documents to the following address: rid1@srbrail.rs.

The announcement should contain the following data and attachments:

- 1. Consignor
- 2. Forwarding station and country
- 3. Consignee
- 4. Destination station and country
- 5. Entry border station
- 6. Exit border station
- 7. Net quantity of dangerous goods and wagon number in the train loaded with dangerous goods



- 8. Name of goods (official name of the goods)
- 9. UN number, number for marking of danger (all, if there are several)
- 10. Data on persons hired according to the Decision of the Ministry of the Interior of the Republic of Serbia in the capacity of armed company (first and last name, ID document number, etc., from the Decision issued by the Ministry of the Interior of RS)
- 11. Buffer wagon
- 12. Number of the decision on transport and name of issuing state authority.

The announcement should also contain two appendices:

- Photocopy of the Decision on transport issued by a relevant state authority, and
- For Class 1 dangerous goods: Instructions on special safety measures (MSDS lists) from the manufacturer of Class 1 dangerous goods;
- For Class 7: instructions on measures that the Railway Undertaking should take in transport, restrictions and required data on planned transport route as well as measures in case of danger that are adequate in relation to the consignment in accordance with RID 5.4.1.2.5.2.

Permit for transport of Class 1 dangerous goods is issued by the ministry responsible for the interior affairs, and permit for transport of Class 7 dangerous goods is issued by the authority responsible for protection against ionizing radiation and nuclear safety in the Republic of Serbia (Article 7 of the Law on Transport of Dangerous Goods). The announcement of transport should also contain the basic data on the Railway Undertaking and the transport organizer if case of irregularities or emergency events in transport of dangerous goods. In terms of data it is mandatory to specify the first name, last name and mobile phone number of the person (employed with the Railway Undertaking and/or transport organizer) who is always available during the transport.

#### 4.8 Rules After Path Allocation

# 4.8.1 Non-usage of allocated train path

In cases when a Railway Undertaking is not using the allocated train path envisaged by the Timetable, IŽS will, depending upon the non-usage percentage, charge the reservation of train path, that is, IŽS will cancel the allocated train path.

IŽS is monitoring the realization of allocated train paths, in such a way that IŽS is calculating the train path utilization degree for all the allocated train paths.

The utilization degree is calculated by dividing the realized number of one train's paths by the allocated number of the same train's paths, and the result is shown in percentages.

The utilization degree is calculated by dividing the realized train kilometers of the train path by the planned (allocated) train kilometers of the same train path, and the result is expressed in percentages.

The degree of utilization of allocated train paths is calculated monthly, for the calendar month.

IŽS reserves the right to cancel the allocated train path if a train path is utilized less than 25% of the monthly quota, that is, less than 50% of the monthly quota in case of congested infrastructure.

For the allocated train paths where the degree of utilization is less than the borderline degree of utilization, IŽS will charge the non-usage of the capacity.

The borderline degree of utilization, according to the type of the trains, is given in the below table 6.

Table No 6. Borderline degree of utilization

- 110-10 - 110 - 01 - 01 - 01 - 01 - 01		
Train type	Borderline degree of utilization [%]	
Passenger trains	80	
Freight trains	40	
Facultative trains	10	



Facultative train is a train which has set timetable but operates with special announcement (if needed).

Requests for train paths for all other trains will have priority over the request for train paths for facultative trains.

Infrastructure Manager will not grant facultative train paths on congested infrastructure.

In cases when the degree of utilization of the train path is below the borderline degree of utilization, the Infrastructure Manger will charge the full price of the train path for the used train paths, and for the non-used train paths, which represent the difference between the borderline degree of utilization and the degree of utilization of one train path, IM will charge for the reservation of the train path.

The charge for the reservation is 20% of the agreed train path price.

If the train path is not used in its entirety, as agreed in contract, the full price of the train path will be charged, according to the required elements.

### 4.8.2. Rules of Cancellation

A Railway Undertaking may cancel the allocated train path as part of changes and amendments of the Timetable. If a Railway Undertaking cancels the allocated route or requires modifications of parameters for the already allocated train paths outside the deadlines set forth in Appendix 4.4 and if they are such that their implementation will result in freeing of infrastructure capacities, such as:

- Cancellation of a part of already allocated train path i.e. shortening of the train path while all other parameters of the allocated train path remain the same,
- Change in traffic regularity, such that the train is transferred from the regular train status into the facultative train status, or the prescribed number of train operating days is reduced,
- Reduction of train length,

IŽS will not charge the costs prescribed under the tariff system under item 5.10.

Cancellation of allocated train path is done in writing, to the following address:

- By mail:

"Infrastructure of Serbian Railways" JSC Railway Infrastructure Access Department 6, Nemanjina St 11000 Belgrade, Serbia

- By e<u>-mail: sektor.pzi@</u>srbrail.rs

Cancelled train paths can be allocated to other railway undertakings by IŽS.

# 4.9. TTR for Smart Capacity Management

Timetabling and Capacity Redesign (TTR) is a project with an aim to simplify, harmonise and permanently improve the European rail timetabling system to considerabely increase the competitiveness of rail transport.

### 4.9.1. Objectives of TTR

RNE and FTE, supported by the European Rail Freight Association (ERFA), are currently working on the international Timetabling and Capacity Redesign (TTR). The objective of TTR is to harmonise and improve the European rail timetabling system to significantly increase the competitiveness of rail transport.

TTR consists of improved planning of the distribution of infrastructure capacity (including temporary capacity restrictions) and the capacity allocation processes.



The purpose of TTR is to better serve all market needs and achieve an optimised use of existing infrastructure capacity. In particular, for passenger traffic it will mean earlier availability of the final timetable allowing earlier and more reliable ticket purchasing for passengers. For freight traffic, it will mean more possibilities for short-term path requests and thus more flexibility.

Detailed project information are available on:

http://ttr.rne.eu/ and http://www.forumtraineurope.eu/services/ttr/



48

# 5. SERVICES AND CHARGES

#### 5.1 Introduction

Serbian legislation defined four types of services which railway undertakings can use with the aim of performing of transport operations on the allocated infrastructure capacity.

Categories of services offered by "Infrastructure of Serbian Railways" JSC to railway undertakings on the network are in line with the provisions of the Law on Railways and defined by the following documents:

- Decision on establishing of Joint Stock Company for Public Railway Infrastructure Management ("Official Gazette of RS" No 60/2015);
- Rulebook on organization and systematization of jobs at Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways";
- Methodology for valuation of elements for determining the charges for the use of railway infrastructure ("Official Gazette of RS" No 122/14).

The services that can be provided to railway undertakings are the following ones:

- 1. Minimum access package of services (hereinafter: the minimum package of services);
- 2. Basic services in services facilities including the access tracks to such facilities;
- 3. Additional services; and
- 4. Ancillary services.

Until the Government determines the Methodology for determining the price for access and the price for services and, based on it, the specific rules for calculation of the price for access and the price for services provided by the Infrastructure Manager, "Infrastructure of Serbian Railways" will apply the valid Methodology for valuation of elements for determining the charges for the use of railway infrastructure ("Official Gazette of RS" No 122/14), and according to this Methodology, where necessary, classification to the following service categories:

- Category I: Minimum package of services;
- Category IIa: Package for track access to service facilities;
- Category IIb: Package for provision of services in service facilities;
- Category III: Package for additional services;
- Category IV: Package for ancillary services.

IM — "Infrastructure of Serbian Railways" JSC will enable all interested railway undertakings to use the minimum access package of services and track access to services facilities, in a non-discriminatory manner, provided that railway undertakings have fulfilled the requirements for rail transport service in accordance with the provisions of the Law on Railways and the signed Contract for the use of railway infrastructure. Railway Undertaking's requests for the use of facilities and services provided in such facilities may be rejected only if there are feasible alternatives enabling the railway undertakings to perform the transport of goods and passengers on the same or alternative transport routes under the economically acceptable conditions. According to the nature of distinction and type of activity, the former notion of service facility can be aligned with the notion of services facility in the entire text, and the notion "level of charge for the use of public railway infrastructure" can be aligned with the notion "level of access charges and charges for access to the part of public railway infrastructure connecting the services facilities".

The use of all services facilities, additional and ancillary services provided by the IM – "Infrastructure of Serbian Railways" JSC - will be enabled to all railway undertakings in a non-discriminatory manner and upon their request, and will be defined in a separate contract.

The use of services facilities not owned by the IM – "Infrastructure of Serbian Railways" JSC, as well as additional and ancillary services not provided by the IM – "Infrastructure of Serbian Railways" JSC, is subject to separate contracts with managers of the said facilities and service providers.



Based on the volume of services provided, as defined in items 5.2 to 5.10, Railway Undertaking pays a charge for access and a charge for the provided service to:

- "Infrastructure of Serbian Railways" JSC based on the Contract for the use of railway infrastructure and separate contracts;
- Other service providers based on separate contracts.

# **5.2** Charging Principles

The basic principles underpinning the charging regime for the use of infrastructure are set forth in the Methodology for valuation of elements for determining the charges for the use of railway infrastructure ("Official Gazette of RS" No 122/14, dated November 11, 2014). The Methodology is defining, in more detail, valuation of elements for determining the level of charge for minimum package of services and package for track access to service facilities and provision of services in service facilities.

The methodology is based on the principle that railway undertakings should only bear the justified cost of IM operations and the costs arising from the efficient provision of services requested by the users.

This methodology is based on the economic principle of valuation of elements for determining of charge level known as marginal cost plus (MC+). It is a charge setting principle based on marginal costs increased by the mark-up. The selected principle enables covering of justified costs arising in provision of requested services and is favourable for the so called "network systems" (systems that require major capital investments such as telecommunications, energy, natural gas transportation, road transport and other means of transport).

Marginal costs are estimated based on the variable costs which, within the Methodology, include short-term marginal costs: track wearing, train movement control and signalling, consumption of energy sources and overheads.

The charge is set based on the following elements: line category (main, regional or local) used by train, use of railway nodes, train category (passenger or freight) and traction type (electrical or diesel).

The components of the total charge include charge for the minimum package of services (category I), charge for track access to service facilities (category IIa), charge for providing the services in service facilities (category IIb), charge for providing the additional services in service facilities (category III) and charge for providing the ancillary services in service facilities (category IV).

# 5.3 Minimum Access Package and Charges

# Minimum access package

Within the minimum package of services for the use of railway infrastructure, IŽS provides the following services:

- Handling of requests for capacity allocation;
- Right to use the allocated capacity;
- Use of infrastructure on the main running track (turnouts, tracks, railway nodes and lines),
- Train control including signalling, regulation of train movements, acceptance and dispatching of trains and communication regarding the train operations and provision of information on train movements;
- Use of electrical supply equipment, where available;
- Provision of all other information to implement or operate the service for which the capacity has been granted.

The access price includes the minimum access package of services. Railway Undertaking will pay the access charge to "Infrastructure of Serbian Railways" JSC based on the Contract for the use of public railway infrastructure.

- Handling of requests for infrastructure capacity



Handling of requests for infrastructure capacity allocation is a part of the capacity allocation process described in Chapter 4. Principles, priorities and criteria for allocation of infrastructure capacity. Requests for infrastructure capacity allocation which have been submitted by railway undertakings are processed in mutual cooperation with railway undertakings, implementation possibilities are examined, contradictions resolved and the train path offer is prepared, which ultimately results in a Timetable.

- Right to use the allocated capacity

Provided that all necessary prerequisites for the train operation are in line with valid legal provisions on conditions for access to and use of railway infrastructure specified in Chapter 3 of the present Network Statement, the applicable legislation and the signed Contract for the use of railway infrastructure, Railway Undertaking is entitled to use the allocated capacity in the form of a train path.

- Use of infrastructure on main running track (turnouts, tracks, railway nodes and lines)

Use of infrastructure on main running track (turnouts, tracks, railway nodes and lines) on the allocated capacity enables the Railway Undertaking to perform train operations.

- Train control including signalling, regulation of train movements, acceptance and dispatching of trains and communication regarding the train operations and provision of information on train movements

Overall train traffic management, including signalling, train movement regulation, acceptance and dispatching of trains, communication regarding the train operations and provision of information on train movements using the telecommunication devices enables railway undertakings to perform train operations on the allocated train path.

- Use of electrical supply equipment

On its electrified railway lines IŽS enables a Railway Undertaking to use the electrical supply equipment for traction (without electricity).

- All other information to implement or operate the service for which the capacity has been granted

After the Timetable has been adopted and published, railway undertakings will be provided with all additional information required for the train operations within the minimum access package of services.

### Charge for the minimum package of services (category I)

Charges for the minimum package of services for infrastructure access are defined based on the costs of railway traffic management and infrastructure capacities maintenance.

The level of unit charges is determined in relation to line category (main, regional, local), train category (passenger trains, freight trains) and traction type (diesel, electrical).

The charging units are:

- 1) Train km;
- 2) Gross tonne km.

Charge for minimum package of services (NKI) is determined according to the following formula:

$$NKI = (\sum VKM_{ijk} \cdot C_{VKM_{ijk}}) + F \cdot (\sum BRTKM_{ij} \cdot C_{BRTKM_{ij}})$$

Key:

- i Line category (main, regional, local)
- j Train category (passenger trains, freight trains)



k – Traction type (diesel, electrical)

 $(\sum VKM_{ijk} \cdot C_{VKM_{ijk}})$  - charge for the use of infrastructure capacities for the minimum package of services in relation to line category (i), train category (j) and traction type (k)

 $VKM_{ijk}$  - number of train km on the network in relation to line category (i), train category (j) and traction type (k)

 $C_{VKM}$  - charge per one train km in relation to line category (i), train category (j) and traction type (k)

F - factor depending on the train category (factor level depends on the train category impact on the level of infrastructure maintenance costs or the applied strategy for development of a particular segment of railway market)

 $(\sum BRTKM_{ij} \cdot C_{BRTKM_{ij}})$  - charge for wearing out of line and tracks during train passing in relation to line category (i) and train category (j)

 ${\it BRTKM}_{ij}$  - number of gross-tonne km on the network in relation to line category (i) and train category (j)

 $C_{BRTKM}$  - charge per one gross-tone km in relation to line category (i) and train category (j)

The level of charge for the path of one train depends on the train gross mass. Gross-tonne km, in the sense of the calculation of the level of charge for the path of one train, is defined as a product of train km and train gross mass, which implies the total mass of all active locomotives and the total mass of all hauled stock.

### Freight trains with electrical traction

Line category  Charge per one train km [RSD/TKM]		Charge per one gross-tonne km [RSD/GTKM]	
Main line 93,50		0,0858	
Regional line	63,77	0,0781	
Local line	10,53	0,0361	

# Freight trains with diesel traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tone km [RSD/GTKM]
Main line	79,04	0,0858
Regional line	51,24	0,0781
Local line	10,07	0,0361

# Passenger trains with electrical traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tone km [RSD/GTKM]
Main line	62,33	0,0686
Regional line	42,51	0,0625
Local line	7,02	0,0289

### Passenger trains with diesel traction

Line category	Charge per one train km [RSD/TKM]	Charge per one gross-tone km [RSD/GTKM]	
Main line	52,69	0,0686	
Regional line	34,16	0,0625	
Local line	6,71	0,0289	

Factor depending on the train category [F] is applied to all types of freight trains and passenger trains and amounts to 1.0.



# Charge for track access and use of service facilities (categories Ia and IIb)

Charges for track access and use of service facilities are defined based on the costs of railway traffic regulation and infrastructure capacities maintenance.

The level of unit charges is determined in relation to railway node (Subotica, Novi Sad, Beograd, Lapovo, Niš, Pančevo), train category (passenger trains, freight trains) and traction type (diesel, electrical).

The charging units are:

- 1) Number of trains;
- 2) Gross tonne km;
- 3) Number of serviced trains.

The charge is levied for the trains starting and finishing their running in the railway node, that is, transiting the railway nodes, as well as for the trains in railway nodes.

Serviced train is a train to which a service of using the service facilities in a railway node has been provided aiming to use the services of technical-wagon unit in train inspection, maintenance of wagons, railway vehicles and machinery.

### Track access and use of service facilities (categories IIa and IIb)

Charge for the use of infrastructure when the trains are starting and finishing their running in the node, that is, when they are transiting railway nodes (NKIIa), as well as for the servicing of trains in the railway nodes (NKIIb) is determined as follows:

NKII = NKIIa + NKIIb

$$\text{Key:-} \textit{NKIIa} = (\sum Va_{lmn} \cdot C_{Va_{lmn}}) + (\sum \textit{BRTKM}_{lm} \cdot C_{\textit{BRTKM}_{lm}})$$

 $NKIIb = \sum Vb_{lm} \cdot C_{Vb_{lm}}$ 

1 - Node (Subotica (1), Novi Sad (2), Beograd (3), Lapovo (4), Niš (5), Pančevo (6))

m – Train category (passenger trains, freight trains)

n – Traction type (diesel, electrical)

 $(\sum Va_{lmn} \cdot C_{Va_{lmn}})$  - charge for the use of infrastructure capacities in the node for the package of services IIa in relation to node (l), train category (m) and traction type (n)

 $Va_{lmn}$  - number of trains in the node in relation to node (1), train category (m) and traction type (n)

 $C_{Valm}$  - charge per one train for the used infrastructure capacities in the node, in relation to node (l), train category (m) and traction type (n)

 $(\sum BRTKM_{lm} \cdot C_{BRTKM_{lm}})$  - charge for wearing out of railway line and railway track when using the infrastructure capacities in the node, for package of the services IIa, in relation to node (l) and train category (m)

BRTKM<sub>lm</sub> - number of gross-tonne km in the node, in relation to node (l) and train category (m)

 $C_{BRTKM}$  - charge per one gross-tonne km in the node, in relation to node (1) and train category (m)

 $\sum_{Vb_{lm}} \cdot C_{Vb_{lm}}$  - charge for providing the services of train "servicing" in the node, for package of services IIb, in relation to node (l) and train category (m)

 $Vb_{lm}$  - number of trains which were provided with the service (which were "serviced") in the node, in relation to node (1) and train category (m)



 $C_{V_{b_{lm}}}$  - charge per one train, "serviced" in the node, in relation to node (l) and train category (m)

# Freight trains with electrical traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tonne km in the node [RSD/GTKM]
Novi Sad	3.658,76	0,0801
Beograd	4.302,04	0,0894
Lapovo	4.987,87	0,0744
Niš	5.422,50	0,1171
Pančevo	3.257,01	0,0911
Subotica	4.097,11	0,0497

# Freight trains with diesel traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tonne km in the node [RSD/GTKM]
Novi Sad	3.607,21	0,0801
Beograd	4.145,57	0,0894
Lapovo	4.935,40	0,0744
Niš	5.293,94	0,1171
Pančevo	3.196,24	0,0911
Subotica	3.944,07	0,0497

# Passenger trains with electrical traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tone km in the node [RSD/GTKM]
Novi Sad	2.439,17	0,0534
Beograd	2.868,03	0,0596
Lapovo	3.325,25	0,0496
Niš	3.615,00	0,0781
Pančevo	2.171,34	0,0607
Subotica	2.731,41	0,0332

# Passenger trains with diesel traction

Node	Charge for the use of infrastructure capacities in the node per one train [RSD/train]	Charge per one gross-tone km in the node [RSD/GTKM]		
	node per one train [RSD/train]			
Novi Sad	2.404,81	0,0534		
Beograd	2.763,71	0,0596		
Lapovo	3.290,27	0,0496		
Niš	3.529,29	0,0781		
Pančevo	2.130,82	0,0607		
Subotica	2.629,38	0,0332		

# **5.4** Additional Services and Charges

Additional services include:

- Supply of electricity for train traction;
- Preheating of the passenger trains, water supply, etc.;
- Modified contracts for the service:
  - (1) control of transport of dangerous goods,
  - (2) assistance in transport of special trains (exceptional consignments).



"Infrastructure of Serbian Railways" will enable the use of the above mentioned services (provided by IŽS) to all railway undertakings that have been allocated a minimum access package of services, in a non-discriminatory manner and upon their request.

Railway undertakings must present the request for the use of additional services in the capacity allocation process, please refer to Chapter 4.

In order to be able to use the above services a Railway Undertaking is obliged to conclude a separate contract with IŽS or with another service provider and pay the charge for provided service in accordance with the provisions of such contract.

More detailed information on provision of additional services can be obtained from IŽS.

"Infrastructure of Serbian Railways" JSC Railway Infrastructure Access Department 6 Nemanjina St 11000 Belgrade, Serbia Tel: +381 11 3618 214

Fax: +381 11 3618 214 Fax: +381 11 3616 814 sektor.pzi@srbrail.rs

The level of charges for additional services provided by the Infrastructure Manager is determined based on the costs incurred during the provision of these services.

Charges for using the additional services are applied in a non-discriminatory manner for all the railway undertakings, that is, service users.

When determining the level of charge the time norms for performing of tasks were used in accordance with the Methodology for determining the required number of workers for performing the planned scope of work ("Official Gazette of ŽTP Beograd" 10/85) and the Methodology for calculation of labour sales price per effective hour for the employees of "Infrastructure of Serbian Railways" (Decision of the Board of Directors 4/2015-53-17 dated 29.12.2015), and other valid railway regulations and documents.

The prices of additional services are determined in accordance with the Methodology for valuation of elements for determining the charges for the use of railway infrastructure. The levels of prices for additional services are determined as a product of standardized period for service performing and price of effective working hour of staff hired to provide the service, and they are solely based on the actual cost of work incurred during the provision of the particular service or directly determined by means of the Infrastructure Manager's separate decision.

Additional services are provided upon the Railway Undertaking's request, and the prices are applied in a non-discriminatory manner for all railway undertakings. Railway Undertakings will pay such prices according to the actual level of use.

- Supply of electricity for traction and charges

For the service of supply of electricity for traction please refer to: "Infrastructure of Serbian Railways" JSC
Electrical Engineering Department
6, Nemanjina St
11000 Belgrade, Serbia

Tel: +381 11 3618 241 Fax: +381 11 3618 130 direktor.etp@infrazs.rs



The prices of traction electricity depend on the prices of electricity determined by the supplier (currently JP Elektroprivreda Srbije), actual consumption costs, gross tonne km and train type. The calculation method is provided in Appendix 9.

- Preheating of the passenger trains

"Infrastructure of Serbian Railways" JSC is not providing services of preheating of passenger trains.

More information regarding the preheating of passenger trains are available at:

"Srbijavoz" a.d. 6, Nemanjina St. 11 000 Belgrade, Serbia Tel: +381 11 3614 811 Fax: +381 11 3614 811

- Services for transport of exceptional consignments and dangerous goods

### a) Services for transport of exceptional consignments

IŽS provides the service of transport of exceptional consignments (vehicles or items) according to the provisions for transport of exceptional consignments prescribed under the Regulations on transport of exceptional consignments.

The service involves processing of railway undertaking's request to examine the possibilities for transport in terms of technical aspect and setting of other technical requirements and protective measures for transport of consignments that are not fulfilling the general technical standards for transport on the particular line section, e.g. loading gauge, axle loading etc. Any deviation from the standards is considered to be an exceptional consignment and a special procedure is required. The service involves additional engagement of IŽS's employees in preparation and carrying out of transport of exceptional consignments such as: defining of transport conditions, possible engagement of additional staff for accompanying of transport and inspection of tracks after the transport, possible temporary re-location of trackside facilities and equipment etc.

IŽS decides whether it is possible to accept certain transport and under which conditions. It is necessary that IŽS and the Railway Undertaking define the scope and specification of required services for each individual transport.

#### b) Services for dangerous goods transport

IŽS provides additional services to railway undertakings related to transport of dangerous goods. Control of dangerous goods transport for each individual transport is defined between IŽS and the Railway Undertaking, depending upon the specification of required services. The availability and method of providing this service on IŽS network will be determined based on the decisions and procedures which will be subsequently prescribed by IŽS.

Charges for services of transport of exceptional consignments and dangerous goods

The unit price of additional services regarding the transport of exceptional consignments and dangerous goods is determined based on the actual costs incurred in provision of such service and unit prices of staff hired from the public railway infrastructure manager and is applied in a non-discriminatory manner to all railway undertakings.

Issuing of approvals for transport of exceptional consignments



Operation	Measuring unit	Price in RSD VAT exclusive
Processing of request, issuing of conditions and informing by means of telegramme for the purposes transport of exceptional consignments	Request for transport of exceptional consignment	12.976,00

Accompanying of trains carrying exceptional consignments: involves accompanying of consignments by professional railway staff, as necessary, according to type and complexity of exceptional consignment transport as set out in the Regulations on transport of exceptional consignments.

Unit price for this service is determined according to effective working hours of hiring of the employee and number of persons accompanying the exceptional consignment.

Operation - operators	Measuring unit	Price in RSD VAT exclusive
Accompanying performed by an employee from	Effective hour of	1.844,00
traffic department	accompanying	1.044,00
Accompanying performed by an employee from civil	an employee from civil Effective hour of 1.339,00	
engineering department	accompanying	1.339,00
Accompanying performed by an employee from	Effective hour of	1.453,00
electrical engineering department	accompanying	1.455,00

If the employee accompanying the consignment is entitled to daily allowance for the business trip in the country, the service price should also include the cost of realized daily allowances. The amount of daily allowances is determined in the Collective Agreement of the public railway Infrastructure Manger.

Transport of exceptional consignments with exceeded axle-loading

The unit price for approving the transport of exceptional consignment with exceeded axle-loading is 59,00 RSD/net tonnes VAT exclusive.

### 5.5 Ancillary Services and Charges

Ancillary services include the following:

- 1) access to telecommunications network
- 2) provision of additional information
- 3) technical inspection of rolling stock
- 4) ticketing services in passenger stations
- 5) maintenance services provided in maintenance facilities dedicated to high speed trains or other types of rolling stock requiring specific facilities where the works performed are not a routine daily maintenance and require the vehicle to be withdrawn from service
- **6)** other ancillary services

IŽS reserves the right to decide which of the available ancillary services will be provided and under what conditions. If IŽS is providing a particular service, it will provide it to all railway undertakings under equal conditions in a non-discriminatory manner and upon their particular request.

The charges for ancillary services provided by "Infrastructure of Serbian Railways" JSC will be determined based on the actual costs incurred during the provision of the said service and will be a subject to a separate contract concluded between the interested parties.

# 1) Access to telecommunications network

IŽS provides railway undertakings with the service of access to the telecommunications network in accordance with the market conditions. Railway Undertaking should define, together with IŽS, the scope and specification of required services.



### 2) Provision of supplementary information

IŽS provides, if available, the following supplementary information on the use of railway infrastructure to the railway undertakings:

- Provision of Timetable material (timetable graphs, timetable booklets) prepared and published by IŽS;
- Submission of excerpts from the local regulations of importance for railway transport or other documents.

For any further information the Railway Undertaking should define, together with IŽS, the scope and specification of required services.

# 3) Technical inspection of rolling stock

Technical inspection of rolling stock is performed upon obtaining of license for their use and prior to putting the vehicles into service.

Directorate for Railways prescribes the conditions to be fulfilled by the entities performing the technical inspection of vehicles and the manner for performing of technical inspection.

Only the rolling stock fulfilling the requirements prescribed by the Law on Safety can be included in the train and this is determined by means of a rolling stock inspection.

Railway Undertaking is responsible for proper composition of the train and it is obliged to check whether the train rolling stock is in a proper technical condition. Train composition and distribution of rolling stock in the train must ensure safe train movement and braking.

"Infrastructure of Serbian Railways" JSC is not providing the services of technical inspection of wagons and rolling stock.

# 4) Ticketing services in passenger stations

"Infrastructure of Serbian Railways" JSC is not providing the ticketing services in passenger stations.

5) Maintenance services provided in maintenance facilities dedicated to high-speed trains or other types of rolling stock requiring specific facilities

The network operated by "Infrastructure of Serbian Railways" JSC currently does not have any maintenance facilities dedicated to high speed trains or other types of rolling stock requiring specific facilities providing the respective ancillary services.

### 6) Other ancillary services

IŽS provides other ancillary services:Staff training and/or testing in line with the internal documents and technological procedures of IŽS.

# 7) Staff training and testing

The service of training and testing of public railway infrastructure user's staff is provided by the Infrastructure Manager in accordance with articles 60 to 64 of the Law on Safety in Railway Traffic ("Official Gazette of RS" No 41/2018) .The price for training and testing of interested users is determined as follows:

$$Cpp = Tpo + Tto + Tpz + Tos$$

This price includes:

- cost of practical training Tpo – performed by minimum one expert from the Infrastructure Manager (familiarizing the candidates with the local conditions and technical capacities);



- cost of theoretical training Tto performed by minimum two lecturers (familiarizing with signalling and traffic regulations, special measures for occupational safety and protection as well as all important normative acts provisions of station regulations, technological work process etc., and if necessary provisions in connection to the transport of dangerous goods);
- cost of testing Tpz taking of expert exam regarding the familiarity with railway infrastructure performed by minimum four members of expert committee (president, 2 examiners from the expert field and 1 examiner on the provisions of measures for occupational safety and protection);
- cost of staff Tos hired for the provision of respective service according to the actual level of realization (daily allowances, travelling expenses, submission of required materials etc.)

The price for this service is determined in accordance with the separate Contract between IŽS and the interested party and specification of costs is provided in a descriptive manner and expressed according to the number of candidates and hired experts from the Infrastructure Manager involved in provision of this service.

### 5.6 Discounts

"Infrastructure of Serbian Railways" JSC does not approve quantity discounts.

### **5.7** Performance Scheme

One of the most important indicators of efficient network operations, both for Railway Undertaking and Infrastructure Manager, is train delay.

Train delays are monitored related to the causes of delays. Accordingly, the delays can be primary and secondary.

Primary delays are all train delays caused by interference or disturbance which led to the delay and that were not caused by delay or cancellation of other train.

Secondary delays are train delays caused by already existing earlier delay.

Overview of primary and secondary causes of train delays is presented in Appendix 7 of the Network Statement.

IŽS keeps a record of movements of all trains on its network and determines the causes of delay.

Delays can be caused by:

- Infrastructure Manager,
- Railway Undertaking,
- external factor.

Number of minutes of train delay is determined on the basis of deviation of train actual running time compared to the train running time envisaged by the Timetable.

The compensation for all primary train delays is calculated on the basis of the number of minutes of train delay and charged between IŽS and RU, if agreed under the Contract for the use of railway infrastructure. The reason for this is to motivate the Railway Undertaking and the Infrastructure Manager to minimize the Timetable deviations on the network and to increase the quality of transport service offered to the end users.

The compensation for delay is 0.1% of the charge for the entire train path, for each minute of delay. The total amount of the delay compensation for each individual train can be maximally up to 5% of the charge for the entire train path, for each party responsible.

For the delays of passenger trains of less than 10 min per 100 km of allocated train path, that is, for the delays of freight trains of less than 40 min per 100 km of allocated train path, the charging between IŽS and RU is not performed. Calculation is performed solely for the entire train path, not for the particular parts of the path.



For the train paths shorter than 100 km the permitted delay is determined proportionally to the actual path length.

If the Railway Undertaking does not start the train 300 minutes after the prescribed departure according to the Timetable, it will be deemed that the train path of that train has been automatically cancelled for that day.

Train delays, caused by accidents or incidents, in respect of which the responsibility for the delay cannot be determined with certainty without the investigation procedure, will be calculated subsequently.

Delays caused by the external factor arise from the circumstances which are not under influence of the Infrastructure Manager or the Railway Undertaking. Delays caused by the external factor are the delays caused by the force majeure, or the delays caused by the third parties.

# **5.8** Changes to Infrastructure Access Charges

Charges for the minimum package of services and track access to service facilities, as well as charges for basic, additional and ancillary services, can be modified depending on the conditions on the market of the railway services, in which case it must be published at least six months in advance.

# 5.9 Billing Arrangements

Method and time schedule for calculation and payment of charges, will be determined in detail in the contract between the Infrastructure Manager and the Railway Undertaking.

Charges are collected through:

Finance Department 6 Nemanjina Str. 11 000 Belgrade, Serbia Phone: +381 11 3618 465 Fax: +381 11 3618 465

finansijeizs@srbrail.rs

The Finance Department defines the payment security instrument for the use of public railway infrastructure.

For the use of public railway infrastructure during the validity period of 2025/2026 Timetable, the payment security instrument is defined according to the following:

The RU undertakes to submit to "Infrastructure of Serbian Railways" JSC (Finance Department) with respect to the timely settlement of due obligations under the contract on the use of public railway infrastructure, 5 (five) blank solo bills of exchange registered with the National Bank of Serbia, bill of exchange authorization and a copy of the card of specimen signatures. Blank solo bills of exchange must be submitted within 15 days from the date of signing the contract on the use of public railway infrastructure, otherwise, the contract will have no legal effect. The term of validity of the bill of exchange authorization must be at least 30 days longer than the date of final settlement of the contractual obligation and is not related to the termination of legal effect under the Contract. The RU is obliged to submit to "Infrastructure of Serbian Railways" JSC, Finance Department, new instruments for securing the regular settlement of financial obligations in case the previously submitted ones are implemented, i.e. when other circumstances arise due to which the previously submitted instruments cannot be implemented, no later than 15 days from the new circumstance's occurrence.

The Finance Department monitors the realization of the payment of due obligations under the contract on the use of public railway infrastructure, and in case the RU does not settle the due obligations within the deadline, it has the right to activate bills of exchange, which were submitted in order to secure payment.

If during the duration of the Contract on the use of public railway infrastructure, due to a delay in the settlement of obligations, a security instrument is activated, the RU will be obliged to provide a bank guarantee as an instrument for securing the payment in the following contract. The level of the Bank Guarantee is 25% of the



value of invoices issued under the Contract on the use of public railway infrastructure in the past twelve (12) months.

# 5.10 Tariff system

IŽS charges the train path allocation procedure costs as follows:

- for the allocation of annual train paths for the 2025/2026 Timetable as well as for the allocation of train paths under the requests for amendment of annual 2025/2026 Timetable performed within the deadlines prescribed in Appendix 4.4, IŽS will not charge the procedure costs.
- for the allocation of train path under the extraordinary request for amendment of the annual timetable, the procedure costs amount to 17.137,00 RSD per train path.
- for the allocation of ad-hoc train path, the costs amount to 12.213,00 RSD per train path.



# 6. OPERATIONS

#### 6.1 Introduction

The transport operation on the railway infrastructure shall be such manner to ensure the protection of life, property and environment. The railway undertaking operating on the railway infrastructure will be obligated to comply with the regulations and provisions applicable to transport operations on the particular railway infrastructure.

# **6.2** Operational Rules

The list of applicable regulations and instructions related to operational rules is given in a separate Appendix 2.

At some locations on the infrastructure and in some cases, there are deviations from the applicable regulations (approved by the Directorate for Railways upon IŽS's proposal). The information about this is published by IŽS. The relevant address for these regulations, instructions and modifications is:

"Infrastructure of Serbian Railways" JSC Traffic Department 6 Nemanjina Street 11000 Belgrade Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 sektor.sp@srbrail.rs

# **6.3** Operational Measures

In case of traffic disturbances, IŽS, together with Railway Undertakings, will undertake all necessary measures to restore normal operating conditions as soon as possible.

Traffic disturbance will mean congesting of some parts of the network or stations that may occur as a consequence of disturbances occurring in traffic due to any reason.

### **6.3.1. Principles**

In order to solve the traffic disturbances, IŽS will undertake appropriate measures to restore the planned Timetable, while taking into consideration the needs of passengers and users of freight traffic, as well as traffic safety. Aiming to solve the traffic disturbances, IŽS may apply operation rules under 6.3.2., cancel some trains or assign another train path in agreement with a Railway Undertaking, depending on the type of disturbance and expected duration.

In case a longer traffic disruption is expected, IŽS will, in agreement with railway undertakings, prepare an interim timetable for the period until regular operation is restored. IŽS may seek railway undertakings' assistance with the aim of normalizing the traffic operating conditions, even when such railway undertakings are not directly causing the disturbances, which may include using their rolling stock and personnel in order to normalize the traffic.

### **6.3.2.** Operation regulation

For the purposes of restoring the normal traffic flow, the operational rules for railway traffic management will apply as set out in the Law on Safety in Railway Traffic, Traffic Regulations ("Official Gazette of RS" No 34/22 and 107/22), the Instructions on particular procedures in performing of traffic service on the territory of Infrastructure of Serbian Railways ("Official Gazette of Serbian Railways" No 43/22), the Instructions on organization and work procedures of operational service in the area covered by "Infrastructure of Serbian



Railways" JSC ("Official Gazette of Serbian Railways" No 21/17, 21/18,37/18 and 28/23) and other internal documents of IŽS.

In cases when traffic is interrupted on some part of the line due to a defect in the traction means of the RU in order to normalize traffic as soon as possible the IŽS operational service takes operational measures prescribed by article 34 of the internal act Instructions on organization and work procedures of operational service in the area covered by "Infrastructure of Serbian Railways" JSC ("Official Gazette of Serbian Railways" No 21/17, 21/18, 37/18 and 28/23).

In case of delays and premature train dispatches, the rule applies that lower-ranking trains may not interfere with movements of higher-ranking trains. A lower-ranking train can be given the priority only if in such a way increase in delays is avoided and the higher-ranking train can make up for the delay on its further route. With same rank trains, priority is given to that train whereof delay might cause it to lose connections in connecting stations. If the connections are not in question, priority is given to that train which has a longer route to its destination station, i.e. which is running on time. Necessary measures to be taken in case of accidents and incidents are defined in the Law on Safety in Railway Traffic, by the Rules on reporting, investigating, recording, statistical monitoring and publishing of data on accidents and incidents ("Official Gazette of RS" No 32/21), Instructions on procedures in case of accidents and incidents ("Official Gazette of Serbian Railways" 44/21). Trains which are taking part in rectifying the disturbances caused as a result of accidents and incidents have the priority (ranking) over all other trains.

# **6.3.3.** Foreseen and Unforeseen problems

### Foreseen problems

Necessary measures to be undertaken in cases of foreseen problems such as: technical disturbances of signalling & safety and telecommunication devices, strong wind, natural disasters, snow etc., are governed by Traffic Regulations ("Official Gazette of Serbian Railways" No 34/22 and 107/22) and other regulations governing the above mentioned.

#### **Unforeseen problems**

In very urgent cases, when railway infrastructure is temporarily rendered unavailable for use, IŽS may, without prior notice, cancel train paths for the time period necessary to put the system back in working order. IŽS will notify all interested parties of the resulting situation.



# 7. SERVICE FACILITIES

#### 7.1. Introduction

Services facility means a facility, including land, buildings and equipment, arranged in a particular manner, as a whole or partially, including the sidings connecting the network with the service facility, in order to enable provision and use of basic services provided in such facilities under the non-discriminatory and transparent conditions.

# 7.2. Service Facility Overview

Services facilities are:

- 1) station buildings, i.e. a part of station buildings, in passenger stations, intended for railway passengers, and other facilities used in passenger traffic, including the travelling information displays and the appropriate ticketing points;
- 2) freight terminals;
- 3) marshalling yards and train formation tracks, including the shunting tracks;
- 4) tracks for storing intended for railway undertakings' vehicles using the allocated infrastructure capacity;
- 5) maintenance facilities, with the exception of maintenance facilities for high speed trains or other types of rolling stock requiring specific facilities where the works performed are not routine works performed as a part of daily activities and require withdrawal of vehicle from service;
- 6) other technical facilities, including the cleaning and washing facilities;
- 7) inland waterways port facilities connected to railway activities;
- 8) facilities for provision of assistance;
- 9) facilities for fuel storing and supplying for which the prices are presented separately.

# 7.3. Service Facilities Managed by IŽS

IŽS will enable all railway undertakings, which have been granted the minimum access package of services for the use of infrastructure, to use all the services facilities managed by it in a non-discriminatory manner and upon their request.

### 7.3.1. Common Provisions

IŽS will enable all the railway undertakings with minimum access package of services to have track access to all the above mentioned services facilities in a non-discriminatory manner and upon their request, provided that railway undertakings have previously entered into a contract on the use of these facilities with facility managers and service providers.

Railway undertakings have to state the need to have track access to service facilities and to use them during the capacity allocation procedure, please refer to Chapter 4.

For the service of track access to service facilities, Railway Undertaking will be obliged to pay a charge to the IŽS based on the Contract for the use of infrastructure.

# 7.3.2 Use of station buildings in the function of passenger traffic

Appendix 6 contains an overview of locations where passengers may board/get off the train.

The stations along the narrow gauge lines are used for passenger service only.



"Infrastructure of Serbian Railways" will enable the use of station buildings, i.e. the part of station buildings, in passenger stations in the areas intended for railway passengers and of other facilities used for passenger traffic, including the travel information display and adequate location for ticketing services to all railway undertakings in a non-discriminatory manner and upon their request.

The use of parts of service points (station buildings, stops) and other facilities required for acceptance and dispatching of passengers also includes use of platforms and other surfaces required for access of passengers in them, as well as other areas enabling passenger movements between public road surfaces and the train.

The use of travel information displays includes the use of all existing visual information facilities already installed in individual stations.

Upon request of a Railway Undertaking IŽS will, where possible, provide a suitable area for the ticketing services.

# 7.3.3 Freight Terminals

The term "freight terminals" on the railway network operated by Infrastructure of Serbian Railways (IŽS), means all the railway service points used for freight operations where loading and unloading as transshipment operations are carried out.

The following types of terminals are distinguished: stations and transport forwarding, terminals for intermodal freight transport, port terminals.

Overview of services facilities for freight operations is presented in Appendix 6.

Combined transport on railway network can be performed at terminals for combined transport and at port terminals.

Table No 8: Stations connected to freight terminals

11	connected to the	Freight terminal for combined transport	Address of freight terminal for combined transport	Terminal operator
Ι.	Beograd Marshalling yard (Belgrade Marshalling Yard)	ŽIT Beograd	Beograd Marshalling yard, Železnik, Lole Ribara 2.	"ŽIT Beograd" d.o.o., Beograd, Železnik, Lole Ribara 2
2.	Surčin	Nelt	Beograd, Dobanovci, Maršala Tita 206.	"Nelt Co" d.o.o., Beograd
3	Novi Sad Marshalling yard (Novi Sad Marshalling Yard)	Luka (Port) Novi Sad	Novi Sad, Carinska 1.	"Luka Novi Sad" a.d., Novi Sad, Carinska 1
4.	Pančevo Varoš	Luka (Port) Dunav	Pančevo, Luka Dunav 1.	"Luka Dunav Pančevo" a.d., Pančevo, Luka Dunav 1
5.	Smederevo	Luka (Port) Smederevo	Smederevo, Radinac b.b.	"Luka Dunav – Železara Smederevo" d.o.o., Smederevo, Radinac b.b.
6.	iPranovo Pricianicie	Luka (Port) Prahovo	Prahovo, Radujevački put b.b.	"Luka Prahovo IHP Prahovo– Krajina" d.o.o., Prahovo, Radujevački put b.b.



7.	Senta	Luka (Port) Senta	Nenta Pristanisha I	"Luka Senta" a.d., Senta, Pristanišna 1
8.	Sremska Mitrovica	Luka (Port) Leget	Jarački put 10	"RTC Luka Leget" a.d., Sremska Mitrovica, Jarački put 10
9.	Šabac	Luka (Port) Zorka Šabac		"Zorka transporti" d.o.o., Šabac, Narodnih heroja 1
10.	Niš Marshalling Yard	MBOX Terminals d.o.o	Freight-transport terminal in Niš Vojlovački zaseok 4 St. 18560 Popovac (Niš)	MBOX Terminals d.o.o
11	Batajnica	"Logistički centri Srbije" doo	Batajnica, Ulica Mladih gorana 136	"Logistički centri Srbije" doo

IŽS does not operate nor provide basic services in any freight terminal within the meaning of its definition of an arranged and organized area where the receiving, storage, preparation, transshipmenthipment and dispatching of various types of goods is carried out.

For more detailed information on the services provided by the freight terminal operator or the service provider, the following entities should be contacted:

# 1) Železnički integralni transport Beograd - ŽIT BEOGRAD d.o.o.

Addresses: Beograd Marshalling Yard (Belgrade Marshalling Yard), Lole Ribara 2 Železnik, Belgrade and Hajduk Veljkov Venac 4/1

11000 Belgrade, Serbia

Contact details: +381 (0)11 361-6844, +381 (0)-1 361 - 6842, +381 (0)64 81040.

# 2) "Nelt Co." d.o.o. Beograd

Address: Maršala Tita 2016, 11272 Dobanovci, Belgrade

Contact details: +381 (0)11 3779-143, office@nelt.com, www.neltlsp.com

Information on the service facility operated by Nelt Co, i.e. on the industrial siding which is a part of Nelt terminal is provided in Appendix 3.10a.

#### 3) DRY PORT TERMINALS DOO

Addresses: Luka Dunav 1, 26000 Pančevo and Uzun Mirkova 3/3, 11000 Belgrade Contact details: + 381 69 32 55 012, office@dpterminal , http//dpterminals.rs Information on the service facility are available on http//dpterminals.rs//

# 4) "MBOX Terminals" d.o.o

**Address:** Freight-transport terminal in Niš, Vojlovački zaseok St 4, 18560 Popovac (Niš) Contact details: +381603593499 e-mail: operations@mboxt.com

Information on the service facility are available on <a href="https://mboxt.com">https://mboxt.com</a>

### 5) "Logistički centri Srbije" doo

Address: Ulica Mladih gorana 136, Batajnica

e-mail office@lcs.rs

Information on the service facility are available on www.lcs.rs



IŽS however provides the use of service points open for freight traffic, in accordance with Appendix 6 of this document, for loading, unloading and transshipmenthipment to all railway undertakings in a non-discriminatory manner and upon their request.

# 7.3.4 Marshalling Yards and Train Formation Facilities, including Shunting Facilities

# Freight train formation yards

Freight trains may be split-up and formed at the marshalling, distribution and intermediate stations/yards, according to the user needs and requirements, and taking into account the particular technical and organizational restrictions.

# Overview of distribution stations-sections for freight trains operation

Distribution Station Distribution Section		Comments
1	2	3
BELGRADE MARSHALLING YARD*	Belgrade Marsh. Yard - Pančevo Main St. Belgrade Marsh. Yard - Ruma Belgrade Marsh. Yard- Lapovo Marsh. Yard Belgrade Marsh. Yard - (Mala Krsna) <sup>1)</sup> - Lapovo Marsh. Yard Belgrade Marsh. Yard - Mala Krsna Belgrade Marsh. Yard- Požega Belgrade Marsh. Yard - Novi Sad Marsh. Yard	<sup>1)</sup> for the trains not entering the Mala Krsna station
BOGOJEVO	Bogojevo - Sombor Bogojevo - Novi Sad Marsh. Yard Bogojevo - Erdut (HŽI)	
BOR FREIGHT STATION	Bor Freight St Požarevac Bor Freight St Zaječar Bor Freight St Prahovo pristanište	
BIJELO POLJE	Bijelo Polje (ŽICG) - Vrbnica -Prijepolje	
(ŽICG)	Freight St.	
BRASINA	Brasina - Ruma Brasina – Zvornik <sup>1)</sup> Brasina - Zvornik Novi (ŽRS)	<sup>1)</sup> in both directions
VRŠAC	Vršac - Pančevo Main St. Vršac - Stamora Moravita (CFR SA)	
DIMITROVGRAD	Dimitrovgrad – Niš Marsh. Yard Dimitrovgrad –Kalotina Zapad (NKŽI)	
ERDUT (HŽI)	Erdut (HŽI) - Bogojevo	
JIMBOLIA (CFR)	Jimbolia (CFR SA) - Kikinda	
ZAJEČAR	Zaječar - Niš Marsh. Yard Zaječar - Prahovo Pristanište Zaječar - Bor Freight St.	
ZVORNIK NOVI (ŽRS)	Zvornik Novi (ŽRS) - Brasina	
ZRENJANIN	Zrenjanin - Kikinda Zrenjanin - Novi Sad Marsh. Yard Zrenjanin - Pančevo Main St. Zrenjanin - Senta Zrenjanin - (Senta) <sup>1)</sup> - Subotica Freight St.	<sup>1)</sup> for the trains not entering the Senta station
KIKINDA	Kikinda – Jimbolia (CFR SA) Kikinda – Zrenjanin	1)for the trains not entering the Senta station



	Kikinda – Senta	
	Kikinda – (Senta) <sup>1)</sup> – Subotica Freight St.	
	Traffic is temporarily regulated by UNMIK	
KOSOVO POLJE	railways	
	Kraljevo - K. Mitrovica Sever <sup>1)</sup>	1)in both directions
	Kraljevo - Lapovo Marsh. Yard	<sup>2)</sup> in both directions
KRALJEVO	Kraljevo - Požega	<sup>3)</sup> for the trains not
KKALJEVO	Kraljevo – Stalać <sup>2)</sup>	entering the Požega
		station
	Kraljevo – (Požega) <sup>3)</sup> – Prijepolje Freight St.	
	Lapovo Marsh. Yard – Mala Krsna Lapovo Marsh. Yard – Resavica <sup>1)</sup>	<ul><li>1) in both directions</li><li>2) for the trains not</li></ul>
	Lapovo Marsh. Yard - Niš Marsh. Yard	entering the Mala Krsna
	Lapovo Marsh. Yard - Kraljevo	station
LAPOVO	Lapovo Marsh. Yard – Resnik - Pančevo	Station
MARSHALLING YARD**	Main St.	
	Lapovo Marsh. Yard (Mala Krsna) <sup>2)</sup> -	
	Belgrade Marsh. Yard	
	Lapovo Marsh. Yard – Belgrade Marsh. Yard	
	Mala Krsna – Požarevac	1)in both directions
	Mala Krsna – Lapovo Marsh. Yard	
MALA KRSNA	Mala Krsna – Belgrade Marsh. Yard	
	Mala Krsna – Smederevo <sup>1)</sup>	
	Mala Krsna – Pančevo Main St.	
	Niš Marsh. Yard - Lapovo Marsh. Yard	1)in both directions
<del>-</del>	Niš Marsh. Yard - Preševo	
NIŠ MARSHALLING	Niš Marsh. Yard - Dimitrovgrad	
YARD	Niš Marsh. Yard - Zaječar	
	Niš Marsh. Yard – Kuršumlija <sup>1)</sup>	
	Novi Sad Marsh. Yard - Belgrade Marsh.	1) in both directions
	Yard	1) in both directions
	Novi Sad Marsh. Yard- Subotica Freight St.	
NOVI SAD	Novi Sad Marsh. Yard- Bogojevo	
MARSHALLING	Novi Sad Marsh, Yard –Pančevo Main St.	
YARD***		
IAKD	Novi Sad Marsh, Yard- Zrenjanin	
	Novi Sad Marsh. Yard - Ruma	
	Novi Sad Marsh. Yard – Temerin <sup>1)</sup>	
	Novi Sad Marsh. Yard – Podbara <sup>1)</sup>	
	Pančevo Main St. – Zrenjanin	1)
	Pančevo Main St Vršac	1) in both directions
	Pančevo Main St Belgrade Marsh. Yard	<sup>2)</sup> for the trains not entering
DANČENO MAIN	Pančevo Main St. –Novi Sad Marsh. Yard	the Mala Krsna station
PANČEVO MAIN	Pančevo Main St. –Lapovo Marsh. Yard	
STATION***	Pančevo Main St. – Pančevo Vojlovica <sup>1)</sup>	
	Pančevo Main St. – Mala Krsna  Pančevo Main St. – (Mala Krsna) 2) J. J. angua	
	Pančevo Main St. – (Mala Krsna) <sup>2)</sup> – Lapovo Marsh. Yard	
	Pančevo Main St. –Požega  Traffic is temporarily regulated by UNMIK	
PEĆ	railways	
	Požarevac – Bor Freight St.	
POŽAREVAC	Požarevac – Mala Krsna	
POŽEGA	Požega - Belgrade Marsh. Yard	
	Požega - Kraljevo	

68



	Požega - Prijepolje Freight St.	
	Požega - Pančevo Main St.	
PRAHOVO	Prahovo pristanište - Zaječar	
PRISTANIŠTE	Prahovo pristanište - Bor Freight St.	
	Preševo - Niš Marsh. Yard	
PREŠEVO	Preševo - Tabanovce (IŽRSM)	
	Prijepolje Freight St Vrbnica -	1)for the trains not
PRIJEPOLJE FREIGHT	Bijelo Polje (ŽICG)	entering the Požega
STATION	Prijepolje Freight St. – Požega	station
STATION	Prijepolje Freight St. – Požega) <sup>1)</sup> - Kraljevo	station
	Traffic is temporarily regulated by UNMIK	
PRIZREN	railways	
	Ruma - Novi Sad Marsh. Yard	
	Ruma - Belgrade Marsh. Yard	
RUMA	Ruma - Šabac	
	Ruma – Brasina	
	Ruma – Šid	
ROSZKE (MAV ZRT)	Roszke (MAV ZRT) - Horgoš - Subotica	
	Senta – Subotica Freight St.	
SENTA	Senta - Zrenjanin	
	Senta – Kikinda	
	Sombor - Subotica Freight St.	
SOMBOR	Sombor - Bogojevo	
	Sombor – Vrbas <sup>1)</sup>	1)in both directions
STAMORA MORAVITA	Stamora Moravita (CFR SA) – Vršac	
(CFR SA)		
	Subotica Freight St Novi Sad Marsh. Yard	
	Subotica Freight St Senta	<sup>1)</sup> for the trains not entering
a a a a	Subotica Freight St Sombor	the Senta station
SUBOTICA FREIGHT	Subotica Freight St. – Horgoš - Roszke	
STATION	(MAV ZRT)	
	Subotica Freight St. – (Senta) – Kikinda <sup>1)</sup>	
	Subotica Freight St. – (Senta) – Zrenjanin <sup>2)</sup>	
TABANOVCE (IŽRSM)	Tabanovce (IŽRSM) – Preševo	
TOVARNIK (HŽI)	Tovarnik (HŽI) – Šid	
`	Traffic is temporarily regulated by UNMIK	
ĐENERAL JANKOVIĆ	railways	
ŠABAC	Šabac – Ruma	
	Šid - Ruma	
ŠID	Šid - Tovarnik (HŽI)	

#### NOTE:

- \* For all trains not entering the Belgrade Marshalling Yard, the distribution station operations regarding the notification of traction unit staff on the introduced restricted speed runnings and any other announcements of importance for the traffic safety and regulation regarding the distribution sections toward the adjacent distribution stations are taken over by Ostružnica and Resnik stations.
- \*\* For all trains not entering the Lapovo Marshalling Yard, the distribution station operations regarding the notification of traction unit staff on the introduced restricted speed runnings and any other announcements of importance for the traffic safety and regulation regarding the distribution sections toward the adjacent distribution stations are taken over by Lapovo station.
- \*\*\* Tomaševac station performs the distribution station operations regarding the notification of traction unit staff on the introduced restricted speed runnings and any other announcements of importance for the traffic



safety and regulation regarding the distribution sections toward the adjacent distribution stations, as well as the distribution station operations regarding the regulation of train traffic on the railway lines that are not equipped with automatic block, interstation dependence and remote control devices, relating to train intersections and notification of train staff on the changes regarding the train intersections on Tomaševac – Pančevo Main Station and Tomaševac – Novi Sad Marshalling Yard distribution sections.

There are four marshalling yards on the network where most of the freight trains are formed and split-up, and these stations are at the same time the distribution stations: Belgrade Marshalling Yard, Lapovo Marshalling Yard, Niš Marshalling Yard and Novi Sad Marshalling Yard.

Due to the limited track capacities and the work organization, the train formation and splitting-up is **not permitted** at the following distribution stations: **Bogojevo**, **Dimitrovgrad**, **Preševo**, **Brasina**, **Šid**, **Mala Krsna and Zrenjanin**. The exception is Šid station where the formation of international freight trains and domestic feeder trains can be performed on the designated industrial sidings. The formation of trains at distribution stations Šabac and Požarevac can be performed only if these stations are loading/unloading stations for such trains.

Splitting up and formation of trains are also permitted at particular intermediate stations having the required track capacities: Velika Plana, Zrenjanin fabrika, Kragujevac, Kruševac, Radinac, Smederevo, Sremska Mitrovica, Crveni Krst and Čačak.

The following intermediate stations may also be the departure/terminal stations provided that they are at the same time the loading/unloading stations for such train: Adrovac, Aleksinac, Aleksandrovo predgrađe, Batajnica, Batočina, Brvenik, Bukovački Salaši, Valjevo, Vreoci, Grljan, Despotovac, Doljevac, Dragačevo, Elemir, Zvornik, Inđija, Jagodina, Kaona, Lazarevac, Leskovac, Majdanpek, Mataruška Banja, Odžaci, Pančevo Varoš, Pančevo Vojlovica, Paraćin, Petrovac Gložan, Pirot, Podbara, Prahovo, Prokuplje, Raška, Ristovac, Svilajnac, Svrljig, Stara Pazova, Stalać, Stig, Surčin, Ćuprija, Čoka, Užice freight station, Futog. The restriction relating to these stations also prescribes that it is not permitted to leave and gather wagons for the purposes of forming other trains.

If the RU requests that the departure/terminal station is the intermediate station that has not been listed, such requests will be considered separately and decisions will be made on such requests depending on the available infrastructure capacities and organization possibilities at the moment of the request submission.

# Passenger train formation yards

Dispatching of passenger trains with classical units formed in the technical-passenger station Zemun is possible in Belgrade Center and Zemun stations. In Zemun station track No 11 is equipped with the ramp for loading and unloading of accompanied cars.

The dispatching stations for the EMU and DMU trains can be all stations for passenger traffic, depending on the available capacities and the traffic service hours.

# Overview of distribution stations-sections for passenger trains operation

Distribution station	stribution station Distribution section	
1	2	3
BEOGRAD CENTAR	Beograd Centar – Novi Sad	
	Beograd Centar – Ruma	
	Beograd Centar – Pančevo Main St.	
	Beograd Centar - Požega	
	Beograd Centar - Lapovo	
BIJELO POLJE (ŽICG)	Bijelo Polje (ŽICG) - Vrbnica - Prijepolje freight station	



	Danieus Camban	1
POCOJEVO	Bogojevo - Sombor	
BOGOJEVO	Bogojevo - Novi Sad	
	Bogojevo - Erdut (HŽI)	
VRŠAC	Vršac - Pančevo Main St.	
	Vršac - Stamora Moravita (CFR SA)	
ERDUT (HŽI)	Erdut (HŽI) – Bogojevo	
DIMITROVGRAD	Dimitrovgrad – Niš	
JIMBOLIA (CFR)	Jimbolia (CFR SA) - Kikinda	as necessary
<b>,</b>	Zaječar – Niš	
ZAJEČAR	Zaječar - Prahovo Pristanište	
	Zaječar – Požarevac	
ZVORNIK	Zvornik – Šabac - Ruma	as necessary
	Zrenjanin - Kikinda	
ZRENJANIN	Zrenjanin - Novi Sad <sup>1)</sup>	
ZKENJANIN	Zrenjanin - Pančevo Main St. <sup>1)</sup>	<sup>1)</sup> as necessary
	Zrenjanin - Senta	'as necessary
IZHZINID A	Kikinda - Jimbolia (CFR SA)	
KIKINDA	Kikinda - Zrenjanin	
	Kikinda - Senta	
	Kraljevo – Kosovska Mitrovica	
	Sever <sup>1)</sup>	
KRALJEVO	Kraljevo - Lapovo	<sup>1)</sup> in both directions
	Kraljevo - Požega	
	Kraljevo – Stalać <sup>1)</sup>	
	Lapovo – Beograd Centar	
LAPOVO	Lapovo - Kraljevo	
LAPOVO	Lapovo - Niš	
	Lapovo - Smederevo	
	Niš - Lapovo	
	Niš - Preševo	
NIŠ	Niš - Dimitrovgrad	1) in both directions
	Niš – Zaječar	
	Niš - Kuršumlija <sup>1)</sup>	
	Novi Sad – Beograd Centar	
	Novi Sad – Subotica	1) in both directions
	Novi Sad – Bogojevo	
NOVI SAD	Novi Sad – Vrbas <sup>1)</sup>	
1(0 (15112	Novi Sad - Pančevo Main St.	
	Novi Sad – Zrenjanin	
	Novi Sad - Ruma	
PANČEVO MAIN	Pančevo Main St Zrenjanin	
STATION	Pančevo Main St Vršac	<sup>1)</sup> in both directions
		<sup>2)</sup> as necessary
	Pančevo Main St. – Beograd Centar	
	Pančevo Main St Pančevo	
	Vojlov. <sup>1)</sup>	
	Pančevo Main St. – Novi Sad <sup>2)</sup>	
	Požarevac - Lapovo	
POŽAREVAC	Požarevac - Smederevo	
	Požarevac - Zaječar	
	Požarevac – Beograd Centar	
Bo <del>ĕ</del> Bo:	Požega - Beograd Centar	1) in both directions
POŽEGA	Požega - Kraljevo	
	Požega - Prijepolje freight station	



	Požega – Užice 1)	
DD 4 MOVO	D. I	
PRAHOVO PRISTANIŠTE	Prahovo pristanište - Zaječar	
	Prijepolje freight station - Vrbnica -	
PRIJEPOLJE FREIGHT	Bijelo Polje (ŽICG)	
STATION	Prijepolje freight station - Požega	
PREŠEVO	Preševo - Niš	
PRESEVO	Preševo – Tabanovce (IŽRSM)	
	Ruma - Šabac - Zvornik	
RUMA	Ruma - Šid	
	Ruma - Beograd Centar	
	Ruma – Novi Sad	
ROSZKE (MAV ZRT)	Roszke (MAV ZRT)-Horgoš-	
(	Subotica	
	Senta – Subotica	1) in both directions
SENTA	Senta – Zrenjanin	
	Senta – Kikinda 1)	
SMEDEREVO	Smederevo - Lapovo	
	Smederevo - Požarevac	
SOMBOR	Sombor - Subotica	
	Sombor - Bogojevo	
STAMOR MORAVITA	Stamora Moravita (CFR SA) - Vršac	
(CFR SA)		
	Subotica - Novi Sad	
SUBOTICA	Subotica – Sombor	
202012012	Subotica - Senta	
	Subotica - Horgoš - Roszke (MAV)	
TABANOVCE (IŽRSM)	Tabanovce (IŽRSM) - Preševo	
TOVARNIK (HŽI)	Tovarnik(HŽI) - Šid	
ŠABAC	Šabac - Ruma	
ŠID	Šid – Ruma	
5110	Šid – Tovarnik (HŽI)	

# 7.3.5 Storage Sidings

IŽS network has the capacities for storing of rolling stock. Rolling stock storing services are provided by the IŽS.

Storing of standard passenger train sets, DMUs, EMUs and locomotives is carried out at all depots for accommodation and storing of rolling stock of "Srbija Kargo" JSC and "Srbijavoz" JSC.

Storing of freight wagons is carried out on special storage sidings for surplus freight wagons at marshalling yards Belgrade Marshalling Yard, Novi Sad Marshalling Yard, Niš Marshalling Yard, Lapovo Marshalling Yard, Subotica, Zaječar, Kikinda, Kraljevo, Pančevo Main St., Požega, Ruma and Sombor.

IŽS is not responsible for any damage which can occur on the rolling stock, that is, on the goods which is located in the stored wagons.

"Infrastructure of Serbian Railways" provides the service of storing of rolling stock to all interested railway undertakings which require storing of rolling stock, in a non-discriminatory manner and upon their request, and to the extent permitted by the infrastructure capacities.



#### 7.3.6 Maintenance facilities

There are rolling stock maintenance facilities on IŽS network, but the maintenance services are not provided by "Infrastructure of Serbian Railways" JSC. Appendix 3.10. contains the details on the rolling stock maintenance facilities.

#### 7.3.7 Other Technical Facilities, including Cleaning and Washing Facilities

"Infrastructure of Serbian Railways" provides the following basic services at technical facilities to railway undertakings in a non-discriminatory manner and upon their request:

Use of wagon scales in stations, where available, according to table 8 of this document;

- Fixed facilities for test braking in station Beograd Ranžirna (Belgrade Marshalling Yard);
- Use of freight loading/unloading ramp;
- Use of ramp for loading and unloading of accompanied cars;
- Use of loading clearance;
- Use of portal crane in Aleksinac station;

The need for using the basic services listed in bullets 1, 3, 4 and 5 must be presented by railway undertakings in the capacity allocation process, whereas the need for other services can be presented in a separate request.

More detailed information on provision of the above stated basic services can be obtained at:

"Infrastructure of Serbian Railways" JSC Traffic Department 6, Nemanjina St 11000 Belgrade, Serbia

Tel.: +381 11 3618 214 Fax: +381 11 3616 814 E-mail: sektor.sp@srbrail.rs

"Infrastructure of Serbian Railways" does not have the special facilities and does not provide the services of rolling stock cleaning and washing.

#### Wagon scales

The list of stations in which are located wagon scales is given in the Table 8.

Table No. 9: Wagon scales

No.	Station	Carrying Capacity (t)	Length of weigh bridge (m)	NOTE:
1	Šid	100	20	Wagon scale is electronic.
2	Novi Sad Marshalling Yard	100	20	Wagon scale is electronic.
3	Pančevo main st.	100	20	Wagon scale is electronic.
4	Vršac	100	20	Wagon scale is electronic.
5	Zrenjanin Factory	100	20	Wagon scale is mechanic.
6	Subotica Freight St.	100	20	Wagon scale is electronic.
7	Sombor	100	20	Wagon scale is mechanic.
8	Niš Marshalling Yard	100	20	Wagon scale is electronic.
9	Požega	100	20	Wagon scale is electronic.
10	Čačak	80	15.5	Wagon scale is electronic.
11	Lapovo Marshalling St.	100	20	Wagon scale is electronic.
12	Belgrade Marshalling Yard	100	18	Wagon scale is electronic.
13	Dimitrovgrad	100	20	Wagon scale is electronic.



#### Fixed installations for brake control

Fixed installations for brake control are located at Beograd Marshalling Yard.

#### Cleaning and washing facilities

IŽS does not have special facilities for cleaning and washing of railway vehicles. The type, volume and place of cleaning of railway vehicles for passenger service are determined by the railway undertaking.

#### Other technical facilities

#### - Ramps for loading and unloading of the load

"Infrastructure of Serbian Railways" JSC will enable usage of the ramps for loading and unloading of the load to all railway undertakings on the non-discriminatory way and upon their request. The need for usage of the ramps for loading and unloading of the load must be shown by the railway undertakings' in the capacity allocation procedure.

#### - Ramps for loading and unloading of the accompanied vehicles

Loading/unloading ramps for transport of accompanied vehicles are located in stations Zemun, Novi Sad, Subotica and Niš. The need for usage of the ramps for loading and unloading of the accompanied vehicles must be indicated by the railway undertakings in the capacity allocation procedure.

#### - Loading gauge

Loading gauges that are in function are present at the following stations: Novi Sad Marshalling Yard, Vršac, Čačak, Požega, Dimitrovgrad, Jošanička Banja and Kragujevac.

On IŽS network there are more stations with loading gauges which are not in function currently. The correction of the list of loading gauges will be done upon putting malfunction loading gauges into the functional condition.

#### - Crane portal in Aleksinac station

Transfer station on the territory of IŽS is Aleksinac. Mobile portable crane PD 86 with capacity up to 32 t is used for transshipmenthipment.

#### Service for using of wagon scales

"Infrastructure of Serbian Railways" JSC provides the wagon scales services. The price for using the wagon scale amounts to 3,309.00 RSD/wagon without VAT.

#### Service of loading and unloading using the portal crane in Aleksinac station

The service of loading and unloading using the portal crane together with the staff of public railway Infrastructure Manager is defined by means of a separate contract concluded between the public railway Infrastructure Manager and the Railway Undertaking, i.e. the user of the said service.

Unit price for the use of portal crane for loading and unloading amounts to 150,00 RSD/net tonne of goods VAT exclusive.

IŽS is providing other basic services if required by the railway undertaking and subject to a special contract. Other basic services that can be provided are:

• manning of facilities

#### Manning of unmanned service points

Structure of manning of non-manned service points, upon the railway undertaking's request, consists of:

manning of service points of public railway infrastructure manager upon the railway undertaking's
request in function of traffic management or shunting movements in such service points outside the
working hours for such service point.



• manning of service points of the railway undertaking upon its request in function of traffic management or shunting movements in such service points because the railway undertaking does not possess adequate traffic staff.

Charge for manning of service points by traffic staff amounts to:

Work place	Train dispatcher	Switch operator
Price in RSD/hour VAT exclusive	1.236,00	955,00

Calculation for periods of manning of non-manned service points starts from the moment of takeover of service at the service point until the moment of handover of service for the purposes of train operation i.e. shunting movement of railway undertaking's train set, and in case of temporarily manned stations (station working hours with interruption) not taking into account the period when the station is manned during the working hours according to the timetable booklet.

In the stations where it is necessary to perform manning with the train dispatcher and the switch operator, the manning period is the same for both employees given the responsibility of both worker during the setting up of a train route.

#### 7.3.8 Maritime and Inland Port Facilities

The following ports are connected to public railway network:

- Port area Novi Sad

Operator: DP World AD Novi Sad, www.lukanovisad.rs

Information on the service facility are available at <a href="https://www.dpworld.com/en/serbian/general-terms-and-conditions">https://www.dpworld.com/en/serbian/general-terms-and-conditions</a>

- Port area Smederevo

Operator: HBIS GROUP Serbia Iron & Steel d.o.o. Beograd, www.hbisserbia.rs

Port area Pančevo

Operator: Port "Dunav" AD Pančevo

Granexport d.o.o.www.granexport.rs

Specijalna luka d.o.o.

Information on the service facility are available at <a href="www.specijalnaluka.rs">www.specijalnaluka.rs</a>

Port area Prahovo

Operator: PD Elixir Prahovo, <a href="https://www.elixirprahovo.rs">https://www.elixirprahovo.rs</a>

Information on the service facility are available at <a href="www.elixirprahovo.rs/logistika">www.elixirprahovo.rs/logistika</a> and <a href="www.elixirgroup.rs/usluge/logistika/luka-prahovo/">www.elixirgroup.rs/usluge/logistika/luka-prahovo/</a>

Port area Senta

Operator: Port Senta A.D.,

Information on the service facility are available at www.luka-senta.rs

- Port area Sremska Mitrovica

Operator: RTC Luka Leget AD, https://www.leget.rs

Port area Šabac

Operator: PD Elixir Zorka

Information on the service facility are available at <a href="https://www.elixirzorka.rs">https://www.elixirzorka.rs</a> and www.elixirgroup.rs/usluge/logistika/luka-sabac/



#### 7.3.9 Relief Facilities

IŽS has on its disposal a mobile relief facility – relief (auxiliary) train. The services of relief train in cases of remedying the consequences of accidents or incidents are provided by IŽS, using its relief trains and staff, located in Belgrade, Niš and Kraljevo. In order to use the relief train services, a Railway Undertaking must address IŽS in writing:

Center for relief train operations

6, Nemanjina St

11 000 Belgrade, Serbia Tel: +381 11 3620 899 Fax: +381 11 3620 899

Email: direktor.tkp@infrazs.rs

#### Price of services regarding the provision of relief assistance

The price for providing the basic service regarding the provision of relief assistance is determined based on the actual costs incurred during the provision of such service and it is applied in a non-discriminatory manner for all railway undertakings.

# The price of transporting the relief train from the domicile station to the place of work and return to the domicile

No	Means of transport	Measuring unit	Price in RSD, VAT exclusive
1	Traction vehicle - locomotive of the operator – in operation, maneuver or expectation of operation		According to the operators bill
2	Vehicle of the working unit (ZOP, ETP, SP,) within "IŽS" – trolley, truck, etc.		According to the account of the working unit "IŽS" which performed transport
3	GEISMAR road-rail vehicle type V2R-730-S – road driving	hour	15.156,00
4	GEISMAR road-rail vehicle type V2R-730-S – railway driving	hour	18.156,00
5	Traction vehicle – locomotive "IŽS" or locomotive leased (locomotive operation + staff operation + energy) -in operation	hour	41.000,00
	-in expectation of operation	hour	15.000,00

#### Price for equipment and tools for the operation of relief (auxiliary) train

No	Asset description	Type of work	Measu ring unit	Price in RSD, VAT exclusive
1	Relief train	Expecting of work	hour	2.000,00
2	Relief train	Work on preparation and retrieval of intervention equipment	hour	4.000,00
3	GEISMAR road-rail vehicle type V2R-730- S	Work during intervention	hour	15.156,00
4	Jack EDK 1000 (99 72 9 471 001-4)	Expecting of work	hour	5.000,00
5	Jack EDK 300	Expecting of work	hour	5.000,00



	(99 72 9 471 101-2)			
6	Jack DHPD 65 (99 72 9 571 001-3)	Expecting of work	hour	5.000,00
7	Jack EDK 1000 (99 72 9 471 001-4)	Preparation, Work, Retrieval	hour	56.970,00
8	Jack EDK 300 (99 72 9 471 101-2)	Preparation, Work, Retrieval	hour	27.248,00
9	Jack DHPD 65 (99 72 9 571 001-3)	Preparation, Work, Retrieval	hour	30.146,00
10	LUKAS equipment	Preparation, Work, Retrieval	hour	7.066,00
11	WALTER trolley	Installation and removal	hour	6.000,00
12	WALTER trolley	Transport	hour	3.320,00
13	WALTER trolley	Remaining of trolley under the rolling stock – lump sum	hour	600,00
14	Stable power generation unit	Work	hour	2.400,00

Note: operating time is calculated in full hours – each started working hour of equipment and assets is counted as a full working hour.

#### Labour costs for relief train's staff

No	Type of work	Measur ing unit	Price in RSD VAT exclusive
1	Assistant on relief train	hour	704,00
2	Electromechanic	hour	981,00
3	Driver and operator of a two-way motor vehicle	hour	1.016,00
4	Rail crane operator	hour	1.027,00
5	Hydraulic equipment operator	hour	1.027,00
6	Locksmith on the relief train	hour	1.027,00
7	Rail vehicle mechanic	hour	1.027,00
8	Relief train manager	hour	1.126,00
9	Expert associate for circuit inspection	hour	1.175,00
10	Assistant relief train chief	hour	1.282,00
11	Relief train chief	hour	1.605,00
12	Employees participating in the work of relief train	pcs	1.800,00

 $Note: operating \ time \ is \ calculated \ in \ full \ hours-each \ started \ working \ hour \ is \ counted \ as \ a \ full \ working \ hour.$ 

#### 7.3.10 Refuelling Facilities

"Infrastructure of Serbian Railways" JSC is providing the services of fuel storing and issuing for refuelling of traction vehicles of all railway undertakings.

This relates to refuelling facilities at service points – stations and depots:

Pančevo main St., Lapovo, Kraljevo, Požarevac, Požega, Sombor, Kikinda, Belgrade Marshalling Yard, Crveni Krst, Ruma, Zaječar, Zrenjanin, Vršac and Subotica.

Detailed information on the services of fuel storing and issuing for refuelling of traction vehicles are available at:

"Infrastructure of Serbian Railways" JSC Warehousing Department 6, Nemanjina St 11 000 Belgrade, Serbia stovarista.infra@srbrail.rs



#### Price for the service of storing and refuelling

The price for the service of fuel storing and issuing for the purposes of refuelling of traction vehicles of all railway undertakings is determined based on the actual costs incurred during the provision of this service and is applied in a non-discriminatory manner for all railway undertakings.

The service of fuel storing and issuing for the purposes of refuelling of traction vehicles amounts to 5.43 RSD per stored litre of diesel fuel VAT exclusive.




#### **APPENDICES**

- 1. Organizational chart of "Infrastructure of Serbian Railways" JSC
- 2. Internal regulations (documents) and technological procedures
- 3.1 Loading gauge JŽ I
- 3.2 Loading gauge UIC-GA
- 3.3 Loading gauge UIC-GB
- 3.3a Loading gauge UIC-GC
- 3.4 Electrified lines
- 3.5 Power supply facilities
- 3.6 Overview of signalling & safety devices equipping level
- 3.7 Overview of telecommunication devices equipping level
- 3.8 List of stations with industrial sidings on which it is possible to handle dangerous goods (RID goods)
- 3.8 b List of service points where it is possible to perform transshipment of dangerous goods
- 3.9 Alternative transport routes
- 3.10 Facilities for rolling stock maintenance
- 3.11 Railway infrastructure development projects
- 4.1 Request for train path allocation (form)
- 4.1.b Template for submission of traction vehicle technical data
- 4.2 Instructions for completion of Request for train path allocation (form)
- 4.3 Deadlines for annual 2025/2026 Timetable preparation
- 4.4 Deadlines for amendment of annual 2025/2026 Timetable
- 5.1. Overview of railway lines on which train running is possible when they are manned only with engine driver
- 5.2. Overview of the lines fulfilling the conditions for train running with an engine driver only
- 5.3. Geometry of pantograph (current collector) TYPE POS 254/III used on IŽS network
- 6. Register of infrastructure data
- 7. Overview of primary train delay causes
- 8. Overview of platforms and arranged surfaces in service points
- 9. Method for calculation of electricity consumption for train traction



Appendix 1: Organizational chart of "Infrastructure of Serbian Railways" JSC





#### **Appendix 2: Internal regulations (documents) and technological procedures**


The internal regulations (documents) and the technological procedures applied by IŽS are listed in the Registry of regulations of importance for traffic safety i.e. in item 1.3 Internal general regulations of "Infrastructure of Serbian Railways" JSC.

The registry of regulations of importance for traffic safety is published on the web site of "Infrastructure of Serbian Railways" JSC in section About us/Library/Regulations/Safety Management System/Appendices to the Safety Management System Rules of Operation/Appendix 12.1 Library- Registry of regulations (О нама/Библиотека/Правиници/Систем управљања безбедношћу/Прилози Пословника система управљања безбедношћу/ Прилог 12.1 Библиотека-Регистар прописа).

Available on link <a href="https://infrazs.rs/izs-osnovni-podaci/biblioteka">https://infrazs.rs/izs-osnovni-podaci/biblioteka</a>




# Appendix 3.1. Loading Gauge ŽS I






## **Appendix 3.2. Loading Gauge UIC-GA**






## **Appendix 3.3. Loading Gauge UIC-GB**





## Appendix 3.3a Loading Gauge UIC-GC



A – Pantograph movement space



B – Area for positioning of platforms according to leaflet UIC 505-4, for the speeds of up to 200 km/h

C – Possibility of reserving the space for low platforms and specific installations

### **Appendix 3.4. Electrified lines**

#### **Main lines:**

- 1. Beograd Centar Stara Pazova Šid State Border (Tovarnik)
- 2. Beograd Centar Rasputnica G Rakovica Mladenovac Lapovo Niš Preševo State Border (Tabanovce)
- 3. (Beograd Centar) Rakovica Jajinci Mala Krsna Velika Plana
- 4. (Jagodina) Rasputnica Ćuprija Ćuprija Paraćin
- 5. (Beograd Centar) Stara Pazova Novi Sad Subotica State Border (Kelebia)
- 6. Niš Dimitrovgrad State Border (Dragoman):
  - electrified on section Dimitrovgrad State Border
- 7. Beograd Centar Pančevo Main St. Vršac State Border (Stamora Moravita):
  - electrified on section Beograd Centar Pančevo varoš
- 8. (Beograd Centar) Resnik Požega Vrbnica State Border (Bijelo Polje)
- 9. Beograd Marshalling vard "A" Ostružnica Batajnica
- 10. Beograd Marshalling yard "B" Ostružnica
- 11. Beograd Marshalling yard "A" Rasputnica "B" Rasputnica "K/K1" Resnik
- 12. Ostružnica Rasputnica "B" (Rasputnica "K/K1")
- 13. Beograd Marshalling yard "B" Rasputnica "R" Rasputnica "A" (Resnik)
- 14. (Beograd Marshalling yard "B") Rasputnica "R" Rakovica
- 15. Beograd Marshalling yard "A" Rasputnica "T" Rakovica
- 16. Beograd Marshalling yard "B" Rasputnica "T" (Rakovica)
- 17. connecting track in the area of Rasputnica "K/K1": (Rasputnica "B") skretica "K" skretnica "K1" (Jajinci)
- 18. (Rasputnica Pančevački most) Rasputnica Karađorđev park Rasputnica Dedinje (Rasputnica G)
- 19. Inđija Golubinci
- 20. Novi Sad Novi Sad Marshalling yard Rasputnica Sajlovo
- 21. bypass track of station Mala Krsna: (Kolari) branching turnout 1 branching turnout 28 (Osipaonica)
- 22. Rasputnica Lapovo Varoš Lapovo Marshalling yard Lapovo
- 23. Trupale Niš Marshalling vard Međurovo
- 24. Crveni krst Niš Marshalling yard
- 25. Niš Rasputnica most (Niš Marshalling yard)

#### **Regional lines:**

- 1. Novi Sad Odžaci Bogojevo:
  - electrified on section Novi Sad Sajlovo
- 2. Stalać Kraljevo Požega:
  - electrified on section Kraljevo Požega
- 3. connecting track to station Požega: (Uzići) branching turnout No 53 branching turnout No 54 (Dragačevo)
- 4. Smederevo Rasputnica Jezava Radinac Mala Krsna
- 5. Mala Krsna Bor Rasputnica 2 (Vražogrnac):
  - electrified on section Mala Krsna Požarevac
- 6. Subotica Horgoš State Border (Röszke)

#### **Local lines:**

- 1. Novi Sad Novi Sad ložionica:
  - > electrified on section Novi Sad Blok 3 Novi Sad
- 2. Pančevo Varoš Pančevo Vojlovica



## **Appendix 3.5 Power supply facilities**

No	Facilities	Chainage
	ne 101 Beograd Centar – Stara Pazova – Šid – State Border– (Tovarnik)	
1.	PS Beograd Centar  PS Beograd Centar	000+000
2.	EVP Zemun	008+052
3.	PSN Batajnica	021+970
4.	PS Stara Pazova	034+794
5.	PS Putinci	053+600
6.	PSN Ruma	066+245
7.	PS Sremska Mitrovica	081+700
8.	EVP Martinci	094+200
9.	PS Kukujevci	105+000
10.	PS Šid	116+400
	ne 102 Beograd Centar – Mladenovac – Lapovo – Niš – Preševo – State Be	
11.	PSN Košutnjak	007+726
12.	PS Rakovica	007+720
13.		010+128
13. 14.	PS Kijevo  EVP Resnik	010+128
15.	PS Klenje	024+800
16.	PSN Ralja	
17.	PSN Raija PS Sopot Kosmajski	032+340 041+565
18.	EVP Mladenovac	053+100
19.	PS Glibovac	074+000
20.	PSN Mala Plana	084+350
21.	PS Plana	089+700
22.	EVP Markovac	089+700 099+345
23.		106+309
24.	PS Lapovo Varoš PS Lapovo Putnička	100+309
25.	•	119+122
26.	PSN Bagrdan EVP Jagodina	136+262
27.	PS Ćuprija	148+200
28.	PS Paraćin	154+971
29.	PSN Sikirica	165+025
30.	PS Stalać	176+154
31. 32.	PS Braljina EVP Đunis	186+600 195+130
33.		
	PS Korman	205+540
34. 35.	PS Aleksinac  PSN Grains	214+077
	PSN Grejač	223+479
36. 37.	PS Trupale PS Niš	234+104 243+287
38.	EVP Niš	243+287 248+755
39.		
40.	PS Doljevac PSN Pečenjevce	261+410 276+752
	PS Leskovac	
41.		287+910
42.	EVP Grdelica	300+580
43.	PS Džep	319+561
44.	PSN Suva Morava	332+860
45.	PS Vranjska Banja	347+765
46.	EVP Ristovac	365+370
47.	PS Bukarevac	386+617
48.	PSN Tabanovci	400+060
Main Li	ne 103 (Beograd Centar) – Rakovica – Jajinci – Mala Krsna – Velika Plai	na



49.	PS Beli Potok	017+800
50.	PSN Vrčin	026+400
51.	PS Mali Požarevac	042+800
52.	EVP Vodanj	056+700
53.	PS Mala Krsna	070+600
54.	PSN Lozovik	086+000
Main L	ine 105 (Beograd Centar) – Stara Pazova – Novi Sad – Subotica – State B	order– (Kelebia)
55.	EVP Indija	041+984
56.	PSN Beška	053+905
57.	PS Sremski Karlovci	065+685
58.	EVP Novi Sad	079+985
59.	PS Kisač	090+600
60.	PSN Zmajevo	102+600
61.	EVP Vrbas	119+480
62.	PS Lovćenac	129+637
63.	PSN Bačka Topola	143+850
64.	PS Žednik	157+620
65.	EVP Subotica	167+920
66.	PS Subotica	177+180
67.	PSN Subotica	184+450
	ine 107 Beograd Centar – Pančevo Main St. – Vršac – State Border– (Star	
69.	PS Beograd Centar	000+000
70.	PS Pančevački Most	004+687
	ine 108 (Beograd Centar) – Resnik – Požega – Vrbnica – State Border– (F	
71.	PS Barajevo	015+420
72.	PSN Stepojevac	029+610
73.	PS Lazarevac	045+310
74.	EVP Slovac	059+248
75.	PS Valjevo	077+905
76.	PSN Lastra	093+056
77.	PS Ražana	111+239
78.	EVP Kosjerić	118+229
79.	PS Požega	140+420
80.	PSN Uzići	150+295
81.	PS Užice – teretna	162+319
82.	EVP Sušica	178+379
83.	PS Zlatibor	193+407
84.	PSN Jablanica	206+350
85.	PS Priboj	225+338
86.	EVP Pribojska Banja	232+750
87.	PS Bistrica	241+248
88.	PSN Prijepolje	257+226
89.	PS Lučica	264+695
90.	EVP Brodarevo	273+360
91.	PS Vrbnica	285+096
	ine 111 Beograd Marshalling yard "A" – Ostružnica – Batajnica	2001070
92.	PS Železnik – ulaz	001+290
93.	PS Železnik – izlaz	002+615
94.	PSN Surčin	013+485
	al Line 213 Stalać – Kraljevo – Požega	0131703
95.	EVP Kraljevo	080+565
75.	are an and one	3001202



96.	PSN Ovčar Banja	120+900
	Regional railway line 201 Subotica – Horgoš – State Border – (Röszke)	
97.	PS Bački Vinogradi	15+717

Remote	control centers	
98.	Centar DU Beograd	M2: 005+145
99.	Centar DU Niš	M2: 243+560
100.	Centar DU Novi Sad	M4: 078+038

### **Abbreviations:**

**EVP - Electric traction substation** 

 $\ensuremath{\mathbf{PSN}}$  - Track sectioning post with neutral line

**PS** - Track sectioning post

**CDU - Remote control center** 



## Appendix 3.6 Overview of signaling & safety devices equipping level

0 .		ч		-Įt	If	_		ρλ			Main	nin	Other	T	with AS		Device	Devices in maismanning yards	ng yards	
RAILWAY LINES	electronic devices	Incomplete relay interlocking  Electrical-mechanical devices wi	signal-furmout dependence	furnout dependence Mechanical devices without signa turnout dependence	Central control desk and interlocking by means of electrics	positioning devices  Central control desk and interlocking by means of mechanical devices	On-site control and interlocking by means of electrical controller	On-site control and interlocking means of rumout lock	Electrical Electrical	Gas	lengie Mgi J	Mechanical signal	lengis Ingital	Mechanical signal  Z Light signal	Mechanicalsignal	Marshalling yards with	Marshalling yards without automatic marshalling	Automatic positioning of grand and an unon an grand and an unon an grand and an	Ccentral positioning of turnout on the hump	Manual positioning of turnouts
		4 A	5 6	7	œ	6	10	=	12	13	14	15	16 1	7 18	010	20	21	22	23	24
Beograd - Stara Pazova - Šid - State Border - (Tovamik)	15		-		341			22	40		182		217	91						
Border -	55		-		630			180	196		419		961	363						
	,	+	+	+			+		-		1	1	90	+		1				
(Beograd) - Stara Pazova - Novi Sad - Subotica - State Border -	17		,	-	121	-	36	136	28		200	,	+	7 187	-					
Kelebia)	, ,	-	4 12		***	-	3	007	Ĉ.		35	3 00	+	+						
c - State Border -	1 0	_	-	· ·	116	∞		87	79		113	19	103	Ξ	-					
(Beograd) - Resnik - Požega - Vrbnica - State Border - (Bijelo Polje)	34				306				104		307		177	203						
Lapovo - Kraljevo - Lešak - Kosovo Polje - Đeneral Janković - State Border - (Volkovo)	2		4	15	16			247			20	37	12 3	30						
Subotica - Bogojevo - State Border - (Erdut)	-		- 8		19	63		83			18	49	13 1	9						
	+	+	+	+			+	_	_		9		2	9						
Beograd Centar - Kasputmea G - (Kakovica) Beograd Ranžima "A" - Ostružnica - Batainica	2	+	+	+	32		+				21		0 -	110						
					2						2		$\parallel$	2						
Beograd Ranžirna "A" - Rasputnica "B" - Rasputnica "K/K1" - Resnik	1							15	-		9		4	9	502		-	55		
Ostrużnica - Rasputnica "B" - (Rasputnica "K/K1")	l			_							2	Ī	2	2						
Beograd Ranžirna "B" - Rasputnica "R" - Rasputnica "A" - (Resnik)											2		-	2						
"B" - Balonica	+	+	+	$\downarrow$	-	+	+	1	1		,		-	,	1	1				
Beograd Ranžima "A" - Rasputnica "T" - Rakovica	_	H		$\parallel$	3		H	L					-		H	L				
Beograd Ranžirna "B" - Rasputnica "T" - (Rakovica)	_	H			132						9		H	9						
	-			_	8				6		9			9	-					
Topčider - Rasputnica Savski most - (Novi Beograd)	H	$\prod$	$\prod$								2		H	2						
Topčider - Beograd spoljna - Beograd Dunav - Rasputnica Pančevački most																				
obilazni kolosek stanice Beograd Spoljna: (Topčider) - Blok 1 "Obala" - Blok 2 "Prelaz" - (Beograd donii grad)			2 1					39+6			9		3							
(Rasputnica Pančevački most) - Rasputnica Karadordev park - Resentnica Dodinio - (Rasputnica G)					4				2		4		4	4						
5.0	H	$\parallel$						į			-		_	H	Н					
obilazni kolosek stanice Mala Krsna: (Kolari) - odvojna skretnica 1 -	+	+	1	+	_	_	+		ļ		+ .		+	+	-		ļ			
	+	+	-	+			_				7	1	+	7						
Lapovo ranžima - Lapovo	1	+	_		100		+	36	1 3		2 48		106	1 1			1			
	Η,		$\parallel$										2 0	$\dashv$						
ras - raspunica mos - (tvs ranzina) Spojina kolosek stanice Nis: (Crveni krst) - odvojna skretnica 2 - odvojna					+	-			ю		+		0	-						
Subotica - Horgoš - State Border - (Roszke)	H		_	-		4		27				11		_						
Pančevo Glavna stanica - Zrenjanin - Kikinda - State Border - (Jimbolia)	-		3	6	7			253			17	56	111 2	20	_					
Banatsko Miloševo - Senta - Subotica	1	1	1	9	19	7		32			91	7	5	2						
- Rasputnica 2a - (Jabuka)																				
	_	+	2	3	6	+	+	66	4		15	∞	7	2	+	_	_			
(Novi Sad) - Rasputnica Sajlovo - Rimski šančevi - Orlovat stajalište		200	2 1	∞		∞		73			œ	11	4	11						
Novi Sad Ranžirna - Sajlovo Rasputnica	H	H						2					-	H						
	+	+		+	-		+		_		1		+	+						
Ruma - Sabac - Rasputnica Donja Borina - State Border - (Zvornik Novi)	_		7	. 5	∞			92			23	10	41	6						
Platičevo) - Rasputnica 1 - Rasputnica 3 - (Štitar)	H												H	$\mathbb{H}$						
	00		7	-	22		_	195			64	Ξ	43	-	-					
spojm kolosek stanice Kraijevo: (Mataruska Banja) - odvojna skretnica broj 72 - odvojna skretnica broj 73 - (Adrani)													+	-						
spojni kolosek stanice Požega: (Uziči) - odvojna skretnica broj 53 -						22														
	-	-					•													



1   1   1   1   1   1   1   1   1   1		_		_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_	_	Т				_		_		_	_	Т	_	_	_	_	_	_	_	Т	_	_	_	_	
1   1   1   1   1   1   1   1   1   1				Sinc	24																																												0
1   1   1   1   1   1   1   1   1   1		g yards	Ccentral positioning of turnout on the hump	er of turne	23																																												0
March   Marc		ı marshallin	To gainoidise postioning of quant off no luoritul	QuinN	22	1		1	T	1		l						1						T								Ī				1		1	1	1	T	T		Ī			П		22
Part		Devices in	Marshalling yards without guilfing marshalling	stations	21	1	1	1	†	1		l						1	1			1		$\dagger$								l				1	1	1	1	†	T	t				Ī	H		2
No. 1992   Proceedings   Procedings   Proc		0000			20			1	†	1								1	1		1	1		T								T				1	1	1	1		1	T		l					0
No. 1992   Proceedings   Procedings   Proc	bounium	AS	Mechanicalsignal	palises	19				İ																														İ	1	Ī	İ							0
No. 10.00   No.	Cionalo	with	5	5	18	3		I	I																														I	I	$\rfloor$	I						-	_
No.   Part   P		ner		IS	17	14	22	1	51	n (	n					-				4	7				12	2		2				-	12																
Part   Part	2	O	lsngis Mgi J	Signa	16	45	4	T	T	T			-			1		1	2	4	T	,	7	Τ	I	2		3	3			Γ				T	T	T	T	T	T	Τ	Γ	Γ			П		1217
19   Market State Stat	Signal	nin			15	13	34	1	36	٠,	9					1				+	7			I	5	1		2				-	12					Ī	1		I	I		-					338
13   Mich Kenn, 18th Free 18th Fre		W	Isngis Idgi J		14	178	22		29				-			1		1	2	×		,	7			2		3	3										$\perp$			$\perp$					Ц		2123
13   Mich Kenn, 18th Free 18th Fre	t booting		Sea	of turnouts	13																																												0
Number of Lines No.   Number of Lines No.	Tumon		Electrical Electrical	Number	12	24		_	×	1	1	L										1	1	1		L						L	L					1	1	1	1	$\downarrow$	ļ	L	L	L	Ц		630
10   Mark Name   Ber   Mark Name   Mark		Λq			= }	156	127		59	oJ ,	r		7	2		1	4		\$	46	50	19	01	OT	53	91		41	11			9	64	17		4		0.0	70	9				-	7	4	4		2574
11   Main Kram. Rev Raspunical. 2. (Yanzingmin. 1. (Decimen.)   1.   1.   1.   1.   1.   1.   1.	locking	1	On-site control and interlocking by means of electrical controller	irnouts	10			,	9																																								31
11   Main Kram. Rev Raspunical. 2. (Yanzingmin. 1. (Decimen.)   1.   1.   1.   1.   1.   1.   1.	rotai tuouan				6	-	8																																										103
11   Market State Stat		Г	interlocking by means of electric positioning devices		8	09	15	-	66	†		T						1		4	1	T	T	T								T				1	1	1	†	†	T	T	T			Г			2349
1   Main Kram. Bor. Rayattinia. 2   2.2   2.4   2.5	F	-117	furnout dependence		7	3	14	$\dagger$	+	. .	+	ł				1	+	+	+	1	3	1.	. .	+	9	+		1		+		H	2			+	+	$\dagger$	+	2	$\dagger$	$\dagger$	t	_	_	F	H		94
Backer   B	-		ислоці дерепденсе	IS	9	9	_	+	+	+			-					+	+		1		-	1		-		1	1			l	4			1	+	1	$\frac{1}{1}$	1	+	t	1	<u> </u>			H	H	
18   Mala Krsan - Ber - Rasputinca 2 - (Parògrame)   19   4   215   Chrein Kista - Ber - Rasputinca 2 - (Parògrame)   10   4   215   Chrein Kista - Ber - Rasputinca 2 - (Parògrame)   10   4   215   Chrein Kista - Ber - Rasputinca 2 - (Parògrame)   10   4   215   Chrein Kista - Ber - Rasputinca 3 - (Parògrame)   217   (Repotina) - Rasputinca 3 - (Repotina) - Resputinca 3 - (Repotina) - (Repotina) - Resputinca 3 - (Repotina) - Resputinca 3 - (Repotina) - Resputinca 3 - (Repotina) - Resputinca 3 - (Repotina) - Repotina 3 - (Repotina) - Repotina 3 - (Repotina) - Repotina 3 - (Repotina) - Repotina 3 - (Repotina) - Repotina 3 - (Repotina) - (				ನ	2	_	2	1	†	<del> </del>	1							+	+													t				1	+	1	$\dagger$	1	t	t					H		09
Adail Acran - Bor - Rasputnica 2 - (Kazio Perentalia)   Adail Acran - Bor - Rasputnica 2 - (Kazio Perentalia)   Adail Acran - Bor - Rasputnica 2 - (Varzio mac)   13	$\mid$		Market and the control of the contro	Nump	4	4	2	+	+	$\dagger$	1	ł	L				+	+	+	+	+	$\dagger$	$\dagger$	+		+	H					ł				+	+	$\dagger$	+	$\dagger$	$\dagger$	$\dagger$	+			H	H		8
RAILWAY LINES  11a	r	10 /		l	3	10	2	1	4	$\dagger$	1	t	l	П			1	1	1	2	1	†	t	$\dagger$		t	r			1		t				+	1	1	†	†	t	t	t	t		r	П	П	187
Solution No. 2012   12   12   13   13   13   13   13	$\vdash$		Timelate interleating	+	+	+	+	+	+	$\dagger$	+	+	-	Н	$\dashv$	$\forall$	$\dashv$	+	+	+	+	+	+	+	+	+	H	H	Н	$\dashv$	-	+	H	Н	$\dashv$	+	+	+	+	+	+	+	+	+	t	H	H	$\forall$	$\exists$
			RAILWAY LINES		2	Mala Krsna - Bor - Rasputnica 2	-	(Rgotina) - Rasputnica 3 - Rasputnica 1 - (Trnavac)	Doljevac - Kastrat - Kosovo Polje	Nursumija - Nastrat	(Bariovo) - Kasputinca I - Kursumiija	Kosovo Polic Teretna - Rasputnica 1 - (Drenica).	Subotica - Subotica fabrika	Subotica - Subotica bolnica	Kanjiża - Horgoš	Novi Sad - Novi Sad Iožionica	(Podbara) - Rasputnica 3 - Rasputnica 2 - (Kaċ)	(Rimski šančevi) - Rasputnica 1 - Rasputnica 3 - (Podbara)	Rimski sančevi - Bečej	Vrbas - Sombor	Petrovaradın - Beocin	Apatin Fabrika - Strilić - Sombor	Dac - Naravilkovo	Dacka Palanka - Cajdobra (Beacing) December Donio Boring - Zyornik Gmd	(Brashta) - Rasputtinca Dottja Bottha - Zvottink Grad Šid - Sremska Rača Nova - State Border - (Bijeljina)	Kikinda - Banatsko Arandelovo	Sečanj - Jaša Tomić	Zrenjanin Fabrika - Vršac - Bela Crkva	Pančevo Varoš - Pančevo Vojlovica	(Uljma) - Rasputnica A - Rasputnica B - (Jasenovo)	spojni kolosek stanice Senta: (Coka) - odvojna skretnica 22 - odvojna	(Požarevac) - Rasmutnica Sonot Požarevački - Kostolac	Markovac - Resavica	Ovča - Padinska Skela	Metohija - Prizren.	Bečej - Vrbas	Vršac - Vršac Vašarište	Alibunar - Seleus	Vladimirovac - Kovin	Coka - Novi Kneževac	Kikinda - Metanoisko sircetni kompieks (km 0+413)	Bogojevo - Duravska obara	Sombor - Ridica	(Višniićevo) - Rasputnica Rača - Sremska Rača	Paracin - Stari Popovac	Surčin - Jakovo Bečmen	(Beograd spoljna) - km 2+290 odvojna skretnica - Fabrika šećera		Total:
			Railway Line No		la	215	216	217	218	200	077	222	301	302	303	304	305	306	307	308	309	310	210	212	314	315	316	317	318	319	320	321	322	323	324	401	405	403	404	405	400	108	400	410	411	412	413	501	
			οN		- !	-	-	49	+	+	75	+	-	Н	57	$\rightarrow$	59	+	+	+	-	-	60	+	+	+	+	71	Н	┪	74	+	-	77	-	-	+	+	+	_	+	+	+	+	+	_	++	$\vdash$	



											INTER	LOCKI	NC FAC	TI ITIE	c							_	
											INTER	LOCKI		crossing		levices							
			Intersta	tion deper device	ndence		Auto	natic t	oloc		Auton	natic posi				ual positi		level	Traf	fic remote	contro	l devi	ices
		RAILWAY LINE	ou	line	tween	ine	line			pped with	ba	arrier or rier udinal	only o	colour		trical ices	0.000	anical ices	ne	line	rol centers	rol stations	ntrolled
No	Railway Line No		Length of single track line	Length of double track line	Number of distances between stations	Length of signle track line	Length of double track line	Number of block points	Number of signals	Number of signals equipped with auto-stop devices	in station	on track	in station	on track	in station	on track	in station	on track	Length of signle track line	Length of double track line	Number of remote control centers	Number of remote control stations	Number of remotely controlled stations
1	la	2	kı 3	n 4	kom 5	6 k	m 7	8	9	10	- 11	12	pcs 13	14	15	16	17	18	19	n 20	21	pcs 22	23
	101	Beograd - Stara Pazova - Šid - državna granica -						61	120	120	14	12								97+918	1	5	6
1		(Tovarnik) Beograd - Mladenovac - Lapovo - Niš - Preševo -							-	5000		-								JEC 100 JEC 10			
2	102	državna granica - (Tabanovce) (Beograd) - Rakovica - Jajinci - Mala Krsna - Velika	6+000		1	93+143	14+150	195	443 81	289	37 11	53	1	1	2		8	4			2	38	15
3	104	Plana (Beograd) - Stara Pazova - Novi Sad - Subotica - državna granica - (Kelebia)	15+020		4	133+722		61	121	121	15	8			2	1	1	2				12	
5	105	Niš - Dimitrovgrad - državna granica - (Dragoman				16+100		6	11		5	7			3	4	7	4					
6	106	Beograd Centar - Pančevo glavna stanica - Vršac - državna granica - (Stamora Moravita)	82+200	19+070	14		19+600	10	26	26	4	2					8	1					
7	107	(Beograd) - Resnik - Požega - Vrbnica - državna granica - (Bijelo Polje) Lapovo - Kraljevo - Lešak - Kosovo Polje - Đeneral	287+013		33						3	9	1	15					287+013		1	26	9
8	108	Janković - državna granica - (Volkovo									3		2		1		7	4					
9	109 110	Subotica - Bogojevo - državna granica - (Erdut Beograd Centar - Novi Beograd	69+820		11		2+887	2	4	4	1	5	1				11	10				$\dashv$	
11	111	Beograd Centar - Rasputnica G - (Rakovica)					4+416	4	8	8												$\Box$	
13	112	Beograd Ranžima "A" - Ostružnica - Batajnica Beograd Ranžima "B" - Ostružnica Beograd Ranžima "A" - Rasputnica "B" - Rasputnica				25+658 5+902		2	26	26	1	1									1		2
14	114	"K/K1" - Resnik				10+419		4	8	8	1						1					1	1
15	115	Ostružnica - Rasputnica "B" - (Rasputnica "K/K1") Beograd Ranžima "B" - Rasputnica "R" - Rasputnica				2+121		1	2	2											$\dashv$	$\dashv$	
16	116	"A" - (Resnik)				4+538		2	2	2												Ш	
17 18	117 118	(Beograd Ranžirna "B") - Rasputnica "R" - Rakovica Beograd Ranžirna "A" - Rasputnica "T" - Rakovica				1+149 0+709		_													$\dashv$	$\dashv$	$\vdash$
19	119	Beograd Ranžima "B" - Rasputnica "T" - (Rakovica) vezni kolosek na području Rasputnice "K/K1":				8+379		3	5	5											$\Box$	$\Box$	
20	120	(Rasputnica "B") - skretnica "K" - skretnica "K1" -				0+463																	
20	121	(Jajinci) Topčider - Rasputnica Savski most - (Novi Beograd				3+578		1	1														
22	122	Topčider - Beograd spoljna - Beograd Dunav - Rasputnica Pančevački mos				6+257	4+519									1	0	0					
23	123	obilazni kolosek stanice Beograd Spoljna: (Topčider) - Blok 1 "Obala" - Blok 2 "Prelaz" - (Beograd donji grad)				1+757											1						
24	124	(Rasputnica Pančevački most) - Rasputnica Karadordev park - Rasputnica Dedinje - (Rasputnica G)					1+591																
25		Indija - Golubinci	4+020		1	4+020		2	4	4													
26	126	Novi Sad - Novi Sad Ranžima - Rasputnica Sajlovo	3+749		2																	$\exists$	
27	127	obilazni kolosek stanice Mala Krsna: (Kolari) - odvojna skretnica 1 - odvojna skretnica 28 - (Osipaonica)				2+387					1												
28		Rasputnica Lapovo Varoš - Lapovo ranžirna - Lapovo					3+788															Ш	
29 30		Trupale - Niš ranžirna - Međurovo Crveni krst - Niš ranžirna				1+220 17+100	1	2	2	1											$\dashv$	$\dashv$	
31		Niš - Rasputnica most - (Niš ranžirna)  Spojni kolosek stanice Niš: (Crveni krst) - odvojna				4+990		4	7		1	1									$\dashv$	口	
32	132	skretnica 2 - odvojna skretnica 4 - (Ćele kula)				0+500						2											
33		Subotica - Horgoš - državna granica - (Roszke) Pančevo Glavna stanica - Zrenjanin - Kikinda - državna	24+351		5				$\vdash$		3	12					2	2			$\dashv$	$\dashv$	
34	202	granica - (Jimbolia)	1317318		14						4	10			1		11	4			$\square$	Ц	
35 36	204	Banatsko Miloševo - Senta - Subotica Pančevo Varoš - Rasputnica 2a - (Jabuka)	80+264 1+600		14 1							1					2	2				$\exists$	
37	205	Novi Sad - Odžaci - Bogojevc (Novi Sad) - Rasputnica Sajlovo - Rimski šančevi -	89+457		10							1			1		7	4			$\Box$	$\exists$	
38	206	Orlovat stajalište	65+405		11							1					4	3					
39 40	207 208	Novi Sad Ranžima - Sajlovo Rasputnica Orlovat - Rasputnica 1a - (Lukićevo)	2+502 0+630		1																	$\exists$	
41	209	Ruma - Šabac - Rasputnica Donja Borina - državna granica - (Zvornik Novi)				101+951						3			4	3	3	6					
42	2 9	(Platičevo) - Rasputnica 1 - Rasputnica 3 - (Štitar)				125 - 525						1	,		2		4	,					
43	_	Stalać - Kraljevo - Požega spojni kolosek stanice Kraljevo: (Mataruška Banja) -				135+733						2	1		2		4	5			$\dashv$	$\dashv$	
44	212	odvojna skretnica broj 72 - odvojna skretnica broj 73 - (Adrani)																					
45	213	spojni kolosek stanice Požega: (Uzići) - odvojna skretnica broj 53 - odvojna skretnica broj 54 - (Dragačevo)																					
46		Smederevo - Mala Krsna Mala Krsna - Bor - Rasputnica 2 - (Vražogrnac)				11+742					1	1	1		1		2	2			耳	耳	$\vdash$
48	216	Crveni krst - Zaječar - Prahovo pristanište									9	1			1		7	1				╛	
		(Rgotina) - Rasputnica 3 - Rasputnica 1 - (Trnavac) Doljevac - Kastrat - Kosovo Polje													1							$\dashv$	
		Kuršumlija - Kastrat																					



	$\neg$										INTER	LOCKI	NG FAC	TLITIE	s								
						ĺ								crossing		levices							
			Interstat	tion depe device	ndence		Auto	matic b	loc		Auton		itioning o	of level	Man	al positi	oning of sings	level	Traf	fic remote	contro	l devi	ices
		RAILWAY LINE	Lline	k line	between	Time	k line	ıts		uipped with	bar	arrier or rier adinal		colour		rical		anical ices	. line	k line	ntrol centers	ntrol stations	controlled
	Railway Line No		Length of single track line	Length of double track line	Number of distances between stations	Length of signle track line	Length of double track line	Number of block points	Number of signals	Number of signals equipped with auto-stop devices	in station	on track	in station	on track	in station	on track	in station	on track	Length of signle track line	Length of double track line	Number of remote control centers	Number of remote control stations	Number of remotely controlled stations
No.			kr		kom	kı							pcs							m		pcs	
1	la	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
52		(Barlovo) - Rasputnica 1 - Kuršumlija																				$\square$	
53 54		Kosovo Polje - Metohija - Peć					_		-		<b>—</b>	_							$\vdash$		-	$\vdash$	-
55	222	Kosovo Polje Teretna - Rasputnica 1 - (Drenica)	4:100	_			_							1	_		_		_		-		
56	301	Subotica - Subotica fabrika Subotica - Subotica bolnica	4+100 2+745	-	1		-							- 1				4			-	$\vdash$	
57		Subotica - Subotica bolnica Kanjiža - Horgoš	2+743	_	1														$\vdash$			$\vdash$	
58	304	Novi Sad - Novi Sad ložionica	2+870		1										2			1		_		$\vdash$	-
59	305	(Podbara) - Rasputnica 3 - Rasputnica 2 - (Kać)	3+659		2										2			4					-
		(Rimski šančevi) - Rasputnica 1 - Rasputnica 3 -																					
60	306	(Podbara)	0+910		1																		
61	307	Rimski šančevi - Bečej													1		9						
62	308	Vrbas - Sombor									1	1			2		1	1					
63	309	Petrovaradin - Beočir	17+035		3												2	2					
64	310	Apatin Fabrika - Strilić - Sombor	38+304		4												1	2					
65		Bač - Karavukovo	13+420		2										1		1						
66		Bačka Palanka - Gajdobra	14+422		2												2	4					
67	313	(Brasina) - Rasputnica Donja Borina - Zvornik Grac				6+818																	
68	314	Šid - Sremska Rača Nova - državna granica - (Bijeljina)				25+612												2					
69		Kikinda - Banatsko Aranđelove	12+916		4												2				$\vdash$		
70		Sečanj - Jaša Tomić	10+363		1																<u> </u>		
71		Zrenjanin Fabrika - Vršac - Bela Crkva	65+3348		4							1		9			4						
72 73		Pančevo Varoš - Pančevo Vojlovica	2+907		2						_	1			1	3			_	-	-	_	
/3	319	(Uljma) - Rasputnica A - Rasputnica B - (Jasenovo)	0+488	_	1					_	_							_	_	_	$\vdash$	_	-
74	320	spojni kolosek stanice Senta: (Čoka) - odvojna skretnica 22 - odvojna skretnica 23 - (Orom)																					
75		(Požarevac) - Rasputnica Sopot Požarevački - Kostolac				9+900																	
76 77		Markovac - Resavica	10:500			53+250						1		1	1		3	4	_		$\vdash$	-	
78		Ovča - Padinska Skela Metohija - Prizren.	18+580		1	18+580									_								
79		Metonija - Prizren. Bečej - Vrbas															1					$\vdash$	
80		Vršac - Vršac Vašarište															1					$\vdash$	
81	403	Alibunar - Seleuš	8+386		1																		
82		Vladimirovac - Kovir	43+030		1													2				$\Box$	
83	405	Čoka - Novi Kneževac	12+300		2												1						
84		Kikinda - Metanolsko sirćetni kompleks (km 6+413	7+255		1																		
85	407	Bogojevo - Dunavska obala	2+733		1																		
86	408	(Sombor) - Rasputnica Strilić - Bački breg	28+090		1																		
87		Sombor - Ridica	32+741		1																		
88	410	(Višnjićevo) - Rasputnica Rača - Sremska Rača				3+830																	
89		Paracin - Stari Popovac									1						1		_			Ш	
90	412	Surčin - Jakovo Bečmer				4+400															$\vdash$	Щ	
91	413	(Beograd spoljna) - km 2+290 odvojna skretnica - Fabrika šećera				0+600																	
92	501	Šarganska osmica																.=0					
		Total			161			416	876	699	107	127	7	18	28	12	115	76			6	82	37



# Appendix 3.6a Request for issuance of encryption keys for communication in the ETCS system $\label{eq:encryption} % \begin{subarray}{ll} \end{subarray} % \begin{subarray}{ll} \end{su$

1. Identifica	tion data of the rail	way carrier:				
Address:						
Contact pers	son:					
E-mail:						
Phone/Mob	ile Phone					
2. Identifica	tion data of vehicle ETCS-ID	s and equipment EVN	Home-	Baseline	OBU-	Requested
	(NID_Engine) decimal form	(European Vehicle Number)	KMC of the vehicle		producer	begin of validity
example	996823	91 83 9586 616-0	IZS	3.6.0	CRSC	2024/6/15
☐ the home ☐ the menti ☐ home KM KMC ID	ation of home KMC KMC of the given loned OBUs do not MC is a KMC other or of the given KM	OBU is KMC IZS have any home K than KMC IZS:	MC assigned,	-		ecome the KMC IZS
Contact pers	son:					
<ul><li>4. We reque</li><li>□ all lines €</li></ul>	est the allocation of equipped with ETCS in track sections (are	encryption keys for section level 2 track sec	or: tion and opera	ted by IZS,		



## Appendix 3.7 Overview of telecommunication devices equipping level

								- 1	HNAL TERMINAL DEVICES	TINAL DEV	ICES				1.1	$\vdash$	Ц					EXCHANGE UNITS	NITS			$\ \cdot\ $
					-	-			Telephone					+	Telegraph	_					Telephone			1	Telegraph	
									Traff.remote desks	control	T	ckside telep	shones	$\top$												
				esolveb anodqalat EL	Tuesdatus des Transie (1907 To Vol. 17 49 100 10 49 10 10		PPA telephones	PA telephones		Albert Margaret Vol. 1888		At level crossings (PP)	At automatic block (APB)				govern Street, and	"Slep by step" system		rioss-pm	EMD with electric motor dialler	ESK	Electronic		"Step by step" system	Dispatching exchanges
				bcs	H	H		bcs		H		bcs	bcs	H		H	H	L	type	bcs		type	H		H	bcs
	No.   No.		П	3	Н	Н	Н	00	Н	Н	Н	13	14	Н	Н	Н	Н	Н	21	22	Н	25	26 27	Н	Н	31
	No.   No.		Ш	284	+	++	- 2	2	₩	+	+	87	170	+	+	$^{+}$		4 4	$\prod$	- 2	0 0		10	11	29 2	0 0
	1			31	+	+	,	0	+	+	+	7 7	1 2 2	+	+	+	+	1	071	0	0		- (	$^{\dagger}$		,
1   1   1   1   1   1   1   1   1   1	1	1	-	96	+	+	7	0	4 .	+	+	31	e .	+	+	+	+	_	100	0	0		2	+	4	7
1   1   1   1   1   1   1   1   1   1	1   1   2   2   2   2   2   2   2   2	1   1   2   2   2   2   2   2   2   2		7 79			= 5	0 0	0 -	7 34	+	10	12	-	+	0 0		0 0		- 0	0 0		O dkts	0 0	0 0	0 -
1	1   1   1   1   1   1   1   1   1   1	1	Ш	68	Н	Н	0	0	- 2	35 69	H	28	70	H	Н	Н	Ħ	Ц	0	-	Н	0	0 žeatc 100	H	Н	. 7
			Ш	19	H	Н	91	0	2	2 8	4	10	0	2	2 (		2	-		-	0		Н	Н		0
				22	+	+	0	0	0	0 -	0 4	4 0	0 -	0 0	0 -	0		0	$\int$	0	0 0		+	- 0	0	0
				0 00	H	+	0	0	0	0	2	0	4	0	0	0		0		0	0		0	0	0	0
				0		H	- 0	0	0	2 6	80	2	14	0	1	Н		0		0	0		0	0	0	0
	1			0 "	+	+	0	0 0	0 0	0 0	+	0 0	7	+	+			0 0	1	0 0	0 0		0 0	0 0	0 0	0 0
1	1	1		2 2	+	+	0	0	0	0 0	0	-	3	-	+	0		0		0	0		0	0	0	0
1   1   1   1   1   1   1   1   1   1	14.0   1.0	Note   Note		9	H	H	0	0	4	4	3	0	2	0	2	0	-	0		1	0		0	0	0	0
	1			-	Н	Н	0	0	0	0	0	0	-	0	0	Н		0		0	0		0	0	0	0
1	1			3	+	+	0	0	0	0	0	0	0	+	+	+		0		0	0		0	0	0	0
1	1			3 2	+	+	0 0	0 0	0 0	5	0 0	0	- 0		+	+		0 0		0 0	0		0 0	0 0	0 0	0 0
1	1	1		-	H	╀	-	0	0	1 3	0	0	-	H	+	H	-	0		0	0		0	0	0	0
1	1	1		2	Н	Н	2	2	0	0	0	3	0	0	2 (	Н		0		0	0		0	0	0	0
1	1	1		- 0	+	+	0 0	0 0	0 0	0 0	+	0 0	0 0	+	+	+		0 0		0 0	0 0		0 0	0 0	0 0	0 0
1   20   0   0   0   0   0   0   0   0	1   20   10   10   10   10   10   10	1   20   10   10   10   10   10   10		0	H	H	0	0	0	0 2	H	0	2		H	0	-	0		0	0		0	0	0	0
1	1	1		2	H	+	0	0	0	0	+	0	0	+	+	0		0		0	0		0	0	0	0
1	No. 10.   No.	1		0 6	+	+	0 0	0 0	0 0	0 0	4 0	- 0	0 0	0 0	0 -	0 -		0 0	1	0 0	0 0		0 0	0 0	0 0	0 0
1	1	1		2	H	H	0	0	0	4 2	0	0	0	s	2 (	0	-	0		-	0		0	0	0	0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	1		0		+	0	0	0	0	0	0	0	0	0	9	_	0		0	0		0	0	0	0
1	1	1			+	+	0	0	0		+	0	0 0						1	0	0 0		0 0	0 0	0 0	0
1	1	1		13		+	0	0	0	0	+	0	0	0	-	2		0	1	0	0		0	0	0	0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1		14	Н	Н	0	0	0	1 0	0	-	0	0	-	1	3 fb5	-		1	0		0	-	Н	0
1	1	1		0	+	+	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	+		0 0	1	0 0	0 0		0 0	0 0	0 0	0 0
1	1			0	+	╀	15	0	0	0	-	-	0	H	+	2		0		-	0		0	0	0	0
1	1	1		9	-	H	0	0	0	H	H	0	0	H	H	H	-	0		0	0		0	0	0	0
1	1	1		0		Н	0	0	0		Н	0	0	Н	Н	Н	-	0		0	0		0	0	0	0
1 845 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 845 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1   25   1   25   25   25   25   25		0		+	0	0	0		+	0	0	+	+	+		0	1	0	0		0	0	0	0
1	1	1		15	+	+	0	0	0 0	+	+	0	0 0	+	+	+		0 -		0	0 0		0 0	0 0	0	0 0
1	125 6 20 4 0 10 2 10 10 10 10 10 10 10 10 10 10 10 10 10			1.4	+	+	- 0	0	0 0	+	+	* 0	0	+	+	+	+	- 0	1	- 0	> 0	‡		0 0	0	0 0
				26	+	+	20	2 4	0	+	+	91	0	+	+	+	7 -	> -	1	0	0	<u> </u>	0 0	0 0	0	0 0
				12		$\vdash$	91	0	0	1	-	0	0	0	0	+	-	-		0	0		0	0	0	0
				7		H	0	0	0			0	0		H		_	0		0	0		0	0	0	0
				0		Н	0	0	0	Н	Н	0	0		Н	Н		0		0	0		0	0	0	0
				0	+	+	0	0	0	+	+	0	0	+	+	+	_	0		0	0		0	0	0	0
				0	+	+	0 0	0	0 0	+	+	0 0	0 0	+	+	+		0	$\int$	0 0	0 0		0 0	0 0	0 0	0 0
				0		+	0	0	0	+	+	0	0	-	H	_		0	1	0	0		0	0	0	0
				4	+	╀	0	0	0	ł	0	0	0	+	+	1		0		0			0	0	0	0



				Station dispatching devices	bcs	32	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	181
	ľ			Dispatching exchanges	bcs	31	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	10
	qq				bcs	30	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	7
	Telegraph			"Step by step" system	type	29			Ť		T	Ī							1													1	
	L				bcs		0	0 0	0 0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	vs.
				Ејеспоніс			_	-	1	+	1					_	0		1	+				_		_	_	)		)	_	1	4,
					type	27																				2 - 2				8 8			
UNITS				2007	bcs	26	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	11
EXCHANGE UNITS				ESK	type	25			I		Ī																					1	
EXC	٥				bcs	24	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	7
	Telephone			EMD with electric motor dialler	ype	23			İ										1							9-7		0				1	
		L				H	_	+	+	+	╀	+	L	L				Н	+	+	ŀ						_					+	- 000
				Cross-bar	L	22	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	12
		L			type	21			-										4					- 20								4	
					bcs	20	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	11
				"Step by step" system	type	16		+	$\dagger$	+	+	+	-	$\vdash$				H	+	+			H		Н				H			+	
H				Sound signalling devices	H	H	0	0	0 0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	951
H	_			Telefaxes		17 1	0	0 0	+	0 0	Ŧ	+	0	0	0	0	0	Н	+	0 0	H	0	0	0	0	0	0	0	0	0		0	=
	Telegraph	-		Teleprinters	bcs	H	0	0	0 0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	88
		-	_	50 to 50 to				+	+	+	╀	+	0	0		H		Н	+	+	$\vdash$		Н		Н			0	H	0		0	8 921
				Others			0	-	+	0 0	+				0	0	0	Н	+	0 0	H	0	0	0	Н	0	0		0	8 - 8		1	99
			lephones	At automatic block (APB)		14	0	0	0 0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	397
			Trackside telephones	(PP) level crossings (PP)	bcs	13	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	284
ES			Tra	Ar exit signals	bcs	12	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	351
TERMINAL DEVICES		L		At entry signals	bcs	11	0	0	9	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	415
RMINA		remote control	desks	Anoinsis yawlian 1A	bcs	10	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	201
FINAL TI	Telephone	Traff.rem	de	At operational dispatching centers	bcs	6	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	24
12.				PA telephones	bcs	8	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	œ
				sənonqələr Aqq	bcs	7	0	0	0	0 0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	96
				Secretary sets	bcs	9	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	182
				Automatic telephone devices	bcs	5	0	0	0	0 0	0	0	0	0	0	0	1	0	0	0 4	0	0	0	0	0	0	0	0	0	0	0	0	4598
				CB telephone devices	bcs	4	0	0	0 0	0 0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	292
				LB telephone devices	bcs	3	0	0	0 0	0 0	0	0	0	0	0	0	3	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	880
-								$\dagger$	1	$\dagger$	t	t						H	+	1	T											1	
				RAILWAY LINE		2	(Rim. Šančevi)-Rasput "1"-Rasput. "3"-(Podb.)	308 Vrbas-Sombor	Petrovaradin-Beocin	Sonta-Apatin fabrika-Striffe-(Sombor)			Šid-Sremska Rača Nova-State Border.	Kikinda-Banatsko Aranđelovo	Sečanj-Jaša Tomić	(Zrenjanin)-Zrenjanin fabr.Vršac-Bela Crkva	Pančevo Varoš-Pančevo Vojlovica	(Uljma)-RaspA-RaspB-(Jasenovo)	Senta-Odvojna skr. 22 Senta	(Požarevac)-Rasput Sopot PožKostolac Markovac-Resavica	323 Ovča-Padinska Skela	Alibunar-Seleuš	Vladimirovac-Kovin	Čoka-Novi Kneževac	Kikinda-MKS (ind.kolosek)	Bogojevo-Dunavska obala	Sombor-Bački Breg	Sombor-Ridica	410 (Višnjićevo)-Rasput.Rača-Sremska Rača		Surčin-Jakovo-Bečmen-(Boljevci)	413 (Bgd spoljna)-km 2+290-Fabrika šećera	Total:
L				oV sind Yewli		L	306	-	+	311	+	+	314	315	316	317	318	$\rightarrow$	+	321	+	3 403	404	9 405	406	3 407	2 408	$\overline{}$	$\overline{}$	8 411	$\rightarrow$	-1	
					οN	-	45	33	6	4 4	\$	9	52	09	71	8	29	78	4 8	6 6	99	53	80	59	19	28	72	73	42	89	77	27	



Railway line No											OTHE		MINICIAN	OTHER TELECOMMONICATION DEVICES	EVICES										_
DCD & Grove Dorder	De	vices for	r recording o	Devices for recording of transmitted statements	tted	Devices	Devices displaying accurate time	accurate to	ime		PA devices	ices			Interphones	89		Powers	Power supply devices	ses	Passo	Passenger visual information display	l informati	on display	ys .
EA E	slound's 8	8 channels	12 channels	16 channels 24 channels	Aumber of stations	Clock exchange units	Masier clocks	Impulse regenerators	Auxiliary clocks	Znojste To 15drnuV	snəililqmA	Speakers	Microphone console	Number of stations	Interphone exchange units	noisellatani 100bni 107	Acummulator batteries		Retifiers	Converters Motor electric generator units	snoisis To 15dmuV	Control desks	syslqsib noitsmroinl	Information kiosks	1
Г	pcs		34 F	pcs pcs		ss pcs	39	pcs 40	pcs 41	pcs 42	pcs 43	pcs 44	pcs 45	pcs 1	pcs p	pcs pcs	ss pcs		pcs pcs	ss pcs	s pcs	s pcs	bcs 56	pcs 57	
101 BGD-Sid-State Border		_	H	0 0	3	2	Н	13	5	13	22	3	Н	0	0	H	H	H	Н	0 0	10	H	0	0	_
		9	2	0 1	9 1	2	21	78	323	20	50	325	20	9	4	38 17	7 72		) 12	1	1	H	4	0	_
4 103 (BGD)-Rakovica-Jajinci-M.Krsna-V.Plana 104 (BGD)-S Become Judije Suborice State Border	a		0 -	0 -	2 2	0	20	20	133	1 %	- =	9	1 9	0 -	0	0 -	25	-1 -	52	0 0	0 -	0 0	0 0	0 0	_
_	order.		0	0 0	0	0	2	3	20	1	1	3	1	0	0	Н			13 (	0	0	0	0	0	_
6 106 BGD Centar-Pančevo-Vršac-State Border 1 107 (BGD)-Resnik-Podgorica-Bar		2	0 0	1 0	0 5	9	34	34	92	2	52	1131	3		1 1	3 1	7 0		2 (	0 0	2 0	3	93	0 0	
108		_		0	0	0	er.	0	8	er.		24	0	0	0	0	+	+			+	0	0	0	_
1		0	Н	Н	0 0	Н	0	0	0	0	0	0	0	0	Н	0 0	Н	H	H	0 0	H	0	0	0	
7 110 Beograd Centar-Novi Beograd 8 111 BGD Centar-Rasputnica"G"-(Rakovica)		0 0	0 0	0 0	0 0	0 0	0	1 0	2	0 0	0	27	9 0	0 0	0 0	0 0	4 0		8 0	0 0	0 0	0 0	0 0	0 0	_
112		0	Н	H	0	0	0	0	4	0	0	0 0	0	0	0	0 0	(m)		2	0	0	0	0	0	
<ol> <li>113 BGD Ranžirna. "B"-Ostružnica</li> <li>114 BGD Ranžirna "A"-Rasp. "B"-Rasp. "K"-Resnik</li> </ol>		0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 -	AS 153	0 0	0 0	0 0	0 0	0 0	0 0	_
115		0	0	H	0 0	0	0	0	0	0	0	0	0	0	0	0 0	0		0	0	0	0	0	0	
<ul> <li>116 BGD Ranzima "B"-Rasp."R"-Rasp."A.</li> <li>117 (BGD Ranzima "B")-Rasp."R"-Rakovica</li> </ul>		0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0	200	0 0	0 0	0 0	0 0	0 0	0 0	_
118		0 0	Н	Н		0	0 0	0 0	13	0	0 0	0 0	0	0 0			0		0	0 0	0 0	0 0	0 0	0	_
12 (BGD Ranz, "A"-Ras, B)-Ras, K-Ras, K1-Jajinci		0 0	0	0 0	3 0	0	3 0	0	10	0	0 4	31	2 2	0 0	0 0	0	0 -	200	2 0	0	0	0	0	0	_
_		0 0	0 0	0 0	0 0	0	0	0 0	0	0	0	0 4	0 -	0 0	0 0	0 0	2		1 0	0 0	0 0	0 0	0 0	0 0	
123		0	H	+	0	0	0	0	0	0	0	0	0	0	0	0 6	0		0	0	0	0	0	0	
31 124 (Vukov Sp.)-Ras.K.Park-Ras.Dedinje-(Rakov.)		0 0	0	0 0	0 0	0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	0		0 0	0 0	0 0	0 0	0 0	0 0	
126		0		H		0	0	-	10	0	0	0	0	0	0	0	-		1	0	0	0	0	0	_
41 127 Obilazni kolosek Mala Krsna 21 128 Lanovo Vamě-Lanovo Ranžíma-Lanovo		0 0	0 0	0 0	0 0	0 0	0 6	0 6	0 "	0 -	0 -	0 0	0 -	0 0	0 0	0 0	0 6		0 8	0 0	0 0	0 0	0 0	0 0	_
		0	H	H	H	0	- 0	0	26	1	9	35	- 0	0	0	0	2			0	0	0	0	0	
17 130 Crvell Kist-inis Kanzina 23 131 Nis-Rasputnica Most-(Nis Ranzina)		0 6	$\parallel$	+	+	0	0	0	00	0	0 0	0 0	0 0	0	0 0	0	0		0 0	0	0	0	0	0	_
132		0 0	0 0	0 0	0 0	0 0	0 1	0 0	3 0	0 0	0 1	3 0	0 -	0 0	00	0 0	0		2 0	0 0	0 0	0 0	0 0	0 0	_
202						0	0	0	0	2	2	7	2	0	0	0 0	2	osto d	9	0	0	0	0	0	
22 203 Banatsko Mitosevo-Senta-Subolica 44 204 Pančevo Varoš-Rasputnica "2a"-(Jabuka)		0 0	0	0 0	0	0	0	0	0	0	0	0 0	0	0 0	0 0	0 0	0		0 0	0	0	0	0	0	_
		0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0	0 0	0	0 0	0 0	0		0 0	0 0	0	0 0	0 0	0	
38 207 N.Sad Ranžima-Sajlovo Rasputnica		0 0	0	Н		0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0		0 0	0 0	0 0	0 0	0 0	0 0	
209		0		$^{+}$	0	0	0	0	0	0	0	0 0	0	0	0	0	0			0	0	0 0	0	0	7
50 211 Stalac-Kraljevo-Požega 49 214 Smederevo-Mala Krsna		0 0	0 0	0 0	0 0 2	0 0	0 2		14	E 1	1	20	1 1	0 0	0 0	0 0	7 -		0 0	0 0	0 0	0 0	0 0	0 0	_
34 215 M.Krsna-Bor-Rasputnica "2"-(Vražogrnac)	2 12	0	0	0	8 -	0	2	7	10	3	4 (	22	m -	0	0 0	0 0	18		01	0	0 0	0 0	0	0	
		0	0		0 0	0	0	0	0	0	0	0	0	0 0	0	0 0	0		0	0	0	0	0	0	
219		0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0		0 0	0 0	0 0	0 0	0 0	0 0	
76 301 Subotica-Subotica fabrika		0	H	Н		0	0	0	0	0	0	0	0	0		0 0	0		0	0	0	0	0	0	
75 302 Subotica-Subotica bolnica		0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0		0 0	0 0	0 0	0 0	0 0	0 0	_
304		0	$\perp$	+	0	0	0	0	0	0	0	0	0	0	0	0 0	1		1	0	0	0	0	0	
37 305 Podbara-Rasput. "3"-Rasput. "2"-(Kač) 45 306 (Rim Šančevi)-Rasput "1"-Rasput "3"-(Podh.)		0 0	0	0 0	0 0	0	0 0	0 0	0 0	0	0 0	0	0 0	0	0 0	0 0	0		0 0	0 0	0 0	0 0	0 0	0 0	
308		0	H	Н		0	0	0	0	0	0	0	0	0	0	H				0 0	0	0	0	0	_
69 309 Petrovaradin-Beočin  74 310 South Applie Shrills (Sombor)		0 0	0	0 0	0	0 0	0 0	0	0 0	0	0 0	0	0	0	0	0 0	0		0 0	0 0	0 0	0 0	0 0	0	_
311		0				0	0	0	0	0	0	0	0	0		0			0	0	0	0	0	0	_
55 312 Bačka Palanka-Gajdobra	_	0	_	_		0	0	0	0	0	0	0	0	0	_				_	0	0	0	0	0	



	splays	Information kiosks	bcs	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	mation dis	systemain noinsemolnt		99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	97
	sual inforr	Control desks	bcs b	55 5	H	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
	Passenger visual information displays	Number of stations	S	54 5	H	0	0	) 0	) 0	0	) 0	0	0	) 0	0	0	0	0	0	0	0	0	) 0	0	0	) 0	14
3	Pas	Motor electric generator units		_	H	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	ices	Converters	d sod	52 5	H	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	_
	Power supply devices						0		2									0	0	0000		0	) 0		0		379
	Power st	Rctiffers	bcs	51	0	0	)	0	0	0	0	0	0	0	0	0	0	)		0	0	)	)	0		0	-
		Acummulator batteries	bcs	90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	328
		For outdoor installation	sod	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18
ES	Interphones	noisellatani roobni ro-T	bcs	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	80
V DEVICE	Interp	Ілістрһопс ехсһапge units	bcs	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	,
OTHER TELECOMMUNICATION DEVICES		Number of stations	bcs	94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	۰
OMMUN		Microphone console	bcs	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.7
R TELEC	vices	Speakers	bcs	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1886
ОТНЕ	PA devices	zıəflilqmA	bcs	43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	103
		Number of statons	bcs	42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	23
	эс	Auxiliary clocks	bcs	41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.41
	curate tin	Impulse regenerators	bcs	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	178
	Devices displaying accurate time	Master clocks	bcs	39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	101
	evices dis	Clock exchange units	bcs	38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7
	Ď	Number of stations	bcs	37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
	smitted	2+ channels	bcs	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	,
	ing of trai	16 channels	bcs	35	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
	Devices for recording of transmitted statements	12 channels	bcs	34	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	,
	Devices.	8 channels	bcs	33	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16
		RAILWAY LINE		2	(Ruma)-Rasp. Donja Borina-Zvornik Grad	Šid-Sremska Rača Nova-State Border.	Kikinda-Banatsko Arandelovo	Sečanj-Jaša Tomić	(Zrenjanin)-Zrenjanin fabr. Vršac-Bela Crkva	Pančevo Varoš-Pančevo Vojlovica	(Uljma)-RaspA-RaspB-(Jasenovo)	Senta-Odvojna skr. 22 Senta	(Požarevac)-Rasput.Sopot PožKostolac	Markovac-Resavica	Ovča-Padinska Skela	Alibunar-Scleuš	Vladimirovac-Kovin	Čoka-Novi Kneževac	Kikinda-MKS (ind.kolosek)	Bogojevo-Dunavska obala	Sombor-Bački Breg	Sombor-Ridica	(Višnjićevo)-Rasput.Rača-Sremska Rača	Paraćin-Stari Popovac	Surčin-Jakovo-Bečmen-(Boljevci)	(Bgd spoljna)-km 2+290-Fabrika šećera	Total
		oN anil yewi	Ва		313 (R	314 Ši	315 Ki	316 Se	317 (Z	318 Pa	319 (U	320 Se	321 (P	322 M	323 Ov		404 VI	405 Čc	406 Ki	407 Bc	408 So	409 So	410 (V	411 Pa	412 Su	413 (B	
			οN	1	46	52	09	71	81	19	78	48	20	63	99	53	08	59	19	28	72	73	62	89	77	57	



				CABLE SYST	EMS								MULTI-CHANNEL DEV	T DE	VICES					Г
		Overhead lines	ines		Cable lines	səı			Analogue	Analogue telephone				Г		0	Digital telephone	slephone		
way line No	Fwo-wire overhead lines	Two wire overhead lines iron	Overhead cables	STKA	ATS	Siber optic	Local	nb to 3 channels	Up to 12 channels	Over 12 channels	Above ground amplifiers	eround amplifiers	Telegraph		s\tidM 2		s\tidM 8	s/lidM SSI	Above ground amplifiers	n-ground amplifiers
Railing Rail		= 1	k k	km	km	K W		type pcs	type pcs	type	bcs bcs	-	type	bcs	$\vdash$	s type	pcs		-	bcs
5 101 BGD-Šid-State Border	20	4 0	0 0	135.061	0	8 0	0	0	Z 12 0	V300	0 0	0	iskra	5 0	+	0	0	+	+	/7 0
102	0	0	0		162,917	0	88	z 3 0		V300		91	iskra	15	siemens	0		KeymileUMUX 0	0	0
4 103 (BGD)-Rakovica-Jajinci-M.Krsna-V.Plana	0	0	0	0	105,043	0	0	0	Z 12 3		0 5	0	iskra	3		0	0	0	0	0
2 104 (BGD)-S.Pazova-Indija-Subotica-State Border.	0	0	0	135,857	15,878	0	71,00	0	FPD12 4		0 111	0	AUSO UTB ISKRA	4		0	0	0	0	0
22 105 Niš-Dimitrovgrad-State Border.	0	0	74,00	12,479	0	0	3,67	0	VZ12k 0		0 0	0		0		0	0	0	0	0
6 106 BGD Centar-Pančevo-Vršac-State Border.	2,00	0	13,00	0	26,000	0		Z3F 0	Ausso 0		0 0	0	iskra	0	siemens	0	0 A	KeymileUMUX 0 STM-1	0	0
107	0	0	0	370,388	0	0	63,144	EI 1		V300	4	28	siemens-WT100 EI	9		0	0	0	0	0
20 108 Lapovo-Kraljevo-Đ.Janković-State Border.	0 0	0 0	90,34	0 0	5,350	0 0	+	z3f 1	Z 12 1		0 0	0 0		0 0		0 0	0 0	0 0	0 0	0 0
110	0	0	0	0	3,648	0	0	0	0		+	0	iskra	0		0	0	0	0	0
111	0	0	0	0	0	0	0	0	0		0 0	0	iskra	0		0	0	0	0	0
13 112 BGD Ranzima A -Ostruznica-Batajnica 14 113 BGD Ranzima."B"-Ostružnica	0	0	0	0	11.755	0	0	0	0		0 0	0		0		00	0 0	0	0	0
114	0	0	0	0	34,460	0	0	0	0		Н	0	iskra	0		0	0	0	0	0
+	0	0	0	0	0	0	0	0	0			0		0		0 0	0	0	0	0
10 110 BOD Kanzima "B"-Kasp, R -Kasp, A		0	0 0	0 0	10,230	0 0	0 0	0 0		ļ		0 0		0 0			0 0		0	0 0
1	0	0	0	0	0	0	22,559	0	2	İ	+	0		-		0	0	0	0	0
119	0	0	0	0	0	0	0	0	0		Н	0		0		0	0	0	0	0
16 120 (BGD Ranz."A"-Ras.B)-Ras.K-Ras.K1-Jajinci 29 121 Tonwider-Rase Saveki Most-(Novi BGD)	0 0	0 0	0 0	0	2,130	0 0	0 0	0 0	0 0		0 0	0 0		0 0		0 0	0 0	0	0 0	0 0
122	0	0	0	0	0	0	0	0	0		+	0		0		0	0	0	0	0
27 123 (Topč)-Blok 1Obala-BGD Spoljna-Blok 2 prel	0	0	0	0	0	0	0	0	0		$\pm$	0		0		0	0	0	0	0
_	0 0	0 0	0 0	0	9.536	0 0	0 0	0 0	0 0		0 0	0 0		0 0		0 0	0 0	0 0	0 0	0 0
24 126 N.Sad-N.Sad Ranžirna-Sajlovo Rasp.	0	0	0	2,000	0	0	2,700	0	0		0 0	0		0		0	0	0	0	0
127	0	0	0	0	0	0	0	0	0		Н	0		0		0	0	0	0	0
128	0	0	0	0	0	0	0	0	0		+	0	and last	0 -		0	0	0	0	0
30 129 Trupate-Nts Ranzima-Medurovo 17 130 Crveni Krst-Niš Ranžima	0	0	0	0	0	0	0	0	0		0 0	0	ISKTA	- 0		0 0	0 0	0	0	0
131	0	0	0	0	17,257	0	31,500	0	0		Н	0		0		0	0	0	0	0
18 132 (Cr.Krst-Skr.2)-Skr.3-Skr.4-(Cele Kula)	0	0	0	0	0	0	0	0	0		0 0	0		0		0 0	0	0	0	0
1	0	2,65	41,2	1,5	0	0	4,451	0	0	L	0	0		0		0 0	0 0	00	0	0
32 203 Banatsko Miloševo-Senta-Subotica	0	0	0	0	0	0		Kt3-1 0	0		0 0	0		0		0	0	0	0	0
44 204 Pančevo Varoš-Rasputnica "2a"-(Jabuka)	0	0	0	0	0	0	0	0	0		0 0	0		0		0	0	0	0	0
205	0	29	0	0	0	0	14,5	0	0		+	0		0		0	0	0	0	0
38 207 N.Sad Ranžima-Sailovo Rasputnica	0	0	0	0	0	0	0	0	0		0 0	0 0		0		0 0	0 0	0	0	0
208	0	0	0	0	0	0	0	0	0		Н	0		0		0	0	0	0	0
47 209 Ruma-Sabac-Rasp.Donja Borina-State Border.	0	0	0	0	0	0	0 22	Z3F 0	0 0		0 0	0		0		0	0	0	0	0
30 Z11 Statac-Krajevo-Fozega 49 214 Smederevo-Mala Krsna		0	0,4	0	26.4	0	+	+	+		+	0 0		0			0 0	0	0	0
215	0	0	0	0	0	0	0	0	0		0	0	iskra	-		0	0	0	0	0
216	0	0	0	0	0	0	00	Z3F 0	0		Н	0	iskra	0		0	0	0	0	0
218	0	0	0	0	0	0	0	0	0		+	0		0		0	0	0	0	0
56 220 (Barlovo)-Rasputnica "1"-Kuršumlija	0	0	0	0	0	0	0 0	0	0		0 0	0 0		0 0	T	0	0 0	0	0	0
301	0	0	0	0	0	0	0	0	0		Н	0		0		0	0	0	0	0
302	0	0	0	0	0	0	0	0	0		0 0	0		0		0	0	0	0	0
65 303 Kanjiža-Horgoš 36 304 Novi Sad-Novi Sad Jožionica	0 0	0 0	0 0	٥	٥	0 0	0 0	0 0	2 0	#	0 0	0 0		0 0	1	0 0	0 0	0 0	0	0
204	>	>	>	0	0	>	^	2	>		2	>		>	_		>	^	>	>



College   Coll	Г	П	rəərilqına bruorg-ri	cs	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
College   Coll			- 22 222		36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Control lines   Control line				-	Н	Н	Н	Н		Н	Н		Н	Н	Н	Н	Н		Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н		0
Continue   Continue		I telephone	8/JiqM SST					)			)			)				)		)	)	)	)					)							
Control lines   Control line		Digita	s\tidN/ 8	į.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CAMILY SYNCHES   CAMI						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Control of the Secretary   Control of the Secr	VICES		s\idM 2	2200	20																														
Control of the Secretary   Control of the Secr	IL DE	Г		pcs	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31
Conference   Con	MULTI-CHANNI		Теведпарћ	type	18																														
No.   Care Heaves   Care Hea		П	In-ground amplifiers	pcs	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
CAMPLE SYSTEMS    CAMPLE SYS			Above ground amplifiers	pcs	91	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50
CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE STATEMS			bcs	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	
CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE STATEMS	)uoud	Over 12 channels	ype	14																			П			Г						П	П		
CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE STATEMS	ic tele		-	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	28	
CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE SYSTEMS   CABLE STATEMS	nalogr	Up to 12 channels		H							~																					H		. 1	
Section   Sect		A		typ	12																												Ц		
CABLE SYSTEMS   CABLE INCREMENT   CABLE SYSTEMS				bcs	=	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Second-Listenberger   Cable Fave-Steiner			spannels channels	type	10																														
Secure Again Expension   Continues   Cable in Systems			Pocal		6	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	427,07
Northead lines		ines	Fiber optic	km	œ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72,950
Packing and Pack	EMS	Cable	ATS	km	7	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	507,024
Note   Check			SIKY	km	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1041,453
RAIL.WAY LINE   Per	Ü		Overhead cables	km	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	263,142
RAIL.WAY LINE   Per		Overhead I		km	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31,650
II————————————————————————————————————			Two-wire overhead lines SiBr	km	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,000
II————————————————————————————————————					2	5 Podbara-Rasput. "3"-Rasput. "2"-(Kać)	6 (Rim.Šančevi)-Rasput "1"-Rasput. "3"-(Podb.)	8 Vrbas-Sombor		9 Sonta-Apatin fabrika-Strilić-(Sombor)		2 Bačka Palanka-Gajdobra		4 Šid-Sremska Rača Nova-State Border.				8 Pančevo Varoš-Pančevo Vojlovica	9 (Uljma)-RaspA-RaspB-(Jasenovo)					3 Alibunar-Seleuš		5 Čoka-Novi Kneževac		7 Bogojevo-Dunavska obala	8 Sombor-Bački Breg		(Višnjićevo)-Rasput.Rača-Sremska Rača		2 Surčin-Jakovo-Bečmen-(Boljevci)		Total
N - 1	L		oV anil vewli	Rai		305	306	308	-	-	311	312	313	314	315	316	317	318	319	320	321	322	323	403	404	405	406	407	408	409	410	411	412	413	
	Ĺ			οN	-	37	45	33	69	74	54	55	46	52	09	71	81	29	28	48	20	63	99	53	80	59	19	28	72	73	62	89	77	57	



									RAD	IO DE	VICE						
			Loc	omotivo radio o	e dispat levices	ching		Traffic	running	netwo	rks (2m	1)	Sta	tion rad	io netw	orks (0	,7m)
	Railway line No	RAILWAY LINE	Exchange units (with railway line splitter)	Length of covered railway line	Frackside stations	Locomotive stations	Number of networks	Radio link	Repeaters	Fixed stations	Mobile stations	Movable stations	Number of networks	Repeaters	Fixed stations	Mobile stations	Movable stations
No	ailwa																
1		2	pcs 28	km 29	pcs 30	pcs 31	pcs 32	pcs 33	pcs 34	pcs 35	pcs 36	pcs 37	pcs 38	pes 39	pcs 40	pcs 41	pcs 42
5		BGD-Šid-State Border BGD-Mladenovac-Niš-Preševo-State Border.	3	100 377	8 42	8	0	0	0	0	0	0	8 17	0	8 19	3	21 53
4	103	(BGD)-Rakovica-Jajinci-M.Krsna-V.Plana	1	100	12	0	0	0	0	0	0	0	1	0	1	0	3
22	104	(BGD)-S.Pazova-Inđija-Subotica-State Border. Niš-Dimitrovgrad-State Border.	0	155	10	0	0	0	0	0	0	5	7	0	16	0	74 12
6	106	BGD Centar-Pančevo-Vršac-State Border.	0	20	4	0	1	0	1	13	0	4	4	0	4	0	11
20	107	(BGD)-Resnik-Podgorica-Bar Lapovo-Kraljevo-Đ.Janković-State Border.	0	176 0	35 0	0	0	0	0	16	0	0	0	0	13	0	35 0
26	109	Subotica-Bogojevo-State Border.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7		Beograd Centar-Novi Beograd BGD Centar-Rasputnica"G"-(Rakovica)	0	10 10	0	164	0	0	0	0	0	0	0	0	0	10	0
15 14	112	BGD Ranžirna "A"-Ostružnica-Batajnica BGD Ranžirna."B"-Ostružnica	0	20	2	0	0	0	0	0	0	0	0	0	0	0	0
13	114	BGD Ranžirna "A"-Rasp."B"-Rasp."K"-Resnik	1	20	3	0	0	0	0	0	0	0	0	0	0	0	0
25 10		Ostružnica-Rasp."B"-(Rasp."K"-Resnik) BGD Ranžirna "B"-Rasp."R"-Rasp."A"	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0 19
11		(BGD Ranžirna "B")-Rasp. "R"-Rakovica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9		(BGD)-BGD Ranžirna "A"-Rasp."T"-Rakovica BGD Ranžirna "B"-Rasputnica "T"-(Rakovica)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16		(BGD Ranz."A"-Ras.B)-Ras.K-Ras.K1-Jajinci	0	0	0	0	0	0	0	0	0	0	3	0	5	1	12
29 28	121	Topčider-Rasp.Savski Most-(Novi BGD) TopčBlok 1Obala-Blok 2 prelRas.Pan.Most	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	123	(Topč)-Blok 1Obala-BGD Spoljna-Blok 2 prel	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31 19	124	(Vukov Sp.)-Ras.K.Park-Ras.Dedinje-(Rakov.) Inđija-Golubinci	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24	126	N.Sad-N.Sad Ranžirna-Sajlovo Rasp.	0	0	0	0	0	0	0	0	0	0	4	0	4	0	11
41 21	127	Obilazni kolosek Mala Krsna Lapovo Varoš-Lapovo Ranžirna-Lapovo	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	129	Trupale-Niš Ranžirna-Međurovo	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17 23		Crveni Krst-Niš Ranžirna Niš-Rasputnica Most-(Niš Ranžirna)	0	0	0	0	0	0	0	0	0	0	5	0	8	0	19 0
18		(Cr.Krst-Skr.2)-Skr.3-Skr.4-(Ćele Kula)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
51 43	201	Subotica-Horgoš-State Border. Pančevo Glavna-Zrenjanin-Kikinda-State Border.	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
32		Banatsko Miloševo-Senta-Subotica	0	0	0	0	1	0	0	8	0	6	0	0	0	0	0
39		Pančevo Varoš-Rasputnica "2a"-(Jabuka) N.Sad-Sajlovo Rasputnica-Bogojevo	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2
40 38	206 207	(N.Sad)-Sajl.RaspR.ŠančOrl.staj(Tomaš)	0	0	0	0	0	0	2	18 0	0	4	0	0	0	0	0
42		N.Sad Ranžirna-Sajlovo Rasputnica Orlovat-Rasputnica "1a"-(Lukićevo)	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
47 50	209 211	Ruma-Šabac-Rasp.Donja Borina-State Border. Stalać-Kraljevo-Požega	0	0	0	0	0	0	0	8	0	0	0	0	2	0	5
49	214	Smederevo-Mala Krsna	0	0	0	0	0	0	0	0	0	0	4	0	4	0	12
34 35		M.Krsna-Bor-Rasputnica "2"-(Vražogrnac) Niš-Zaječar- Prahovo pristanište	0	0	0	0	0	0	2	0	0	0	3	0	2	0	5
64		(Niš)-Doljevac-Kastrat-Kosovo Polje	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
62 56		Kuršumlija-Kastrat (Barlovo)-Rasputnica "1"-Kuršumlija	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
76	301	Subotica-Subotica fabrika	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
75 65	302	Subotica-Subotica bolnica Kanjiža-Horgoš	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
36	304	Novi Sad-Novi Sad ložionica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
37 45		Podbara-Rasput. "3"-Rasput. "2"-(Kać) (Rim.Šančevi)-Rasput "1"-Rasput. "3"-(Podb.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33 69	308	Vrbas-Sombor Petrovaradin-Beočin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
74	310	Sonta-Apatin fabrika-Strilić-(Sombor)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54 55		Bač-Karavukovo Bačka Palanka-Gajdobra	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	313	(Ruma)-Rasp.Donja Borina-Zvornik Grad	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52 60	314	Šid-Sremska Rača Nova-State Border. Kikinda-Banatsko Aranđelovo	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
71	316	Sečanj-Jaša Tomić	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
81 67		(Zrenjanin)-Zrenjanin fabr.Vršac-Bela Crkva Pančevo Varoš-Pančevo Vojlovica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
78	319	(Uljma)-RaspA-RaspB-(Jasenovo)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
48 70		Senta-Odvojna skr. 22 Senta (Požarevac)-Rasput.Sopot PožKostolac	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
63 66	322	Markovac-Resavica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	403	Ovča-Padinska Skela Alibunar-Seleuš	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80 59	404	Vladimirovac-Kovin Čoka-Novi Kneževac	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
61	406	Kikinda-MKS (ind.kolosek)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58 72		Bogojevo-Dunavska obala Sombor-Bački Breg	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
73	409	Sombor-Ridica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
79 68	410 411	(Višnjićevo)-Rasput.Rača-Sremska Rača Paraćin-Stari Popovac	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
77	412	Surčin-Jakovo-Bečmen-(Boljevci)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
57	413	(Bgd spoljna)-km 2+290-Fabrika šećera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Total:	9	996	122	176	8	2	11	89	4	27	83	6	95	20	298



# Appendix 3.8. List of service points where it is possible to perform the transshipment of dangerous goods

The user or the authorized person is liable for safe transshipment and provision of required permits for transshipment issued by the competent authorities (ministry, local self-government, etc.) in case such permits are prescribed by law or by-laws. The Infrastructure Manager is not obliged to control permits and approvals issued by the competent authorities. In case of an accident during transshipment, the user or authorized person undertakes all necessary measures for making handling point functional.

Transshipment of the respective dangerous goods may be carried out on the handling point (handling area, ramp), i.e. the facility placed beside the track referred to in column 3, Table 1 of this Appendix. Transshipment shall be performed in compliance with the applicable regulations of the Republic of Serbia in the field of transport of dangerous goods, health and safety at work, environmental protection, waste treatment, fire protection, etc., complying with the essential safety measures which shall be provided as follows:

Keeping, disposal and storage of dangerous goods in the area of service point, including handling point is prohibited.

The handling point where transshipment is carried out must be enclosed or in any other way separated from passenger transport or from the handling point (loading, unloading, transshipment) with the goods not classified as dangerous (not RID). If a handling point is not enclosed, the client must mount movable fence which shall be removed upon handling (made of plastic orange material used in construction).

The handling point where transshipment is carried out shall have "RID – warning plate on the handling point". In case an IŽS' service point, within which there is the place of handling with dangerous goods, does not have "RID – warning plate on the handling point", the user of the handling point (consignee, consignor or authorized person) is obliged to provide the said plate at their own expense during the entire period of handling. The plate shall be made of sheet, with red colour base, on which the text with white letter is inscribed. The text shall read: RID WARNING – HANDLING WITH DANGEROUS GOODS. Minimum plate size is 600x500 mm. The plate shall look like as indicated:

RID WARNING HANDLING WITH DANGEROUS GOODS

Transshipment of the dangerous goods is carried out during the visible part of day, but it may be performed at night, with electrical lighting whereby the electrical devices that cannot cause fire or explosion may be used. In case an IŽS service point, within which there is the point of handling with dangerous goods does not have capacity for electrical lighting, the user of the handling point shall be obliged to provide necessary lighting at their own expense during the entire period of handling.

In case that said track is under OCL, during transshipment the voltage must be turned off and the track shall be secured in a duly manner.

Road vehicle engine shall be turned off during transshipment.

The disposal of the flammable and material which may cause or intensify fire is prohibited. Furthermore, it is forbidden to dirty the handling area with oil or oil derivatives (out of road freight vehicle).



Fire lighting or work with any open flame, use of tools which sparks and the devices with burner as well as smoking are forbidden during transshipment.

The user of the handling point (consignee, consignor or the authorized person) is obliged to perform cleaning and remove waste, which has been generated during the process of handling with dangerous goods, to the dumpsite, upon the completion of handling activities, in accordance with the Law on Waste Management, Law on Environmental Protection and other legislation and by-laws in the field of environmental protection. In case the user of authorized person does not clean the area after transshipment and does not take waste to the respective dumpsite outside the station, the railway undertaking shall perform cleaning.

The user of the handling point is obliged that, in the process of handling with dangerous goods, comply with the Law on Transport of Dangerous Goods and Law on Protection at Work (to take care on safety and health at work of their employees on the handling point), and particularly to get them acquainted, in a proven manner, with the hazards of stay in railway area (general safety of movement in IŽS's service points, way of conduct in service points, restrictions in movement, hazards from high voltage and other hazards).

Simultaneous transshipment at the same place of handling with dangerous goods of different classes is forbidden.

The service points where transshipment of certain dangerous goods from railway wagons into road vehicle and vice versa is performed are given in the Table of this Appendix.

Upon the request of the interested parties, Infrastructure of Serbian Railways JSC may approve transshipment of other dangerous goods, as well as in service points not given in the Table of this Appendix, in case there are conditions met for handling in the service point, and if the approval of the competent authority is provided for the goods that are being transshipped if it is prescribed by the law (ministries, local self-government units, , i.e. the Ministry of Interior's services).

For more information please contact:

"Infrastructure of Serbian Railways" JSC Traffic Department 6 Nemanjina St., 11000 Belgrade, Serbia Phone/Fax:+381 11 36 18 214 E-mail:sektor.sp@srbrail.rs

The table consists of 7 columns, with the following content:

- column No 1 ,,ordinal No";
- column No 2 , Name of a service point";
- column No 3 "Track", contains ordinal number or name of track in accordance with Station regulations (transport dispatching point or loading point);
- columns 4, 5 and 6 "Dangerous goods", contain NHM code, UN item/number for indication of hazards and class of dangerous goods, whose transshipment may be carried out;
- column No 7 , Notes", contains specific information relating to specific boxes.



Table: List of service points open for transshipment of dangerous goods

Table	: List of service points ope		Dangerous goo			
			Dangerous goo			
	Name of service point	Track		/ number hazards cation		Notes
	Name of service point	Track	NHM	nu ha atic		Notes
o <sub>N</sub>				UN / numl for hazai indication	Class	
1	2	3	4	5	6	7
			3105 20	2067/50	5.1	
1.	Adrovac	1	3102 30	1942/50	5.1	
2.	Aleksinac	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1 5.1	
3.	Bagrdan	6	3105 20 3102 30	2067/50 1942/50	5.1	
			3105 20	2067/50	5.1	
4.	Bačka Topola	1, 5, 7	3102 30	1942/50	5.1	
5.	Bor Freight	1	3105 20	2067/50	5.1	
<i>J</i> .	DOI PROBIN	1	3102 30	1942/50	5.1	
6.	Valjevo	II line	3105 20	2067/50	5.1	
	·		3102 30	1942/50	5.1	
7.	Velika Plana	1	3105 20	2067/50	5.1	
			3102 30 3105 20	1942/50 2067/50	5.1 5.1	
8.	Vranje	1	3102 30	1942/50	5.1	
			3102 30	2067/50	5.1	
9.	Vršac	11, 19	3102 30	1942/50	5.1	
10	G . v	4	3105 20	2067/50	5.1	
10.	Grejač	1	3102 30	1942/50	5.1	
11.	Žednik	1, 6a	3105 20	2067/50	5.1	
11.			3102 30	1942/50	5.1	
12.	Zmajevo	5	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
13.	Zrenjanin	1, 10	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
			3102 30	2067/50	5.1	
14.	Zrenjanin Factory	1	3102 30	1942/50	5.1	
1.7	T 1'	1.0	3105 20	2067/50	5.1	
15.	Jagodina	1, 8	3102 30	1942/50	5.1	
16.	Kikinda	20, 21	3105 20	2067/50	5.1	
10.	IXIKIIIQA	20, 21	3102 30	1942/50	5.1	
17.	Kula	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
18.	Lapovo	1	3105 20 3102 30	2067/50 1942/50	5.1 5.1	
		Station for	3102 30	2067/50	5.1	
19.	Lapovo marshalling yard	disinfecting	3102 30	1942/50	5.1	
20	T 1	New track	3105 20	2067/50	5.1	
20.	Leskovac		3102 30	1942/50	5.1	
21.	Lešak	1 short	3105 20	2067/50	5.1	
۷1.	LCSAK	1 511011	3102 30	1942/50	5.1	
22.	Mala Krsna	1	3105 20	2067/50	5.1	
<u> </u>			3102 30	1942/50	5.1	
23.	Mladenovac	1, 7	3105 20	2067/50	5.1	
]			3102 30	1942/50	5.1	



	T				1
			3105 20	2067/50	5.1
			3102 30	1942/50	5.1
			2807 00	1830/80	8
	Name Cad Manalatina	2, 3, 4, 7	2806 10	1789/80	8
24.	Novi Sad Marshalling	Locomotive and	2815 12	1824/80	8
	Yard	freight stations	2808 00	2031/80	8
			2809 20	1805/80	8
			2815 11	1823/80	8
			2828 90	1791/80	8
			3105 20	2067/50	5.1
25.	Ostružnica	1			
			3102 30	1942/50	5.1
26.	Palanka	1	3105 20	2067/50	5.1
			3102 30	1942/50	5.1
27.	Pančevo varoš	1	3105 20	2067/50	5.1
27.	Tancevo varos	1	3102 30	1942/50	5.1
20	Dan Yarra Main Ct	20, 21	3105 20	2067/50	5.1
28.	Pančevo Main St.	20, 21	3102 30	1942/50	5.1
20	D /:	1	3105 20	2067/50	5.1
29.	Paraćin	1	3102 30	1942/50	5.1
			3105 20	2067/50	5.1
30.	Pirot	1	3102 30	1942/50	5.1
31.	Požarevac	1	3105 20	2067/50	5.1
			3102 30	1942/50	5.1
			3105 20	2067/50	5.1
32.	Požega	19	3102 30	1942/50	5.1
			3102 30	1742/30	3.1
22	Duilemelie Eusielst	12	3105 20	2067/50	5.1
33.	Prijepolje Freight	13	3102 30	1942/50	5.1
2.4	D 1 1:	4	3105 20	2067/50	5.1
34.	Prokuplje	1	3102 30	1942/50	5.1
		Right dead-end	3105 20	2067/50	5.1
35.	Resavica	track	3102 30	1942/50	5.1
		truck	3105 20	2067/50	5.1
36.	Ruma	1, 2	3102 30	1942/50	5.1
37.	Svilajnac	1	3105 20	2067/50	5.1
	, in the second		3102 30	1942/50	5.1
38.	Senta	1, 10,11	3105 20	2067/50	5.1
	~ 3	-, ,	3102 30	1942/50	5.1
39.	Sombor	20, 21	3105 20	2067/50	5.1
33.	Somooi	20, 21	3102 30	1942/50	5.1
40	Chamadra Mirani	1.0	3105 20	2067/50	5.1
40.	Sremska Mitrovica	1,9	3102 30	1942/50	5.1
<b>.</b>	~		3105 20	2067/50	5.1
41.	Stalać	1 short track	3102 30	1942/50	5.1
		1, 33, 34 and 36	3102 30	2067/50	5.1
42.	Subotica				
	<del> </del>	freight station	3102 30	1942/50	5.1
43.	Ćićevac	1	3105 20	2067/50	5.1
			3102 30	1942/50	5.1
44.	Ćuprija	1	3105 20	2067/50	5.1
77.	Cupitju	1	3102 30	1942/50	5.1
15	I I ži sa Emai alet	1	3105 20	2067/50	5.1
45.	Užice Freight	1	3102 30	1942/50	5.1
1.5	ă v 1	11111	3105 20	2067/50	5.1
46.	Čačak	1-dead-end track	3102 30	1942/50	5.1
	1		220200	1 <b>-</b> 100	



47.	Šabac	1,7	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
48.	Stara Pazova	7	3102 30	1942/50	5.1	
49.	Kruševac	1	3105 20	2067/50	5.1	
			3102 30	1942/50	5.1	
50.	Vrbas	10,11	3105 20	2067/50	5.1	
51.	Bajmok	1	3105 20	2067/50	5.1	Only for goods
			3102 30	1942/50	5.1	in sacks
52.	Futog	1	3105 20	2067/50	5.1	
			3102 30		5.1	



## **Appendix 3.9. Alternative transport routes**

No	Regular route	Distance (km)	Alternative route	Distance (km)
1	Subotica-Novi Sad	98.5	Subotica-Sombor-Vrbas-Novi Sad	150.5
2	Subotica-Novi Sad	98.5	Subotica-Sombor-Bogojevo-Novi Sad	165.4
3	Subotica-Novi Sad	98.5	Subotica-Zrenjanin-N.Sad	230.6
4	Subotica-Belgrade	175.6	Subotica-Zrenjanin-Pančevo- Belgrade	234.6
5	Novi Sad-Belgrade	77.1	Novi sad-Orlovat-Pančevo-Belgrade	148
6	Kikinda-Subotica	96.4	Kikinda-Orlovat-N.Sad-Subotica	271
7	Belgrade-Lapovo	109.6	Belgrade-Požega-Kraljevo-Lapovo	306.1
8	Belgrade-Lapovo-Kraljevo	194.3	Belgrade-Požega-Kraljevo	221.4
9	Belgrade-Niš	243.5	Belgrade-Požarevac-Zaječar-Niš	372.9
10	Belgrade-Požega	154.9	Belgrade-Lapovo-Kraljevo-Požega	260.8
11	Belgrade-Požega-Vrbnica(ŽCG)	299.3	Belgrade-Lapovo-Kraljevo-Požega- Vrbnica(ŽCG)	405.2
12	Belgrade-Smederevo	83.1	Belgrade-Mladenovac-V.Plana- Smederevo	132.8

Note: For departure/terminal station the names of the nodes are given, and various service points may be comprised within the respective node.



## Appendix 3.10. Facilities for rolling stock maintenance

Maintenance of railway vehicles is performed in accordance with the Rulebook on Railway Vehicle Maintenance ("Official Gazette of RS", No 144/20).

Service facilities for provision of the basic services- where the works on the maintenance of vehicles are executed, and which are not carried out regularly as the part of daily activities requiring the vehicle to be detached from traffic are the organizational units of the other companies and Infrastructure of Serbian Railways JSC does not provide this type of services.

In accordance with the available data, service facilities and basic maintenance services provided by the Joint Stock Company for Passenger Railway Transport "Srbijavoz", Belgrade are as follows:

Location	Address	Facility	Primary Purpose	Basic Information
	Milana Rešetara bb	Depot Zemun	Maintenance of electric rolling stock and passenger coaches	Area: 10.200 m2 6 tracks of unit length 220 m
Zemun		Depot for underfloor wheel lathe	Wheel processing of rolling stock	Area: 350 m2 It has underfloor wheel lathe without dismantling of wheel-sets
		Workshop	Regular maintenance of electric and diesel locomotives	Area: 85 m2 Disposes of service canal of 36m and platform but without a canopy
Lapovo	Lava Tolstoja 10	Maintenance depot	Maintenance of electric and diesel locomotives and motor trains	Area: 1.part 1088 m2 and second part 625 m2 It has two running lines 2 out of which there are two canals on one line in the length of 50m and 20m. It disposes of single-axle weighbridge for measuring and adjusting the axle load of the rolling stock.
Sombor	Braće Miladinom 1	Hangar  Depot for railbuses	Maintenance of DMUs, and may be used for maintenance of freight wagons and diesel locomotives	Area:1337,5 m2 It has two tracks of the length 78 m and 24 m; it disposes of underfloor wheel lathe for wheel processing on rolling stock without dismantling.  Area: 687 m2 has 1 track in the length
Zrenjanin	Dr Vase Stajica 2	Depot for railbuses	Maintenance of railbuses and replacement of wheel-sets of 711 DMUs	of 78 m Area: 277 m2 1 canal in the length of 27 m
Zienjanin		Depot for DMUs	Maintenance of DMUs	Area: 432 m2 1 track in the length of 34 m



Vršac	Pavliški put bb	Depot for maintenance of rolling stock	Inspections and extraordinary repairs of smaller scope on diesel traction units and DMUs, as well as the overhauls of freight wagons	Area: 787 m2 Two tracks in the length of 40 m
Zaječar	Železnička bb	Workshop for repair of locomotives	Maintenance of diesel traction units and freight wagons	Area: 1250 m2 4 track out of which two are, unit length- 50 m

For more information on the provision of basic services in the above facilities responsible is their user in "Srbijavoz", Belgrade, Department for Rolling Stock Maintenance.

Contact point: Director of Department for Rolling Stock Maintenance - Mr. Vladan Petrović

Address: 6 Nemanjina St. 11000 Belgrade, Serbia

E-mail: vladan.petrovic@srbrail.rs

Phone: +381 64 845 22 64

Information on the service facilities and services provided by the Joint Stock Company for Freight Railway Transport "Srbija Kargo", are available on the web-site: <a href="http://www.srbcargo.rs/rs/usluzni-objekti">http://www.srbcargo.rs/rs/usluzni-objekti</a>. Information on the service facility and services provided by Šinvoz is available on the website <a href="http://www.sinvoz.rs">www.sinvoz.rs</a>.



#### SR PNEUMATIK

23000 ZRENJANIN, MANASTIRSKA BR. 13A PIB:101165889 MBR:54681496 TEL: 062/268-128, pneumatik.zrenjanin@gmail.com

#### INFORMACIJA O USLUŽNOM OBJEKTU SR PNEUMATIK ZRENJANIN


ZRENJANIN, april 2024



		. Opšte informacije
1.1.	Uvod	SR Pneumatik Zrenjanin je uradio Informaciju o uslužnom objektu na osnovu odredbi Pravilnika o elementima informacije o uslužnom objektu (Sl.glasnik RS broj 66/2019) Naziv uslužnog objekta je objekat za održavanje I spade u kategoriju 5, shodno članu 15. St. 2 Zakona o železnici (Sl.glasnik RS broj 41/18) Ova informacija je dostavljena upravljaču infrastrukture radi objavljivanja u Izjavi o mreži.
1.2.	Operator uslužnog objekta	Uslužnim objektom upravlja operator SR Pneumatik Zrenjanin, Manastirska 13a, kontakt Adamov Milivoj +38162268128
1.3	Period važenja I postupak ažuriranja	Ovaj dokumenat se ažurira po potrebi I nema definisan period važenja.
		2. Usluge
2.1.	Naziv usluge	Sertifikovana radionica za održavanje železničkih vozila obavlja usluge:  - pregledi P1, P3,P6,P12 lokotraktora, drezina, lokomotiva;  - tekuće održavanje (opravke manjeg I srednjeg obima) lokotraktora, drezina, lokomotiva;  - kontrolni pregledi I tekuće održavanje obavlja se u depou vlasnika, osim kada je potrebno vozilo dovesti u pogon SR Pneumatik Zrenjanin.  - specijalizovana radionica za održavanje kočnice železničkih vozila.
		Opis uslužnog objekta
3.1	Spisak svih postrojenja	Uslužni objekat SR Pneumatik Zrenjanin, sastoji se od sledećih postrojenja na lokaciji Zrenjanin Takovska 104: -radionica za popravku lokotraktora,

		-specijalizovana radionica za održavanje kočnice železničkih vozila. Hala površine 500m2 (zatvorena I grejana), priključak na javnu drumsku mrežu. Radionica raspolaže svom potrebnom opremom, mašinama I alatima neophodnim za popravke I održavanje železničkih vozila u radionici I na terenu.  Uslužni objekat SR Pneumatik Zrenjanin na lokaciji "Tatravagonka Bratstvo" doo Subotica, Bikovački put 2 Subotica:  - Hala sa kolosekom I svim pratećim alatima I uređajima koji se koriste u procesu održavanja železničkih vozila se koristi na osnovu Ugovora o poslovnotehničkoj saradnji od 29.12.2023. godine.			
		<ul> <li>Hala ima priključak na javnu železničku mrežu.</li> </ul>			
3.2.	Mesto	Zrenjanin, Takovska 104 Subotica, Bikovački put 2			
3.3.	Radno vreme	Radno vreme uslužnog objekta je 7-15 časova ponedeljak-petak, osim za vreme verskih I državnih praznika			
3.4.	Planirane izmene tehničkih karakteristika	Ne planiraju se izmene tehničkih karakteristika			
2000	<b>通过发展</b>	4. Naknade			
4.1.	Informacije o naknadama	Metodologija: norma sat Naknada za pristup uslužnim objektima se ne naplaćuje. Cena za pojedine usluge po norma satu, u zavisnosti od složenosti posla po ponudi,			
		nakon izvršene defektaže.			

5.1.	Pravni zahtevi	Za pristup je potrebno sklapanje ugovora ili narudžbenica.
5.2.	Tehnički uslovi	Železnička vozila namenjena za rad na koloseku širine 1435 mm I maksimalnog osovinskog opterećenja 22 t.
5.3.	Samopružanje usluga	Uslužni objekat ne dozvoljava mogućnost samopružanja usluga.
5.4.	IT sistemi	Uslužni objekat ne nudi korištenje IT sistema
		6. Dodela kapaciteta
6.1.	Zahtevi za pristup uslužnom objektu ili uslugama koje se pružaju u objektu	Podnosilac zahteva je dužan poslati zahtev za ponudom za uslugu na e-mail :pneumatik.zrenjanin@gmail.com , ili usmeno na telefon +38162268128 Rok za obradu zahteva je 3 radna dana Prihvatom ponude, usluga se pruža na osnovu ugovora i narudžbenice. Po završetku usluge sačinjava se zapisnik o izvršenim uslugama.
6.2.	Odgovor na zahtev	Rok za obradu zahteva je 3 radna dana Usluga se temelji na osnovu ugovora, narudžbenice I zapisnika o izvršenoj usluzi.
6.3.	Informacije o promenama tehničkih karakteristika I privremenim ograničenjima kapaciteta	Uslužni objekat nema privremenih ograničenja kapaciteta koji mogu uticati na rad. U slučaju privremenih ograničenja, obaveštava se upravljač infrastrukture.





### Information on the service facility MIN Lokomotiva doo



# INFORMACIJE O USLUŽNOM OBJEKTU MIN LOKOMOTIVA DOO

MIN Lokomotiva doo

Šumadijska 1, 18000 Niš

+381 18 415 1131

E-mail: min.lokomotiva.kabinet@gmail.com

Internet adresa: https://www.minlokomotiva.rs/

April 2024. godine

114





#### SADRŽAJ

1.1 UVOD	3
1.2 OPERATOR USLUŽNOG CENTRA	3
1.3 PERIOD VAŽENJA I POSTUPAK AŽURIRANJA	3
2.1 OPIS USLUGE	3
3.1 SPISAK SVIH POSTROJENJA	4
3.1.1 PROIZVODNI POGON ZA REDOVNO ODRŽAVANJE	4
3.1.2 PROIZVODNI POGON ZA VANREDNO ODRŽAVANJE	4
3.1.3 MAGACINI	5
3.1.4 ŽELEZNIČKA INFRASTRUKTURA	5
3.2 MESTO USLUŽNOG OBJEKTA	5
3.3 RADNO VREME USLUŽNOH OBJEKTA	5
3.4 PLANIRANE IZMENE TEHNIČKIH KARAKTERISTIKA	6
4.1 INFORMACIJE O NADOKNADAMA	6
4.2 INFORMACIJE O POPUSTIMA	6
5.1 PRAVNI ZAHTEVI	6
5.2 TEHNIČKI USLOVI	6
5.3 ZAKUP KOLOSEKA U USLUŽNOM OBJEKTU	6
5.4 IT USLUGE	е
6.1 ZAHTEV ZA KORIŠĆENJEM USLUŽNOG OBJEKTA ILI USLUGAMA KOJE SE	
PRUŽAJU U USLUŽNO OBJEKTU	6
6.2 ODGOVOR NA ZAHTEV ZA PONUDOM	7
6.3 INFORMACIJE O DOSTUPNOM KAPACITETU I PRIVREMENIM	
OGRANIČENJIMA	7
7.1 PROSTORNI PLAN USLUŽNOG OBJEKTA	7





#### 1.1 UVOD

Informaciju o uslužnom objektu MIN Lokomotiva je izradila u skladu sa odredbama Pravilnika o elementima informacije o uslužnom objektu ("Službeni glasnik RS", broj 66/19). MIN Lokomotiva doo spada u kategoriju 5), po članu 15, stav 2 Zakona o železnici (" Službeni glasnik RS" broj 4/218), odnosno spada u kategoriju Objekata za održavanje.

Fabrika za proizvodnju i remont šinskih vozila MIN Lokomotiva osnovana je 1884-te godine kao glavna radionica srpskih državnih železnica za popravak i pregled parnih lokomotiva.

Nad MIN Lokomotivom proglašen je stečaj 2015.godine. Maja 2018.godine. MIN Lokomotiva je kao pravno lice kupljena je od strane sadašnjih vlasnika (fizičkih lica).

Osnovna delatnost MIN Lokomotive doo je remont i održavanje železničkih vozila, projektovanje i proizvodnja novih železničkih vozila i pružanje raznih usluga vezano za železničku industriju.

#### 1.2 OPERATOR USLUŽNOG OBJEKTA

- Naziv uslužnog objekta: MIN Lokomotiva doo
- Adresa: Šumadijska 1, 18000 Niš
- Kontakt osoba za uslužni objekat: Dejan Avramović
- Broj telefona: +381 18 415 1131
- E-mail: min.lokomotiva.kabinet@gmail.com
- Internet adresa: https://www.minlokomotiva.rs/
- Radno vreme: 7.00-15.00, osim vikendom i praznicima

#### 1.3 PERIOD VAŽENJA I POSTUPAK AŽURIRANJA

Ovaj dokument se ažurira u vreme objave inforamcije, osim ako su zbog izmena u sadržaju nužne vanredne izmene

#### 2. 1 OPIS USLUGE

Osnovne usluge koje pruža uslužni objekat:

- Redovno održavanje, koje se obavlja periodično i unapred planira
- Vanredno održavanje koje se obavlja radi otklanjanja kvarova, nedostataka, istrošenja i zagađenja u toku eksploatacije
  - Redovno održavanje obuhvata:
- Kontrola železničkih vozila u toku eksploatacije
- Pranje i čišćenje





- Servisni pregled
- Kontrolni pregled
- Redovnu opravku

Vanredno održavanje obuhvata:

- Vanredne opravke manjeg ili većeg obima
- Vanredno pranje i čišćenje

#### 3.1 SPISAK SVIH POSTROJENJA

Uslužni centar MIN Lokomotiva doo sastoji se od sledećih celina

- Proizvodni pogon za redovno održavanje
- Proizvodni pogon za vanredno održavanje
- Radionica za ispitivanje lokomotiva na promenljivom naponu
- Radionica za ispitivanje brzinomera
- Radionica za održavanje elemenata vešanja i ogibljenja
- Magacin u zatvorenom prostoru
- Magacin na otvorenom prostoru
- Železnička infrastruktura

#### 3.1.1 PROIZVODNI POGON ZA REDOVNO ODRŽAVANJE

- Ukupna površina pogona za redovno održavanje je : 1100m2, podeljena u dva objekta
- Proizvodni prostor je opremljen kolosecima i mosnim dizalicama od 5t
- Proizvodni pogon je tehnološki opremljen za redovno održavanje dizel i elektro lokomotiva
- Ulaz/izlaz vozila u pogon je omogućen je preko 5 ulazno/izlaznih koloseka povezanih preko preko prenosnice nosivosti 150t sa glavnim kolosekom ka stanici Niš

#### 3.1.2 PROIZVODNI POGON ZA VANREDNO ODRŽAVANJE

- Ukupna površina pogona za vanredno održavanje je: 2500m2
- Proizvodni pogon za vanredno održavanje opremljen je kolosecima i mosnim dizalicama od 45 t (3 komada) i 5t (2 komada)
- Proizvodni pogon za vanredno održavanje opremljen je tehnološki za održavanje železničkih vozila
- Ulaz/izlaz vozila u pogon omogućen je preko 4 ulazno/izlaznih koloseka povezanih preko preko prenosnice nosivosti 150t sa glavnim kolosekom ka stanici Niš





- Proizvodni pogon za vanredno održavanje je opremljen viljuškarima i transportnim kolicima za unutrašnji transport
- Radionica za ispitivanje brzinomera tipa Hasler je opremljena atestiranom probnicom, nalazi se u sklopu pogona za redovno održavanje
- Radionica za održavanje elemenata vešanja i ogibljenja se nalazi u delu pogona za vanredno održavanje železničkih vozila i tehnološki je opremljena za održavanje elementa vešanja i ogibljena železničkih vozila

#### 3.1.3 MAGACINI

- Površina zatvorenog magacina je oko 200m2. Magacin je opremljeno stalažama za smeštaj rezervnih delova i opreme.
- Otvoreni magacin ima površinu od 500m2 i koristi se smeštaj crne i obojene metalurgije, tehničkih gasova i ulja i maziva
- Zatvoreni i otvoreni magacini su povezana preko prenosnice sa glavnim kolosekom ka stanici Niš
- Zatvoreni i otvoreni magacini imaju putnu vezu sa glavnom saobraćajnicom

#### 3.1.4 ŽELEZNIČKA INFRASTRUKTURA

- Ukupna dužina koloseka na lokoaciji (spoljašnji i unutrašnji) je oko 2000m
- Uslužni objekat je povezan sa železničkom stanicom Niš sa jednim matičnim kolosekom, koji se preko skretnice usmerava na koloseke prema pogonu.
- Dozvoljeno opterećenje koloseka je 22t po osovini, dozvoljena brzina na koloseku je 5km/h
- Železnička vozila se sa glavnog koloseka prebacuju na koloseke u okviru proizvodnih kapaciteta preko specijalnog transportera-prenosnice nosivosti 150t

#### 3.2 MESTO USLUŽNOG OBJEKTA

- Šumadijska 1, 18000 Niš
- Geografska širina 43°19'07"
- Geografska dužina 21°52'39"
- Priključak na javnu putnu mrežu
- Priključak na javnu železničku mrežu preko železničke stanice Niš

#### 3.3 RADNO VREME USLUŽNOG OBJEKTA

- Ponedeljak-petak od 7.00-15.00h
- -Vikendom i praznicima su neradni dani





#### 3.4 PLANIRANE IZMENE TEHNIČKIH KARAKTERISTIKA

- Ne planiramo izmene tehničkih karakteristika

#### 4.1 INFORMACIJE O NADOKNADAMA

- Metodologija izračunavanja nadoknade je norma čas (NČ)
- Nadoknada za pristup uslužnom objektu se ne naplaćuje
- Cene usluga su definisane zvaničnim cenovnikom

#### 4.2 INFORMACIJE O POPUSTIMA

- Operator uslužnog objekta može u specijalnim okolnostima nuditi popust na usluge koje se nude korisnicima prema međusobnom dogovoru uz poštovanje zahteva operatera o čuvanju poslovne tajne

#### 5.1 PRAVNI ZAHTEVI

- Za pristup uslužnom objektu potrebno je sklapanje ugovora ili narudžbenica

#### **5.2 TEHNIČKI USLOVI**

- Uslužnom objektu mogu pristupiti železnička vozila standardne širine 1435mm
- Uslužnom objektu mogu pristupiti vozila sa maksimalnim dozvoljenim osovinskim opterećenjem od 22t po osovini

#### 5.3 ZAKUP KOLOSEKA U USLUŽNOM OBJEKTU

- Zakup koloseka u uslužnom objektu je definisan posebnim cenovnikom

#### 5.4 IT USLUGE

- Uslužni objekat ne nudi IT usluge

#### 6.1 ZAHTEV ZA KORIŠĆENJE USLUŽNOG OBJEKTAILI ZA USLUGAMA KOJE SE PRUŽAJU U USLUŽNOM OBJEKTU

- Podnosilac zahteva dužan je poslati Zahtev za ponudom na e-mail adresu min.lokomotiva.kabinet@gmail.com. Ili preko telefona na broj + 381 018 415 1131
- Usluga se pruža na osnovu potpisanog ugovora ili narudžbenice
- Za izvršenje usluga potrebno je da se najavi odgovornom licu u uslužnom objektu 2 dana unapred
- Podnosilac zahteva dužan je u zahtevu za ponudu navesti:
  - 1. Vrsta usluge koja se traži
  - 2. Osnovne podatke o železničkom vozilu
  - 3. Vremenski period za korišćenje usluga





- 4. Potrebu za magacinskim prostorom ukoliko takva potreba postoji
- 5. Posebni zahtevi

#### 6.2 ODGOVOR NA ZAHTEV ZA PONUDOM

- Rok za obradu zahteva i davanje ponude je do tri radna dana u zavisnosti od složenosti zahteva
- Osnovni kriterijum za određivanje rasporeda i kapaciteta uslužnog objekta jeste da prednost kod raspoređivanja ima podnosilac zahteva koji ima potpisan ugovor ili je ispostavio narudžbenicu ili je u završnim pregovorima sa vlasnikom uslužnog objekta o pružanju usluge
- U slučaju da dođe do kolizije u zahtevima, a koji se odnose na kapacitete uslužnog objekta prednost ima onaj podnosilac zahteva koji ima dugoročni ugovorni odnos sa vlasnikom uslužnog centra ili je po redu podnošenja zahtev bio ispred ostalih podnosilaca zahteva za uslugom. Ako i pored navedenih kriterijuma dođe do problema u korišćenju kapaciteta uslužnog centra odgovorno lice uslužnog centra će nastojati da razgovorom i koordinacijom sa korisnicima izvrši preraspodelu kapaciteta i po potrebi uvede drugu smenu kako bi svi korisnici bili adekvatno usluženi.

#### 6.3 INFORMACIJE O DOSTUPNOM KAPACITETU I PRIVREMENIM OGRANIČENJIMA

 - U slučaju vanrednih događaja koji mogu privremeno ograničiti kapacitet uslužnog objekta ili obavljanje planiranih radova odgovorno lice uslužnog centra će o tome obavestiti sve korisnike o nastalom događaju i o ograničenjima, kao i odgovrajuće službe koje upravljaju infrastrukturom.

120

#### 7.1 PROSTORNI PLAN USLUŽNOG OBJEKTA

- Prostorni plan fabrike MIN Lokomotiva



#### Appendix 3.10a. Information on the service facility managed by Nelt Co



Nelt Co d.a.a. Maršala Tita 206 P. fah 530 11272 Dobanovci Srbija t +381 11 3779 100 f +381 11 3779 140 office@nelt.com www.nelt.com www.neltlsprs

PIB 100037645 MB 17304712

Sektor za pristup železničkoj infrastrukturi Nemanjina 6, Srbija Datum: 21.12.2020.

PREDMET: INFORMACIJE O USLUŽNOM OBJEKTU – Industrijski kolosek "NELT Co", koji je deo Nelt Terminala

U stanici Surčin na pruzi Beograd Ranžirna, Park B - Ostružnica - Batajnica za javnu železiničku infrastrukturu kojom upravlja "Infrastruktura Železnice Strbije" ad priključen je industrijski kolosek čiji je vlasnik "Nelt.Co." d.o.o. Beograd.

Industrijski kolosek je namenjen samo za prijem i otpremu kolskih pošiljaka i isti se ne koristi za potrebe prevoza opasnih materija.

Industrijski kolosek počinje u nastavku četvrtog koloseka stanice Surčin odvojnom skretnicom br:2, u km. 14+166,57 pruge Beograd Ranžirna A– Ostružnica – Batajnica. Industrijski kolosek "NELT Co" doo Beograd, odvaja se od javne železničke infrastrukture, kojom upravlja "Infrastruktura Železnice Srbije" ad, u stanici Surčin koja je nalazi u km 14+635,60 (sredina stanične zgrade) jednolosečne elektrificirane pruge Beograd Ranžirna, Park B - Ostružnica - Batajnica.

Skretnica br. 1c industrijskog koloseka "NELT Co" doo Beograd , matični kolosek razdvaja na dva kraka odnosno na dva koloseka

Industrijski kolosek je ukupne građevinske dužine 1293,31m i sastoji se od tri dela i to:

- matičnog koloseke građevinske dužine 616,00 m
- Kolosek I građevinske dužine 348,00 m
- Kolosek II građevinske dužine 343,31 m

Koloseci I i II imaju korisnu dužinu svaki po 300 m tako da je ukupna korisna dužina na industrijskom koloseku 600 m.

Industrijski kolosek oposobljen je za kategoriju pruge C2 odnosno za:

- najveću dozvoljenu masu po osovini do 20 t/os (200 kN/os) i
- najveću dozvoljenu masu dužnom metru do 6,4 t/m (64 kN/m)

Koloseci I i II su na industrijskom koloseku vezani samo sa jedne strane tako da se na drugom kraju završavaju grudobranima,.

Manevru od stanice Surcin do Industrijski kolosek "NELT Co", za sada obavlja železnički operater "Srbija Cargo" ad.

Posedujemo 1 reach stacker kojim vršimo manipulacije kontejnera sa voza koji pristigne na Industrijski kolosek "NELT Co",

Cena za manipulacije punih kontejnera naplacuju se EUR 25 a praznih kontejnera EUR 20, obracunata u dinarskoj protivvrednosti





Neit Co d.a.a. Maršala Tita 206 P. fah 530 11272 Dobanovci Srbija t+381 11 3779 100 f+381 11 3779 140 office@nelt.com www.nelt.com www.neltlsp.rs

PIB 100037645 MB 17304712

Radno vreme Nelt terminala je radnim danima od 08h – 21h, subotom od 08h-16h, nedelja je neradni dan. Praznicima ne radimo

Nelt terminala Ul. Maršala Tita 206, 11272, Dobanovci +381 60 8318595 +381 11 3779 33 www.nelt.com

S poštovanjem,





#### Appendix 3.11. Railway infrastructure development projects

The National Assembly, upon the proposal of the Government, passes the National Program for the railway infrastructure, which contains:

- 1. the existing characteristics and condition of the railway infrastructure of the Republic of Serbia;
- 2. strategy for construction, reconstruction and maintenance of the railway infrastructure;
- 3. development components in the construction of the new infrastructure capacities of special significance for the Republic of Serbia;
- 4. defining of the structure, time schedule for realization of priorities, level and sources of the financial assets needed for completion of the National Program activities.

National Program is passed for a five-year period.

Based on the National Program, the Infrastructure Manager prepares the annual program for construction, reconstruction and maintenance of the railway infrastructure, organization and regulation of the railway traffic.

No	Project	Estmated commencement of works (date or quarter)	Duration of works	Works' execution method
1	Civil engineering reconstruction of Niš – Dimitrovgrad railway line, section Sićevo - Dimitrovgrad	November 11 <sup>th</sup> , 2023	Q4 2026	Execution of the works and traffic performance according to the schedule: 36/36/36/60. Total line closure in the duration of 91 days in Q1 2026
2	Electrification of Niš – Dimitrovgrad railway line, section Sićevo - Dimitrovgrad	March 2025	Q4 2026	Execution of the works and traffic performance will be realized alternately in intervals agreed with the Contractor.
3	Construction of northern bypass around city of Niš:  1. Crveni Krst – Pantelej – Matejevac  2. Trupale – Crveni Krst  3. Trupale – Niš Marshalling Yard	Q4 2023	Q3 2026	Execution of the works and traffic performance will be realized alternately in intervals agreed with the Contractor.



### **Appendix 4.1. Request for train path allocation (form)**

Application form for train path allocation

	ertaking - oper	rator:						
Address:								
Contact perso	on:					1		
Tel.		Fax.			e-mai	l:		
Place and dat	e:							
1 DACICI			OHECTED	TD AINI D	ATH			
1. BASIC	INFORMATIO	ON ON THE RE Train No in			Route			
Train type		the previous timetable	departure	arrival	from	to	via	
NOTES								
2. TRAIN	TIMETABLE	INFORMATIO	N					
Stops in se	rvice points	Staying time points [min]	in service	Running calendar				
							_	
3. TRAIN	INFORMATI	ON						
	Additional				Braking	g		
Type of traction,	units, serial	G : 131		<b>.</b>				
serial No of traction unit, route	No of traction unit, function in the train,	Series and No of the wagon /motor unit	Train mass [t]	Train length [m]	Туре	Percentage [%]	Maximum train speed [km/h]	
	route							
4. OTHER	REQUIREM	ENTS						
						L.S.	SIGNATURE	



### Appendix 4.1a. Request for train path allocation (e-papir)

Republic of Serbia

JSC "Infrastructure of Serbian Railways"

Rail Infrastructure Access Department

www.infrazs.rs

#### **REQUEST**

#### FOR TRAIN PATH ALLOCATION

Basic information about the applicant

Business name / title														
Head office														
Contact phone														
Name and surname of the representative	ne													
Identification number							PIB							
Email address						·		·						
	Basic o	data	a on the	e re	quii	ed tra	ain path							
	Number of	f	De	esire	ed ti	me		Route						
Train type	train i previous T	Т	depart	ure	8	ırrival	from		to				via	
			1	Vote	e						ı			
		T	rain tin	neta	ıble	data								
Stops in service points		ng time in service points [min]					Rui	nning	cale	endar	•			
					•									



	Train data							
Type of traction, serial No of traction unit, route	Additional traction units, serial No of traction unit, function in the train, route	Series and No of the wagon /motor unit	Train mass [t]	Train length [m]	Braking  Type Percentag [%]		Maximum train speed [km/h]	
			Special	note				

I am aware that, if I do not submit the stated data, necessary for the decision-making of the body within 8 days, the request for initiating the procedure will be considered irregular.

The request can also be submitted on <a href="mailto:sektor.pzi@srbrail.rs">sektor.pzi@srbrail.rs</a>

In	, on	<u>-</u>	
			Annlicant's signature



#### INFORMATION FOR THE APPLICANT

Deadline for resolving the submitted request	30 days before the start of the timetable
--	---



### Appendix 4.1b Template for submission of traction vehicle technical data

 1. Series
 1116

 2. Description
 BoBo

 3. Length
 19280 mm

 4. Weight
 88 t

 5. Maximum speed
 230 km/h


 6. Inertia factor
 1,15

 7. Resistance formula

 W= a + b + v + a + v<sup>2</sup>
 a = 1020

#### 8. Traction diagram and braking diagram

V	Fv
[km/h]	[kN]
0	300
92	250
100	230
120	192
140	165
160	144
180	128
200	115
220	105
230	100



V	Fk
[km/h]	[kN]
0	100
40	100
50	170
60	240
96	240
100	230
110	209
120	192
130	177
140	165
150	154
160	144
180	128
200	115
220	105
230	100



9. Traction type

electric



### Appendix 4.2. Instruction for completion of the Request for train path allocation

	Column name	Data type	Explanation
	Train type	M	Specify train type:  - Passenger train (pursuant to Articles 32 and 34 of Traffic Rulebook, Official Gazette of RS No 34/22 and 107/22)  - Freight train (pursuant to Articles 33 and 34 of Traffic Rulebook, Official Gazette of RS No 34/22 and 107/22)
	Train No in the previous Timetable	С	Specify the number of the train from the previous Timetable, whose path elements match applicant's request (e.g. 541, 40760,)
1.	Desired time	M/N*	Specify the desired time of the train departure from the origin station or the time of arrival to the destination station
	Route	M	Specify the origin and destination station of the train route and characteristic service point between those two stations which defines the train route
	Note	M	Specify request type: - annual request (for the new Timetable) - request for regular or extraordinary amendments to the valid Timetable while specifying the number of regular amendment (I, II, III, IV or V amendment) - ad hoc request
	Stops in service points	M	Specify all service points where the train needs to stop
2.	Staying time in service points	M	Specify the needed staying time in each service point (in minutes) where train staying is necessary
	Running calendar	М	Specify running calendar for regular trains. If a path is requested for the optional train, enter the indication "optional", and for trains under the ad hoc request specify the train running date
	Type of traction, serial No of traction unit, route	M	Specify traction type (electric or diesel), serial number of traction (operating) locomotive and route of each particular locomotive if there is change of traction type on the required route
3.	Additional traction units, serial No of traction unit, function in the train, route	M	Specify number of additional traction units, traction units type (electric or diesel), serial number, position on the train (double heading, banking,) additional traction unit running route



	Series and No of the coach/multiple-unit set	M	For passenger trains, specify coach series (letter designation of coach series) and number of coaches on the train i.e. series, number and serial number of multiple-unit sets (DMU/EMU)
	Train mass	M	Specify total train weight in the format of a sum of weight of hauled vehicles and the weight of all operating locomotives (Q+L)
	Train length	M	Specify train length in metres without the length of operating locomotives in service
		M	Braking type: specify braking type (G, P, R, Mg,)
	Braking	M/N**	Braking percentage: specify braking percentage which has to be considered during timetabling
	Maximum train speed	M	Specify maximum train speed considering characteristics of vehicles on the train
4.	Other requirements	С	Specify other requirements of the train such as: shunting of vehicles, change of train composition, connection, staff shift, type of intermodal transport unit, dangerous goods type, special consignments, train stays at border-crossing, technical stops (inspection, water supply, waste handling and similar) and time period required, need for additional track capacities (side tracking, pre-heating/cooling, forming of trains and similar), need for access to other additional service facilities and similar.

#### Legend:

 $M-data\ is\ mandatory$ 

C – data is conditional (mandatory, if the condition is fulfilled)

M/N\* - data is mandatory for passenger trains/data data is non-mandatory for freight trains

 $M/N^{**}$  - data is mandatory for international trains/data is non-mandatory for domestic trains For multiple-unit sets running in domestic traffic, specify the maximum braking percentage provided by the multiple-unit set

Note: Upon receipt of the request for path allocation, IŽS will provide the RU with the infrastructure data based on which the RU will calculate the train running times and submit them to IŽS.



### Appendix 4.3. Deadlines for annual 2025/2026 timetable preparation

Phase	Authority	Deadline
Submission of requests for path allocation for international passenger trains	RU	20.02.2025
Regular deadline for submitting allocation requests for annual timetable	IM	15.12.2025-14.04.2025
Coordination and harmonization of requests	IM/RU	15.04.2025-20.06.2025
Presentation of the First Draft Timetable to RUs for passenger trains and international freight trains	IM	27.06.2025
Draft review – remarks, suggestions, proposals and opinions	IM/RU	01.07.2025-14.07.2025
Draft timetable 2024/2025	IM	29.08.2025
Solving of problems and questions	IM	01.09.202505.09.2025
Extraordinary requests (remaining capacities)	RU	06.10.2025
Final deadline for capacity allocation according to extraordinary requests (remaining capacities)	IM	13.10.2025
Timetable coming into effect	IM	14.12.2025



### Appendix 4.4. Deadlines for amendments to annual 2025/2026 Timetable

Amendment No	Submission date of requests for amendments to annual timetable	Deadline for capacity allocation	Application date for amendments to annual timetable
I	15.12.2025	23.01.2026	02.02.2026
II	09.02.2026	26.03.2026	07.04.2026
III	20.04.2026	29.05.2026	14.06.2026
IV	13.07.2026	31.08.2026	07.09.2026
V	10.08.2026	25.09.2026	05.10.2026



## Appendix 5.1. Overview of railway lines on which train running is possible when they are manned only with engine driver

Train running with engine driver only in a traction unit, without train crew (engine driver – without train crew), can be performed on the following lines:

- Belgrade Center-Stara Pazova Šid state border (Tovarnik);
- (Belgrade Center) Stara Pazova -Novi Sad Subotica state border (Kelebia);
- Belgrade Center Junction G Mladenovac-Lapovo-Niš-Preševo state border (Tabanovci);
- (Belgrade Center) Rakovica Jajinci Mala Krsna Velika Plana;
- Belgrade Center Pančevo Varoš (Vršac);
- Belgrade Center Resnik Požega Vrbnica state border (Bijelo Polje)
  - Section Resnik-Požega-Užice;
- Inđija Golubinci;
- Novi Sad Novi Sad Marshalling Yard Open line junction Sajlovo;
- Belgrade Center Novi Beograd;
- Belgrade Center Open line junction G (Rakovica);
- Belgrade Marshalling Yard "A" Ostružnica Batajnica;
- Belgrade Marshalling Yard "B"- Ostružnica;
- Belgrade Marshalling Yard "A"-Open line junction "B"-Open line junction "K/K1"- Resnik;
- Ostružnica Open line junction "B" (Open line junction"K/K1");
- Belgrade Marshalling Yard "B" Open line junction "R"-Open line junction "A"-( Resnik);
- (Belgrade Marshalling Yard "B") Open line junction "R" –Rakovica;
- Belgrade Marshalling Yard "A" Open line junction "T" Rakovica;
- Belgrade Marshalling Yard "B" Open line junction "T" (Rakovica);
- Connecting line in the area of Open line junction "K/K1": (Open line junction "B") switch "K" switch "K1" (Jajinci);
- Topčider Putnička (km 4+195) Open line junction G (Rakovica)<sup>3</sup>;
- (Open line junction Pančevački most) Open line junction Karađorđev park Open line junction Dedinje – (Open line junction G);
- By-pass line of Mala Krsna station: (Kolari) junction points 1 junction points 28 (Osipaonica);
- Open line junction Lapovo Varoš Lapovo Marshalling Yard Lapovo;
- Trupale Niš Marshalling Yard Međurovo;
- Crveni krst Niš Marshalling Yard;
- Niš Open line junction Most (Niš Marshalling Yard);
- Mala Krsna Požarevac (Bor);
- Pančevo Varoš Pančevo Vojlovica;
- Smederevo Open line junction Jezava Radinac Mala Krsna;
- Novi Sad Marshalling yard Open line junction Sajlovo.
- Subotica Horgos State Border (Röszke).

On the other lines, in particular cases, train running can be performed with engine driver – without train crew in compliance with terms stipulated in the Traffic Rulebook ("Official Gazette of the Republic of Serbia", No 34/22 and 107/22).

<sup>&</sup>lt;sup>3</sup> By virtue of the Conclusion of the Government of the Republic of Serbia No 340-2989/2022 dated April 7, 2022, the Decision of the Shareholders' Meeting of Joint Stock Company for Public Railway Infrastructure Management "Infrastructure of Serbian Railways" Belgrade concerning the termination of public railway traffic, dismounting and reconstruction of infrastructure capacities on railway line Topčider Putnička (km 4+ 195) – Open line junction "G" – (Rakovica), has been approved.



\_


# Appendix 5.2. Overview of the lines lines that do not meet the conditions for train running with an engine driver only

List of Infrastructure of Serbian Railways lines that do not meet the conditions for operation of traction units with an engine driver only (other lines meet the conditions):

- (Belgrade Center) Resnik Požega- Vrbnica- state border (Bijelo Polje)
  - ➤ Užice Vrbnica section.



Appendix 5.3. Geometry of pantograph (current collector) TIP POS - 254/III used on IŽS network





### Appendix 6. Register of infrastructure data

	əbutitlA	30		97,6	1,20	92	87,6		84,3	79,11	84,96		79,11	84,96	96.94	102,06	100,96	91,7	81,77	84,66	87,29	85,79	96,2	84,93					T					П	$\top$	225,5
	Saugg gaibeo	1 83		Že I	ŽS-I	ŽS-I	I-SZ	ŽS-I	ZS-I	ŽS-I	ŽS-I		ŽS-I	ŽS-I	+	+	$\vdash$	I-SZ ZS-I	I-S.	ZS-I ŽS-I	ŽS-I	I-SZ	ŽS-I	I-S			I-S	ŽS-I	ZS-I	ŽS-I	ŢS-I	S-I	ŽS-I	ŽS-I	ZS-I ŽS-I	ZS-I ZS-I
the line [daN]	←	28		10	_	1 Ž	5 2	$\vdash$	2 2	1 Ž	- Ž		8/1 Ž	+	2 2	+	+	3 2	Ž	3	2 2	7 2	3 2	4 2			Ž	7	- 2	7	$\vdash$	4 Z	7 2	- 2	7	14 2
Ruling resistance of	$\rightarrow$	27				4				-	3		10/1	~	۲ -		9	0 0	١,	-	2		4	-				10	9		П	- 0	•	10	15	-
gradient	Slope	36		5	2	1	5	П	2	-	0		2/0	0	2 0	П	5	2	П	m	2		3	4			П	7	•	T	П	m c		0	0 0	13 13
Ruling	lncline	123		-	- 1	4	0		0	-	3		0/6	- 1	0 -	П		0 0	1	1	2		4	1				00	2		1 1	9 4			8	
[%] u	Oradient of the statio	24		0,0		2,0	1,9		6,0	0,3	4,1	2,5	0,3	4,1	0.0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0			0,0			1,5			7,9			7,4	1 1
sn	Minimum curve radio	23		200	200	269	700		2500	7000	5000		700	4993	3000	4000	3000	10000	1300	10000	10000	1500	15000	15000			300	700	300			400	200	300	300	300
	dispatching of passen	22		<u>а</u>	ъ.	P/F <sup>1)</sup>	a,	д	Д	P/F	P/F	н	P/F	P/F	Ъ	Ы	P/F	P/F		Д	P/F		P/F			Ъ		,	م م	4	д	P/F	Д.	P/F	<u>а</u>	P/F P
	Occupancy of service Open for the acceptar	-		d :		Ъ	'n	Н	Д	þ	д	Ь	n	д, г	4 5	H	ы	D d	H	<u> </u>	b	+	Ъ	+		ď	H		_	+	Н	a :		b	םם	
	Side-loading pla	+		H	+	S	+	$\vdash$	S	S	Н		$\rightarrow$	S	S	$\rightarrow$	S/E	S	H	_	H		S/E	+		F	Н	Ť	+	+	$\vdash$	S		S	+-	S
	Freight car scales	+		H		•.				+	•.		-	-	-	$\mathbb{H}$	S	-					Yes S	$\dashv$		F			+	+	Н	-		-	+	+
212		П		52	17	00	01		4	10	03	94	01	03	8 8	07	20	8 6	10	11	2 :	15		17		52		5	8 8	70	01	10 0	80	05	8 8	\$ 8
	Service point code -	Ш		16052	_	16002	16001		16204	16501	16503	16204	$\rightarrow$	_	16506	16507	16550	16508	16510	16511	16513	16515	16516	16517	- F	16052			16103		16101	15501	15408	15402	15403	15405
he service point	Manner of securing t	17		=======================================	1	11	=		=	11	11	11	=	= -	-			- -		-	-		1	_	1	1	-		_	-	Н		+	-		
noitelu	gen offtert to renneM	1 10	ik)	PC mith TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT		RC with TWT	RC with TWT	RC with AB	RC with AB	RC with AB	RC with AB RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	station distance	,	TWI	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with AB	RC with AB	RC with AB RC with AB	RC with AB RC with AB
	eniert teagno		LINES Šid - state border - (Tovarnik)	91	2	61	12		91		15	10		9 4	2 5		51	2 2		2	2		15	$\dashv$	X	5 and 6					Н	c	7	Н	+	+
B→A	acceptance of the		T) - T	5 and 6	4 allo	8 and 9	1 and 2		5 and 6		4 and 5	9 and 10		5 and 6	4 and 5		4 and 5	4 and 5 2 and 3		2 and	4 and		4 and			5 and 6			2			3	T allo	4	1	2 2
Direction	train length	1 4	bord	506		411	200	$\vdash$	238		651	9 022	1	443	+	+	$\vdash$	776	$\vdash$	299	673		707	$\dashv$		506		5	702		Н	730	6	781	20 00	692
	ongest trains Maximum permitted		- state	6 5	-	2 4	4	$\vdash$	2 2	4	$\vdash$	$\vdash$		$\rightarrow$	3 7		+	3 6	$\vdash$	9	_	+	3 7	-		5 5		i	~		Н	7 6	+	7	/ 9	6 6
y→B	acceptance of the	13	Sid	5 and 6	DI SI	and	3 and		and	la and 4	1 and 3	9 and 10	2 and	1 and 2	2 and		and	and and		4 and	2 and		and		18	5 and 6		,	4		Н	3	a di	4	3	2 2
Direction	rain length Tracks for		Stara Pazova - Šid - s	506 5	7 00	550 1	199	$\vdash$	227 1	122 1	Н	757 9	_	+	697	+	$\vdash$	731 2	$\vdash$	614 4	552 2		665 2			508 5			702		Н	730	6	111	753	692
	Maximum permitted	$\forall$	Stara	0 5		5			2					-	9		7	7	ш	_	5		9	(pig	-	5	Й	+	+	_	Ш	7	+	7	,	9 9
permitted speed	Left track	Н	1	1 =			0 120				- 500	T 120 T	1	T 160 T	_	0		_	8					13 D M D3 60 n distances for freight traffic (mixed, Šid)	10 IV		20	+	8		2	30	3	:	30	30
mumixeM	Right track	12	Belgrade				120			$\overline{}$	700	120 T	$\neg$	-	8	120		98			<u>'</u>			raffic (r	NOTION I BIT I NEO		20	_	8	_	₹ Т.Т					_
	Railway line category	+	101	$\vdash$	_	D4	_	$\vdash$	7 5	_	$\overline{}$		$\rightarrow$	+	+	+	$\vdash$	2 2	$\vdash$	2 2	+	ã ĉ	+	D3	E E		7	_	+	7 7	+	+	2 2	$\vdash$	_	7 7
	Class of milway line	) ∞		>	Z	M	ΣΣ	×	≥ ≥	Z	M		Z	Σ	Z	Z	Z	ZZ	Z	ΣΣ	Z.	ZZ	M	M S for f		1	×	⊠ ;	Z	Z	Z	Z	Z	Z	ΣZ	ZZ
əui	Single/double-track li	5 ~		٦	ם	Q	ם	Ω			Q		Ω	0		Ω	Ω		Ω			םם	Ω	D	NI C		Ω				Ω	ت ۵	o S	S	S	S S
1	Type of service point	9			3	1	2	3	- 0	, ,	-	1	-			3	-		3	3		2 6	1	13 tion di			9	9	7	9	3	، ا	3 6	-	1	
	ini																							or service points and sta	100 B	102 Deografi Cell	В									
	Name of service point	5		0+000 BEOGRAD CENTAR	5+216 TOŠIN BUNAR	8+532 ZEMUN	11+055 ALTINA 12+248 ZEMUN POLJE	KAMENDIN	19+031 BATAINICA*	27+106 NOVA PAZOVA P	34+944 STARA PAZOVA P	20+616 BATAINICA F	27+106 NOVA PAZOVA F	34+944 STARA PAZOVA F	53+713 PUTINCI	KRALjEVCI	RUMA	73+419 VOGANj 81+721 SREMSKA MITROVICA	LAĆARAK	94+076 MARTINCI 99+200 KUZMIN	105+018 KUKUJEVCI/ERDEVIK	109+100 BACINCI 112+700 GIBARAC	ŠID	5,585 121+950 STATE BORDER data for service points and station distances for passenger traffic (Novi Sad); <sup>7</sup> data for service points and statio	<sup>1)</sup> for the purposes of arrival and departure for the TPS Zemun	0+000 BEOGRAD CENTAR	OPEN LINE JUNCTION	OPEN LINE JUNCTION G	8+533 RAKOVICA	OPEN LINE JUNCTION A	11+729 KIJEVO	RESNIK	20+121 RIPANi KOLONIJA	RPANj	24+760 KLENjE 29+592 RPANj TUNEL	34+730 RALjA 41+508 SOPOT KOSMAJSKI
	Sganiage	4		0+000	5+216	8+532	12+248	13+799	19+031	27+106	34+944	20+616	27+106	34+944	53+713	29+800	64+855 RUMA	73+419	86+100	94+076	105+018	109+100 112+700	116+365	121+950 ion distance	departure	0+000	1+337	4+416	8+533	10+880	11+729	14+059	20+121	21+317	29+760	34+730
	Distance in km	~ I		3 440	1,774	3,316	1,195	1,551	5,232	*3,515	7,838		*6,556	7,838	*8.708	6,087	5,055	8,564	4,379	5 124	5,818	3,600		5,585 sints and stati	of arrival and	F	1,337	3,079	*1,738	0,180	0,849	2,330	2,191	1,196	3,443	5,138
transport	Гей таск	I ~		.486		261		.588	1.21		Н				_	£88	1.21	.10	Н	.1	981.0 	01.70	<u>                                     </u>	ervice po	mboses	- 1	661		188	1.60		$\dagger$	1	Ц.		
handover to public	Right track	Н		.861	I	101		21.01			-			-	8	876	I		<u> </u>		1.11.8			ta for se	or the pr	50	61			1.60		+		03.09	1884	
To sted	-1 +-4-; O			.90.6	0		000	01	0					۶	١.	01.1	0			5001	3	•		Pda	ĵ.	- 1	.53.			. 00						



	9buitlA	30										000	103,9	0,201	105,4		107.4	10/,4		115,3		126.3			134,6	136,4	141,1	144, 6		148.5				104	173 4	167.7			164.0	104,9			190,5
	Loading gauge	59	ŽS-I	ZS-I	ŽS-I	ŻS-I	ŽS-I	ŽS-I	ZS-I	I-SZ	ŽS-I	ŽS-I	1-57	ŽS-I	ZS-I	I-SŽ	ZS-I	1-07	I-SZ	ŽS-I	ZS-I	I-SZ	ŽS-I	I-SŽ	1-SZ-1	ŽS-I	ŻS-I	ŻS-I	1-07	ZS-I	ŻS-I	I-SZ	ZS-I	1-C2-I	1-67 ŽS-I	I-SZ	ZS-I	ZS-I	ZS-I	1-07	I-SZ	ŽS-I	ZS-I
the line [daN]	<b>←</b>	28	$\vdash$	9 4	+	4		4 .	1 2	2	.,	+	0 0	+	9		-	2	,,,,	3	-	8	.,		4	3	$\vdash$	2	~	m	.,		+	7	4	+	.,	.,	-	-	,,,,	.,	
Ruling resistance of	$\rightarrow$	27	(		-	3		.,	4 0	9			v 4	-	4		-	+		4		5		1	4	3	9	4	4	4			t	-	7	3			v	•			
gradient	Slope	26	4	5		4		4	1	5		•	9		9		,	^		3		3		·	4	3	3	2	2	2			(	7	4	5			y	0			
Ruling	onilon	25	ш	2 -	_	3			2 0				U 4		4			+		4		0 5			4	0		3	3			4	- 1	^		2					_		0
[%] u	Gradient of the statio			2,3		1,		1,1					3.0		0,0			0,0		1,5		0.0			4,4			4,0	1 0					0,0		0.0			0				0,0
sn	Minimum curve radiu	23	800	500	770	200		800	950	700	945	1000	700	800	500	1000	900	800	800	800	480	350	1000	2000	1000	1000	300	299	350	009	200	200	2000	2000	1000	700	1000	10000	1200	700	700	1500	
	open for the deceptar dispatching of passen operations		Ч	P/F	4	P/F	Ъ	Ч	P/F P	P/F		Ы	P/F P	٠ م	д	Ъ	P 70	4	4 4	P/F	д	P/F	Ъ	Ь	P/F	P/F		д ,	4 0	P/F	Ъ	Д,	<u>م</u> ا	P/F	P/F	P/F	Ь	Ь	P D/E	4	٠ م	Ь	P/F
_	Occupancy of service Open for the acceptar	-	ы	<u>م</u> <u>:</u>		n	1	n s	<u>ы</u>	<u>a</u>	Н		а, <u>р</u>	+	ь	H	P	4		Ь		Д.	H	-		д	n	n	+	n		1	-	-	1	<u>a</u>			٥	4			Ъ
	Side-/end-loading pla		$\vdash$	S		S		+	S	S	П	$\rightarrow$	SZ.	T		Н		t		S		S	+	1	S	S	$\vdash$	+	Ť	S		1	+	2	+	S	H		U	2			S
	Freight car scales					H		†	$\dagger$				T	t		П		t				$^{\dagger}$						1	t	l		1	T	t	t	T			T	t			
nıc	Service point code - J	18	15407	15460	13702	13703	13704	13705	13706	13401	13402	13403	13404	13406	13450	13301	13302	13304	13305	13350	13307	13310	13311	13312	13313	13352	12501	12502	12517	12504	12505	12506	12519	10501	12500	12510	12520	12511	12512	12512	12515	12518	12516
he service point	Manner of securing th	17	_,		-	-						١.		+	-	Н	-	+			-				_	-	-	-	-				١.	-	-	-			-	+			1
noitelu	gen offtert to renneM	16	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with TWT	RC with TWT	RC with TWT	PC with IWI	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	with	RC with TWT	RC with TWT
	snisrt teagno			$^{+}$	$^{+}$	Н		$^{\dagger}$	$^{+}$		Н				d 5		0.00	2		d 5		d 4			d 5	t		$\dagger$	+	d 3			:	2	4 4	43		+		+			
B→A	Tracks for acceptance of the	15	4	m "		2		9	m	4			^		4 and		7	4 2000		4 and		3 and			4 and	2	-	2	-	2 and				2 and 5	3 and 4	2 and 3			2 200	S and 4			4
Direction	train length		959	649	2	969		76	742	998			812	T	259		-	070		715		629			920	25	799	612	22	590			9	208	01	498			YYY	6			738
	Maximum permitted	_	9	٥	•	9		7	0 1	- 00	$\square$	-	20	+	9	Н	Ý	9	+	Н		+	$\vdash$		0	+	7	+	9	+		4	+	+	+	+	-	$\perp$	+	+	+		7
Direction A→B	Tracks for acceptance of the longest trains	13	4			2			m ~	3 6		,	4		2 and 3		2 200 0	z and z		2 and 3		5 and 6			2 and 3	3 and 4	2	3 and 4	C	4 and 5			,	4 and >	1 and 2	4 and 5			2 and 3	z and z			3
Direction	Maximum permitted train length	12	299	651	000	693		862	746	785		0.00	822		530		210	OI/		788		702			615	559	799	648	677	999			1	5/4	753	543			571	2/1			744
pəəds	Left track	11	Γ.	_	T,	_						30		100			9	T	0/		100	071		20		30											100						
mumixeM bemitted	Right track	10	1	100	3	100		•	100				70					30				071		30		100	30	3	50								100						_
	Railway line category		D4	4 2	7 7	7	4	<b>4</b> ;	4 4	1 4	4	7		7	4	4	4 5	_	7 7	4	_	<u> </u>	_	<u>Б</u>	-	7	4	¥ ;	<u> </u>	4	D4	4	4 ;	5 2	5 2	7	D4	4	4 5	5 2	7	D4	4
	Class of railway line			+	+	+	$\rightarrow$	-	M M	+	$\vdash$	I N	-	+	-	$\vdash$	M	+	+	$\vdash$	-	M M	-	$\rightarrow$	-	M	-	$\rightarrow$	- I	+	M	$\rightarrow$	$\rightarrow$	+	N N	+	-	$\rightarrow$	-	4 ×	+		
2111	Single/double-track li	Н	Н	+	+	Н	$\dashv$	+	+	+	Н	+	+	+		Н	+	+	+	Н	+	+	$\vdash$	$\dashv$	+	+	Н	+	+	+	Н	$\dashv$	+	+	+	+	Н	+	+	+	+	$\vdash$	
	Type of service point				3 6		3	2 .								3 I	~ -		9 0	_	+	1 1	3 I	3 I		+	2	+	2 0	+		$\dashv$	<u>.</u>				1 ×	+	۳ - م ر	+	3 6	3 I	_
'	taioa eoivaes to eavT	_			+	+	***	.,,		+			- 1.	- (* )	r			- ("	-			-			- 10	+		-	1	+			+	-, ,,	-	Ŧ				- ("			Ξ
	Chainage  Close Name of service point	4 5		53+110 MLADENOVAC 60+056 POVAČEVAC		67+550 KUSADAK			78+564 PALANKA 85+570 MATA PLANA	90+434 VELIKA PLANA			100+302 MARKOVAC 106+313T APOVO VAROŠ	108+001	109+600		116+975 MILOSEVO			135+237	140+700 GILJE	1			171+600 CICEVAC 173+600 L11ČINA				190+400 CENOVO/NAZAN)		199+193 VITKOVAC		203+500 GORNJI LJUBES	202+017 NOMMAIN 208+000 TRN: ANI	210+480		217+468 NOZRINA		222+070 TESICA		229+309		234+939 TRUPALE
	Distance in km	3	6,240	5,362	2.869	4,625	2,770	3,680	7 006	4,864	3,566	3,725	2,577	1,688	1,599	4,500	2,875	6,522	4,445	3,842	5,463	6,664	*8,582	2,930	2,000	2,710	5,590	4,586	1 816	2,723	4,254	2,207	2,100	7 2 8 2	2,303	3,717	3,271	1,317	3,285	5 245	1.359	3,281	2,349
transport	Гей іззек	2	Н		_	Ш	Ш				Н	Ш		.4.	001	60.	50			$\dashv$			.+0	01.6	·c '7	.96I	Н				Н	.0	667	. co.	10		H	Ц.	+00	1.6	0.00	$\perp$	_
public	Agent fla.)	. 4				03.09.	1884.							V	981	60.	20	_					1/8	81.6	۶. ع	28.5	1	60	1884.			0	001	. <b>č</b> 0.	10				788	1 0	u EU	,	_
handover to	Right track					33	28				l -		.60.				0.8	_	170077	a				1.20.8	**	881	1	_ ~	~~					.60.					866				



	sbuiti!A	30	188,8		183,3	194.1			194	T	201.6		211,5		0110	6,112	248.2	255		282,6	297,2	306,9	324.4	333,3		3467	367.5	371,9		383,0	397,7	427.2	459.2					129,9	148,8	124.6	13,4		178,6
	Loading gauge	59	ŽS-I	ŽS-I	1-67	-52-I	ŽS-I	ŽS-I	ZS-I	ZS-1	I-SZ	ŻS-I	ŽS-I	ŻS-I	ZS-1	1-67	1-67	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	ŻS-I	ŽS-I	ZS-I	1-67	75.1	ZS-I	ŽS-I	ZS-I	ZS-I	1-57	ŽS-I	ŻS-I		,	ZS-I	ZS-1	1-57	7S-1	ŽS-I	Ĭ-SŽ	ZS-1 ZS-1
resistance of the line [daN]	<b>←</b>	t-	2	•	0 1	,			2				1	1				2						7		-	,	+		3	-	-		15			-	_	0	10	+		. 0
Ruling	→	5 27	-		+	2 0		+	4		2		5		+	7 7	+	9		7	+	∞	7	7		7	7	9		5	3	×	+	1	-	$\vdash$	+	13	4		∞	-	11
Ruling gradient	Slope	$\vdash$	2	7	+	0	-	+	+	+		-	1	0 0	+	0	+	-	-	3	+	0 4	+	$\vdash$	+	> '		4	4	+	0 0	7 -	14	+-		$\vdash$	_	+	^	0	+	$\rightarrow$	0 0
	Gradient of the station Incline	-	oo	$\perp$		1.58 2		_	0,71 4	,	0.91	2	2,44 5	2 0	_	1,/1	28	4.31 6		4,04 8	5,65 6	3,7 7	5.45 8		5	0 09 0	4 40 7	0,92	2	7,5 4	2,09	11 0 8	1.	-		4,9		7,9 12		0.1	0,0		23 5
	Minimum curve radiu		20	1 1		8 8	$\perp$		700	0	20000			1600		0 000	2500				300 5	300			950	1000		450 0	400		350 2			300			350	300	287	300	300		350
nce and gers/freight	Open for the acceptar dispatching of passen operations		P/F	Ę	P/F	P	Д	М	P/F	d, c	P/F	М	Ь	<u>а</u>	۵, ۵	P/E	T/L d	P/F	Ъ	P/F	д (	Ч	P/F	Ъ	Д г	4 0	P/F	P/F	Ъ	P/F	P/F	١,	P/F			Ъ	,	d 0	24 A	, d	Ъ	Ь	۵, ۵
	Occupancy of service	21	Ь	r	٦, ٦	4 5		1	Д		þ		U		F	0 0	4 =	þ		D	n:	ь	F	D		:	<b>=</b>	<u>a</u>		а,	Д	F	<u>a</u>		1	Ь	5	d :	5	þ	D		b
miom	slq gnibsol-bnə/-əbi8	20	S	Ę	S/E	S	П		S	T	S	Г	S	T	T	ŭ	2	S		S/E			S		T	1		S		S	S	Ť	S		1	П	$\top$	T	T	T	П	T	T
	Freight car scales	19						#																														1	T	#			
OIIC	Service point code - J	18	12550		12221	12302	12304	12303	11001	11002	11004	11005	11006	11007	11009	11050	11010	11011	11012	11013	11014	11015	11016	11017	11018	11010	11020	11021	11022	11023	11024	11026	11027	11028		16103		15602	15615	15604	15605	15606	15607
he service point	Manner of securing th	17	-		٠,	-	Ш		-		-		1		-		-	-			٠,	-	-	-		-	-	-			-	-	-			1	- -		_	_	-		
noitelu	Manner of traffic	16	AB	AB with TWT	AB With I W I	RC with AB	RC with AB	RC with AB	With	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	KC with AB	AC With AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	AC WITH AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	station distance	ca Plana	!	AB	AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB
V-G	acceptance of the longest trains	15	3	,	٠,			+	3		and 3		2			1 (	7 -	4		3	3	2	3	-		c	1 0	2 and 3		3	_	-	3		na - Velik	5	,	4 %	1	and 2	3		2 6
Direction B→A	train length Tracks for	_	2	9	× 0	9		+	_		2		2		ç	ý 0	0 0	9 9		s,	2 5	<u>∞</u>		29	+		9	+		23	2	4	. 0		da Krs	2	,	2 9	2	+=	4		m m
	longest trains Maximum permitted	14	662	<b>-</b>	488	646		+	601	+	3 623	$\vdash$	632	4	36	667	040	526		648	632	708	899	865	+	653	648	959		623	903	684	609		ci - Ma	702	·	700	2/2	-8	714		613
Direction A→B	Tracks for				٠.	-		4	4		2 and 3	-	2		-	1		4		3		2	3	-		c	-	2		3	-	-	3		(Beograd centar) - Rakovica - Jajinci - Mala Krsna - Velika Plana	4	_	4 "	1	-	3		. 2
	Maximum permitted train length	12	989	3	490	959		3	900		809		639		77.3	509	989	537		889	596	700	572	858		651	648	648		618	643	687	610		Rakov	702	č	710	£	815	711		909
permitted	Гей изск	11	90	09				20				3.0	00	8	00		100	9		20		30	3		8	00			06		20	95		9	centar) -	80		90			92		
mumixeM	Right track		L	30	_		1		<u></u>			L						ļ.					Т	L		.		_	_	_			<u> </u>	Τ	ograd		4	+					
	Railway line category		_	$\vdash$	2 5	+	+	$\rightarrow$	$\rightarrow$	7 5	+	+	$\vdash$	7 7	$\rightarrow$	+	5 2	+	+	$\vdash$	+	7 5	+	+	$\rightarrow$	\$ 2	+	+		$\rightarrow$	7 2	+	+	7		D4	+	+	7 2	+	D4	$\rightarrow$	7 7
	Class of railway line	∞	M	M :	Z	Z	×	≥;	Z :	Z	Z	M	M	∑ ;	Z	Z	2	Z	Σ	M	M ;	ZZ	Z	M	Z	Σ >	Z	Z	M	×	Z	≦ ≥	Σ	×	103		Σ :	Z	Z	2	M	M	ZZ
əui	Single/double-track li	7	S	0	ە 1	o S	S	S	S	S O	o S	S	S	S	ט מ	מ מ	2 00	S	S	S	S	S V	S	S	S	מ מ	2 0	S	S	S	S o	מ מ	S	$\perp$	1	S	S	S O	20.00	2 N	S	S	S S
	Type of service point	9	1	12		2	3	۳,	(		1	3	1	m (	n c	7 -	7	1	3	-	2	2 6	-	-	۳ ،	n c	۹ -	-	3	-	,	0 0	-	13		1	φ,		3 -	2	·	3	7 -
	Сраіпяge Name of service point		241+005 CRVENI KRST	242+741 JUNCTION POINT 1 - 3 NIŠ	243+383 INIS 340-463 MEDITBOXO	253+946 BELOTINCE	255+441 ČAPLjINAC	257+010 MALOSISTE	261+451 DOLjEVAC	263+261 KOCANE	267+894 BRESTOVAC	270+834 LPOVICA	275+564 PEČENjEVCE	278+831 ZIVKOVO	280+300 PKIBOJ LESKOVACKI	281+9/2 VINANCI	28/1508 LESNOVAC 295+779 BORDEVO	301+863 GRDELICA	08+610 PALOISKA ROSULjA	312+725 PREDEJANE	319+671 DžEP	322+886 MOMIN KAMEN 326+338 ŠFI NCF	329+591 VLADIČIN HAN	334+066 SUVA MORAVA	336+135 LEPENIČKI MOST	339+053 STUBAL 341+432 DRIBOTAP ANISPT		354+206 VRANjE	361+415 NERADOVAC	365+725 RISTOVAC	3/3+692 BUJANOVAC		392+309 PREŠEVO			0+706 RAKOVICA	3+708 OPEN LINE JUNCTION K1	10+910 JAJINCE 16+277 BEI I BOTOK		21+242 ZUCE	24+885 VRČIN	27+840 KASAPOVAC	31+265 LIPE 36+894 MATA TVANČA
									_								_					3,215 3,	$\perp$		$\perp$	2,920			7,209 30		$\perp$	$\perp$		8,143 4(									3,425
	Distance in km	3	990'9	1,736	0,842	4.484	1,495	1,569	4,441	1,810	2.088	2,892	4,730	3,267	1,409	1,0	8 211	6.084	6,747	4,115	6,946	2,5	'n	4	2,0	1 0	6	6,191	7,2	4,310	7,967	5 838	5	8.			m ;	*1,581	4 073	60	3,643	2,5	3,4
transport	Distance in km	3	03.09.1884. 6,00	1,73	0,84	4.48	1,46	1,50	4,4	1,8	2.0	2,8	4,7	3,2	1,4	1,0	8.2	0.9	6,7	4,1	6,9	3,2	3	4	7,	7,	6,5	6,1	7,2	4,3	7,9	0,0	5.7	8.1			20.10. 1988. 3,0	*1,5	4 073	0 8	3,6	2,5	3,4



	9buitlA	30		135,4		123,4	108 5	080	6,06		83,0		83.1			83.6	2	92,6	8'66	111,4		119,8	126,3	04.06	111	142,2	81,2	(,6)	82,1		9 00	0,70			84,73	83,43	83,63	83,83	100 001	110.35	109,93	109,9		
	Loading gauge	59	ŽS-I	ŽS-I	ZS-I	ZS-I	75.1	1-5-7 ŽS-1	ŽS-I	ŽS-I	ZS-I	ZS-I	I-SZ	ŽS-I	ŽS-I	1-67	ZS-I	ŻS-I	ZS-I	T-S7		ŽS-I	ZS-I		ŽS-I	ŽS-I	ZS-1	1-67 7S-1	ŻS-I	ZS-I	7-S-1	1-67	1-SZ	ŽS-I	ŽS-I	ŽS-I	ZS-I	ZS-I	7.5-1	I-SZ	ŽS-I	ŢS-I	ZS-I	ZS-I
[Vab] anil adt	<b>←</b>	28		6	$\dashv$	2	7	+	+		5			4		-		2	+	4		,		F	-	$\rightarrow$	73	+	0		,	,			7	2	-	+	+	0 9	+	Н		
Ruling resistance of	$\rightarrow$	27		1		1					1			3		-	•	5	<b>∞</b>	6		6			10	· ·	-		2		٧	•			5	-	-		4 4	0 5	2	2		
gradient	Slope		Н	<b>«</b>	+	4	+	2 4	+		4	4		3		-	1	1	+	4	-	0	_	L	0	+	13	+	0	Ц	r	_	-		7	2	-	+	+	0 5	2	-	4	
Ruling	Incline		$\Box$	0,8		2,2 0		0,00			0,7	+	+	1,4 2	H	0 6	2	4,6 4		20	Н	00	4		5,5 10	8 0,1	20 1	- 1	4,0			0,	+	-	0,0	0,0	0,0			1.0	_	1,0 2	+	+
	Gradient of the statio			350 0		700	7007				280 0		+	700	H	1000				00/			_	ŀ			3500		1200 4		003				390 0	2000				5000			-	
sn	operations Minimum curve radii	23				7	-	1 2	-		2			7		1	-	8	00 1	_			_	_	45	35	8 5	+	12		-	_			3	20	S .	90	2 2	5 5	20000	200		
	Open for the acceptar dispatching of passen	22	ч	а	д	Д	٩	4 4	ч		P/F	F	4 4	Ь	4	4 4	4	Ъ	Ч	P/F		P/F	P/F	Ę	P	Ы	٩	4	Ъ		٩	4				Ъ	4	م	ء  د	P/F	Ъ	Ъ		
	Occupancy of service	21	Н	Ы	1	ь	E	0 0	-		д			n	Н	_	•	U	þ	4	П	Ъ	Д	r	ᆚ	n	5 =		b	Н	(	ر			n	n	b	5	٦ ;	5 5	n	n	1	
топа	Side-/end-loading pla	20	П								S					v	2			S		S	S	Č	Ω					П	р	4						T	T	S				
	Freight car scales	19					I					1				I								L													1	1	1	Yes				
onc	Service point code -	18	15616	15609	15610	15611	15613	15614	13509		13551	13500	13501	13503	13508	13504	13505	13506	13507	13401		13351	13310	16500	16801	16802	16805	10000	16807		16000	10000				23302	23303	23304		23404	23407	23409		
the service point	Manner of securing t	17				-	-		-	1	-	-		-		-		1	.,	_	9	9	-	:	= ==	= :	= =	=	11		:	:	t		Ξ	11	=	= :	= :	==	11	11		
noitelug	Manner of traffic reg	16	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	AB	AB	AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB	RC with AB		station distance	4 station distance	der - (Kelebia)	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT	KC with I W I	RC with TWT	RC with TWT	RC with TWT	RC with TWT	RC with TWT
	longest trains			3	+	2	2		+		4			-		,	+	3	2			6)	_	ate bor	and o	ld 2	CF	7 101	1d 3		4	C 21			and 2	rd 2	3 and 4	3 and 4	C p	1 and 2	4 pt	1 and 2	+	
B→A	Acceptance of the	1							1		4			2				3	7	4	T T	2	4	ca - st	1 and 2	1 and	1 20	1 and 2	2 and		7	+ all0			1 ar	1 and	3 ап	3 an	4 and 5	o ar	3 ar	1 ar		
Direction	Maximum permitted train length	14		619		617	809	586	200		633			545		610		476	589	800	, p(r	167	892	Subotica	644	694	247	747	725		403	420			746	738	311	0/9	232	841	683	876		
	longest trains		Н		+	+	+	+	+			+	$^{+}$		H	+	+					4	$\neg$	1	+	4	+	+	2		4	,	+		4	4	7	+	+	+	+	Н	+	+
Direction A←A	Tracks for	13		3		3	3	, ,	1		4			2		~		3	2	Onen line innertion		3 and	5	Novi Sad	3 and 4	3 and	2 and 4	o allo	4 and		4	+ 4IIIC			3 and	3 and	1 and	1 and	2 and 3	3 and 4	1 and	3 and 4		
	Maximum permitted train length	12		624		612	630	609	700		679			545		809		581	594	(8)		240	847	Pazova -	566	694	247	147	636		407	764			059	738	311	099	230	904	735	206		
poods	Гей изск	11	٥				100	2			20					100				ć			0 8	- Stara I	000	87		160	100	170	100	90	120	180					200					160
Maximum betimied	Right track	10	80	1			=	4			5	1				=				D4 (Tandina)	50		100	tar) -	000	8		160	100	170	100	90	120	180					200					160
٨	Railway line categor	6	D4	4	4	4	5 2	5 2	7	4	7	7 2	7 7	<u>7</u>	<u>7</u>	4 5	7	D4	4	7 5		7	점 :	Beograd Centar)	D4	7	4 5	2 2	74	4	4 5	5 2	2 2	7	7	D4	<u>7</u>	4	4 2	4 4	74	<u>7</u>	$\rightarrow$	4 5
	Class of railway line		Н	$\rightarrow$	$\rightarrow$	<b>X</b> :	+	+	×	$\vdash$	$\rightarrow$	Z :	_	-	M :	+	+	+	$\rightarrow$	M	┪	$\rightarrow$	M	eogra(		M :	-	Z >	+	$\vdash$	+	Z >	+	+		$\vdash$	$\rightarrow$	⊠ ;	+	+	M	$\vdash$	$\rightarrow$	×
line	Single/double-track l	7	S	S	S	S	מ מ	2 0	s s	S	S	S	2 2	S	S	2 0	S	S	S	S		_		ğ⊢ Ω	D	o c			۵	Δ	2 6	1 0	2 0	Ω	Q	Q	Ω				۵	Д	Ω	Ω .
	Type of service point	Н	3	$\dashv$	3	+	2 0	+	3 +	12	$\rightarrow$	_	0 %	╁	Н	<u> </u>	+	1	.,	_	9	1	-		-	-1	0 -	1 0	-	6	77	1 0	+	+	-	-	_	井.	٦,	- -	-	Н	$\dashv$	6
																											NOGRA																	Ť
	Chainage Name of service point		39+600 BRESTOVI	41+300 MALI POŽAREVAC	43+167 DRAZANj/SEPSIN	47+771 UMCARI	52+515 ZIVNOVAC 55+710 VODANi	60+609 KOLARI	66+570 RALJA SMEDEREVSKA	67+800 JUNCTION POINT 1 MALA KRSNA	69+068 MALA KRSNA	70+264 JUNCTION POINT 28 MALA KRSNA	74+765 OSIPAONICA	76+202 OSIPAONICA	77+817 LUGAVČINA	81+41/ SAKAOKU 82+767 I.OZOVIK/SARAORCI	87+717 MILOŠEVAC	90+226 KRNjEVO/TRNOVČE	94+639 VELIKO ORAŠJE	99+700 VELIKA PLANA	0+000 OPEN LINE JUNCTION CUPRIJA	0+500 CUPRIJA	7+420 PARACIN	24:044 CTABA BAZOTTA	54-594 SIAKA FAZOVA 42+862 INDIA	54+032 BEŠKA	62+058 OPEN LINE JUNCTION KARLOVACKI VIR 65+012 CPEMCET V API OVICT	70+212 KM 70+212 SC		72+381 KM 72+381 SC	72-010 MOUTION POINT 6 NOVESAD	77+010 INOVI 3AD 70+173 KM 70+173 SC		82+304 KM 82+304 SC	84+044 RUMENKA	90+407 KISAČ			1134610 VKBAS NOVA	129+525 LOVCEINAC - MALLI IDOS 143+536 BAČKA TOPOLA	157+145 ŽEDNIK	166+519 NAUMOVIĆEVO	168+401 KM 168+401 SC	172+282 KM 172+282 SC
	Distance in km	3	2,706	1,700	1,867	4,604			5,961	1,230	1,268	1,196	2.770	1,437	1,615	1 350		2,509	4,413	080,0		0,500	6,920				8,020	4.400	0,658	1,511	4,132	0,210	1 561	1,620	1,740				$\perp$	14.013				3,881
transport	Гей изск	2	Н							Ш					<u>Ш</u> .								+	+		<u>Ш</u> .				Н			1_					;	25.10.1961.			Ш		
public		1	01 06	1924							- 1				10.12.	1886.					1		- 1	- 1		10.12.	1883.			1								- 3	2					



	9buitilA	30	113 62	20,011		188.3	ì		100	199	207.2		219,5	235,3			205	250	/07	286 9	,	314	T		341.6		368,5		4165			445.8								T	T	77.0	77,1
	Loading gauge	59	+	+	1-63		ŽS-I	ŽS-I	ŽS-I	1-67	ŽS-I	ŽS-I	ŽS-I	ŽS-I	Į-SŽ	ZS-I	1-SZ	1-SZ	1-67	ŽS-I	ŽS-I	ŽS-I	ZS-I	1-S.2 ŽC 1	I-SZ	ŽS-I	I-SZ	ZS-I	1-SZ	ŽS-I	ŽS-I	ŽS-I	ŻS-I			ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	1-03	ŽS-I
resistance of the line [daN]	←	28	~	+	-					+	-		1	-			,		,	,		-			,		-		-			9	+			1		10	$\dashv$	00	-	1 4	+
Ruling	$\rightarrow$	27	9	0	0				٧	9	4		5	8			,	c	7	9	,	7			7		7		00			10	12			-		4		1		7	
gradient	Slope	26		, ,	7		2	0	0 4	n 0	-	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0 -	-	0	2	0			4		00	T	°		7	
BulinA	Incline	25	v	0	0		2	4	5 0	7 0	4	9	5	5	5	5	0	0 6	۰ ۷	4	. 9	9	00 0	2	0 0	7	9	4	0 00	S	9	101	=			0		3	T		-	7	. 0
[%] u	Gradient of the station	24	13	C,1					c	7,2	2.5			3,09			0,0	0	0,0	4 9		0,0			6.4	,	8,0		8 5			9.5			0,0				1	1	T	0 0	0,45
sn	Minimum curve radiu	23	300	300	200		300	500	500	3000	1000	310	300	300	300	300	200	450	900	497	350	300	400	400	495	300	200	550	3000	700	500	500	300			300	009		500	800			900
gers/freight	dispatching of passen	22	ц с	,		P/F		Ь	6	4	Д	Д	Ь	Ь		Ы	۵, ۱	٦, ٦	م بد		ь д	Ъ	۲ م	۵ ۵	ч д		P/F	Д	4 d	_ d		P/F			Ь	Д	Ь	Д	Ь	Д	<u>д</u> с	P/F	P/F
	Open for the acceptar		_	1			┖	Ш			1						4		_	1				1							1			1				Н	_	$\downarrow$	4		_
tniog a	Occupancy of service	21	4 4	1		٩	_		٩	4	4		Þ	Д		-	٩_	:	>	٩	•	Ъ		1	Д		Ъ		-	<u>'</u>	1	Ъ			Ъ		Ъ	Ъ	$\perp$	Д	٩	4 4	٩
mrottı	Side-/end-loading pla	20	щ	4		S/E																					S		v.			SÆ						П				v.	S
	Freight car scales		Yes																1					1				_			L	Yes	-					Ħ	_	7	1	Yes	-
onc	Service point code - J	18	23450	23400	66467	12551		12401	10407	70471	12404	12405	12406	12407	12408	12409	12410	12420	12411	12413	12414	12415	12416	1241/	12418	12419	12420	12421	12422	12424	12425	12499	12498		16052	16053	16054	16013	16016	16015	16006	22007	21001
he service point	Manner of securing th	17	= =	1		-	-		-	-	-		00	<b>∞</b>		-	00	c	0	9	,	∞			00		9		9		L	9			-			=	1	-	Ϊ.	4	4
noitelu	gen offtert to renneM	10	RC with TWT				AB	AB	AB	AB	AB	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	- Pančevo glavna stanica - Vršac - state border - (Stamora Moravita)		AB with TWT	AB with TWT	AB with TWT	AB	AB	AB	AB	station distance
	acceptance of the longest trains	15	1 and 2	7 11	(action)	3			,	1	4			2		-	and 3	6	and 5	2		and 3			and 3		and 3		and 3			2		der - (S	3			1	1	2	-	4 and 5	2 and 3
Direction B→A	Tracks for	'	- -	+	-6	- 148 - 148			_	_							7	•	7	Ł	_	2		+	2		2	4	,	-	+			tate bor				$\dashv$			4	+	+
	Maximum permitted	-	815	+	horder	488			600	8	009			524		_	903	-	014	791	_	3 713		+	624		624	4	979	+	_	711		ršac - st	0 400			$\dashv$	4	697	207	+	+
V→B	Tracks for acceptance of the longest trains	13	1 and 2	T ann	etate	3			6		4			2			2 and		z and z	2	1	2 and			2 and 3		2 and		2 and 3			2		nica - V	8 and 10					3	,	4 and 5	2 and 3
Direction	Maximum permitted train length	12	800	5	Prominend	100 Ms - Diminovgrau - State Octor - (Diagonian)	3		009	8	599			524			603	7.5	+T0	791		713			624		624		979			710		vna star	364				1	269	573	810	471
pəəds	Left track	11	100	000	2007												0													0		-	0	čevo gla		Ş	2		20	;	09	100	
Maximum	Right track	10	100	000	2002 06 Nië	SINI OO											30													20			80			2	20	2			100		20
A	Railway line category	6	7 5	5 2			D3	D3	D3	3 2	D3	D3	D3	D3	D3	<u> </u>	20 2	50	3 2	133	<u> </u>	D3	<u> </u>	3 2	2 2	D3	D3	<u> </u>	D3	D3	D3	D3	7	grad Centar		7	D4	D4	<u>7</u>	7	7 5	5 2	7
	Class of railway line	∞ :	Z Z	2	Z		$\mathbb{Z}$	M	Z	Z >	Z	×	×	M	×	Z.	Z	Z :	Z Z	Σ	×	M	Z :	Z	Z	M	M	Z.	ZZ	Z	Σ	M	×			Σ	×	M	×	Z	Z	Z	Z
əui	Single/double-track li	7					S	s	S	2 00	S	S	S	S	S	S	S C	S C	2 0	S	S	S	S	מ מ	n S	S	S	S	s s	S	S	S	S	107 Beo		Ω	Q	Ω	Q	Ω	0	10	S
		+		+	4	H	_	Н		-	$\pm$	-	+		_	+	+	+	+	+	+	Н	+	+	+	Н	_	_	_	+	+	+	_	107			_	$\exists$	_	+	+	+	+
	Type of service point	9		13	+	F	12	3	e -	7 (**	1	3	2	_	3	3	2 5	2 .	7 6		3	2		2 6	2 0	3	1	m	m  -	·   m	3	-	13		-	7	3		3	2	7	+	+
	Distance in km Chainage	4	0,476 175+781 SUBOTICA TERETNA 0.760 176+550 STIROTICA			0+241 NIŠ	0,495 0+736 JUNCTION POINT 4 NIŠ	1,030 1+766 PALILULSKA RAMPA	1,634 3+400 VOJNA BOLNICA		10+500	4,200 14+700 PROSEK	17+148	5,361 22+509 OSTROVICA		29+500		2,000 34+300 CRVENI BREG	2,120 307420 CAVENA NEMA 3,254 304680 BFLANOVAC		48+500			2,000 S8+800 DUKĐEVO POLJE 3.100 61+000 CRVENČEVO	63+817			200+9/	4,800 81+700 VELIKI JOVANOVAC 4 493 86+193 SUKOVO		92+700		103+930		0+000 BEOGRAD CENTAR					1,020 8+120 KRNjAČA	ľ	2,511 12+492 OVCA *7 631 20+200 PANČEVO GLAVNA	*3,007 18+206 PANČEVO VAROŠ
transport		+	٥	1°	2	F		-	1	100	1	4	2	S	-	\$	4 6	4 6	1100	1	3	5	m	1 6		3	\$	m	4 4	4	6	4	9		.67			Ц	2			1 *	+
handover to public	Right track Left track	1 2											01.00	100/.												111	1887.										δ0. δ0.	+		561	.11.		11.10.1935.
To ste Of	down theig																																		60	o t	<b>2</b> ∪ 1			-01	11		=



	Altitude	30	104,0	146,0	120,0	95,4	87.6		0	102,3 82.0		105,3	171,1		153,3		6,111	36.3	03.7	108.5		110,9	123,6	17.	145		1864	264		388,5	501		487,1	411,9		352,1			311,6						363,2	401
	Loading gauge	29	ZS-I	ŽS-I	ZS-I	1-52	ZS-1	ŽS-I	ZS-I	ZS-I			ŻS-I	ŽS-I	I-SZ	ZS-I	1-57	ZS-1	1-87	I-SZ	ŽS-I	ŽS-I	ŽS-I	ZS-I	1-63	1-SZ	75-1	ŽS-I	I-S2	ŽS-I	ŽS-I	I-S2	ŽS-I	I-S2	ŽS-I	I-SZ	ŽS-I	I-S2								
[Vab] enil edt	<b>←</b>	28	9	2 2	_	8	7	Ž	+	4 2	1		-	$\dashv$	6	+	7	+	0 6	+		1 2	3		7	NIC	-			-	-		16 2	16 2	Z	9		7	8	Ž	~	4	Ž	2	- 2	- 2
Ruling resistance of	$\rightarrow$	27	6	2	5	^	9		ı	. 6	1		12		9	1	•	·	2 ~	9		4	4	t	-		00	17		16	17		10						П			00	П	П	5	13
gradient	Slope	26	3	1	10	8	7			5			0	$\dashv$	8	+	8	•	3	4		1	2		1		-	0	+	0	_		16	15		8			6			0			0	0
Ruling	Incline		8	3,5 8	2, 0	0,2 3	5	0,2	0,0	3.0 3	1	8	5,	-	1 6		0		0 1	$\perp$	-	1 3	7 4		7	+	23 7	1.2 15		2,5 16			1 10	2 0		2 0			7,5 0			80	Н	Н	1,5 4	1,5 11
[%] u	Gradient of the statio	24	0 1,3								1							-				0	1										0	0		0						Ц	Ц			
sn	Minimum curve radi	23	300	200	350	350	009	009	200	300		L	300		400	-	400	4	400	450		500	42	3	200		909	300		300	300		300	300		200			500						200	400
nce and ngers/freight	Open for the accepta dispatching of passer operations	22	P/F	P/F	P/F	д <sub>4</sub> С	P/F	Ъ	,	P/F		P/F	P/F	д	Д	4	III.	Ч	P/F	P/F		P/F	P/F	ط ا	P/F	م ا	P/F	д	_ _	P/F	Ь	Ь	P/F	P/F	Д	Ь	Ь	Ь	P/F		д	P/F	Ъ	Ъ	P/F	P/F
	Occupancy of service	21	Н	n	<u> </u>	-	n		,	4	1	Ъ	D		Þ	1	5	:	0	. [-		Н	Þ	:	5		۵	þ		'n	þ		n	Ь		n			Ь			n	П	П	1 1	Ъ
плодъ	Side-/end-loading pla	20	S	S	S	S	S		į	S/E		S	S				'n	ŭ	2 0	S		S	S	ō	'n		S.							S					S					П	П	S/E
	Freight car scales	19			1					Yes						1	1	1	Ţ					1	Ţ	1	I												Yes							$\Box$
oiic	Service point code -	18	21002	21003	21004	21005	21007	21008		21009		15501	15201	15202	15203	15204	15205	15206	15250	15209		15260	15211	15212	15213	15214	15251	15101	15112	15102	15103	15104	15105	15106	15109	15107	15116	15113	15150		15111	15110	15114	15115	15108	15151
the service point	Manner of securing t	17	7	7	5	00	000		ı	_	1	1	-		-		-	-				-	-		-		-	-		-	-		-	1		-			-	1		-			-	1
noitelu	Manner of traffic reg	16	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	(Bijelo Polje)		RC with station distance	RC with station distance	RC with station distance	RC with station distance	KC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	KC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance		RC with station distance	RC with station distance
V-a	acceptance of the longest trains	15	2 and 3	and	and 4	2 and 3	2 and 3			4 and 5	1.	$\vdash$	4		3	1	2	1	2 4		Ī	4	3		2		4			3			3	9		3			5f 1	]		3 1			3 1	3 1
Direction B→A	Maximum permitted train length Tracks for	14	$\vdash$	+	+	700	665 2	+	$^{+}$	643	a - state border	730	595		89/	-	5/4	0	706	602		652	201	-	700		503	520		999	544		552	544		549			649f			553		Н	563	552
	acceptance of the longest trains		3	4	+ ,	_		Н	١,		- Vrbnica	3	4	1	3	1	~	$\dagger$	2 4		T	4	3	1	2		4	t		3	T		3	9		3			5f 6			3	Н	Н	3	3
Direction A→B	train length Tracks for		3 2 and	+	+	2 and	5 2 and	$\vdash$	+	3 4 and	Požega -		4		4		1		1					4																				Н		
	Maximum permitted	12	699	836	743	00	999			043	snik- ]	730	594		771		2/5	Š	680	60		649	29	3	90		206	553		568	543		554	544		551			647f			554		Ш	995	558
Maximum permitted boods	Right track Left track					80	3			20	Centar) - Resnik - Požega	70	2		85			8	8		S			8	8								9	00								9	700			06
	Railway line categor		D2	D2	D2	20 20	2 2	D2	D5	D2 D2			D4	4	<u>7</u>	4	4	4 2	4 2	4	D4	D4	4	4 2	4	7 5	4	4	7	D4	D4	D4	4	4	D4	D4	D4	4	D4	D4	D4	4	D4	D4	D4	4
	Class of railway line	_	$\vdash$	$\vdash$	M :	+	+	$\vdash$	M :	+	<del> </del> 8	-	M	-	$\rightarrow$	$\rightarrow$	+	+	Z Z	+	M	Н	$\rightarrow$	_	Z ;	+	+	+	+	+	+	-			M	$\vdash$	+	M	+	M	$\vdash$	+	Н	Н	H	M D4
	Single/double-track 1	$\vdash$	Н	S	+	+	S	H	S	+	180	$\vdash$	$\dashv$	$\dashv$	$\dashv$	+	2 0	+	+	S	+	Н	$\dashv$	+	+	20	+	+	+	S	+	S		S	-		S		S			Н	Н		S	
						- 6	-	Н	9 .	13 2	1		S	-	2	+	7 (	~			+	_		e .		2 2		2	╀	_	2	~	_	_	~	_	~	3	Н	12 8	3	Н	»	·	<u>.</u>	
	Type of service point	•	_			,,		61				1	_	(*)							6	1									2		_			_				1	(*)	2	.3			_
	Name of service point	5 1	34+007 BANATSKO NOVO SELO	45+855 VLADIMIROVAC	53+554 ALBUNAR	59+041 BANA1SKI KAKLOVAC 63+037 NIKOI NCI	70+337 ULiMA	75+300 VLAJKOVAC	81+797 OPEN LINE JUNCTION A ULJMA	82+853 VKSAC 98+314 STATE BORDER		0+425 RESNIK	7+637 BELA REKA	12+205 NENADOVAC	15+708 BARAJEVO	17+900 BARAJEVO CENTAR	25+094 VELIKI BOKAK	27+738 LESKOVAC KOLUBARSKI	30+02/ S1EFUJEVAC 37+36/ VRFOCI	45+386 LAZAREVAC	46+900 KM 46+900 SC	52+600 LAJKOVAC	58+982 SLOVAC	63+900 MLADEVO	0/+I34 DIVCI	69+243 LUKAVAC KOLUBAKSKI 73+700 R/FR AV	77+774 VALIFVO	84+570 VALIEVSKI GRADAC	91+600 LESKOVICE	94+048 LASTRA		107+678 DRENOVAČKI KIK	111+352 RAŽANA	H-881 KOSJERIĆ	123+400 TUBIĆI	129+842 KALENIĆI	133+600 OTANj	135+800 GLUMAČ	140+787 POŽEGA	142+489 JUNCTION POINT 53 POŽEGA	145+600 RASNA	149+262 UZIĆI	151+500 ZLAKUSA	154+200 BUKOVIČKA RAMPA	156+974 SEVOINO	161+900 UŽICE TERETNA
	Chainage						7,300 70-		6,497 81-		1	0				2,192 17-		4,644 27-								73 73						4,533 107-		7,529 118-	4,519 123-	6,442 129-	3,758 133-			,702 142-	3,111 145-					4,926 161-
	Distance in km	(4)	15	=	-	۳	7	4	9	15			7	4	3	7	1	4 (	7 9	8	-	5	9	4 (	7	7	4	9	7	2	6	4	3	7	4	9	3	2	4	-	3	3	2	2	2	4
handover to public transport	Left track	2	26.08.	1896.			08.12.	1894.		20.07.1858.				29.11.	1958.			29.11.	1958.		07.07.	1908.			1060	1908.										50.5	10.77	.7161								
Date of	Right track	1	2	_			<u> </u>	_		20.0				7	_			2	-	Ľ	٠ ر	•		•	4.	_										•	4.									



	sbutitlA.	30	418,4	520,5		631		784	2000	012,5	531.5		390,3			447,7	0.024	453,2		0.00	561 5	553.7				109	2001	C,671			153.0	171.6		200.1	236.5		241.9	239	216		210,3		187,7			202,4
	Loading gauge	59	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŻS-I	ŽS-I	ZS-I	1-67	ŽS-I	ŻS-I	ŻS-I	ŽS-I	ŽS-I	ZS-I	ZS-I	ZS-1	ZS-I	ZS-I	1-S2-1	1-67 ŽS-1	ŽS-I			ŽS-I	ZS-I	75.1	ŽS-1	ŽS-I	ŽS-I	ZS-I	ŽS-I	ŽS-I	ŽS-I	ŻS-I	ŽS-I	ŽS-I	ŻS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	ŽS-I	ŽS-I
[Vab] anil adı	<b>←</b>	28	1	1		1	,	2	$\rightarrow$	18	16	_	17			4	+	4 (	∞		-	. 9	+			3					4	+					12	+	6		5		8		$\vdash$	<b>«</b>
Ruling To sonsteiesm	$\rightarrow$	27	18	18		18	18	16			,		1			<b>«</b>	t	,	10	;	2 0	ý	00			3		0			10	6		8	11		12	-	3		3		-			<b>«</b>
gradient	Slope	_	_	0	4	0	_	2	ţ	1	16	-	17			3	-	~ [	7		- 0	+	+			2	+	>			3	+	+	0	$\vdash$	-	9	-	∞		4	L	7	Ц	_	-
Ruling	Incline	25	5 16	3 17		1.5 18		2 16		0	2 0		0			1,5 8			8		01 c	7 0				2,4 2		0 7			7.1 8			3 7	7.0 10		4.2 12				5 2		1,8 0	Н	$\exists$	1,0 7
[%] u	Gradient of the statio	24	2,5					Ш	$\perp$	C'7	L							$\perp$	1,5			L						3,2													4,5			Ц		
sn	Minimum curve radiu	23	400	350		400		400	000	300	300		300			300	0	350	400	020	300	400				250	0,0	000			550	550		300	300		300	375	300		300		300			290
treight singlyt	dispatching of passen operations	22	4	д	۵,	P/F	P/F	д	۵,	٠,	4	<u>a</u>	P/F	Ь	Д	P/F	م	۱,	P/F	<u>а</u>	م م	4 2			Ъ	P/F	<u>م</u> د	م م	۵,	۵,		P/F	۵,	P/F	<u>d</u>	<u> </u>	P/F	<u>a</u>	P/F	Д	P/F	占	P/F	Ъ	Ъ	P/F
	Open for the acceptan	_	_		+	_			١.	+	L					4	4	4	4	١.		-	-	ł		_	١.	_	+	+	L	_	╀	1	1		╀	╀	╀	┞				Н		
	Side-/end-loading pla Occupancy of service	20 2	Ъ	D	+	n	n	D	+	-	Þ	+	S		+	Þ	+	+	S	+		D A	+		Ъ	S	-	>	+	+	n	S	+	S	+	+	S	+	+	$\vdash$	S U	H	S	Н	$\dashv$	S
tuagj.	Freight car scales	-	L	-	+	+		Н	+	+	+		0.2	H	+	+	+	+	-	+	+	+	+			0.2	+	+	+	+	+	102	+	-	-	+	-	-	-	┝	-	H	-	Н	$\dashv$	-
		_	2	-	9 6	- 2	3	4	5	0 -		0	8	2	6	0	. ·	_ ,	2	6 6	2 -	+ ~		ł	0		2 5	2 4	. 5	9	1	0	0	0	-	2	3	4	2	-	9	7	8	6	0	_
OIIC	Service point code - 1	18	15153	15701	15716	15702	15703	15704	15705	15771	15707	15720	15708	15722	15709	15710	15718	15/11	15712	15719	15714	15715	15723		13450	13201	13202	13203	13205	13206	13207	13250	13209	13210	13211	13212	13213	13214	13215	13221	13216	13217	13218	1321	13220	13251
he service point	Manner of securing t	17	1		+	-	-	-	١,	-	-		-		$\dashv$	-	+	_ .	-	-		-		t	1	00	+	ø	$\dagger$	t	00	+	+	00	⊢	T	00	╀	-	T	8	$\vdash$	8	$\sqcap$	$\dashv$	4
noitelu	ger offtert to renneM	16	RC with station distance	with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	RC with station distance	with station distance	RC with station distance	RC with station distance	RC with station distance	with station distance	RC with station distance	with station distance	RC with station distance	RC with station distance	KC with station distance	RC with station distance	station distance	border - (Volkovo)		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
			RC	RC	2 2	2 2	RC	R	2 2	됩	1 2	R	RC	RC	RC	RC	2 2	Z	2	2 2	¥ 6	2 2		ate bo			_		_		1								L			L	Ш	Щ		
B→A	Tracks for acceptance of the longest trains	15	1	-		3	3	3	c	7	-		4			3		~ ·	2	,	~ -	3		ović - sta	5 and 6	2	,	2			3	3		2	2		2	2	3		2		2			4
Direction	train length	14	346	47		539	486	531	è	230	572		553			549	5	307	499	5	755	544		Jank	563	099	6	771		T	734	844		558	632		614	20	999		297	Г	746			738
	longest trains Maximum permitted	_	3	5	+	٠	4	2	+	1	1	-	2			2	-	, ,	4	-		9 5	-	enera	Н	•	,	+	+	+	1	- 8	-	5	10	-	10	10	-		2			H	$\dashv$	7
a←A	Tracks for acceptance of the	13	-			3	3	3	•	7	-		4			3	•	~	2	,	~ -	3		je - Đ	2 and 3	2	,	2			3			2	2		2	2	3		2		2			4
Direction	Maximum permitted train length	12	353	545		539	486	531	933	000	574		551			551		307	495		726	547		Kosovo Polje - Beneral Janković - state	530	099	000	77/	+		734	844		558	632		614	620	591		597		746			738
pəəds	Left track	11																							Г														_			_	ш	_	_	┪
Maximum permitted	Right track	10			20			70		20					30						20			o - Lešak -	39	3			100	3									\$	40						
A	Railway line category	6	D4	D4	7	2 2	D4	D4	7	4 2	7	74	D4	D4	D4	D4	7	7 5	7	7	7 5	7 2	D4	Sraljevo		8	8	3 8	3 8	3	8	ဗ	ဗ	ဌ	ဌ	ဌ	ဌ	S	ဌ	ဌ	C3	ဌ	$\mathbb{S}$	င္ပ	င္ပ	ဗ
	Class of railway line	00	M	M	×	Z	M	M	Z;	Z >	Z	M	M	M	M	Z	Σ;	Σ;	Z ;	Z :	Z	Z Z	×	povo - K		M	M :	Z	2	Z	×	Z	Z	×	×	M	×	×	M	M	M	M	M	M	M	M
əni	Single/double-track li	7	S	S	S C	o S	S	S	S	מ מ	S	S	S	S	S	S	S	S	S	S	ν v	2 0	S	Lapor		S	S	מ מ	y v	o or	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Type of service point	9	-	2		2	-			7 6	2	3	-	3	3	_	e .	_ .	_	m (	7 0	7 -	13	109	1		e •	- 6				-		-	-	3	-	-	-	3	-	3	-	3	3	-
	ŧ																							•																						
	Name of service point	5		4RI	173+400 RISTANOVIĆA POLJE	A	EŠCI	BOR	200+300 RIBNICA ZLATIBORSKA	ANICA			)J	Œ	232+800 PRIBOJSKA BANJA	241+278 BISTRICA NA LIMU	000	POLJE	255+856 PRIJEPOLJE TERETNA	259+600 VELIKA ZUPA	204+641 LUCICE 273+330 BRODAREMO	ANEVO	287+438 STATE BORDER		VO	BATOČINA	AC	12+284 BADINJEVAC 15+800 RESNIK KRAGITIEVAČKI	18+451 MILATOVAC	20+600 CVFTOJEVAC	22+335 JOVANOVAC	28+829 KRAGUJEVAC	D	34+100 GROŠNICA	DRAGOBRAĆA	VUČKOVICA		Ą	GUBEREVAC	62+100 TOMIĆA BRDO	VITKOVAC	70+081 MILAVČIĆI	VITANOVAC	RICE		84+744 KRALjEVO
			UŽICE	STAPARI	STA	IŠIC	KAN	ZLATIBOR	BNI	GOI FÉ	RPC	RAČA	(BO	)LjIC	CIBO.	STR				ELK		SBN	ATE		\PO\	4TO(	CAD.	N N	TAT	/FTC	VAN	ZAGI	ZAVOD	ROS	SAG	JČK	ΝIC	RUZ	JBEI	MIC	TKO	ILAV	TAN	JMA	RČA	<b>RAL</b> j
			81 UZ	44 ST	80 k	30 ST	25 BF	20 ZI	8   S	7 C	32 ST	30 R	90 PR	90 PC	00 PF	78 BI	0 0	14 0	26 Pk	00	41 Lt	33 47	38 ST	1	0+666 LAPOVO	05 B	8+300 GRADAC	34 B	N N	100	35 30	29 K	00 Z	00 C	SIDI	30 VI	86 K	74 G	38 GT	30 TC	35 VI	81 M	35 VI	30 St	1S 00	44 X
	Chainage	4	163+881	170+644	173+400 RISTANOV	178+350 SUŠICA	185+225 BRANEŠCI	193+320	200+30	205+407 JABLANICA 211+600 GOI FŠ	214+832 ŠTRPCI	219+500	225+290 PRIBOJ	228+300 POLjICE	232+8(	241+2,	246+300 DžUROVO	252+616 PKIJEPOLJE	255+8	259+6(	204+641 LUCICE 272+320 RPODA	285+193 VRBNICA	287+43		0+6	3+405	8+3(	15+284	18+45	20+60	22+33	28+82	31+300	34+10	39+551	44+600	47+586 KNIC	53+474 GRUŽA	865+09	62+10	66+335	30+02	73+935	79+100	81+900 SIRČA	84+74
	Distance in km	3	1,981	6,763	2,756	2,350	6,875	8,095	6,980	5,107	3.232	4,668	5,790	3,010	4,500	8,478	5,022	0,310	3,240	3,744	2,041	11 864	2,245			2,739	4,895	3,516	2,651	2,140	1.735	6.494	2.471	2.800	5.451	5,049	2.986	5.888	7,124	1,502	4,235	3,746	3,854	5,165	2,800	2,844
transport	Гей паск	2					<u></u>	Ш																ł															1_	1_	Ш		Ш	Ш	_	$\dashv$
handover to public			-				21.05.	1976.										21.05.	19/0									03.03.	1887.										22.12.	1929.						
To stad	Right track	_					.,											_										_														_				$\Box$



A		əbutitlA	30	2714		233,4	304.2		343,1	379,8	303	CCC	406,3	4166	410,5			441	151	+		470	401	495	496,6	497		93,7	85.3	ŝ	86,6	8/,8	7,00	119.6	118,3	124,6	124,7	124,5	119,3
1		Loading gauge	29	75-1	ZS-I	ZS-I	ŽS-I	ŽS-I	ZS-1	ZS-I	ZS-1	ZS-I	ŽS-I	ŽS-I	1-67 ZS-1	ŽS-I	ŽS-I	ŽS-I	7c.1	ŽS-I	ŽS-I	ŽS-I	75.1	ZS-I	ŽS-I	ZS-1		Že T	1-57 7-5-1	ŽS-I	ZS-I	1-S7	1-07	ŽS-I	ŽS-I	ŽS-I	ZS-I	I-SZ	ŽS-I ŽS-I
1		←	+	,	+	+	+		1	1	1 1		$\vdash$	+	+			1	+	+		4	+	+	$\vdash$				+		-	+	+		5	$\dashv$	+	+	_
Secondary   Companies   Comp		-	_	9	,	2 0	0		∞	∞	2 4	1	5	٧	0			8	٥	•		00	7	2	4					•	3	2	۳ د	9	3		4	3	3
The control of the			-	+	+	+	+	$\vdash$	_	Н	_	+	-	_	_			$\vdash$	+	+	Ш	-	-	1	$\perp$				+	1	-	^ 4	٠-	-	5	$\rightarrow$	_	$\perp$	
The control of the	Builing	Incline	25		1 1		- 1		- 1	$\vdash$				- 1		$\vdash$		1 1			Н	0 5				+				1	1 1	- 1	- 1	1				- 1 - 1	
19   19   19   19   19   19   19   19	[%] u	Gradient of the statio	24																$\perp$																		2,	2,	
1	sn		23	300		300	250		300	270	300	2	300	200	300			300	300	200		300	300	300	300	300		- 1	2000		2000	1000	000	3000	3000	1900			610
1   1   1   1   1   1   1   1   1   1	tdgiori\erag	dispatching of passen	22	P/F	4	م ام	۱ م	а,	P/F	P/F	P/F	4	P/F	Ч.	7/4	գ	Ь	P/F	7 2/2	ы	ը	P/F	7 7/4	P/F	P/F	4		Ę	4		P/F	P/F	1 0	٠ م	P/F		P/F	P/F	P/F
Second Control of the Control of t			_	_	$\mathbb{H}$	_	-	H				+		-	+	$\vdash$		•	_	+	Н		+	, ,		+	+	۷,		+		+	+	-		_	4	$\perp$	
19   19   19   19   19   19   19   19			-	+	+	-	1	$\vdash$	+	$\vdash$		╁	$\vdash$	$\rightarrow$	+			-	+	+	Н	70	+	+	$\vdash$	۲	+	+	+	+			_	12		-	7	+	
19   19   19   19   19   19   19   19	tua og ,		$\rightarrow$	+	+	+	+	Н	-	02	+	+		Ŧ	-	$\perp$			Ť	1	Н	-	Ť		02	+	+	+	-	+	Н			+	Н	_	+	+	Š
13.00   13.0		Preside to the lead	_	+	2	e -	2	9	0 5	7	. o		1	2 5		7	4	- 0	7 6	1 0	4	5	7 0	7	00	2	+	- 0	5 -		2		$\neg$	3 6	4	2	9 1	- 8	6 0
1975   1975	nic	Service point code - 1	18	1210	1210	1210	1210	1211	1210	1210	1210	1211	1211	1211	1711	1211	1211	1200	1200	1202	1200	1200	1201	1200	1200	1202		2547	2550		2550	2550	2440	2440	2440	2440	2440	2440	2440
10   13   13   13   13   13   13   13	he service point	Manner of securing t	17	00	,	4 -	± %		2	∞	~ «	•	5	c	0			-	-	-			-	-	10	10			- 5		5	0 4	t v	2	5		2	5	4
1916   1916	noitslu	Manner of traffic	16	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance			station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
100   100		longest trains	+	+		+		H						+					+			+	+				ı	,	+ °	!	3	× -	t ~	2 2	4	+	3	3	
1911   1912   1914   1915			15			2 0	7 2		2	3	1 0	1	2	•	7			2	0	^		3	8	-	-	-	- (Erdu	,	2 and		2 and	2 and	o allic	2 and	3 and		2 and	2 and	2 and
1931.   2.470   1.00	Direction		14	631		727	929		286	24	2005		211	000	000			473	02.3	6/6		976	530	545	940	140	order	000	573		211	523	504	522	909		517	733	594
1931.   2.470   1.00			+	+	$\mathbb{H}$		+	H	+		- "	+	_	+	+	$\vdash$		4	+	+	Н	41	+	1 41	H	╫	ate bo	_	+	+	$\vdash$	-	+	+	Н	$\rightarrow$	+	+	_
1931.   2.470   1.00		acceptance of the	13	3		2 0	7 2		2	3	1 0	1	2	•	7			2	700	allo		3	~	-	-	-	jevo - st	,	2 and		2 and	2 and	) and		3 and		2 and	2 and	2 and
1931.   2.470   1.00	Direction		12	631		727	658		286	644	1005	20	657	007	000			479	610	610		287	540	551	630	137	ı - Bogo	320	513	3	488	623	504	522	525		617	716	594
1931.   2.470   1.00		Гей изск	=				50)						6	9							0						abotica	40)						ś	()(				
1911   1912   1914   1915   1914   1915		Right track	10				40 (						200	8							9					Ĭ	110 St	30 (						Š	40				
1931   1949	A	Railway line categor	9	3 8	8 8	3	3 8	8	೮೮	ဗ	8 8	8 8	ဌ	3	3 8	S	C3	8	3 2	2 2	D3	D3	ñ	23	23	2 2	1	3	3 2	D3	D3	2 2	3 2	D3	D3	D3	2 2	3 2	D3
1931   1949		Class of railway line	∞ ;	Z Z	Z	Z	Z	×	ZZ	×	Z Z	×	M	×	Z	M	M	M	Z Z	M	M	M	Z Z	M	M	ZZ	1	;	Z Z	×	×	Z	Z >	×	M	×	Z >	M	MM
1931.   194-100   194-10	əui	Single/double-track l	7 0	2 0	S	S o	s s	S	s s	S	s v	+	$\vdash$	S	2 00	+	Н	S	2 0	2 2	S	S	2 0	S	S	2 2	1	č	2 0	S	S	20	2 0	S	S	S	S	o so	s s
10.00   125-401   10.00   10			_	7 -	3 6		7 -	2	3 1		- 00	3 .	1		3 -	3	3	1,	2 -	3 1	3		2 -	. 00	9	7	+	۳.	-	. 9			-			~	- ,	1 .	1 3
Character   Char			,	+																																	Ť		
11. 18.0. 19			4 5 5 10 10 10 10 10 10 10 10 10 10 10 10 10	85+714 JUNCTION POINT 72 KKALJEVO 93+913 MATARIJŠKA BANJA		100+899 BOGUTOVACKA BANJA	108-801 DOBAL SINGUE 118-113 POLUMIR	123+600 PUSTO POLJE	127+293 USCE 132+800 LOZNO	136+123 JOŠANIČKA BANJA	138+313 PISKANJA 143+453 BRVFNIK	147+600 RVATI	152+310 RAŠKA	157+700 KAZNOVIĆI	101+988 NODINICA 164+400 ADMINISTRATIVE LINE	165+600 DONJE JARINJE	168+924 JERINA	172+300 LEŠAK	1/7+900 DNEN 182+800 I EDOSANIĆ	188+000 PRIDVORICA	188+500 SOČANICA	. 11	193+700 PLANDISTE 202+000 RANISKA	208+200 VALAČ	210+900 ZVEČAN	0+120 KOSOVSKA MITROVICA SEVER	_	41+076 STATE BORDER	43+812 BOGOJEVO 50+067 SONTA	50+608 OPEN LINE JUNCTION SONTA	58+636 PRIGREVICA	00+080 BUKOVACKI SALASI 73+450 SOMBOR	83±360 SVFTOZAR MILETIĆ	97+501 ALEKSA SANTIC	105+172 BAJMOK	111+845 SKENDEREVO	115+374 TAVANKUT		128+221 SUBOTICA PREDGRAĐE 131+872 SUBOTICA
10 10 10 10 10 10 10 10 10 10 10 10 10 1		шу ш эалжа с			Ш																										,028	370							
11.1 18.1 18.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0 19		md ai eagebill		0	"	2	0	2	w S	3	2 4	4	4	5	1 0	1	3	3	7	5	0	m (	2	9	2	2 0			7 9		8	- 1	ľ	14	7	9	20 6	2	4 6
10 also in march Indight track Date of [15,12] [15,12] [15,12] [15,13]	pilduq	2	05	31.		. 08	51.		08	31.			05.	31.						05.	31.								11 8	ė					1	.69			
	Date of handover to		24	19		07.	5		07	19			12.	10						12.	10								200	10					Ξ	18			



milorm prioq s and sers/freight su	Side-/end-loading pla Occupancy of service Open for the acceptate dispatching of passen Operations Minimum curve radii Incline Incline Slope	19         20         21         22         23         24         25         26         27         28		S P F 600 0,0 7 1 8 2	16203 S P F 0,0 5 5 5 2S-I	7 7 0 7 000 000 111 1 0	16201 Yes P F 300 7 1 9 2 Zs-I		16201	ı n	U 500 9 7 10 8	15501 S P P/F 350 1 9 1 11 ZS-I	4	U 600 2 3 3 4 ZS-I	16201 Yes P F 400 70 6 1 6 1 75.1	5,6 2 1 4 1		16103 P P 300 7 5 7 5 ŽS-I		3 6 4	16103 P P 300 3 8 4 8 ZS-I		16201 Yes P F 5 1 6 1 ŽS-I	" - (Jajinci)	U 600 0.0 0 2 - 2 ŽS-I		16053 P 100 2 5 4 75 T	- + 6 7	5,5	16505 P P/F 3000 0.0 3 5 7 7 25-1 101.6		16871 Yes P F 400 3 1 3 2 ZS-I	P 700 4,5 3 2 3 3	1000 0 2 - 2 25-1
	gar offiraffor ref.	- Batainica	atajinca 1	station distance 1	station distance 1	station distance	station distance 1		"B" - Open line junction "K/K1" - Resnik 780 6 and 7	station distance 1	station distance 1	station distance 1	٦		junction "A" - (Resnik)  station distance	station distance 1	- Rakovica	station distance 1	Rakovica	station distance 1	station distance 1	- (Rakovica)	station distance 1	) - tumout "K" - tumout "K1" - (Jajinci)	station distance 1	- Open line junction Karadordev park - Open line junction Dedinje - (Open line junction G)	AB mids TWT 1	T I MI IIIM OV	11	AB 1	Sajlovo	station distance 4	block post distance 1	RC with AB 1
Direction B→A	Maximum permitted train length Tracks for acceptance of the longest trains	14 15 A A A A A A A A A A A A A A A A A A	9 7 and	750 2 and 3	867 4	3"-0	750 2		"B" - Open line jun	+			845 2,3 and 4	-	"R" - Open line		"B") - Open line junctionN "R"	702 5	nction "T" -	789 8 and 9	702 5	line junction "T" - (		n line junction "B")		v park - Open line		inci	566 3 and 4	749 4 and 5	- Open 1	798 1 and 2	ction noint 1 - inno	
Direction A←A	Maximum permitted train length Tracks for acceptance of the longest trains	13 VARD	3		733 3	ALLING	750 2	Makiš 2 is 2914m	- Open line junction			730 3	845 3 and 4	4	Open line junction		yard	702 4	¥.		702 4	"B" - Open		junction "K/K1": (Open line junction		ınction Karadorde		121 Indija - Golubinci	644 1 and 2	655 2 and 3	marshal	798 1 and 2	rena: (Kolari) - inn	
	Railway line categor	7 8 9 10 11 12 111 Beograd MARSHALLING	111 Deogram Mancol	$\dashv$		112	S M	ints 302, 300 and track lo	marshalling yard "A"	S M D4 60		S M D4 60	114 Osu uzinca - Open	S M D4	ograd marshalling yard "B" - S M D4 30	M D4	116 (Beograd marshalling	S M D4 30	1171		S M D4 20	118 Beograd marshalling yard	S M D4 30	area of the Open line	S M D4 50		50 50	TAT		-8	122 Novi Sad -	S M D3 50	13 Deviation track of the station Mala Krena. (Kolari) - innetion noint 1 - innetion noint 28 - (Ostnamica)	S M D4 100
1	Name of service point Type of service point	5 6	0+000 BEOGRAD MARSHALLING YARD A	3+300 OSTRUŽNICA 1	RCIN 1		0+000 BEOGRAD MARSHALLING YARD B 1 5+902 OSTRUŽNICA 1	Distance between Belgrade Marshalling Yard B and Belgrade Marshalling Yard A via junction po	0+000 BEOGRAD MARSHAIING VARD A 1		8+857 OPEN LINE JUNCTION K 6	SNIK 1		2+121 OPEN LINE JUNCTION B	115 Bec 1+772 BEOGRAD MARSHALLING YARD B 1 4-805 OPEN I INF ITINCTION R 6			4+895) OPEN LINE JUNCTION R 6 5+798 RAKOVICA 1		5+250 BEOGRAD MARSHALLING YARD A 1 0+000 OPEN LINE JUNCTION T 6	3,129 5+612 RAKOVICA Distance between the open line junction T and Ostružnica station is 5604 m		1+774 BEOGRAD MARSHALLING YARD B 1 2+483 OPEN LINE JUNCTION T 6	119 Connecting track at the	9+335 OPEN LINE JUNCTION K1 6	120 (Open line juncti	0+000 KARAĐORĐEV PARK 7			DIA TT 14		0+000 JUNCTION POINT 6 NOVI SAD 12 1+850 NOVI SAD MARSHALLING YARD 1	3+677 SALOVO 123 Deriation	0+000 JUNCTION POINT 1 MALA KRSNA 12 2+314 JUNCTION POINT 28 MALA KRSNA 12
	Distance in km Chainage	3 4	0+000 BEC		11,200 14+500 SURCIN		5,902 0+000 BEC 5,902 05T	en Belgrade Marshalling	0+000 BFC			1,562 10+419 RESNIK		2,121 2+121 OPE	3 123 4+805 OPF			0,903 5+798 RAF		5+250 BEC 5,250 0+000 OPE	*3,129 5+612 RAKOVICA en the open line junction T and O		0,709 2+483 OPE	8 : 870 CDB	0,463 9+335 OPE		0+000 KAI			*1,949 1+949 INDIA TT *3 527 4+708 GOLUBINCI			1,827 3+677 SAJ	0+000 JUN 2,314 2+314 JUN
Date of handover to public transport	Right track Left track	1 2			1967.		02.08. 1970.	Distance betwee	80 00	1970.	28.05.	1967.	28.05.	1967.	02.08.	1970.		20.10.		02.03.	Distance betwee		02.03. 1970.	20.00	1967.				1012			09.12.	1992.	



sbuiitIA ≅	102,6	1000	187,7	82,6	82,6 84,5 84,5 84,73	84,5 84,73 87,58 84,2 87,58	81.2 79.2 110.5 110.5 113.2
2 Fuling → Kuling → Kaling → Kaling ← Kaling the Loading gauge	2 - ŽS-I 4 - ŽS-I	3 6 ŽS-I ŽS-I 1 5 ŽS-I	0 7 ŽS-I 2 7 ŽS-I	9 11 ,	5 5 ZS-I	2	2 2
Salope   Ruling   Sadient   Salope   Stadient   Salope   Stadient   Salope   Stadient   Salope   Sal	3 0	3 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	5 5	2 6	5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 1 0	
[%] Gradient of the station [%]	500 3,0	300	400		293 4,5	293 0.0	300 0.0
operations  Minimum curve radius	2 2		+				<del>                                     </del>
Open for the acceptance and dispatching of passengers/freight	다 나 다		P/F P/F	Д.	Α	<u>a</u> , <u>a</u> ,	P/F
S Side-/end-loading platform  Coccupancy of service point	S P P		S/E P	S G	S A A A		+ <del>                                    </del>
7 Freight car scales	Yes	Yes	Yes				
☐ Manner of securing the service point ☐ Service point code - UIC	1 13405 4 13407 1 13450		1 12550 1 12601 1 12551 1 a)		11   16808   11   13301   11   23301   11   11   11   11   11   11   11	11   23306   1	
rice coince of coince for constitution					<del> </del>		ag a a a a a a a a a a a a a a a a a a
noiteluger offter 10 normeM 🛜	18 836 9 and 10 station distance 563 6 station distance	AB AB AB	AB   AB   AB   AB   AB	AB	station distance station distance RC with station distance	RC with station distance station distance	ica station distance station distance station distance di RC with station distance station distance station distance station distance station distance station distance
Tracks for B→A	9 and 10	edurovo 4 9 9 1 1 7ard	002 3 885 9 (Niš marshalling yard) 488 3 ction point 2 - junctio	4 and 5	4 and 5	1 and 2 4 and 5 3 and 4 4 and 5	1 and 2   Roberter   1 and 2   Roberter   1 and 2   Roberter   1 and 2   Roberter   1 and 2   Roberter   2 and 3   Roberter   1 and 2   Roberter   1 and 2   Roberter   1 and 2   Roberter   1 and 3   Roberter
bestimmer permitted this in length	836 563	yard - Međuror 738 4 885 9 543 1 halling yard	885 Niš mar 488	L 1 493	CL 2 493 a RF 746	746 746 CL R 532 938 CL L 532	
Tracks for A→B longest trains	7 and 8	marshalling yard - Medu  3 738  8 885  1 543  1 543  st - Niš marshalling yard	733   8     100	Sad-Sajlovo CL 4 and 5	Novi Sad-Sajlovo C 492 4 and 5 492 4 and 5 Sajlovo - Rumenka 650 3 and 4	and 4 and 4 and 3 and 3 and 3 and 3 and 3	1907   3 and 4   50.5   50.04
Direction Direction	849 664	280 San Annual San Annual San San San San San San San San San San	733 733 490 Crveni	Novi Sac 492	Novi Sad 492 492 Sajlovo 650	Sajlovo 650 rbas No 531 943 rbas No 531 rbas No	sksandr 907 356 356 - Horgi 594
	10	30 126	30 Niš - Open lin 30 se station Niš:		8 8 01 00 00	80 100 100 100 100 100 100 100 100 100 1	
		125	D4 127 Niš D4 D4 of the sta	4			
	M B2 M B2	M M D4 D4	M D4 127 N M D4 track of the	M D4	<u> </u>	M M X	
✓ Single/double-track line	D M	N N N	S S	v v	2 0	S S	<del>                                     </del>
□ Type of service point	7 1 1	1 1 0 1 1	1 S 1 1 S 6 S 128 Connecting	112 112	1 1 6 4 4 6 1	4 6 1 1 1 -	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
point	RD		12				DE VINOGRADI
Name of service point	0+000 LAPOVO VAROŠ 2+100 LAPOVO MARSHALLING YARD 3+788 LAPOVO	235-243 TRUPALE 238-177 MIŠ MARSHALLING YARD 239-280 OPEN LINE JUNCTION MOST 241-268 MEĐUROVO	0-099] (KNEN RKS1 3+233] NIŠ MARSHALLING YARD 244-632] (DPEN LINE JUNCTION MOST	0+000 JUNCTION POINT 3 NIŠ 0+572 JUNCTION POINT 4 NIŠ 0+000 NOVI SAD 1+995 NOVI SAD TPS 2-2201 RM 002-201 SC	0+000 NOVI SAD 1+995 NOVI SAD 1+995 NOVI SAD 1+995 NOVI SAD 0+000 SALLOVO 0+000 SALLOVO 3+328 KM 000+285 SC 3+328 RUMENKA	0-000   SALLOVO 0-331   KM 000-331 SC 3+323   RUMENKA 0-000   VRBAS NOVA 1-844   VRBAS 0-000   VRBAS NOVA	14-84-14 VABAS 1664-519 INAUMOVIĆEVO 1714-962 ALERESANDROVO PREDGRAĐE 1754-305 BLOK I SUBOTICA 0+000 RASPUTNICA KARLOVAĆKI VINOGRADI 0+883 KARLOVAĆKI VINOGRADI 0+000 SUBOTICA 1+881 KM 1+813 SC 2+500 SUBOTICA 1AVNA SKLADIŠTA 3+848 KM 3+848 SC
w Distance in km  → Chainage	2,100 2+100 LA 1,688 3+788 LA		3,134 3+233 NI 244+632 NI 3,000 247+632 OI		*1,100	0-000 SA -3,016 3+323 RU *3,016 3+323 RU -2,248 1+844 VU *2,248 0-000 VI *3,016 0-000 VI	1.544 1.66+519 1.71+962 1.75+305 0+000 0+683 1.682 1.682 1.683 1.682 1.6
Palight track Date of handover to public public ransport	16491.7.41	1942.	1942.	01.06.			2025.



	əbutitlA	30	107,7	102,3	200,7	85,7	77	77	80	82	105	70	78,0	80,0	81.0		81,3	78,9	0,11	80,8	80,8	77,5	80,8	79,3	78,9	80,5					79,3	80,4	82,0	85,5	84,8	\$ 63	82,5	83,1	89,6	106,6	108,4	109,6	113,2
	Loading gauge	29	1-0	ZS-I	ŽS-I	S-I	ŽS-I		I-SZ	ŽS-I	ZS-1	ŽS-I	ZS-I	I-SZ		ŽS-I	ŽS-I	S-I	1-52 ŽS-1	ŽS-I	ŽS-I	S-I	ZS-I	ŽS-I	ŽS-I	1-SZ	I-S		ŽS-I ŽS-I			ZS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	I-S	ŽS-I	S-I	ZS-I	I-S	I-S	ŽS-I
[Vab] snil sht	←	_	2 5	4	Н	5	Ž	+	1 2 2	2 2	1 -	3 2	4	-	2 2	Z	4 Ž	+	7	Ž	1 2	+	3 2	+	$\vdash$	1 2	-		- 2			4	4	Н	5	13	1 2	13 2	7 10		2 2	+	2 2
Ruling resistance of	$\rightarrow$	27	-	2	4	4			1		٠,	4	3	4	5		2	9 4	2		2	1 1	2	1	-	+	•		3			2	9	2	9	10	1	10	7		2	6	9
gradient	Slope	26	2	4	4	2		•	1		0	3	4	0	2		2	4 (	7		1	2	3	2	٧	1 0	0		0			3	3	0	5	10	+	10	0	)	2	2	2
Ruling	Incline	•	×,	1,8		4	0,0	5,0	0,0	0,5	7 0	0,5 4	0,0	0,0	0.0			0,0	0,0	0,0	0,0	2,0 0	0,0	0,0	0,0	0,0	0		2		0,0	0,0	0,0	1 1	2,5 6	0,0	-	10	3.0	٠.	3,2 2	e c	1,0 6
	Gradient of the statio		3 8			8		350 0		Ш		400		300			400		000			550 2			475 0							0 6	200			300	8	300			Ш	8	500
sui	operations Minimum curve radi	23	3600	5	1500	3600	H	3	3 6	3	9 2	4	3	m 4	0 0		4	m v		10	5	5	4 2	4	4 0	19						4	5	5	8	<u>~</u>	3	3	1000	1000	1000	3000	5
ance and ngers/freight	Open for the accepts dispatching of passe	22	7/7	P/F	P/F		P/F	,	P/F	d 5	P/F	Ь	P/F	Ъ	P/F		P/F	P/F	1/1		P/F	P/F	P/F P	P/F	,	F					P/F	Д	P/F	Ч	P/F		P/F				P/F		P/F
_	Occupancy of servic	21	٦,	n	д	$\forall$	Ь	n:	o b	b	4 5	D	д,	ы	H	T	Ъ	<u>.</u>	4	Н	Н	н	I D	H	F	<u> </u>	Н		n		Н	Þ	H	D	Н		д		Ť	t	Þ	1	Ь
mrolls	Iq gnibsol-bnə/-əbi2	20			П		S		S	S	v v	S	S		S		S	ŭ	2		S	S	S	S	č	o so	П				s	S	S	S	S		S		T	T	П		S/E
	Freight car scales	10					Yes	1		П							Yes					1					Π,	اد											1	$\perp$			
nıc	Service point code -	18	23 / 04	23702	23701	23199	22001	00000	22002	22004	22005	22201	22202	22203	22204		22501	22550	22202		22504	22505	22506	22509	22801	22803	22899	KAFFI	16104		22509	22601	22603	22604	22605		23801		23802	23804	23805	23806	23450
the service point	Manner of securing	17	-	-			4	+	» »	oo +	_	00	7	10	2 %	Н	4	7	-		00	-	8	$\vdash$		+ 6		Ž,	3		ш	10	6	$\vdash$	6	-		-	1	#	4		4
noiislug	gar officit to raffic	16	station distance	station distance	station distance	station distance		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	N.	station distance			station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
	longest trains	2	4 4	d 3	and 4	order -	d 5	:	and 3	and 3	and 3	and 3	d 3	and 2	d 3		td 3	2 2	C p		d 3	d 3	and 3	t 9	9	7 pg		(Rako	2	_	rd 3	d 3	d 3		4 p		d 3		+	+	d 3	1	d 3
B→A	Tracks for acceptance of the	115	s and	2 and	3 ап	state border	4 and	c	2 and 2 and	2 an	2 an	2 an	2 and 3	l an	2 and 3		2 and	2 and	2 and 5		2 and	2 and	2 and 2 and	2 and 3	1	2 and	,	Pancevacki onG'' - (Ra	12	botica	2 and	2 and	2 and	2	3 and 4		2 and			L	2 and 3		2 and 3
Direction	Maximum permitted train length	14	043	902	618	1	10	9	473	537	534	617	999	253	524		633	585	670		647	519	576	740	040	619	١ ١	ction Pa	615	a - Su	740	208	523	570	619		523				009		594
	longest trains	+	+	3	Н	- Kikinda	5	+	+	H	_	$\vdash$	Н	+	-	Н	$\vdash$	+	+	Н	~		+	+	$\vdash$	+		line junction en line junctio	+	- Sent	d 3	-	+	Н	+		d 3		+	t	Н		_
Direction A→B	Tracks for acceptance of the	+	s and 4	2 and	3 and 4	enianin -	4 and	-	2 and 3 2 and 3	2 0	+	2 and 3	$\vdash$	1 and 2	2 and 3	Н	$\vdash$	+	c alla	$\vdash$	2 and	2	2 2	+	$\vdash$	2 and 3	Н	Open Im	<u></u>	Banatsko Miloševo - Senta - Subotica	2 and	2 and 3	2 and 3	Н	3 and 4		2 and 3	$\vdash$		_	2 and 3		2 and 3
1	Maximum permitted train length	12	900	677	626	ca - Zreni		9	409	537	534	617	999	253	524		633	585	670		647	519	576	740	250	619	1 1	nav - C +195) -		atsko N	740	268	523	570	619		523				900		594
permitted speed	Гей изск	=		120		ma stanica		20			50 (70)			(40)	90 (80)	,		30		30	30	3	50 (70)			(09) 05	9	) - Beograd Dunav - Open line junction Pancevacki most - I Topčider (kw 4+195) - Open line iunctionG" - (Rakovica)	20	205 Ban			99			00	3	20 (30)					
mumixeM	Right track	+	_			Glavna		-				_		4			_						150			_	т!	- Beo	20			_	_						_	_		_	
Ĺ	Railway line categor	0 5	\$ 2	2 2	7	<b>−</b> §		D2	D2	₹.	4	A	D2	D2	¥ 4	B2	B2	8 B	2 6	B2	B2	B2	<b>4</b> 4	A	8	3 8	8	204 I	7			8 8	3 8	ε	Ω.	4	Ą	Ą	∢ <	4	Ą	∢ <	4 A
	Class of railway line	∞ Δ	4 0	4 24	ĸ			24	보 보	24	4 4	2	2	2	4 24	×	R	~ 0	4 2	~	ĸ	2	2 2	×	24 5	4 &	~ .	V W	×			<u>م</u> م	4 %	ĸ	2	<u>م</u> م	2	ద	24 0	4 24	~	24	R
line	Single/double-track	7	מ מ	o S	S	S.	<u></u>	S	N N	S	v v	S	S	S C	v v	ſ	S	s v	+	$\vdash$	S	S	s s	S	S	o so	S.	Grad	D			S U	o so	S	S	ss v	+	$\vdash$	vs v	2 S	S	S U	o S
)ti	Type of service poin	9 -	7 6	2 0	-	13	1	9			-	-	- (	2	1 0	6	1		1 2	6	-	-	11	1	۳ ۰	-	13	Tituo	1 6		-	% r	1	00	- 0	9	1	12	m "		-	<u>س</u> ،	1 -
	Chainage Name of service point	7:400 DATT	/+038 PALIC 11±252 HA IDITEONO	15+419 BAČKI VINOGRADI	24+018 HORGOŠ	27+897 STATE BORDER	16+196 PANČEVO GLAVNA	17+659 OPEN LINE JUNCTION 2a	22+334 JABUKA 26+799 KAČAREVO	33+858 CREPAJA	41+522 DEBELJACA 45+835 KOVAČICA	56+271 UZDIN	61+939 TOMAŠEVAC	64+045 ORLOVAT STOP	75+595 LUKIĆEVO	81+950 KM 081+950 SC	84+398 ZRENjANIN FABRIKA	88+795 ZRENJANIN 02:475 ET EMTB	9/14/2 ELEMIN 99+030 ITINCTION POINT 1R	102+000 KM 102+000 SC	105+815 MELENCI	112+702 KUMANE	121+624 NOVI BECEJ 137+138 BANATSKO MILOŠEVO POLJE	141+291 BANATSKO MILOŠEVO	148+600 DERIĆ	11+099 BANATSKO VELIKO SELO		205 beograd Donji Grad	5+700 TOPČIDER TERETNA 6+795 OPEN LINE JUNCTION G		0+356 BANATSKO MILOŠEVO	5+105 BOCAR	18+063 PADEJ	25+230 OSTOJIĆEVO	31+176 COKA	35+187 KM 35+187 SC 38+407 II INCTION DOINT 22 SENTA		1+391 JUNCTION POINT 23 SENTA	42+293 GORNJI BREG 40+210 BOGARAŠ	54+223 DOLINE	58+048 OROM	62+071 GABRIC	76+685 SUBOTICA
	Distance in km	3 010	3,810	3,662	8,599	3,879		1,463	4,465	7,059	4.510	10,436	5,668	2,106	10,835	6,355	2,448	4,397	1 555	2,970	3,815	6,887	8,922	4,153	7,309	*10,398	3,324		1.095			4,749	7,363	7,167	5,946	3 220	*1,082	1,391	*3,129	5,013	3,825	4,023	12,093
Date of handover to public transport	Right track Left track	1 2	19/0.								06.04	1884.						04.05.1889.								15 11 1057	5.11. 1857.		.4591 1934. 03.09. .4881		15 09	1896.	00 31	1806	1020.	1015				14.11.	1889.		



	9putitlA	30	77	11			81,3	84,8	85,6	85,9	85,7	94,4	85.4				86,4	83,1		81.8	81,5	78,6	78,4	77.4	77,4	8.62	87,8	80	П				80,3		80 9	81,6	81,8	79,2
	Loading gauge	59	H	ŽS-I	$\vdash$	ŽS-I	ŽS-I	I-SZ	ŽS-I	ŽS-I	ZS-I	7c.1	ŽS-I	ŽS-I	ŽS-I		ZS-I	ŽS-I	ZS-I	ŽS-I	ŽS-I	ŻS-I	ŽS-I	1-52 1-52	I-SZ	ŢS-I	1-S2-1	ZS-I		Že.1	ZS-I		ŽS-I	-	ŽS-I	I-SZ	ZS-I	I-S2
the line [daN]	<b>←</b>	28		1			+	V 4	3		+	7 -	1 1		2			5		5	4 -	4		2		H	n v	+		П	,		-	ŀ	7	+	2	
Ruling resistance of	$\rightarrow$	27		-			7	2	2			1	3 0		3			9		4	2	2	ų	1		11	٥ <del>١</del>	9			4		5			3	2	
Ruling gradient		$\vdash$		-			-	4 4 ν 4	1 0	•	0 0	7 0	0		2 2		L	5 5		3 5	4 -	4		1	-	10 8	2 4	+		$\perp$	0		0	.	9	+	_	
	Gradient of the station	Н	0,45	0,5	H			1,0 4		1,0	1,0	1 0,0	2.0		2		4,0	l I	+	1,0	0,0	0,0	1,0	0.0	3,0		0,4				3	}	0,0	0		0,0	0,0	2,
sn	Minimum curve radiu	23	- 1 - 1	200			100	400	450	006	8	300	300					450		1000	1000	2005	400	7007	950	400	400	300				•	300		300	2005	200	400
	dispatching of passen operations	22	P/F				P/F	占	P/F	Ъ	P/F	4 0	P/F		P/F			P/F		P/F	D/F	4	P	7 d	. 4	Ъ	٠,	Д		ш	1			6	7 d	ь	P/F	4
	Occupancy of service Open for the acceptar	-	Н	n	4	Н	H 6	- L	T	-	<u>а</u> г	4 =	0 4		Ь		Д	Ъ	+	n	n :	) D	-	+		n	)  -	) A	+	$\vdash$	Ь		+		4 Þ	Н	д	+
	Side-/end-loading pla	$\vdash$	S	_	H	$\vdash$	-	SS	$\vdash$	+	S	1 2	+		S		F	S	+	S	1 0	+	ŭ	2		$\vdash$	S v	+	$\ \cdot\ $	+	1	l t	S	·  -	_	S	+	,
	Freight car scales	$\vdash$					-		-		-	+	-		-			•	+	+		+		+			-		1	Yes			•				-	
nıc	Service point code - J	18	21001		23301		24003	24004	24001	25001	25002	25005	25402	25403	25470		23301	23001		22311	22310	60677	22307	22300	22304	22303	22302	22203		16871	23301		22301	0222.	16601	16602	16603	10001
he service point	Manner of securing th	17			1		<b>«</b>	10	7		4 (	10	1		-		-	7	9	8	01 8	•	-	+	L	2	2 5	101		4	1		10		- 6	10	2	-
noitelu	iger officit to renneM	16		station distance		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	šančevi - Orlovat stajalište	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	junction	entrin distance	block post distance		station distance	(Zvornik Novi)	station distance	station distance	station distance	station distance
	acceptance of the longest trains	15 Tehentes	and 3				2 and 3	2 and 3 1 and 2	2 and 3	:	2 and 3	2 and 2	2 and 3		3 and 4	vi - Orle		2 and 3		2 and 3	and 3		2	c alla 2	T	2 and 3	2 and 3	1 and 2	ا به ا			ćevo)	2 and 3	oorder -	2 and 3		2 and 3	
Direction B→A			2 a - (		0/2	$\vdash$	_	+	-	$\vdash$	+	+	+	$\vdash$	$\dashv$	šanče	L	Н	+	+	2 0	+	$\vdash$	+	╀	Н	+	+	vo Op	$\vdash$	$\perp$	(Luki	2 2	state t	-	+	+	
	Maximum permitted train length	14	506		. Dogo		<del>24</del>	710	387	i	44	240	693		732	Rimeki	L	558		593	533	1	573	CIC		804	/8/	253	Sajlovo	Ш		n 1a -	555	rina -	607		628	
	acceptance of the longest trains	13	2 and 3		uzacı		2 and 3	2 and 3 1 and 2	2 and 3	:	2 and 3	2 all 0 2	2 and 3		3 and 4	Sailovo -		2 and 3		2 and 3	2 and 3	and a	2	c alle 2		2 and 3	2 and 3	and 2	YARD			junctio	2 and 3	nja Bo	2 and 3		2 and 3	
Direction A→B	train length Tracks for	2	os - Open 506 2	- 60	207 INOVI Sad - Odzaci - Dogojevo	$\vdash$	-	710 1		-	744 2	+	+	$\vdash$	730 3	on Sail	-	558 2	+	+	533 2	+	$\vdash$	7 616	+	804 2	+	+-	1	$\parallel$		l≔ ŀ	555 2	⋴⋴	607 2	+	628 2	
	Maximum permitted	1	varos		Novi		3, 5	0	38	1	7	+ c	9		7	nunction	L	5.		56	5		ù			8	2	22	SHALI			at - Op	25	line juno	0 0	ш		
Maximum permitted beed		10 11	200 Fancevo Varos - Open line Junction 2a - (Jabuka 50   2 and 3   506   2 and 3	200	707	20			9	8			9	100		-Onen Tine	4	7			(08) 09					(80)		30	Sad MARSHALLING	10	20	210 Orlovat	30	- Open li		(07)		
	Railway line category	9	§ -	D2	H	ဌ	8	2 2	$D3^{2}$	D3 <sup>2)</sup>	D3	D323	D3 <sup>2)</sup>	D3 <sup>2)</sup>	D3			S	8	A	A A	4 A	Y <	t 4	Y Y	Ą	V V	t V	Novi S	۳	38	2	Y,	Šabac	D3	D3	2 2	3 2
	Class of railway line	00		8	2	$\vdash$	-	× ×			-	4 0			~	Novi Sad	$\vdash$	$\rightarrow$	2	24	2	4 24	24 0	4 2	4 24	8	<u>م</u> م	4 24	8	ρ.	+			Ruma -		2	+	_
əni	Single/double-track li	7		S	S	S	S	N N	s	S	S S	0 0	s s	S	S	208	·	S	S	S	S	S	S	2 00	S	S	S U	S	1	v	S			211 Ru	v.	S	S U	s s
	Type of service point	9	-	9	4	3		- 01	1	3		10	-	3	-		4	-	9	-	10	101	. 3	- (*		-	- -	2	1	-	4		1			. ∞	- "	9
																													-			•						
	Name of service point	5	0+275 PANČEVO VAROŠ	1+539 OPEN LINE JUNCTION 2a	0+000 SALOVO	VETERNIK	12+554 FUTOG	25+111 PETKOVAC-GLOZAN 29+542 BAČKI MAGLIĆ	36+092 GAJDOBRA	44+224 PARAGE	50+447 RATKOVO	ODŽACI VARITA	65+448 KARAVUKOVO	72+471 BOGOJEVO SELO	4,214 76+685 BOGOJEVO	ANGENTRACIO IIINE CARREGOLY AL	SAJLOVO	10+148 RIMSKI ŠANČEVI	OPEN LINE JUNCTION 1	STEIN LEAST SOUND IN Z (UNEND I U)	25+218 BUDISAVA 32+274 & A IIX A &	VILOVO/GARDINOVCI	LOK	DONIT TITTEL	KNICANIN	PERLEZ	FARKAZDIN	76+256 ORLOVAT STOP		1+141 NOVI SAD MARSHALLING YARD	SALOVO		75+915 OPEN LINE JUNCTION ORLOVAT 1a	.,	0+517 KUMA 11+344 BUĐANOVCI	NIKINCI	21+344 PLATICEVO	31+373 OPEN LINE JUNCTION 1
	Chainage	4	0+275		0+000									72+471	76+685	Jacona, Odzaci am	0+000		14+608			38+394		51+132			75+381							0.612		Ш	21+344	
	Distance in km	3		1,264		*6,029	3,454	4,431	6,550	8,132	6,223	0,000	4,208	7,023	4,214	e politico		*6,479	*2,984	4,818	4,649	6,170	5,451	1 700	2,713	4,330	0.850	0,875		0.454	*2,048		0,630		10 827	5,331	4,669	2,473
public transport	Гец цвск	2	.40						1				12.			men of service	05.	54.		07.	<u>.</u>	2	. %	0.5	77.		.60	<u></u>					1935.			∺≓		
handover to	Right track		09.04	1894									24.12	1908	1		31.05.	1964		02.07	10	8	1889	15 07	1927		15.09.	4					11.09.			05.11.		



	əbmitlA	30	79,1	(%)	79.1			82,4	91,2	8'06	101.9	105,2	109,4	114,4	122,3	119.8	135,6	134,6	136,9	1,101		79,3			1	T	144	144		147,4	152.4	173,4	167 5	2	169.5	174.8			186,8	T	105.0	17.0,0	202,4
	Loading gauge	50	I-SZ	1-57	ZS-I	ŽS-I	ZS-I	1-SZ	ŢS-I	ZS-1	ZS-1	ŽS-I	ŽS-I	I-S	1-S7	I-S	ŽS-I	I-S	ŽS-I	ŽS-I		ŽS-I			ZS-I	1-67	ZS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	1-0	7 7	ZS-I	ŽS-I	ŻS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	1-SZ-1	I-S	ŽS-I
the line [daN]	←	28	2 2	7 6	7 2	Ž	Z	,	2 Z	7 6	7 2	- 2	Ž	+	4 2 2	3 2	Ž	5 Ž	+	6 7	+	Ž		,	Z	7 12	10	$\vdash$	Ž	7	7	7 10	7 6	,	5 2	+	Ž	Ž	6 Ž	Z	7 7	+	7 2
Ruling resistance of	$\rightarrow$	27	ı	-		П	,	^	2	c	4	3		١,	4	3		5	v	,	1		1				10	-		7	v	2	7		5	2			9	$\dagger$	4	-	7
gradient	Slope	-	r	\			+	0	1	0		0		+	2	2	Н	2	+	4	+	0	<b>∤</b> ∤				5	1		4	-	-	0	1	3	╀			5	1	4	+	4
Ruling	lncline	Н	1	0,0				0,0	2	10	2,00	0,0	0,0	- 1	0,0	0.0		0,0	_	0	1	-				+	3.4 7	0		4,4 6		C'C	0.8	2	2 5	5.3 4			9 59	+	75.4		9
[%] u	Oradient of the statio	24				0	- (		0										0	0	,	Ц											$\perp$						0 4,55	4	0 0 75		0
sn	Мілітит сигуе гаді		900	300		300		70	009	20	700		700	700	2 23	700	500	700	700	300		300					200	250		250	2007	2	200		20	500			500	_	200	1	300
	Open for the accepta dispatching of passer operations	22	Ę	P/F			а ;	P/F	P/F	Ъ	d d	P/F	ď	۵ إ	4/4 a	4 4	P/F	P/F	<u>а</u>	4				P/F	۵,	ц <sub>Б</sub>	P/F	P/F	Ь	а	4	4 F	4 0	۰ م	P/F	ď	д	Ъ	ď	а,	<u>م</u> م	4 04	P/F
_	Occupancy of service	-	-	٠,		Н	-	4	b	=	5	Ы		r	٠,	n	H	д	-	4	t		† †	д	$^{\dagger}$	t	þ	Ъ		Þ	=	0	E		Д	þ			n	$^{\dagger}$	=	)	Ъ
	Sid gnibsol-bnə/-əbiS		Ę	S/E		П	1			1	T	П		c	2		П	S	+		t		1 1	S	$\top$	T	S	S	П	S	U	2	v	2	S	S			S	T	v	2	S/E
	Freight car scales	10		_											İ						1					İ	t						İ							#	1	İ	-
nic	Service point code -	18	05651	10350			16300	16301	16303	16304	16306	16307	16308	16309	16310	16312	16313	16314	16315	16319				13352	12219	10221	12203	12204	12218	12205	12206	12201	12221	12209	12210	12211	12212	12216	12213	12217	12214	13220	13251
he service point	Manner of securing t	17	(	7	-	-	,	∞	4	۰	0	4		,	4	4		4		1	1						00	4		2	c	7	0	1	2	2			2	#	c	4	4
noitelu	ger officito renneM	16	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	- (Štitar)	station distance			station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
	acceptance of the longest trains	15						and 2	and 3	J and 2	C parts	2 and 3		:	2 and 3	2 and 3		and 4			iunction 3 -						2	4		2		2		+	3	3			3	+	~	1	4
Direction B→A	train length Tracks for		Н	+			١,	+	2	+	+	+	-	+	+	+	-	3	+				ega	+	+	+		_		2	-		_						7	+	+	+	
	Maximum permitted	Γ.		_			+	614	3 497	543	+	9 614		+	853	574	$\vdash$	t 618			- Open line		0 - Pož				412	714		586	309	0.70	600		693	089			647	4	657	3	738
A→B	Tracks for acceptance of the longest trains		,	2 and 3			,	1 and 2	2 and 3	2 and 2	nin 7	2 and 3			2 and 3	2 and 3		3 and 4					Stalać - Kraljevo - Požega	4			2	4		2		0	3		3	3			3		~	1	4
Direction	Maximum permitted train length		467	40/			;	614	497	540	247	614		5	853	574		618			line junction 1		Stalać -	582			412	714		586	309	020	009	700	693	089			647	T	657		738
poods	Гей таск	11		30	,		(0/) 09						_	(0/) 05		'				50	Open	30	213			30 (50)										(04							_
Maximum betimised	Right track	10			,		09							20						5	(evo)	· ~				30 (										25 (40)							
Á	Railway line categor	6	20 2	P A	D3	D3	i B	P A	A	4	t A	A	D3	<u>6</u>	4 <	4 A	A	D3	D3	¢ ε	Platič	D3			8	3 8	3 8	S	B2	B2	B2	20	B2	B2	B2	B2	<b>B</b> 2	B2	B2	B2	B2	B2	<b>B</b> 2
	Class of railway line	8	24 6	× ~	4 24	~	2	× ×	~	~ a	4 24	~	R	24	¥ 0	4 24	R	24	24 0	4 24	212	~	1 1		24 0	4 0	4 24	R	R	ĸ	~ 0	4 0	4 2	2	2	2	×	R	æ	24 6	× 2	4 24	R
əui	Single/double-track l	7	S C	ν v.	S	S	S	s s	S	S U	2 02	S	S	S	ν o	o S	S	S	S o	2 02	,	S			S U	מ מ	S	S	S	S	S U	n v	2 0	S	S	S	S	S	S	S	S O	2 02	S
1	Type of service point	9	9 -	1	9	9	3	7 6	-		3	-	3		1	1	3	1	2	13		9 9		-	e .	۰ %	-	1	3			7	٠ -	3	-	-	3	3	-	۳ ،	n -	3	1
	Chainage Name of service point	4 5	31+952 OPEN LINE JUNCTION 2	32+/15 SABAC 33+605 SABAC ( end km)		1+394 OPEN LINE JUNCTION 3	4+000 MAJUR	7+725 STITAR 14+300 DUBLIE MAČVANSKO	22+031 PETLÓVAČA	25+800 RIBARI 28+713 BPN: AVOR MAČVANSET	33+300 PODRINSKO NOVO SELO	35+000 LEŠNICA	38+900 JADARSKA STRAŽA	45+400 LIPNICA	51+590 LOZNICA 52-400 LOZNICA EABRIVA	554400 LOZINICA FABRIKA 564183 KOVILJAČA	61+700 GORNJA KOVILJAČA	65+354 BRASINA	67+800 DONJA BORINA 68+685 ODEN I RIE ITRICTION DONJA DODINA	0+800 STATE BORDER		0+000 OPEN LINE JUNCTION 1 0+675 OPEN LINE JUNCTION 3		0+374 STALAČ	1+400 GRAD STALAC	3+65/ MAZZENICA 8+070 MAZZEŠANE	11+923 DEDINA	14+559 KRUŠEVAC	19+400 ČITLUK	21+384 KOŠEVI	25+308 GLOBODER 20+017 STODANIA	29 (200 DONIA BOČEPOVITNA	35+547 POČEKOVINA 35+547 POČEKOVINA	38+949 TRSTENIČKI ODŽACI	42+455 TRSTENIK	49+200 VRNIAČKA BANIA	53+238 LIPOVA	55+638 TOMINAC	57+651 PODUNAVCI	59+938 VRANESI	62+225 VKBA 65+881 R A TIN A	65+908 SRČA	71+621 KRALjEVO
	Distance in km	3	0,579	0,703	0000	0,682	2,606	5,725	7,731	3,769	4.587	1,700	3,900	6,500	2,090	2,783	5,517	3,654	2,446	*0.800		0,675			1,026	5.083	2.953	2,636	4,841	1,984	3,924	3,709	1 847	3.402	3.506	6.745	4,038	2,400	2,013	2,287	3,587	3.027	2,713
public transport	Гей изск	2	96.	ť								<u>.</u>								826					ų	. 0		•									×.						
Date of handover to	Kight track	1	03.06.	19.							15.05.	1950.							15.05	09 03 1978					0 3 1	1000										01.12.	1958.						



	9butitlA	30		198		212,4	228.7		228,4		237,3		250,3	291,0	208.7	2,0%											70,9		95.1	00,1		83,0			T		83.0		
	Loading gauge	59	ŽS-I	ŢS-I	ŽS-I	ZS-I	1-67 ŽS-1	ŽS-I	ŽS-I	ŽS-I	ZS-I	ZS-I	ZS-I	1-S7	1-67	70.1	1-57	78-1	ZS-I			ZS-I		ŽC.I	1	<u> </u>	ZS-I	1-S7	1-S7	1-67	1-67 ZS-I	ŻS-I						ŽS-I	ŽS-I
[Mab] anil adt	<b>←</b>	28		6		9	000	+	4		2		7	9	v	,	$\dagger$		5			1	ŀ		1	П	+	1	0	+		4							7
Ruling To sonstairen	$\rightarrow$	27		3		9	000		4		5		7	6	¥	1	I	I	5					I				1	14	<u>+</u>	I	7			$\perp$				-
Ruling gradient	Slope	-		7	4	6 2	7 3	-	4	$\vdash$	4		+	7	-	1	+	-	5 1			4	-	+	-		4	4	7	7	-	6 4				_			1 6
	Incline			0 3	+	7	467		6,6 4		6,17 5			3,9 8	3 3 4		+		3			$\dashv$	ŀ		+		0,0		1	+		0,7				-	0.7		2,6
	Minimum curve radio			300		009	009		006	1 1	200 6			1	+	1							ŀ		+		185 (		250	007		450			+				350
idgiəri/zrəgı	dispatching of passen operations	22		P/F	Ь	d c	4 6	Д	Ъ	Ь	P/F	Ъ	P/F	٦, د	P/F	1 0	4 A	<del> </del>	P/F			-	ŀ				P/F	-	P D/E	1/1	Д	P/F			$\dagger$		P/F	Ь	P/F
	Occupancy of service Open for the acceptar	11		T	-	ь	-	_	n		Д	+	b:	5		+	+	+	Ь	2	-	$\dashv$	$\perp$	+	+	Н	д:	_		+	+	Ь		n	+	+	Д		Ь
	Side-\end-loading pla	_		S		S	~	+	S	$\vdash$	S	$\dashv$	S	+	v	+	+	$\perp$	S	RAFF		$\dashv$	ŀ		+			+	Ť	+		S				1	S		H
	Freight car scales	-					$^{+}$				Yes	1	1		+	t	$^{+}$		Yes	OR TH		7	f	$^{+}$	†	Н	1	1	$^{+}$	t	$^{+}$								П
nıc	Service point code -	18		13001	13002	13003	13005	13014	13006	$\Box$	$\neg$	13010	13007	13008	13000	12015	13011		15150	OSED FC			(e)				13670		13602	13003	13604	13551					13551	14551	14550
he service point	Manner of securing t	17		3		3	3		2		3			~	~	,		-		ECL			(Dragačevo)		•		3	1	-		-	1					-		3
noitelu	ger of traffic reg	16	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	(Mataruska Banja) - junction point No 72 - junction point No 73 - (Adrani) LINE CLOSED FOR TRAFFIC	station distance	station distance	junction point No 53 - junction point No 54 - (Dra		Krsna		station distance	station distance	station distance	station distance	station distance	station distance				130)	(200	station distance	station distance
B→A	Tracks for acceptance of the longest trains	15		3		3	3		2 and 3		2			7						tion point			3 - junctio		216 Smederevo - Open line junction Jezava - Radinac - Mala Krsna		3			2		4	Smederevo luka			- (Vražognac)	4		2
Direction	train length	14		909		909	909		602		877	1	615	027	618		$\dagger$	+	t	- junc		$\forall$	t No 5	t	Radii	H	458	$\dagger$	743	2	$\dagger$	633	edere						543
	longest trains Maximum permitted	_		9	_	9	9		3 6		∞		9	6	9	•	+	+	+	No 72	_	$\dashv$	n poin	+	Zava -	H	4	+	7	+	+	9	1 1 1			Inction	9		3
Direction A→B	Tracks for acceptance of the	13		3		3	3		2 and 3		2			2	,,					on point l		-	1		nction Je		3		7	^		4	line junction Jezava			218 Mala Krsna - Bor - onen line innertion 27	4		2
	Maximum permitted train length			909		909	605		602		877		615	/70	618	3				juncti			(Uzići)		line ji		458		711	11/		679	e junct			01-01	629		543
permitted	Гей изск	==					(0/) 09								10	3				Banja) -			Požega: (	20	o - Open			02			0/		217 Open lin			rena - B		40	
mumixeM	Right track	10					9													ruška			ation		derev								217			Zala K	L		
A	Railway line category	6	D4	D4	7	7	2 2	7	D4	<u>7</u>	D4	7	7	7 2	2 5	2	2 2	2	7	(Mata		ဗ	k of the station	2	S Sing		7 2	7 2	7 5	5 8	3 8	ဗ			2 2	2181		<b>D</b> 4	7
	Class of railway line	<b>«</b>	R	R	K	~ 0	4 ~	~	ĸ	~	~	×	2	4	4 2	4 0	4 2	; ≃	~	jevo:				ρ	21		~ 1	× 1	4 0	4 0	4 2	2			24 0	4		R	2
əui	Single/double-track l	7	S	S	S	S U	2 00	S	S	S	S	S	S	N C	20	2 0	n v	o o	S	n Krai		S	ng tra	v	2		S	S	S O	2 0	o S	S			S U	2		S	S
1	Type of service point	9	12	1	3	1 0	^ =	3	1	3	-	3	(	7 (	~ -	, ,	n ~	12	- 1	station	12	12	mecti	12	3		- '	0	2 -	1)	3 8	-		9	9 -	-	-	3	-
	Distance in km Chainage Name of service point	4	0,917 72+538 JUNCTION POINT 73 KRALJEVO			2,913 84+441 SAMAILA 4 140 00 410 CODIČANI									0,700 IZ/+200 JELEN DO 1 166 128+366 DR AGAČEVO	1	1,554 129+900 GUGAL) 3,800 133+700 BORAČKO		136+107	214 Connecting track of the station Kral		*0,444 0+000 JUNCTION POINT 73 KRALjEVO	215 Connecting tra	0+000 JUNCTION POINT 54 POZEGA		-0+870 BEGINNING OF THE LINE	1		*1,475 3+250 GODOMIN 3.461 6-211 RADMAC		9+124	-			2,484 2+484 OPEN LINE JUNCTION JUGOPETROL 15.27 4+011 SAFEREBEVO LITEA		71+272 MALA KRSNA	10,928 82+200 LjUBIČEVSKI MOST	5,563 87+763 POŽAREVAC
transport	Гей изск	C)								Ш	+			+		_			L			-	+		+											+			$\dashv$
Date of handover to public	Right track					20.00	1955.					28 11	1976.			20 11	1076							25.09, 2001				,	10.11.	1000.							3	1020	1720.



	9butitlA	30			76,2	1.001	1,621	175.3	129,2		105,3		177.0	0,721	153.0	154,1				210,0	T	289.2		376,9			4/4,5		518.3			426,1		364,6	356,4	278,7	201,6	1771	П
	Loading gauge	59	ŽS-I	ŽS-I	ZS-I	ŽS-I	1-67 ŽS-1	ŻS-I	ŽS-I	ŢS-I	ZS-I	ZS-I	T-S-1	1-67	I-SZ	ŽS-I	ŻS-I	ŽS-I	ŽS-I	ZS-I	1-SZ	ŻS-I	ŽS-I	ŽS-I	ZS-I	-S2-	72.1	1-07	ŽS-I	ZS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	ZS-I	I-SZ	ZS-I	ZS-I	ŽS-I
the line [daN]	←	28			10	c	7	,	10		2		•	7	2	-	+	2		1			Н	,					10			15		15	13	$\rightarrow$	+	71 01	9
Ruling resistance of	$\rightarrow$	27		8	,	5	3	Ξ	2	П	2		-	7	=	3		8		6	T	6		15	1	:	9	T	15			1		ı	3	,	•		1
gradient	Slope	26		0	8	c		0	10		10		c	7	2	_		0		1		0		0			0		10			14		13	::	15	15	6	9
Ruling	Incline	25			0	5		10			2		٥	- 1	9			8		7	$\perp$	7		14			2		14			0		- 1	- 1	- 1		0	0
[0%] u	Gradient of the statio	24			0,0	00		4,0	0,0		8,5		0	0,0	1.8			1,5		0,0		0.0		2,0			3,0					2,0						1,0	
ST	Міпітит сигуе гаді	23			300	000	900				400		450	400	400	300				300		300		350		000	300					350		350	250	250	250	MC	
	operations of passen operations	22	Ь	Ъ	Д	Ъ	P P	ь	Ъ	Ь	P/F	<u>م</u> ا	م ا	4 0	P/F	Ь	Ь	Ь	Ъ	P/F	<u>م</u> م	P/F	Ъ	Ъ	а,	۲ ا	7.F	4 0	۰ م	Д	Д	Ь	Ъ	Ъ	P/F	Д	P/F	I/I	
	Occupancy of service Open for the acceptan	-			р	=		Ь	n	n	<u>_</u>		-		<u> </u>	n				5	+	Д	Н	n		-	1		<u> </u>	+	$\vdash$	n		n	а	Ы	D e	_	$\forall$
	Side-/end-loading pla		Н			+	+	۲				+	Ť	+	S	+	+		$\dashv$	S	+	S	$\vdash$	S	+	+	2	+	f	+	$\vdash$	S		$\dashv$	S	$\rightarrow$	S O	+	Н
	Freight car scales	-			_		+	$\vdash$			+			+	+		$\vdash$		+	+	+		Н		1	1	+	+			$\vdash$					+	+	+	Н
nic	Service point code - I		14606	14502	14503	14504	14506	14507	14508	14509	14510	14511	14522	14513	14514	14515	14517	14523	14518	14519	14520	14401	14410	14402	14403	14411	14404	14412	14405	14409	14406	14407	14413	14350	14305	14304	14303	14302	П
he service point	Manner of securing th	17	17	$\vdash$	8	0 17	_	7 14	4 1/	$\vdash$	8	71	7 -	+		7 14	12	10 17	17	1	10 1/	$\perp$	17	1 1/	17	-	1 2	1 7	1 7	17	17	1 1/	17	1 1/	4 1/	1 7			-
noitslu	ger offtert to renneM	16	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
	acceptance of the longest trains					,	7	2	2		3		,	7	2	2				3		3 and 4		2 and 3			2 and 3		t			1		2 and 3	2 and 3	2	2 and 3	2 and 5	Н
Direction A←B	train length Tracks for	4				240		533	9/9		604		003	3	636	200	:			295	+	681 3	Н	631 2:		$^{+}$	238 2					999	H	_	$\dashv$	$\dashv$	560 2	+	Н
	longest trains Maximum permitted	1				ų,	1	5	9		9	+	ì	'n	9	7				Š	+	+	Н	$\Box$	+	+	+		+	-		9	Н	$\dashv$	$\rightarrow$	$\dashv$	_		Н
Direction A→B	Tracks for acceptance of the					,	7	2	2		3		•	7	2	2				3	1	3 and 4		2 and 3			c and s					-		2 and 3	2 and 3	2	2 and 3	2 and 5	Ц
	Maximum permitted train length					640	2+0	533	9/9		604		003	020	636	700				262		681		631		5	258					999		652	582	442	260	200	Ц
permitted speed	Гей изск	=						09										9	3												9								
mumixeM	Right track	10							_														L,						_	_									
A	Railway line category	6	B2	B2	B2	20	3 2	D3	D3	<u>B</u>	<u>2</u>	2	2 5	2 4	4	Ą	¥	A	A	A ·	A A	A	$\mathbb{S}$	$\mathbb{S}$	8	3 5	3 8	3 8	3 8	ຮ	$\mathbb{S}$	$\mathbb{S}$	ဌ	ဌ	ဗ	ဗ	3 3	3 8	$\mathbb{S}$
	Class of railway line	8	씸	R	ĸ	24	4 2	2	R	8	<b>X</b>	24	4 6	4 0	4 24	R	2	~	8	2	X X	R	R	ĸ	2	4	4 2	4 2	4 24	2	8	~	~	R	~	2	24 0	4 24	2
əui	Single/double-track li	7	S	S	S	S	2 0	S	S	S	S	S	20	מ מ	s s	S	S	S	S	S	s s	S	S	S	S	S C	20	2 0	S	S	S	S	S	S	S	S	S C	v s	S
	Type of service point	9	3	3		۳ -	3	2	2	2	-	e (	~ -	3	1-	-	~	8	3	- (	2 6	-	3	2		~ .	٦ ٣	٦ ٣	2	3	3	-	3	-	-	2	<u>-</u>	1 9	9
	Chainage Name of service point		89+100 JUGOVIĆEVO	90+090 SOPOT POŽAREVAČKI	95+632 BUBUSINAC/BRATINAC	100+800 BARE/KASIDOL	106+350 MAIII.OVAC	109+055 SIRAKOVO	116+414 LjUBINJE	122+272 ČEŠLjEVA BARA	126+038 RABROVO/KLENJE	131+800 MUSTAPIC	135+900 MISLJENOVAC	130+00) ZVZD 140+650 KTIČEVSKA TITRITA	144+546 KAONA	148+582 KUČEVO	153+616 NERESNICA	156+492 NERESNICA	159+700 VOLUJA	163+582 BRODICA	100+800 BOSILJKOVAC 170+740 BLAGOJEV KAMEN	178+852 MAJDANPEK	181+800 DEBELILUG	187+674 LESKOVO	191+800 JASIKOVO	194+/00 VLAOLE SELO	19/+18/ VLAULE 200+200 GORN; ANF	202+200 STSTIL ATK A	205+673 CEROVO	207+800 KRIVEL;SKI MOST	211+800 KRIVEL,SKI POTOK	215+200 MALI KRIVELj	217+500 BREZONIK	221+401 BOR	224+350 BOR TERETNA	231+092 BORSKA SLATINA	238+081 ZAGRAĐE	249+032 OPEN LINE JUNCTION 3	250+045 OPEN LINE JUNCTION 2
	Distance in km	3	1,337	066'0	5,542	5,168	3 623	2,705	7,359	5,858	3,766	5,762	2,100	4 583	3.896	4,036	5,034	2,876	3,208	3,882	3,218	8.112	2,948	5,874	4,126	2,900	3.013	2 100	3.373	2,127	4,000	3,400	2,300	3,901	2,949	6,742	6,989	4.333	1,013
handover to public transport	Left track	$\vdash$					1	<u> </u>	12.03.	1939.								15.05.	1950.		29.09.	1958.						03.04.	1972.	1					29.11.1967.	03.10.	1963.	25.06.	1900.
Date of	Right track	<b>-</b>							_												~4.							_							29.	_		-4,	$\Box$



	shutitlA	30		2000	0,082		443	2747	1,1,1				245,7	0,,0	216,2	T	188.5				148	T	128	116,1		116	3		84,4		9,99			56,9	26,7			39,1	40,3	1	
	Loading gauge	29		ŽS-I	Z2-1	ŻS-I	ŽS-I	ZS-I	1-57 7S-1	ZS-I	ŻS-I	ŽS-I	ZS-I	7.S-I	ZS-1 ŽS-1	76.1	1-67 ZS-I	ŻS-I	ŽS-I	ŽS-I	ZS-I	*C-1	ŽS-I	ŽS-I	ŻS-I	70.1	1-87 78-1	ZS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŽS-I	ŻS-I	ZS-I	ZS-I	ZS-I	ZS-1	ŻS-I	ŽS-I
[Vab] sind shit	<b>←</b>	28						12	2				13	•	6		9				7		7	∞		Ç	71		6		9			4	•			4 (	o -	18	
Ruling resistance of	$\rightarrow$	27		12	CI		13	¥	1								3				5		2	6		1	2		2		-			•	2			- '	90 V		
gradient	adolS	26		<	>		0	:	=				2	•	6		9				7		9	8		1	3		8		4			3	0			4 0	∞ -	17	
Ruling	Incline	25			71		11		1				0		0		3				5		1	°			2		1		0				2				. 2		
[%] u	Gradient of the statio	24			0,0		2,0		0,0				6,0		0,0		0.0				0,0		0,0			0 0			1,0		0,0				0,0				0,0		
sn	Minimum curve radi	23		, 32	0007		240	050	77				250		250		400				240		300	250		250	77		250		250			250	250			250	250	250	
	Open for the accepta dispatching of passer operations	22	P/F	P	F/F	4 4	Ъ	P T	1/1	Ь	Ъ	Ъ	a,	م ا	a, a	4 0	P/F	۵,	Ъ	Ь	P/F	۵	P/F	P/F		٩	4 6	۵,	Ъ	Ъ	P/F	Ъ	Ъ	Ъ	Ь	Ы		Ч ;	P/F	P/F	
	Occupancy of service	21	Д	E	4	$\top$	n	P	4		n		ь	1	5	t	Д.				b		д	д	Ħ	E	4		n		Ъ		H		ь	$\dashv$	1	-	<u>а,</u> д	٠, ۵,	Н
	Side-/end-loading pla	$\vdash$	S	ō	2	$\top$	S	ŭ	2	T			S		S		S				S		S	S		1	t	T			S		Ħ	S	S	$\dashv$		S	S V	2 02	П
	Freight car scales	Н	$\vdash$		$\dagger$		Н		+	t			$\dagger$	$\dagger$	+		+	t			$\dagger$			Н	$\top$	$\dagger$		t						_		$\dagger$	1	$^{+}$	+	$^{+}$	Н
nic	Service point code -	18	12550	14003	14001	14004	14005	14006	14001	14008	14009	14010	14011	14012	14013	14015	14016	14017	14018	14019	14021	14022	14060	14301		14101	14102	14103	14104	14105	14106	14107	14108	14109	14110	14111	14112	14113	14114	14170	
he service point	Manner of securing t	17		0	ø		8	٥	0		<b>∞</b>		9		_		00			oo	9	#	4	00		1	00	000	∞		8			<u>~</u>	<b>∞</b>			<b>∞</b>	Λ «	9 %	
noitelu	ga offten to ranneM	16		station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	CTAHNTHH station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance	station distance
V. a	acceptance of the longest trains	15 Port	3	2007	c and s		3		7 AIIO 7		2 and 3		2		and 3		2 and 3				2 and 3		1 and 2	2 and 3		0 204 2	dilla 5		and 2		2 and 3			and	and 3			2 and 3	2 and 3	1 and 2	
Direction B→A	train length Tracks for	14 15 - Prahovo Port	662		494		470	+	164		511 2		283	+	617 2	+	650 2	+			656 2	+	828 1	819 2		240	+		364 1		721 2		$\dashv$	$\neg$	547 2	+	$\dashv$	329 2	+	+	
	longest trains Maximum permitted	iečar -	9		_		4	c	1		3		2		2		-	+		+	m		2			-	+		2		3		$\dashv$	2		+	$\dashv$	+	+	+	$\vdash$
Direction A→B	Tracks for acceptance of the	13 ret - 73	3	,	7 and		3	1	T allo		2 and		2		2 and		2 and				2 and		1 and	2 and 3		C C	7 4110		1 and		2 and			1 and	2 and			2 and 3	2 and 3	1 and 2	
noitseaid	Maximum permitted train length	- Crueni krst - Zaječar	989	404	494		475	407	164		511		628		617		650				959		828	819		640	446		364		721			511	547			329	583	429	
permitted speed	Гей ітаск	11 Nië) - 0	(gray)	92			9				9	2		65				20 (30)			(6)	00(80)	(0/) 09		9									30 (40)							
mumixeM	Right track						9	'				,		9				20			100	00	9											30	3						
Á	Railway line categor	6		B2	79	B2	B2	B2	B2	B2	B2	B2	B2	P2	B2	2 6	B2	B2	B2	B2	B2	B2	B2	ဌ	ဗ	3 8	3 8	8	ဌ	S	$\mathbb{C}^3$	ဌ	C	$\mathbb{S}$	ဗ	ဗ	ဗ	8	8 8	3 8	C3
	Class of railway line	∞	L	24 0	4 0	4 24	~	~ 0	4 ~	2	R	~	24	4	24 22	4 0	4 24	2	R	×	24	<u>م</u> م	~	ĸ	24	4 6	4 ~	2	×	R	R	R	R	R	¥	×	¥	24	4 6	4 24	R
əui	Single/double-track	7		S	n o	S	S	S	o s	S	S	S	S	S	S S	ט	o S	S	S	S	S	S	S	S	S	S O	o s	S	S	S	S	S	S	S	S	S	S	S	S V	S	S
1	Type of service poin	9		3	- 6	n m	2	3	0	3	2	3	2	~ •	3	, ,	1	3	3	<b>∞</b>	0	9 %	-		9	0 -	3	3	-	3	1	3	3	10	-	3	3	10		-	
	Chainage Name of service point	4	0+957 CRVENI KRST	6,536 7+493 PANTELEJ		6,808 27+453 JASENOVIK		2,343 32+600 HADŽICEVO	5 898 45+916 KM 045+916 SC		3,322 49+332 PALILULA	51+692		62+/41	5,624 68+365 KNJAZEVAC 3,740 72+105 GORNIF ZINIČF		5,908 73-013 DOINE ZOINICE 6.894 81+907 MINICEVO					3,800   100+900 KM 100+900 IIb 0 304   107+300 TIMOK				0,900 121+900 OPEN LINE JUNCTION I	$\perp$	131+387	4,809 136+196 TABAKOVAC				2,870 151+330 CRNOMASNICA		156+828				6,2/8 1/4+128 NEGOIIN 7,887 18)+015 PR 4 HOVO		
transport	Distance in km			6,5	116,4	8,9	2,8			0,0	3,3	2,3	9,1	1,8	3,0	200	6.8	2.5	*3,831	7,8	*7,052	3,8	4,3	7,2	2,1	0,5	3 902	*2,871	4,8	2,5	8,9	2,8	2,8	2,1	3,3	3,3	3,4	4,2	7.8	2.5	6,0
handover to public	Right track Left track							15.12.	1922.								1914.													1914.											
To ata	,														丄				L																						



Note   Color		əbutitlA	S Altitude	353,3		194	212,3	241	255	248,8	313,6	381,4	500,9	
Comparison   Com		Loading gauge	SS Loading gauge	ZS-I	ZS-I	2S-1 2S-1	2S-1 2S-1 2S-1 2S-1	2S-1 2S-1 2S-1 2S-1	ZS-1 ZS-1	2S-1 2S-1 2S-1	2S-1 2S-1 2S-1 2S-1	25-1 25-1 25-1 25-1 25-1 25-1	ZS-1 ZS-1 ZS-1 ZS-1 ZS-1 ZS-1	
Company   Comp		←		- 1	$\vdash$			<del></del>		-				
Part   Part				6			<b>∞</b>	<b>∞</b>		6	7	10	15	
1		Slope	3 Slope	0	10	7	0 0 0 0	0 0	0 0 0	000	0000	0000	00000	
Number of certains   Number	Ruling	Incline	o S Incline	∞	2			-					14 15 16 14 15	
Number of the properties of	[%] u	Gradient of the statio	5 Gradient of the										1,7	
Name of control of the control of	sn					325	300	300 1000 300	300	350	300 300 300 300 300	300	300 400 300 300 300	
Name of control of the property of the prope		dispatching of passer	S dispatching of p			~ ~	a a a a	P P/F	P/F	P/F P	d d	A A A A	a a a	
No. 10.   1.00	anioq s	Occupancy of service	Cocupancy of se	n	n	<u>а</u>	n	Н	n	n n	n n	n	n	
Name of Security Property   1982	miom	Side-/end-loading pla	Side-/end-loadin	S	S	S	S	S	S	S		s s		
Name of errore point   Name of errore point		Freight car scales	Freight car scale		Ш									
Name of certice point   Name	nıc	Service point code -	Service point co	11113	11113	11101	11102 11129 11104	11119 111105 111124 11106	11130	11109	11111	11122 11115 11115 11117	11123 11117 11120 11118	
Name of service point   Name	he service po	Manner of securing t	o o A Manner of secur	9	9	-	∞	4	10	8 10	8 9	∞ ∞	∞	
Name of service point   Name of service point     Name of service point   Name of service point     Sept. LINE JUNCTION   3   1	noitslu	gen offtstr for manner M	Manner of traffi	station distance	station distance	station distance station distance	station distance station distance station distance station distance	station distance station distance station distance	station distance station distance	station distance station distance station distance	station distance station distance station distance station distance station distance	station distance station distance station distance station distance station distance	station distance station distance station distance station distance station distance	(**)
Name of service point   Name		acceptance of the		sumija 2	2	3	and 2		and 3	and 3	2	2 and 3	2	224 Kosovo Polje - Metohija - Peć **) 225 Kosovo Polje - Amen line innetion 1 - Orenica)**)
Name of service point   Name		_	Tracks for	<del>-</del>	o Polj		-		2	2		++++		eć **)
Name of service point   Name of service point   Service point		Maximum permitted	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	618	618 Kosov	601	564	661	585	480	410	557	493	hija - I
Name of service point   Name of service point   Service poin		acceptance of the		ne juncti	uminja - r 2 Kastrat -	4	1 and 2	<u>«</u>	2 and 3	2 and 3	2	2 2 and 3	2	224 Kosovo Polje - Metohija - Peč Polje Teretra - onen line imotion 1
Name of service point   Name of service point   Service point	Direction		Maximum perm	618	618 618 jevac - J	009	564	661	585	480	410	557	493	sovo Pol
Name of service point   Serv			6 Fen fine Line fine	20			20							224 Kos
Name of service point   Property   Propert	mumixeM	Right track		) 177										OSOTIO
Name of service point   Property   Propert	Á	Railway line categor	S gi v Railway line car	A	A	B1	B1 B1 B1	B B B B	AAA	444	AAAA	AAAA	AAAA	225 K
Name of service point   Serv		Class of railway line		24 24	×	24 24	* * * *	* * *	2 2 2	* K K K	* * * * *	***	***	
Name of service point 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	əui	Single/double-track l		S	S	S S	N N N	N N N	S S S	N N N	N N N N	S S S S	N N N N	
OPEN LINE JU OPEN LINE JU OPEN LINE JU OPEN LINE JU OPEN LINE JU KURŠUMLIJA END OF LINE END OF LINE END OF LINE ENGLEVAC SAJINOVAC ZITORABA ZITORAGA ZITORAG	;	Type of service point	o o Type of service	1	1 0	3 3	3 3	2 2 2 2	m 00 m	3 1 2	0 0 3 3 8	3 3 3	3 3 3 13	
			6 C C C C C C C C C C C C C C C C C C C	53+334 OPEN LINE JUNCTION 1 55+894 KURŠUMLIA 69 56+363 END OF LINE			97 6+597 JASENICA 99 10+096 ZITORABA 04 11+000 ZITORABA CENTAR 00 12+700 REČICA	14+700 16+225 18+800 22+327	25+014 31+734 34+500		46+646 49+300 52+000 53+334 54+855			
		Distance in km	mx ni sontstance in km	2,56	2,32	3,05	1,79 3,49 0,90 1,70	2,00 1,52 2,57 3,52	2,68	2,85	3,92 2,65 2,70 1,33 1,52	1,70 2,01 4,51 2,55	3,820 2,195 3,105 4,057 1,343	
19 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	handover to public						28.02. 1925.		04.12.	04.12.	06.06.	15.05.	1949.	



		Altitude	30		84,2	84,9	84,5	85	87,7	89,2	89,5	88,2						75,9								137,7	140,1	147,7	147,7			11	11	11	11		82,5	83,1
		Loading gauge	50			ŽS-I	ŽS-I	ŽS-I	ŽS-I	ZS-I	ŽS-I	ZS-I							ŽS-I				ZS-I				ŽS-I	ŽS-I	ŽS-I	-			ŽS-I	ŽS-I	ŽS-I			ŽS-I
	the line [dal	←	28	ł		2	2	9		3		-											3			П		3	3					5			П	13
J	Ruling resistance o	$\rightarrow$	27			2	2	<b>∞</b>		4		-	1						5				,		İ			5	5			П	П	2			T	10
	gradient	Slope	26	1		2	2	9		3		-	il						0				3		İ			2	2			Г		3			П	10
	BulinA	Incline	25			2	2	<b>∞</b>		4		-							4				0					4	4					-				10
	[%] u	Gradient of the statio	24		0,0	0,0	0,4	0,5		1,8		0,3														0,0	2,0	0,0	0,0			5,0			8,0		0,0	
	sr	Minimum curve radiu	23				500	200	500	900	450	700															700	700	700			L	300	300	250			300
		o perations of passen dispatching of passen operations	22									P/F						ſĽ,										P/F				P/F	Ъ	д				
		Occupancy of service Open for the acceptar	21	1	L	n	n	n		n	р	Ъ	$\mid \mid$					L	Н	TRAFFIC		$\dashv$	$\dashv$			Ь		Ь		1		Ь	H	д	H		$\dashv$	-
		Side-/end-loading pla		ł	S	_						SÆ	H						Н	T.		-	$\dashv$		ł					1		S		Ë	Н		$\exists$	-
	3,	Freight car scales	$\vdash$	┨	H		Н		$\dashv$	$\dashv$	$\dashv$	Yes	$\mid \mid$						Н	FOR		$\dashv$	$\dashv$		-	$\dashv$		-				H	H	Н	Н		$\dashv$	-
		- Control of the control	Г	1	9	2		4	5	9			$\mid \mid$						Н			$\dashv$	$\dashv$		ł	$\dashv$	9	7	7			_	4	_	Н		$\dashv$	-
	OIC	Service point code - I	18		23306	24202	24203	24204	24205	_	_	25550								E CLOSED							16316	16317	16317			21001	16014	21101				
mic	he service po	Manner of securing the	17		-	7	7	2		$\dashv$	10	4						10		LINE		7	7			~		4	4			H	Ц	4		(mo	-	
	noitelu	gen offtert to rentfic	16	SERVICE		station distance	station distance	station distance	station distance	station distance	station distance	station distance		FFIC	4FFIC	303 Novi Sad (km 1+042) - Novi Sad Ložionica LINE CLOSED FOR TRAFFIC	- open line junction "2" - (Kać)		station distance		(Rimski šančevi) - open line junction "1" - open line junction "3" - (Podbara)		station distance	FIC	(Brasina) - OPEN LINE JUNCTION Donaj Borina - Zvornik Grad		station distance	station distance	station distance				station distance	station distance	station distance	nnecting track of the station Senta: (Čoka) - junction point 22 - junction point 23 - (Orom)	station distance	station distance
		acceptance of the longest trains	15	MIN	and 4	2 and 3	1d 3	and 3		1d 3	-	1d 3		R TRA	R TR	ED F	on "2"	and 2	П		ction "			TRAF	- Zvoi			and 3				1d 3	Г	and 4		- junc		
	Direction B→A	Ттаска for		ED TR	3 at	2 ar	2 and	2 at		2 and	7	2 and		(D FO	ED FO	CLOS	juncti	1 ar			ne juno			FOR	Sorina			2 ar			lovica	2 and		3 at		int 22		
		Maximum permitted train length	14	END	938	464	452	738		625	424	403		LOSE	SOT	LINE	n line	445			pen lii			OSED	onaj E			398			70 Voj	909		174		ion po		
		longest trains		SUS	14	13	13	13		13		13	NES	ÆC	NE (	nica	- obe	12	П		0			흸				13		1	ančev	13		14		unct	T	
	У→В	acceptance of the	13	ILY	3 and 4	2 and 3	2 and 3	2 and		2 and 3	2	2 and 3	IL LI	a LI	a LI	Ložic	.3"	1 and 2			on ,,1				Ĕ			2 and 3			š - P	2 and 3		3 and 4		(a)		
	Direction	Maximum permitted train length	12	Sombor TEMPORARILY SUSPENDED TRAIN	943	464	492	738		625	$\dashv$	403	LOCAL LINES	301 Subotica - Subotica fabrika LINE CLOSED FOR TRAFFIC	302 Subotica - Subotica bolnica LINE CLOSED FOR TRAFFIC	ovi Sad	304 Podbara - open line junction "3"	445			e juncti			306 Rimski šančevi - Žabalj LINE CLOSED FOR TRAFFIC	NE JUN			308		-	309 Pančevo Varoš - Pančevo Vojlovica	909		174		ıta: (Čol		
	poods	Left track	=	r TEM			ш							Subotic	Subotic	12) - N	en line				pen lii			ınčevi	EN LI				6		Panče					ion Ser		
	Maximum bermitted	Kight track	10	Sombo					•					otica - 9	otica -	m 1+04	га - ор	•	N I	'	evi) - c	10		mski š	a) - OP		20		(+ - 4)		306		9	3		the stat	40	1
	A	Railway line category	6	Vrbas -		S	$C_2$	A	A	A	A	A		1 Sub	2 Sub	Sad (k	Podba		ខ	ဗ	ki šanč		ဗ	306 R	Brasin		A	A	A				D2	D2	D2	ck of		Ą
		Class of railway line	8	226 V		R	~	ĸ	R	R	R	R		30	30	Novi	304		I	L	(Rims)		Г		308 (		L	Γ	Г				Γ	Г	L	ing tra		L
	əui	Single/double-track li	7			S	S	S	S	S	S	S				303			S	S	305		S				S	S	S				S	S	S	nnec		S
	,	Type of service point	9			-	-	-	3	-	10	-						-	9	9		9	9			9	3	1	1			1	3	-		310 Co	12	12
		Name of service point	5																N 3	NN 2		N 1	N 3			N DONJA BORINA							<b>E</b>	CA			SENTA	SENTA
		Сћајпаве		-	37+137 VRBAS	47+653 KULA	54+971 CRVENKA	62+676 SIVAC	65+700 NOVI SIVAC	75+440 KLjAJIČEVO	79+695 CONOPLjA	89+710 SOMBOR						4+413 ПОДБАРА	6+582 OPEN LINE JUNCTION 3	7+659 OPEN LINE JUNCTION 2	_	0+000 OPEN LINE JUNCTION 1	0+910 OPEN LINE JUNCTION 3			68+685 OPEN LINE JUNCTION DONJA BORINA	70+600 RADALj	73+454 ZVORNIK	75+300 ZVORNIK GRAD	<sup>4)</sup> up to km 074+000 the maximum permissible speed is 10 km/h		0+568 PANČEVO VAROŠ	1+300 PANČEVO STRELIŠTE	2+914 PANČEVO VOJLOVICA	3+475 END OF LINE		38+407 JUNCTION POINT 22 SENTA	39+164 JUNCTION POINT 23 SENTA
		. 15																								9				naximum		L						
		Distance in km	3		L	10,516	7,318	7,705	3,024	9,740	4,255	10,015							2,169	1,077			0,910				1,915	2,854	1,846	000 the 1		L	0,732	1,614	0,561			0,757
	public transport	Гей таск	2					12.	.90														1969.				1050	.0061		km 074+			::	35.				
'	Date of handover to	Right track	-					21.12	1906.														01.03. 1969				15.05 1050			ot qu			=======================================	1935.				



1		9butitlA	30			101,7		1	103.4	100	245,9		271,5				101	101	84	79	73	72	89.5			101		08	9					$\top$	T		
19   19   19   19   19   19   19   19		Loading gauge	59			Į-SZ	ZS-I	ZS-I	-S-1	ŽS-I	+	Į-SZ	ZS-I	ŽS-I				ZS-I	Į-SZ	Į-SŽ	I-SZ	1-S-1	I-SZ			Į-SŽ	+	F				-		I-S2			
Column   C		<b>←</b>	28			-					,		-						3		$\dashv$	+	+				+	H		1		ŀ	$\neg$	+	$\dashv$		
1   1   1   1   1   1   1   1   1   1		$\rightarrow$	-			$\rightarrow$	1	,	20 0	+	=		18						9		9	v		t			$\dagger$			†		ŀ	$\dagger$	-	┨		
1982   1982		Slope	-			3		,	0 0	,	0								3		3	-	-	t			†	F	0	t		ŀ	7	8	1		
Name of the control			-			3		,	8 1	+	10		16						4	П	2	v	1	t			7		0	t		t	1	0	1		
1985   1985	[%] u	Oradient of the statio	24																2,15			"'I				2,5											
A	sn	Minimum curve radio	23			338	200	200	009	400	250	400	230	200			280	300		948	300	300	300						800				_				
1975   1975		dispatching of passen			P/F	F			[II								P/F									P/F	-	D/F	1/1				н	щ			
1975   1975			21		Ъ	Ъ		1	) F	+	n		n				Ъ			Н	n	+		t		Ъ	5	2	4	t		ŀ	_	+	┨		
1975   1975			$\vdash$		_	$\rightarrow$	1	Ť	+	+	+	Н					Œ			Н		+	+	t			$\forall$	v	2	t		ŀ	$\dashv$	$^{+}$	┪		
1.50   1.50			Н					+		+							es S			$\Box$	+	+	+	ł		es S	$\dashv$	H	+	1		ŀ	$\dashv$	+	$\dashv$		
1.00   15-500   Markey CANNEXTE   1.00   Markey Canney C			Ħ		4	_	2	2	4	9	1	~	6						_	2	<u></u>	4 4		t			+	9		t		ŀ	<u></u>	2	1		
1.00   15-500   Markey CVANENTE   1.00   Mar	OIC	Service point code -	18		1340	1390	1390	1390	1300	1390	1390	1390	1390				2100		2130	2130	2130	2130	217			2100		2366	677				162	1620			
19   19   19   19   19   19   19   19	ne service point	Manner of securing t	11		1	$\rightarrow$	$\dashv$	+	_	+	-						7			$\vdash$	+	+	+	ł		$\rightarrow$	+	H		ł		ŀ	_		+		
1-15   St. 1-600   Exception of the late			Ħ				+			$\dagger$										Н	$\forall$	$^{\dagger}$		t			$\dagger$	F	-	Ť		ŀ		T	1		
Point   Principal   Principa	noiislu	gen of fraffic reg	16			station distance	station distance	station distance	entering dictance	station distance	station distance	station distance	station distance	station distance				station distance	station distance	station distance	station distance	station distance	station distance				3)		station distance	FFIC	FIC			station distance	station distance	DION INSELLE	TC STC
Parameter   Para				vica)			1			t							15				12	2	2	t		15	- 17	3 2	2	Z	RAF	ŀ	$\exists$	$^{\dagger}$		D A D	RAFI
Parameter   Para	B→A		15	Resa	5	3			3		2		4				4 and				1 and	200	7 911			4 and	J.	3	7 911	FOR	OR T		~		2	1 6	JR T
Parameter   Para		_		)- J	2	7		+		+	4		9		(					$\vdash$	$\dashv$	+	+	ł	gte	$\rightarrow$	191	2 6	+	SE	D F(	튑	<u>~</u>	+	- 2		DEC
Point   Principal   Principa			14	otov	81	99			70		9/		20		en *:	rkva	64				75	9	3	ES	ašari	64	-	8	_	CLO	SOS	Section	73			DOCT.	OSE
Parameter   Para			_	Sp	_								_		Prizr	ela	q 5				d 2	7		E	ac Va	d 5	ofni 1	3 6	9	Ë	ECI	000	_		0.00	בן בו	
Point   Principal   Principa			-	ac - J	4	3			"		2		4		ija -	c - B	4 an				1 an	7 28	7		Vrš	4 an	sień	7 20	7	ıla LJ		- Jak	$^{\sim}$		1	- II	
Point   Principal   Principa	Direction	train length	12	- Svilajn	855	299			700	3	764		909		2 Metoh	13 Vrša					753	661	100	SHUN	Vršac -	-	transleto	847	+	vska oba	Popovac	Surcin	733		-to hard	alc bolo	Fabrika
Point   Principal   Principa	pəəds	Left track	=	ovac											31	<u>ش</u>								İ	40]	ľ	Ž			Duna	Stari	5			7;	ding	patin
Parameter   Para	permitted		10	Marko			20	3				•								30						50	Shinds	TV III	40	jevo - I	acin -			20	ž, Mor	že Po	nta - Aj
Point   Principal   Principa		realiway inne categor		311		2	_					_	_	7				_	_		<u></u>			ł			2 40	70	_	Bog	4 Pa	ŀ		٦.	4 6	2 5	S So
Parameter   Para			Н			$\dashv$	$\dashv$	$\dashv$	+	+	╁									Н	$\dashv$	+	+	1			$\sim$	`  -		403	9	-			<u> </u>	2	F   ₹
Second Head of Service Point   Second Head of Service Point   Second Head of Service Point   Second Head of Service Point   Second Head of Service Point   Second Head of Service Point   Second Head of Second Head o			Н			$\dashv$	$\dashv$	+	+	+	+									Н	+	+	+				_	$\vdash$		†		-		$\neg$	<b>⊟</b>		
Second Head of Service Point   Second Head of Service Point   Second Head of Service Point   Second Head of Service Point   Second Head of Service Point   Second Head of Service Point   Second Head of Second Head o	əui	Single/double-track l	7			S	S	S	S O	S	S	S	S	S			L	S	S	S	S	S O	S				S	L	S	1				S	2 2	3	
Distance in km 3 Distance in km 4 270 2,432 2,857 2,85	:	Type of service point	9		1	-	3	· ·	- -	۳ س	-	3	-					9	∞	3	-	~ -	1				7	-	1	1			-	-	_		
1900   10		Distance in km Chainage	3 4			9,432	7,568	5,700	7.350								87+546 VRŠAC	1+118	8+599	5+436		7+134	2+433					0+000 KTKINDA				<b>&gt;</b>					
10 ated   Note of the plant the plan		-lami fie l	H		1.09.	951.		9.11.	.106			.196						200	0.07.	979.		1 18															
		Right track	-		0	~		23 :	4			=						20	√ ×	4		11															



				_	_	_	_	_	_	_
	Altitude	30								
	Loading gauge	50								
the line [daN]	←	28								Ī
Ruling resistance of	$\rightarrow$	27				Н				
	adore					⊢				
Ruling gradient	Incline	25 26								
[%] u	Oradient of the statio	24								
sr	Minimum curve radio	23								
	Open for the acceptar dispatching of passen operations	22				Ь	Ь	Ь		
	Occupancy of service	21				L	n	ī		ŀ
		-				-	F			
шаодт	side-/end-loading pla	20				L				-
	Freight car scales	19				L				
OIIC	Service point code - J	18								
he service point	Manner of securing th	17				L				
noitelu	gen offtert to renneM	16	FFIC		rad)		station distance	station distance	station distance	
В→А	Tracks for acceptance of the longest trains	15	409 Bačka Palanka - Gajdobra LINE CLOSED FOR TRAFFIC	LINE	501 Šargan Vitasi - Mokra Gora - State Border - (Višegrad)					
Direction	Maximum permitted train length	14	LOSEL	MUSEUM-TOURIST RAILWAY LINE	te Bord					
	acceptance of the longest trains	13	NE C	RAII	a - Sta					
Direction A→B	Tracks for	_	bra Ll	JRIST	a Gor					
	Maximum permitted train length	12	Gajdo	M-T01	- Mokr					
permitted speed	Гей таск	11	lanka	USEU	Vitasi		0		0	
mumixeM	Right track	10	čka Pa	×	Sargan		3		20	
A	Railway line category	6	00 Ba		501					
	Class of railway line	8								
ıuç	Single/double-track li	7				Г	s	s	S	
	Type of service point	9				L	2	_	13	
'	taioa ecivaes to eavT	_				F		_	-	
	Name of service point	5				AN VITASI	H	A GORA	STATE BORDER	*) Distance in km between the service points is not equal to the difference of their line km positions
	Chainage	4				254+706 SARGAN VITASI	262+262 JATARE	270+146 MOKRA GORA	276+951 STATE	rice points is not e
						25				The serv
	Distance in km	3					7,556	7,884	6,805	cm between
public transport	Гей таск	2								unce in k
Date of handover to	Right track	-								*) Dista

In columns 25.28, for double-track railway lines where the ruling line gandent or resistance differ for the fat hack, the data are provided for each track separately: the numerator relates to the right and the denominator to the left track (from the beginning towards the end of the line) \*\*) The lines on the territory of Kosovo and Metolitis are temporarily under the supervision of UNMIK, according to the Temporary Agreement between ŽTP Belgrade and UNMIK railways, dated May 31, 2002 (records No 3002002 - 153 dated May 31, 2002) Col.6

 Speed change
 Dispatching point and stop
 Traffic and transport dispatching point
 Loading point Train recording point and stop Open-line junction Open-line junction and stop Type of service point 2. Passing point

State border
 Track transition

Stop
 A. Open line junction and train recording point
 Column 10 and 11. chann referred to in brackets indicate maximum permitted speed for DMU

Col.17. Manner of securing the service point

The goodung are strong pour to strong pour the strong pour that the strong pour the strong pour the strong pour the strong pour the strong pour the strong pour the strong pour the strong pour the strong pour the strong pour the strong pour the strong pour the s

Mechanical signal point machine. There is technical dependance between turnouts and semaphore signals.
 Electromechanical permissive block device. There is no technical dependance between turnouts and semaphore signals.

Ordinary signal point for semaphore signals.Electrical diffusers. There is no technical dependance between turnouts and diffusers.

Col.20- S for the service point with side-loading platform, E for the service point with end-loading platform and S/E for the service point with side and end-loading platform 11. Access signals. Tumouts are secured by locking devices without signal.

P for permanently manned, U for permanently unmanned and T for temporarily manned service points

Col 2.2. P for service points open for the acceptance and dispatching of passengers. T for service points open for fielght operations (loading, unloading and transshipment of fielght), and P/T for service points open for the acceptance and dispatching of passengers. T for service points open for the acceptance and dispatching of passengers and for fielght operations



## Appendix 7. Overview of primary train delay causes

	Primary train delay causes (IŽS)
No	Name
1.	Waiting for dispatch
2.	Waiting at the automatic block signal or protective signal
3.	Dispatcher's order
4.	Delay caused by the fault of an infrastructure manager's employee
5.	Entrance/exit to a turn
6.	Traffic on the left track
7.	Speed decrease requested by the infrastructure manager
8.	Delivery of order to the train driver
9.	Unplanned line closure by the infrastructure manager
10.	Level-crossing failure
11.	Failure on the overhead contact line
12.	Extended stay of railway vehicles
13.	Delay caused by restricted-speed running
14.	Rail crack
15.	Deformed track
17.	Technically defective switch
18.	Collision, bumping, derailment, avoided collision of railway vehicles
19.	Failure of signalling-interlocking and telecommunication devices
20.	Extension of the foreseen closure (more than 30 min)

	Primary train delay causes (railway undertaking)
No	Name
1.	Increased passenger frequency
2.	Waiting for railway undertaking staff
3.	Waiting for locomotive or multiple-unit set
4.	Delay caused by the fault of an railway undertaking's employee
5.	Cleaning of wagon or multiple-unit set requested by the railway undertaking
6.	Brake test
7.	Failure of wagon, traction unit or multiple-unit set
8.	Wagon repair without de-coupling
9.	Decreased train speed due to failure of wagon/multiple-unit set/traction unit
10.	Change of composition requested by the railway undertaking
11.	Intervention of police officers, requested by train staff

156



13.	Waiting for shunting locomotive
15.	Shift change of railway undertaking's employees
16.	Waiting for train forming
17.	Weighing
18.	Special consignment transport
20.	Stopping for cooling of brake shoes
21.	Delay caused by turnover of the multiple-unit set/traction unit of the same composition
22.	Accident on industrial siding of the transport client
23.	Breakdown of brake system air duct
24.	Train passing by the signal which indicates that the further running is forbidden
25.	Unallowed train passing through the service point where it had to stop

	Primary train delay causes (external influences)
No	Name
1.	State needs
2.	Train accepted with delay by another railway management
3.	Train rejected by another railway management
4.	Waiting for train staff of another railway management
5.	Train incorrectly formed by another railway management
6.	Taking a defective wagon of another railway management out of service
7.	Taking an incorrectly sent wagon of another railway management out of service
8.	Another railway management's employee being late
9.	Natural disasters (landslide, flood, current, snow-drift, avalanche, fire, fog)
10.	Falling out of train
11.	Jumping in or out of train
12.	Holding of the train by police officers
13.	Holding of the train by custom-inspection officers
14.	Emergency brake abuse
15.	Emergency service intervention
16.	Level-crossing device breaking
17.	Train rocking
18.	Theft of equipment or devices owned by the infrastructure



	Secondary train delay causes
No	Name
1.	Waiting for crossing
2.	Waiting for overtaking of a train
3.	Waiting for annunciation
4.	Waiting with the train which is in delay
5.	Extended stay in the station due to waiting for regular passing
6.	Waiting for locomotive or multiple-unit set from turnover
7.	Waiting for railway undertaking's staff from turnover
8.	Delay caused by failure of another train's traction unit
9.	Waiting for train connection (passenger or goods) of another railway management
10.	Abuse of emergency brake on another train
11.	Announced strike of IŽS or RU
12.	Another train accident



# Appendix 8. Overview of platforms and arranged surfaces in service points

		km position of the		T	Dimonoiono	,
Service point	Location	beginning and the end	Platform/arranged			Width
Service point	Location	of platform	surface			(m)
1	2	3	4	` ′	` ′	7
1			4	3	0	/
		MAIN LINES	(TD 11)			
	101 Belgrade Center- Stara			120.00		10.00
	next to 3rd track	0+120-0+00-0+300	platform			10,00
	between the 4th and 5th track	0+155-0+00-0+300	platform			10,00
BELGRADE CENTER	between the 6th and 7th track	0+155-0+00-0+300	platform			10,00
	between the 8th and 9th track	0+120-0+00-0+300	platform			10,00
	next to 10th track	0+120-0+00-0+300	platform			7,00
	next to 1st track	3+204,17 - 3+679,48	platform	475,00	0,55	5,60
	between the 1st and 2nd track*	3+204,17 - 3+679,48	platform	475,00	0,55	3,86
	between the 2nd and 3rd track	3+204,17 - 3+679,48	platform	475.00	0.55	10,46
NOVI BEOGRAD	between the 3rd and 4th	3+204,17 - 3+679,48	·			3,86
	track*	31204,17 31077,40	platform	475,00	0,55	3,00
	between the 4th and 5th track	3+204,17 - 3+679,48	platform	475.00	0.55	10,46
	next to 5th track	3+204,17 - 3+679,48	platform			5,60
			platform			4,00
Tošin bunar	next to right track	5+104,79 - 5+274,76	1		1	
	next to left track	5+104,79 - 5+274,76	platform	(m) (n) 5 66  420,00 0,5 455,00 0,5 420,00 0,5 420,00 0,5 475,00 0,5 475,00 0,5 475,00 0,5 475,00 0,5 475,00 0,5 475,00 0,5 110,00 0,5		4,00
	between the 1st and 2nd track	8+276 - 8+676	platform			6,16
ZEMUN	between the 3rd and 4th track	8+276 - 8+676	platform			6,16
ZEWOW	between the 6th and 7th track	8+321 - 8+676	platform			6,16
	between the 8th and 9th track	8+321-8+676	platform	355,00	0,55	6,16
Altina	next to left track	11+256-11+366	platform	110,00	0,55	4,00
	next to right track	10+997-11+107	platform	110,00	0,55	4,00
ZEMINGKO DOLJE	between the 1st and 2nd track	12+264 -12+374	platform	110,00	0,55	4,00
ZEMUNSKO POLJE	between the 2nd and 3rd track	12+154 -12+374	platform	220,00	0,55	6,16
	between the 3rd and 4th track	12+264 -12+374	platform	110.00		4,00
	next to left track	13+955 – 14+065	platform			4,00
Kamendin	next to right track	13+744 – 13+854	platform			4,00
	next to 1st track	18+884 – 19+104	platform			4,00
BATAJNICA	between the 2nd and 3rd track	18+884 – 19+104	platform			6,16
Billiuivieli	next to 6th track	18+884 – 19+104	platform			7,41
NOVA PAZOVA	between the 4th and 5th track	26+993-27+243 l.n.	platform			7,91
	next to 1st track	35+015-35+235 l.n.	platform			3,00
STARA PAZOVA	between the 5th and 6th track	35+015-35+265 l.n.	platform			6,16
	between the 3th and out track	45+767-45+914	platform		0 0,55 0 0,35 0 0,35	1,60
GOLUBINCI	between the 3rd and 4th track	45+767-45+914	platform			1,60
	between the 2nd and 3rd track	53+611,93-53+691,91				1,60
PUTINCI			platform	Length (m)   H (m)   5     420,00   0     455,00   0     455,00   0     420,00   0     475,00   0     475,00   0     475,00   0     475,00   0     475,00   0     475,00   0     475,00   0     475,00   0     475,00   0     475,00   0     110,00   0     110,00   0     110,00   0     110,00   0     110,00   0     110,00   0     110,00   0     110,00   0     110,00   0     120,00   0     220,00   0     220,00   0     220,00   0     220,00   0     250,00   0     250,00   0     250,00   0     250,00   0     250,00   0     250,00   0     250,00   0     250,00   0     250,00   0     250,00   0     250,00   0     250,00   0     270,00   0     50,00   0     50,00   0     270,00   0     50,00   0     270,00   0     50,00   0     270,00   0		
	between the 3rd and 4th track next to right track	53+611,93-53+691,91 59+982,18-60+062,18	platform platform			1,60 4,00
Kraljevci	8				th Height (m) 6  0 0,55 0 0,35	
-	next to left track	59+985,29-60+065,29	platform			4,00
DIDAA	between the 2nd and 3rd track	64+733-64+973	platform			1,60
RUMA	between the 3rd and 4th track	64+733-64+973	platform			1,60
	between the 4th and 5th track	65+821-64+937	platform			1,60
VOGANJ	between the 2nd and 3rd track	73+368-73+518	arranged surface			2,00
	between the 3rd and 4th track	73+368-73+518	arranged surface			2,00
SREMSKA MITROVICA	between the 2nd and 3rd track	81+563-81+763	platform			1,60
	between the 3rd and 4th track	81+563-81+763	platform			1,60
Laćarak	between the right and left track	86+109,30-86+159,30	platform			1,60
MARTINCI	between the 2nd and 3rd track	94+059-94+159	platform			1,60
	between the 3rd and 4th track	94+131-94+141	platform	10,00	0,35	1,60
17 '		NONE	,			
Kuzmin		104 : 025 104 : 005	platform	50,00	0,45	1,60
	between the 2nd and 3rd track	104+935-104+985				
KUKUJEVCI-ERDEVIK	between the 2nd and 3rd track between the 3rd and 4th track	104+990-105+040	platform	50,00	0,45	1,60
			platform platform			1,60 1,60
KUKUJEVCI-ERDEVIK	between the 3rd and 4th track	104+990-105+040				
KUKUJEVCI-ERDEVIK Bačinci	between the 3rd and 4th track	104+990-105+040 109+070-109+097		27,00	0,35	
KUKUJEVCI-ERDEVIK Bačinci	between the 3rd and 4th track next to right track	104+990-105+040 109+070-109+097 NONE	platform	27,00 190,00	0,35	1,60



Service point	Location	km position of the beginning and the end of platform	Platform/arranged surface	Length	Dimensions Height	Widt
1	2	oi pianorm 2	4	(m) 5	(m) 6	(m) 7
102 Palgrada Cant	er– Junction "G" – Rakovica - M	Hadanayaa Lanaya Nič	•	-		
102 Beigiade Cent	next to 3rd track	0+120-0+00-0+300	platform	420,00		10.0
	between the 4th and 5th track	0+155-0+00-0+300	platform	455,00	0,55 0,55	10,0
DEL CDADE CENTED			platform			
BELGRADE CENTER	between the 6th and 7th track	0+155-0+00-0+300	•	455,00	0,55	10,0
	between the 8th and 9th track	0+120-0+00-0+300	platform	420,00	0,55	10,0
	next to 10th track	0+120-0+00-0+300	platform	420,00	0,55	7,00
D	next to 2nd track - right	8+460-8+786	platform	326,00	0,55	6,10
RAKOVICA	between the 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
	between the 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,2
Kneževac	next to right track	10+645-10+758	platform	113,00	0,55	1,5
Knezevae	next to left track	10+645-10+758	platform	113,00	0,55	1,5
Kijevo	next to right track	11+626-11+731	platform	105,00	0,55	1,5
Kijevo	next to left track	11+713-11+819	platform	106,00	0,55	1,5
	next to 1st track	14+080-14+240	arranged surface	160,00	0,55	4,0
RESNIK	between the 1st and 2nd track	14+080-14+240	platform	160,00	0,35	1,5
	between the 3rd and 4th track	13+943-14+238	platform	295,00	0,55	6,2
PINOSAVA		NONE	F		0,00	
Ripanj Kolonija	next to railway line - left	20+080-20+180	platform	100,00	0,35	1,0
rupung ixotomja	between the 1st and 2nd track	21+324,00-21+356,40	platform	32,40	0,35	1,0
RIPANJ	between the 2nd and 3rd track	21+265,70-21+361,20	platform	95,50	0,35	1,5
KII ANJ	between the 3rd and 4th track	21+265,70-21+361,20	platform	95,50	0,35	1,5
KLENJE	between the 1st and 2nd track	24+743,40-24+804,00	platform	60,60	0,35	1,0
	between the 2nd and 3rd track	24+743,40-24+804,00	platform	60,60	0,35	1,0
RIPANJ TUNEL	between the 1st and 2nd track	29+565-29+615	platform	50,00	0,40	1,6
RALJA	between the 1st and 2nd track	34+695-34+774	platform	79,00	0,40	1,6
	between the 2nd and 3rd track	34+695-34+774	platform	79,00	0,40	1,6
SOPOT KOSMAJSKI	between the 2nd and 3rd track	41+454-41+544	platform	90,00	0,40	1,6
VLAŠKO POLJE	between the 2nd and 3rd track	47+684-47+784	platform	100,00	0,40	1,6
MLADENOVAC	between the 2nd and 3rd track	53+089-53+190	platform	101,00	0,40	1,6
	between the 3rd and 4th track	53+030-53+190	platform	160,00	0,40	1,6
WOLL ŠELL C	between the 1st and 2nd track	59+954-60+109	platform	155,00	0,40	1,6
KOVAČEVAC	between the 2nd and 3rd track	59+907-60+056	platform	149,00	0,40	1,6
Rabrovac	next to railway line - left	62+909-63+045	platform	136,00	0,40	1,6
	between the 1st and 2nd track	67+497-67+650	platform	153,00	0,40	1,6
KUSADAK	between the 2nd and 3rd track	67+453-67+600	platform	147,00	0,40	1,6
Ratare	next to railway line - left	70+821-70+931	platform	110,00	0,40	1,6
Rataic	between the 1st and 2nd track	73+941-74+041	platform	100.00	0.50	1,5
GLIBOVAC		73+941-74+041	L	,	- /	
	between the 2nd and 3rd track		platform	100,00	0,50	1,5
	between the 1st and 2nd track	78+476-78+586	platform	110,00	0,50	1,5
PALANKA	between the 2nd and 3rd track	78+476-78+586	platform	110,00	0,50	1,5
	between the 3rd and 4th track	78+476-78+586	platform	110,00	0,50	1,5
MALA PLANA	between the 2nd and 3rd track	85+505-85+605	platform	100,00	0,50	1,5
	between the 1st and 2nd track	90+350-90+400	platform	50,00	0,40	1,6
VELIKA PLANA	between the 2nd and 3rd track	90+289-90+430	platform	141,00	0,40	1,6
' LLIKA I LANA	between the 3rd and 4th track	90+370-90+510	platform	140,00	0,40	1,6
	between the 4th and 5th track	90+360-90+464	platform	104,00	0,40	1,6
C+ C 1	next to right track	94+008-94+055	platform	47,00	0,40	1,6
Staro Selo	next to left track	94+008-94+055	platform	47,00	0,40	1,6
NI C 1	next to right track	97+660-97+706	platform	46,00	0,40	1,6
Novo Selo	next to left track	97+660-97+706	platform	46,00	0,40	1,6
	between the 2nd and 3rd track	100+400-100+450	platform	50,00	0,40	1,6
MARKOVAC	between the 3rd and 4th track	100+350-100+452	platform	102,00	0,40	1,6
milo (710	between the 4th and 5th track	100+350-100+448	platform	98,00	0,40	1,6
	next to right track	106+250-106+310	platform	60,00	0,35	1,6
Lapovo Varoš			•			
	next to left track	106+250-106+310	platform	60,00	0,35	1,6
Lapovo Marshalling Yard	next to right track	108+350-108+400	platform	50,00	0,35	1,6
	next to left track	108+340-108+390	platform	50,00	0,35	1,6
1 120110	next to 1st track	109+460-109+510	platform	50,00	0,35	1,6
LAPOVO	between the 2nd and 3rd track	109+560-109+680	platform	120,00	0,35	1,6
	between the 3rd and 4th track	109+560-109+680	platform	120,00	0,35	1,6
Brzan			•			



		km position of the		Ι	S	
Service point	Location	beginning and the end	Platform/arranged	Length	Dimensions Height	Width
•		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
	next to left track	114+140-114+190	platform	50,00	0,35	1,60
Miloševo	next to right track	116+940-116+990	platform	50,00	0,35	1,60
WINOSEVO	next to left track	116+940-116+990	platform	50,00	0,35	1,60
BAGRDAN	between the 2nd and 3rd track	120+229-120+330	platform	101,00	0,35	1,60
Bristerny	between 3 <sup>rd</sup> and 4th track	120+268-120+390	platform	122,00	0,35	1,60
Lanište	next to right track	126+920-126+970	platform	50,00	0,35	1,60
	next to left track	126+920-126+970	platform	50,00	0,35	1,60
Bukovče	next to right track	131+229-131+279	platform	50,00	0,35	1,60
	next to left track	131+229-131+279	platform	50,00	0,35	1,60
	between the 1st and 2nd track	135+192-135+342	platform	150,00	0,20	1,90
JAGODINA	between the 2nd and 3rd track	135+122-135+364	platform	242,00	0,20	1,90
	between the 3rd and 4th track	135+182-135+416	platform	234,00	0,20	1,90
Gilje	next to right track	140+550-140+670	platform	120,00	0,55	3,00
3	next to left track	140+550-140+670	platform	120,00	0,55	3,00
PARAĆIN	between the 3rd and 4th track	155+081-155+184	platform	103,00	0,35	1,60
	between the 4th and 5th track	155+065-155+166	platform	101,00	0,20	1,90
Sikirica- Ratari	next to right track	163+560-163+610	platform	50,00	0,35	1,60
	next to left track	163+565-163+615	platform	50,00	0,35	1,60
Drenovac	next to right track	166+605-166+655	platform	50,00	0,35	1,60
	next to left track	166+605-166+655	platform	50,00	0,35	1,60
ĆIĆEVAC	between the 2nd and 3rd track	171+550-171+640	platform	90,00	0,35	1,60
	between 3 <sup>rd</sup> and 4 <sup>th</sup> track	171+550-171+640	platform	90,00	0,35	1,60
Lučina	next to right track	173+625-173+674	platform	49,00	0,35	1,60
	next to left track	173+625-173+674	platform	49,00	0,35	1,60
STAL A Ć	between the 2nd and 3rd track	176+222-176+425	platform	203,00	0,28	6,40
STALAC	between the 4th and 5th track	176+222-176+425	platform	203,00	0,28	1,60
CTEVANAC	between the 6th and 7th track	176+270-176+378	platform	108,00	0,28	5,30
SIEVANAC	between the 2nd and 3rd track	NONE 186+443-186+563	1	120,00	0.25	1,60
BRALJINA	between the 3rd and 4th track		platform	120,00	0,35 0,35	1,60
Carovo Pažani	next to railway line - left	186+443-186+563 190+320-190+370	platform platform	50,00	0,35	1,60
	between the 1st and 2nd track	192+150-192+220	platform	70,00	0,35	1,60
STARO TRUBAREVO	between the 2nd and 3rd track	194+882-195+003	platform	121,00	0,35	1,60
ÐUNIS	between the 3rd and 4th track	194+882-195+003	platform	121,00	0,35	1,60
	next to right track	199+160-199+210	platform	50,00	0,35	1,60
Vitkovac	next to left track	199+160-199+210	platform	50,00	0,35	1,60
	next to right track	201+175-201+225	platform	50,00	0,35	1,60
Donji Ljubeš	next to left track	201+175-201+225	platform	50,00	0,35	1,60
	next to right track	203+560-203+610	platform	50,00	0,35	1,60
Gornji Ljubeš	next to light track	203+560-203+610	platform	50,00	0,35	1,60
Sikirica- Ratari  Drenovac  ĆIĆEVAC  Lučina  STALAĆ  STEVANAC  BRALJINA  Cerovo-Ražanj  STARO TRUBAREVO  ĐUNIS  Vitkovac  Donji Ljubeš  Gornji Ljubeš  KORMAN  Trnjani  ADROVAC  ALEKSINAC  Nozrina  Lužane	between the 2nd and 3rd track	205+565-205+675	platform	110,00	0,35	1,60
KORMAN	between 3 <sup>rd</sup> and 4 <sup>th</sup> track	205+545-205+665	platform	120,00	0,35	1,60
	next to right track	208+087-208+186	platform	99,00	0,35	1,60
Trnjani	next to light track	208+087-208+186	platform	99,00	0,35	1,60
	next to 1st track	210+445-210+530	platform	85,00	0,33	5,00
ADROVAC	between the 1st and 2nd track	210+432-210+521	platform	89,00	0,28	1,60
ADROVAC	between the 1st and 2nd track	210+440-210+562	platform	122,00	0,35	1,60
	between the 2nd and 3rd track	214+067-214+277	platform	210,00	0,35	1,60
ALEKSINAC	between the 3rd and 4th track	214+067-214+277	platform	210,00	0,35	1,60
	next to right track	217+400-217+500	platform	100,00	0,35	1,60
Nozrina	next to left track	217+400-217+500	platform	100,00	0,35	1,60
	next to right track	218+705-218+790	platform	85,00	0,35	1,60
Lužane	next to left track	218+708-218+795	platform	77,00	0,35	1,60
	next to right track	222+062-222+164	platform	102,00	0,35	1,60
Tešica	next to left track	222+062-222+164	platform	102,00	0,35	1,60
×	between the 2nd and 3rd track	224+656-224+758	platform	102,00	0,35	1,60
GREJAČ	between the 3rd and 4th track	224+656-224+708	platform	52,00	0,35	1,60
	next to right track	228+087-228+155	platform	68,00	0,35	1,60
Supovački Most	next to left track	228+091-228+159	platform	68,00	0,35	1,60
	next to right track	229+306-229+416	platform	110,00	0,35	1,60
Mezgraja	next to left track	229+306-229+416	platform	110,00	0,35	1,60
	none to felt there	227.300 2271410	Pintiolilli	,00	5,55	-,00



		km position of the		I	Dimension	S
Service point	Location	beginning and the end	Platform/arranged surface	Length	Height	Width
•		of platform	surrace	(m)	(m)	(m)
1	2	3	4	5	6	7
Vrtište	next to right track	232+544-232+631	platform	87,00	0,35	1,60
Vitiste	next to left track	232+544-232+631	platform	87,00	0,35	1,60
TRUPALE	between the 2nd and 3rd track	234+893-234+994	platform	101,00	0,40	1,60
	between the 4th and 5th track	234+893-234+994	platform	101,00	0,40	1,60
CRVENI KRST	between the 2nd and 3rd track	240+842-240+994	platform	152,00	0,40	1,60
	next to 1st track	243+410-243+763	platform	353,00	0,40	5,80
<b>v</b>	between the 2nd and 3rd track	243+410-243+813	platform	403,00	0,40	8,00
NIŠ	between the 4th and 5th track	243+410-243+771	platform	361,00	0,40	8,00
	between 1b. and 1. track	243+643-243+763	platform	120,00	0,40	5,80
	next to 1a. track	243+660-243+763	platform	103,00	0,40	1,60
MEĐUROVO		NONE	i -	04.00	1 0 10 1	4 40
BELOTINCE	between the 1st and 2nd track	253+906-253+987	platform	81,00	0,40	1,60
<u>Čapljinac</u>	next to railway line - left	255+443-255+493	platform	50,00	0,40	1,60
Malošište	next to railway line - left	257+890-257+940	platform	50,00	0,40	1,60
DOLJEVAC	between the 1st and 2nd track	261+419-261+527	platform	108,00	0,40	1,60
	between the 2nd and 3rd track	261+419-261+526	platform	107,00	0,40	1,60
Kočane	next to railway line - right	263+218-263+263	platform	45,00	0,40	1,10
	next to railway line - right	263+274-263+287	platform	13,00	0,40	1,10
Pukovac	next to railway line - right	265+833-265+862	platform	29,00	0,40	1,60
DDECTOVAC	next to railway line - right	265+870-265+897	platform	27,00	0,40	1,60
BRESTOVAC	between the 2nd and 3rd track	267+906-267+971	platform	65,00	0,40	1,60
Lipovica	next to railway line - left	270+819-270+844	platform	25,00	0,40	1,10
•	next to railway line - left	270+850-270+887	platform	37,00	0,40	1,10
PEČENJEVCE Živkovo	between the 2nd and 3rd track	275+522-275+596	platform	74,00	0,40	1,60
	next to railway line - right	278+820-278+865	platform	45,00	0,40	1,10
Priboj Leskovački	next to railway line - right	280+440-280+480	platform	40,00	0,40	1,30
VINARCI	h-t	NONE		210.00	0.40	1.60
LESKOVAC	between the 1st and 2nd track	287+460-287+679	platform	219,00	0,40	1,60
DOBDEVO	between the 2nd and 3rd track	287+507-287+630	platform	123,00	0,40	1,60
ĐORĐEVO	between the 2nd and 3rd track	NONE 301+841-301+886		45,00	0,40	1.60
GRDELICA	between the 2nd and 4th track		platform			1,60
Palojska Rosulja	next to railway line - left	301+841-301+886 308+614-308+629	platform platform	45,00 15,00	0,40 0,40	1,60 1,60
PREDEJANE	between the 1st and 2nd track	312+675-312+750	platform	75,00	0,40	1,60
DŽEP	between the 1st and 2nd track	319+629-319+710	platform	81,00	0,40	1,60
MOMIN KAMEN	next to railway line - left	322+900-322+930	platform	30,00	0,40	1,60
Šelince	next to failway fine - left	NONE	piationii	30,00	0,40	1,00
VLADIČIN HAN	between the 1st and 2nd track	329+472-329+676	platform	204,00	0,40	1,60
SUVA MORAVA	next to 1st track	334+043-334+095	platform	52,00	0,40	1,60
Lepenički most	next to 1st track	NONE		32,00	0,40	1,00
Stubal		NONE				
PRIBOJ VRANJSKI		NONE				
VRANJSKA BANJA	between the 1st and 2nd track	347+958-348+080	platform	122,00	0,40	1,60
	between the 1st and 2nd track	354+080-354+260	platform	180,00	0,40	1,60
VRANJE	between the 2nd and 3rd track	354+125-354+242	platform	117,00	0,40	1,60
Neradovac	Setween the 2nd and 3rd truck	NONE	piatroim	117,00	0,10	1,00
	between the 1st and 2nd track	365+666-365+768	platform	102,00	0,40	1,60
RISTOVAC	between the 2nd and 3rd track	365+666-365+768	platform	102,00	0,40	1,60
BUJANOVAC	between the 1st and 2nd track	373+665-373+720	platform	55,00	0,40	1,60
Letovica		NONE				,
BUKAREVAC		NONE				
PREŠEVO	between the 1st and 2nd track	392+256-392+357	platform	101,00	0,40	1,60
	103 (Belgrade Center) - Rako			,		
	next to 2nd track - right	8+460-8+786	platform	326,00	0,55	6,10
RAKOVICA	between the 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
	between the 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20
JAJINCI		NONE			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	between the 2nd and 3rd track	16+240-16+337	platform	97,00	0,40	1,60
BELO POTOK	between the 3rd and 4th track	16+240-16+351	platform	111,00	0,40	1,60
Zuce staj.	next to railway line - right	20+305-20+363	platform	58,00	0,40	1,60
J						<del></del>



		km position of the	I	Γ	Dimension	3
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width
•		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
ZUCE	between the 1st and 2nd track	21+180-21+287	platform	107,00	0,40	1,60
VRČIN	between the 1st and 2nd track	24+824-24+932	platform	108,00	0,40	1,60
VRCIN	between the 2nd and 3rd track	24+824-24+934	platform	110,00	0,40	1,60
Kasapovac	next to railway line - left	27+840-27+938	platform	98,00	0,40	1,60
LIPE	between the 1st and 2nd track	31+208-31+316	platform	108,00	0,40	1,60
MALA IVANČA	next to 1st track	36+858-36+925	platform	67,00	0,40	1,60
MALATVANCA	between the 1st and 2nd track	36+863-36+925	platform	62,00	0,40	1,60
Brestovi	next to railway line - left	39+208-39+305	platform	97,00	0,40	1,60
MALI POŽAREVAC	between the 1st and 2nd track	41+250-41+356	platform	106,00	0,40	1,60
MALI POZAKEVAC	between the 2nd and 3rd track	41+250-41+358	platform	108,00	0,40	1,60
Dražanj-Šepšin	next to railway line - right	43+114-43+219	platform	105,00	0,40	1,60
UMČARI	between the 1st and 2nd track	47+730-47+839	platform	109,00	0,40	1,60
UMCARI	between the 2nd and 3rd track	47+730-47+837	platform	107,00	0,40	1,60
Živkovac	next to railway line - left	52+290-52+340	platform	50,00	0,40	1,60
VODANJ	between the 2nd and 3rd track	55+130-55+229	platform	99,00	0,40	1,60
KOLARI	between the 1st and 2nd track	60+558-60+656	platform	98,00	0,40	1,60
Ralja Smederevska	next to railway line - left	66+573-66+605	platform	32,00	0,40	1,60
<u> </u>	between the 1st and 2nd track	69+030-69+175	platform	145,00	0,40	1,90
MAI A EDOMA	between the 2nd and 3rd track	69+030-69+175	platform	145,00	0,40	1,90
MALA KRSNA	between the 3rd and 4th track	69+042-69+184	platform	142,00		1,90
	between the 4th and 5th track	69+080-69+230	platform	150,00		1,90
Skobali	next to railway line - left	71+981-72+015	platform	34,00		1,60
Osipaonica staj.	next to railway line - left	74+749-74+784	platform	35,00		1,60
	between the 1st and 2nd track	76+168-76+231	platform	63,00		1,60
OSIPAONICA	between the 2nd and 3rd track	76+177-76+229	platform	52,00		1,60
Lugavčina	next to railway line - right	77+867-77+904	platform	37,00		1,30
Saraorci	new to fair way fine fight	NONE	piacioni	27,00	0,.0	1,00
LOZOVIK-SARAORCI	between the 2nd and 3rd track	82+710-82+812	platform	102,00	0.40	1,60
Miloševac	next to railway line - left	85+500-85+602	platform	102,00		1,60
KRNJEVO-TRNOVČE	between the 2nd and 3rd track	90+248-90+348	platform	100,00		1,60
	between the plateau in front of	70.2.070.00	F-11112	,	-,	-,
· ×	the station building and 2 <sup>nd</sup>	94+626,50-94+658,50	platform	32,00	0.40	1,6
VELIKO ORAŠJE	track		F	,	-,	-,-
	between the 2nd and 3rd track	94+586,50-94+689,50	platform	103,00	8,00	1,6
	between the 1st and 2nd track	90+350-90+400	platform	50,00	0,40	1,60
	between the 2nd and 3rd track	90+289-90+430	platform	141,00		1,60
VELIKA PLANA	between the 3rd and 4th track	90+370-90+510	platform	140,00		1,60
	between the 4th and 5th track	90+360-90+464	platform	104,00		1,60
	104 (Jagodina) – Open Lin			,00	-,	-,00
	between the 1st and 2nd track	0+516-0+641	platform	125,00	0.20	1,60
ĆUPRIJA	between the 2nd and 3rd track	0+516-0+641	platform	125,00		1,60
	between the 3rd and 4th track	155+081-155+184	platform	103,00		1,60
PARAĆIN	between the 4th and 5th track	155+065-155+166	platform	101,00		1,90
10	5 (Belgrade Center) - Stara Pazo		•		0,20	1,70
	next to 1st track	34+015-35+235 л.н.	platform	220,00	0.55	3,00
STARA PAZOVA	between the 5th and 6th track	35+015-35+265 л.н.	platform	250,00		6,16
	next to 1st track	42+577 - 42+977	platform	400,00	,	4,10
INĐIJA	between the 4th and 5th track	42+577 - 42+977	platform	400,00		7,55
BEŠKA	next to 1st track	53+922 - 54+142	platform	220,00	· · · · · · · · · · · · · · · · · · ·	4,00
DEDIM	next to 4 <sup>th</sup> track	53+922 - 54+142	platform	220,00		4,00
SREMSKI KARLOVCI	between the 1st and 2nd track	65+759 - 65+979	platform	220,00		4,00
	between the 1st and 2nd track	65+759 - 65+979	platform	220,00	· · · · · · · · · · · · · · · · · · ·	4,00
		70+603 - 70+823	platform	220,00		6,10
PETROVARADIN	between the 1st and 2nd track between the 5 <sup>th</sup> and 6 <sup>th</sup> track	70+708 - 70+823	platform	220,00	0,55 0,55	6,10
	between the 3 <sup>th</sup> and 6 <sup>th</sup> track	77+077-77+214	piatioiiii	220,00	0,55	0,10
	track	//+0//-//+214	platform	137,00	0,55	6,10
	between the 7th and 8th track	76+794-76+919	platform	125,00	0,55	
NOVI SAD	next to 1st track	76+809-77+214	platform	405,00	0,55	8,60
	between the 2nd and 3rd track	76+819-77+247	platform	428,00	0,55	8,60
	between the 4th and 5th track	76+837-78+247	platform	410,00	0,55	8,60



		km position of the	DI . C . /	I	Dimensions	<u> </u>
Service point	Location	beginning and the end	Platform/arranged surface	Length	Height	Width
		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
	next to the 6th track	76+892-77+177	platform	285,00	0,55	6,00
RUMENKA		NONE				
KISAČ	next to the 1st track left	90+222-90+442	platform	220,00	0,55	4,00
	next to the 4th track right	90+222-90+442	platform	220,00	0,55	4,00
Stepanovićevo	next to the 1st track right	97+227-97+447	platform	220,00	0,55	4,00
Stepanovicevo	next to the 4th track left	97+227-97+447	platform	220,00	0,55	4,00
ZMAJEVO	next to the 1st track right	102+481-102+701	platform	220,00	0,55	4,00
	next to the 4th track left	102+664-102+884	platform	220,00	0,55	4,00
TIDD + G MOV.	next to the 1st track right	113+500-113+720	platform	220,00	0,55	4,00
VRBAS NOVA	between the 1st and 2nd track	113+410-113+810	platform	400,00	0,55	6,60
	between the 5th and 6th track	113+410-113+810	platform	400,00	0,55	6,60
LOVĆENAC – MALI IĐOŠ	next to the 1st track right	129+386-129+606	platform	220,00	0,55	4,00
	next to the 4th track left	129+386-129+606	platform	220,00	0,55	4,00
BAČKA TOPOLA	next to the 1st track left	143+406-143+806	platform	400,00	0,55	4,00
	next to the 4th track right	143+406-143+806	platform	400,00	0,55	4,00
ŽEDNIK	next to the 1st track right	156+965-157+185	platform	220,00	0,55	4,00
NAUMOVIĆEVO	next to the 4th track left	156+965-157+185	platform	220,00	0,55	4,00
NAUMOVICEVO	next to the 1st track left	166+393-166+613	platform	220,00	0,55	4,00
	next to the 4th track right	166+393-166+613	platform	220,00	0,55	4,00
	next to the 1st track left between the 2nd and 3rd track	176+606-176+850	platform	244,00	0,55	3,00
Subotica		176+450-176+850	platform	400,00	0,55	6,10
	between the 4th and 5th track between the 6th and 7th track	176+550-176+820 176+605-176+826	platform	270,00 221,00	0,55 0,55	6,10 6,10
			platform	221,00	0,33	0,10
		GRAD - state border –(D		252.00	0.40	5.00
	next to 1st track	243+410-243+763	platform	353,00	0,40	5,80
NIŠ	between the 2nd and 3rd track	243+410-243+813	platform	403,00	0,40	8,00 8,00
NIS	between the 4th and 5th track between 1b and 1st track	243+410-243+771	platform platform	361,00 120,00	0,40	5,80
	next to 1a. track	243+643-243+763 243+660-243+763	platform	103,00	0,40 0,40	1,60
	next to railway line - left	1+669-1+769	platform	100,00	0,40	1,60
Palilulska rampa	next to railway line - left	1+809-1+875	platform	66,00	0,40	1,60
Vojna Bolnica	next to failway fine - left	NONE		00,00	0,40	1,00
ĆELE KULA	between the 2nd and 3rd track	5+422-5+502	platform	80,00	0.40	1,60
EI NIŠ	between the 2nd that 3rd track	NONE		00,00	0,10	1,00
NIŠKA BANJA	between the 2nd and 3rd track	10+450-10+558	platform	108.00	0,40	1,60
	next to railway line - right	14+712-14+731	platform	19,00	0,40	1,60
Prosek	next to railway line - right	14+740-14+770	platform	30.00	0.40	1.60
SIĆEVO		NONE		,		,
OSTROVICA	between the 1st and 2nd track	22+475-22+529	platform	54,00	0,40	1,60
Majdan Ostrovica		NONE				
Radov Dol	next to railway line - left	29+494-29+520	platform	26,00	0,40	1,60
DOLAC	between the 2nd and 3rd track	31+640-31+739	platform	79,00	0,40	1,60
Crveni Breg	next to railway line - left	34+262-34+292	platform	30,00	0,40	1,60
CRVENA REKA	between the 2nd and 3rd track	36+393-36+451	platform	58,00	0,40	1,60
Belanovac	next to railway line - left	39+691-39+761	platform	70,00	0,40	1,60
BELA PALANKA	between the 2nd and 3rd track	44+907-44+977	platform	70,00	0,40	1,60
Crkvica		NONE				
ČIFLIK		NONE			<u> </u>	
Sinjac		NONE				
Đurđevo polje		NONE				
Crvenčevo		NONE				
STANIČENJE		NONE				
Sopot		NONE				
PIROT	between the 1st and 2nd track	72+901-72+989	platform	87,00	0,40	1,60
	between the 2nd and 3rd track	72+868-73+021	platform	153,00	0,40	1,60
Božurat		NONE				
Veliki Jovanovac		NONE				
SUKOVO		NONE				
Činiglavci	next to railway line - left	90+465-90+471	platform	6,00	0,40	1,60



G	Ŧ	km position of the	Platform/arranged		Dimensions	
Service point	Location	beginning and the end of platform	surface	Length	-	Width
1	2.	or pratform	4	(m) 5	` ′	(m) 7
1	next to railway line - left	90+485-90+491	platform	6,00		1,60
Srećkovac	next to fairway line left	NONE	piatroim	0,00	0,10	1,00
	next to 14th track	97+126-97+267	platform	141,00	0,40	2,50
DIMITROVGRAD	between the 1st and 2nd track	97+316-97+717	platform	401,00	0,40	3,20
107	Belgrade Center- Pančevo Mai	n St Vršac - state border	- (Stamora Morav	rita)		
	next to 3rd track	0+120-0+00-0+300	platform	420,00	0,55	10,00
	between the 4th and 5th track	0+155-0+00-0+300	platform	455,00	0,55	10,00
BELGRADE CENTER	between the 6th and 7th track	0+155-0+00-0+300	platform	455,00		10,00
	between the 8th and 9th track	0+120-0+00-0+300	platform	420,00		10,00
	next to 10th track	0+120-0+00-0+300	platform	420,00	0,55	7,00
	between the tracks	1+123-1+215	platform	92,00	0,55	7,00
Karađorđev park	(next to left Banat track) between the tracks		•			
	(next to right Banat track)	1+222-1+314	platform	92,00	0,55	7,00
	between the tracks	2+754,13-2+829,13 (chainage along the left) 2+850,52-2+925,52 (chainage along the right)	central platform	75,00	0,95	18,60
	between the tracks (next to right Banat track)	2+785,52-2+850,52	lateral platform towards the Center	65,00	0,95	3,50
Vukov spomenik	between the tracks (next to right Banat track)	2+925,52-3+010,52	lateral platform towards the bridge	85,00	0,95	3,50
	between the tracks (next to left Banat track)	2+689,13-2+754,13	lateral platform towards the Center	65,00	0,95	3,50
	between the tracks (next to left Banat track)	2+829,13-2+914,13	lateral platform towards the bridge	85,00	0,95	3,50
	next to 1st track	4+590-4+741	platform	151,00	0,90	4,94
PANČEVAČKI MOST	next to 2nd track	4+694-4+845	platform	151,00	0,90	4,94
TAIVEL VACKI MOST	next to railway line - right	10+500-10+600	Danube platform	100,00	0,35	1,60
Krnjača most	Between the left and right track	7+003,50-7+223,50	platform	220,00	0,60	7,00
KRNJAČA	next to 4th track	8+165,06-8+385,06	platform	220,00	0,55 0,55 0,55 0,55 0,55 0,95 0,95 0,95	3,00
KKNJACA	next to 1st track	8+182,24-8+402,24	platform	220,00	0,55	3,00
Sebeš	next to left Banat track	9+975,05-10+085,05	platform	110,00	1 1	3,10
50005	next to right Banat track	9+975,05-10+085,05	platform	110,00	1 1	3,10
OVČA	next to 1st track	12+537,60-12+757,60	platform	220,00		4,00
	between the 4th and 5th track	12+537,60-12+757,60	platform	220,00		6,10
DANČEVO MADI	between the 1st and 2nd track	15+913-16+033	platform	120,00		1,60
PANČEVO MAIN STATION	between the 1st and 2nd track	16+090-16+210	platform	120,00	0,40  0,55  0,55  0,55  0,55  0,55  0,55  0,55  0,95  0,95  0,95  0,95  0,95  0,95  0,96  0,90  0,35  0,60  0,55  0,55  0,60  0,60  0,55  0,55  0,60  0,40  0,00  0,00  0,00	1,60
STATION	between the 2nd and 3rd track between the 3rd and 4th track	15+913-16+210 15+987-16+137	platform platform	297,00 150,00		1,60 1,60
	next to 1st track	18+131-18+223	station plateau	92,00		1,60
PANČEVO VAROŠ	between the 1st and 2nd track	18+105-18+345	platform	240,00		1,60
111.02.00 111100	between the 2nd and 3rd track	18+100-18+364	platform	264,00		1,60
BANATSKO NOVO SELO	between the 2nd and 3rd track	33+981-34+035	arranged surface	54,00		0,50
	between the 1st and 2nd track	45+806-45+906	arranged surface	100,00		1,30
VLADIMIROVAC	between the 2nd and 3rd track	45+806-45+906	arranged surface	100,00		1,30
ALIBUNAR	between the 1st and 2nd track	53+503-53+603	arranged surface	100,00	0,00	1,30
	between the 2nd and 3rd track	53+503-53+603	arranged surface	100,00	0,00	1,30
BANATSKI KARLOVAC	between the 2nd and 3rd track					
Nikolinci		NONE				
ULJMA	between the 2nd and 3rd track					
		NONE				
Vlajkovac	between the 1st and 2nd track	82+807,5-82+902,5	platform	95,00	0,40	1,60



		km position of the		Т	Dimensions	<u> </u>
Service point	Location	beginning and the end	Platform/arranged	Length		Width
		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
	next to 1st track	14+080-14+240	arranged surface	160,00	0,55	4,00
RESNIK	between the 1st and 2nd track	14+080-14+240	platform	160,00	0,35	1,55
	between the 3rd and 4th track	13+943-14+238	platform	295,00		6,20
BELA REKA	between the 1st and 2nd track	7+538-7+648	platform	110,00		1,60
Nenadovac	next to railway line - left	12+077-12+127	platform	50,00		1,60
BARAJEVO	between the 2nd and 3rd track	15+654-15+764	platform	110,00		1,60
Barajevo Centar	next to railway line - left	17+895-18+003	platform	108,00		1,60
VELIKI BORAK	between the 1st and 2nd track	23+039-23+151	platform	112,00		1,60
Leskovac Kolubarski	next to railway line - right	27+720-27+770	platform	50,00		1,60
STEPOJEVAC	between the 2nd and 3rd track	30+572-30+682	platform	110,00		1,60
VREOCI	between the 2nd and 3rd track	37+150-37+300	platform	150,00		1,60
	between the 3rd and 4th track	37+150-37+300	platform	150,00		1,60
LAZAREVAC	between the 1st and 2nd track	45+311-45+462	platform	151,00		1,60
	between the 2nd and 3rd track	45+311-45+462	platform	151,00		1,60
LAJKOVAC SLOVAC	between the 1st and 2nd track	52+547-52+697	platform	150,00		1,60
	between the 2nd and 3rd track	52+527-52+697	platform	170,00		1,60
	between the 1st and 2nd track between the 2nd and 3rd track	58+899-59+052 58+899-59+052	platform platform	153,00		1,60 1,60
Mlađevo	next to railway line - right	63+958-64+035	platform	153,00 77,00		1,60
Whatevo	between the 1st and 2nd track	67+043-67+213	platform	170,00		1,60
DIVCI	between the 2nd and 3rd track	67+043-67+213	platform	170,00		1,60
Lukavac Kolubarski	next to railway line - right	69+165-69+265	platform	100,00		1,60
Iverak	next to railway line - right	72+725-72+825	platform	100,00		1,60
	next to 1st track	77+550-77+851	platform	301,00		5,4
VALJEVO	between the 2nd and 3rd track	77+562-77+863	platform	301,00		7,55
VALJEVSKI GRADAC	next to railway line - right	84+560-84+610	platform	50,00		1,60
Leskovice	next to railway line - left	91+605-91+655	platform	50,00		1,60
LASTRA	between the 2nd and 3rd track	93+985-94+131	platform	146,00		1,60
SAMARI	between the 2nd and 3rd track	103+118-103+168	platform	50,00		1,60
Drenovački Kik	next to railway line - right	107+700-107+750	platform	50,00		1,60
RAŽANA	between the 3rd and 4th track	111+284-111+430	platform	146,00	0,35	1,60
KOGIERIĆ	between the 3rd and 4th track	118+748-118+948	platform	200,00	0,40	1,60
KOSJERIĆ	between the 4th and 5th track	118+748-118+948	platform	200,00	0,40	1,60
Tubići	next to railway line - left	123+446-123+496	platform	50,00	0,35	1,60
KALENIĆI	between the 3rd and 4th track	129+772-129+918	platform	146,00	0,35	1,60
Otanj	next to railway line - right	133+600-133+710	platform	110,00	0,40	1,50
Glumač	next to railway line - right	135+807-135+863	platform	56,00	0,40	1,60
POŽEGA	next to 1st track	140+720-140+975	platform	255,00	0,45	10,00
	between the 2nd and 3rd track	146+675-140+984	platform	309,00	0,45	6,20
Rasna	next to railway line - right	145+618-145+650	platform	32,00	0,40	1,00
UZIĆI	between the 1st and 2nd track	149+125-149+255	platform	129,00	0,40	1,60
	between the 2nd and 3rd track	149+255-149+389	platform	134,00	(m) 6 0 0,55 0 0,35 0 0,40 0 0	1,60
Zlakusa	next to railway line - right	151+536-151+566	platform	30,00		1,60
Bukovička Rampa	next to railway line - right	154+141-154+161	platform	20,00		1,60
SEVOJNO	between the 1st and 2nd track	156+882-157+082	platform	200,00		1,60
UŽICE FREIGHT STATION	between the 2nd and 3rd track	161+795-161+995	platform	200,00		1,60
	between the 1st and 2nd track	161+813-161+953	platform	140,00		1,60
UŽICE	next to 1st track	163+645-163+900	platform	255,00		3,00
	between the 2nd and 3rd track	163+626-163+881	platform	255,00		5,10
STAPARI	between the 1st and 2nd track	170+590-170+710	platform	120,00		1,60
Ristanovića Polje	next to railway line - left	173+412-173+425	platform	13		1,60
· ·	next to railway line - right	173+426-173+464	platform	38		1,60
Tripkova	next to railway line - right	176+045-176+095	platform	120.00		1,60
SUŠICA	between the 2nd and 3rd track	178+251-178+371	platform	120,00		1,60
DDANIEĞCI	next to 1st track	185+181-185+291	platform	110,00		5,50
BRANEŠCI	between the 1st and 2nd track	185+181-185+291	platform	110,00		1,60
ZI ATIDOD	between the 2nd and 3rd track	185+181-185+291	platform	110,00		1,60
ZLATIBOR Pibnica Zlatiborska	between the 2nd and 3rd track	193+234-193+404	platform	170,00		1,60
Ribnica Zlatiborska JABLANICA	next to railway line - left between the 3rd and 4th track	200+350-200+400 204-405-204+550	platform platform	50,00 145,00		1,60 1,60
JADLANICA	between the 510 and 401 track	ZU <del>1-1</del> UJ-ZU4+JJU	pianoilli	143,00	0,40	1,00



Service point	<b>_</b>	ı	1 '4' 64		т	· ·	
Coles	Samilas maint	Lagation	km position of the	Platform/arranged			
Coloration   Col	Service point	Location		surface	-	_	
STRPCI	1	2	•	4		1 · · · · ·	_ ` /
STERCI	I C-1-¥	_		·		_	
Raéa   next to railway line - right   219+515-219+536   platform   21,00   0.40   1,00				•			
PRIBOJ   between the 2nd and 3rd track   225+237-225-37   polation   100,00   0,50   3,00   Police   next to rallway line - right   228+110-228+100   polation   100,00   0,40   1,00   Pribojask Banja   next to rallway line - right   228+110-228+100   polation   32,00   0,40   1,00   BISTRICA NA LIMU   between the 2nd and 3rd track   241+208-241+352   polation   32,00   0,40   1,00   240   1,00   Pribojask Banja   248+208-241+352   polation   32,00   0,40   1,00   1				_			
Police	Kaca	, č		-			
Politice	PRIBOJ			-			
Pribiska Banja							
BISTRICA NALIMU   between the 2nd and 3nd track   241+208-241+352   platform   24,00   0.40   1,60				-			
PRIJEPOLJE				· · · · · · · · · · · · · · · · · · ·	,		
PRIJEPOLE				_			,
PRIJEPOLIFE	Džurovo			-			
PRIJEPOLJE FREIGHT	PRHEPOLIE						
STATION				1			
Velika Zupa   next to railway line - right   259-605-259-624   platform   19,00   0,40   1,00     LUCICE   hetween the Jand and Srd track   264-481. E244-714   platform   133,00   0,35   1,60     BRODAREVO   between the 2nd and 3rd track   273+255-273+404   platform   149,00   0,30   1,60     VRBNICA   between the 1st and 2nd track   273+255-273+404   platform   149,00   0,30   1,60     VRBNICA   between the 1st and 2nd track   285-112.285+255   platform   144,00   0,30   1,60     Total Target   1,60   1,60   1,60     Total Target   1,60   1,60   1,60     LAPOVO   between the 2nd and 3rd track   109+560-109+680   platform   120,00   0,35   1,60     next to 1st track   109+560-109+680   platform   120,00   0,35   1,60     next to 1st track   109+450-109+680   platform   120,00   0,35   1,60     BATOČINA   between the 1st and 2nd track   1374.70-3+421.90   platform   47,20   0,12   1,30     Gradac   left side   8+234.04-8-292.90   platform   47,20   0,12   1,30     BADNIEVAC   between the 2nd and 3rd track   12+264,50-12+311.50   platform   47,00   0,14   1,80     Resnik Krngujevacki   right side   18+206,90-18+253,70   platform   46,80   0,33   1,10     Cvetojevac   right side   18+206,90-18+253,70   platform   44,00   0,22   1,75     KRAGUJEVAC   between the 1st and 2nd track   22+368-22-352   platform   41,20   0,25   1,20     JOVANOVAC   between the 1st and 2nd track   22+362-28+918,70   platform   192,70   0,24   1,20     GROSNICA   between the 1st and 2nd track   28+736-28+918,70   platform   192,70   0,24   1,20     GROSNICA   between the 1st and 2nd track   28+736-28+918,70   platform   192,70   0,24   1,20     GROSNICA   between the 1st and 2nd track   28+736-28+918,70   platform   192,70   0,24   1,20     GROSNICA   between the 1st and 2nd track   28+736-28+918,70   platform   17,50   0,00   1,20     GROSNICA   between the 1st and 2nd track   28+736-28+918,70   platform   17,50   0,00   1,20     GROSNICA   between the 1st and 2nd track   28+736-28+918,70   platform   30,00   0,25   1,40     GROSNICA	PRIJEPOLJE FREIGHT	between the 2nd and 3rd track	255+789-255+982	platform			
BRODAREVO   Detween the 2nd and 3rd track   2644-881-2644-714   platform   133,00   0.35   1,60   VRBNICA   Detween the 1st and 2nd track   273-4255-273-404   platform   50,00   0.30   1,60   Evene the 2nd and 3rd track   285+205-285+255   platform   50,00   0.30   1,60   Evene the 2nd and 3rd track   285+205-285+255   platform   50,00   0.30   1,60   Evene the 2nd and 3rd track   285+205-285+255   platform   144,00   0.30   1,60   Evene the 2nd and 3rd track   285+112-285+256   platform   120,00   0.35   1,60   Evene the 3rd and 4th track   109+560-109+680   platform   120,00   0.35   1,60   Evene the 3rd and 4th track   109+560-109+680   platform   50,00   0.35   1,60   Evene the 3rd and 4th track   109+560-109+680   platform   50,00   0.35   1,60   Evene the 1st and 2nd track   3-347,473-421,90   platform   47,20   0.12   1,30   Evene the 1st and 2nd track   3-347,473-421,90   platform   47,20   0.12   1,30   Evene the 1st and 2nd track   12-264,30-12-311,50   platform   47,00   0.14   1,80   Evene the 1st and 2nd track   18-266,90-18+253,70   platform   49,50   0.30   1,05   Evene the 1st and 2nd track   22-308-22+352   platform   41,20   0.25   1,20   Evene the 2nd and 3rd track   22+308-22+352   platform   41,20   0.25   1,20   Evene the 2nd and 3rd track   22+308-22+352   platform   41,20   0.25   1,20   Evene the 1st and 2nd track   22+308-22+352   platform   41,20   0.25   1,20   Evene the 1st and 2nd track   22+308-22+352   platform   41,20   0.25   1,20   Evene the 1st and 2nd track   22+308-22+352   platform   41,20   0.25   1,20   Evene the 1st and 2nd track   23+752-28+907   platform   41,50   0.22   1,75   Evene the 1st and 2nd track   23+752-28+907   platform   41,50   0.22   1,50   Evene the 1st and 2nd track   23+752-28+907   platform   41,50   0.22   1,50   Evene the 1st and 2nd track   31+280,50-31+288,25   platform   41,50   0.20   1,50   Evene the 1st and 2nd track   44+513-44+538   platform   41,50   0.20   1,50   Evene the 1st and 2nd track   53+462-80-80   platform   41,50   0.20   1,		between the 3rd and 4th track	255+789-255+982	platform	187,00	0,35	
BRODAREVO	Velika Župa	next to railway line - right	259+605-259+624		19,00	0,40	1,00
VRBNICA	LUČICE	between the 2nd and 3rd track	264+581-264+714	platform	133,00	0,35	1,60
NRINICA     Detween the 2nd and 3rd track   285+112-285-256   platform   144,00   0,30   1,60	BRODAREVO	between the 2nd and 3rd track	273+255-273+404	platform	149,00	0,30	1,60
NRINICA     Detween the 2nd and 3rd track   285+112-285-256   platform   144,00   0,30   1,60	TIDDING!	between the 1st and 2nd track	285+205-285+255	platform	50,00	0,30	1,60
LAPOVO	VRBNICA			•			,
LAPOVO	109 Lai					0,00	
LAPOVO	107 234	•				0.35	1.60
next to 1st track   109+460-109+510   platform   50,00   0,35   1,60	LAPOVO			•			,
BATOČÍNA   between the lst and 2nd track   3+374,70-3+421,90   platform   47,20   0,12   1,30	2.1.0 ( )						
Gradac	BATOČINA			1	,		
BADNIEVAC   Detween the 2nd and 3rd track   12+264,50-12+311,50   Platform   47,00   0,14   1,80   Resnik Kragujevački   Milatovac   right side   18+206,90-18+253,70   Platform   46,80   0,33   1,10   Cvetojevac   right side   20+381-422,20   Platform   41,20   0,25   1,20   JOVANOVAC   Detween the 2nd and 3rd track   22+308-22+352   Platform   44,00   0,22   1,75   Milavelle   Detween the 1st and 2nd track   28+726-28+918,70   Platform   192,70   0,24   1,20   Milavelle   Detween the 1st and 2nd track   28+726-28+918,70   Platform   155,00   0,24   1,20   Milavelle   Milav							
Resnik Kragujevački   NONE							
Milatovac         right side         18+206,90-18+253,70         platform         46,80         0,33         1,10           Cvetojevac         right side         20+381-422,20         platform         41,20         0,25         1,20           JUVANOVAC         between the 2nd and 3rd track         22+308-22+352         platform         44,00         0,22         1,75           KRAGUJEVAC         between the 1st and 2nd track         28+726-28+918,70         platform         192,70         0,24         1,20           Zavod         right side         31+280,50-31+288,25         platform         155,00         0,24         1,80           GROSNICA         between the 1st and 2nd track         34+280,50-31+288,25         platform         41,50         0,22         1,50           DRAGOBRACA         between the 1st and 2nd track         39+529-39+565         platform         36,00         0,20         1,20           KNIC         between the 1st and 2nd track         47+560-47+607         platform         47,00         0,30         1,40           GRUZA         between the 1st and 2nd track         60+567-60+614         platform         47,00         0,22         1,55           Tomica Brido         r		between the 2nd and 3rd track		piationii	47,00	0,14	1,00
Cvetojevac		right side		platform	46.80	0.33	1.10
DOVANOVAC   between the 2nd and 3rd track   22+308-22+352   platform   44,00   0,22   1,75							
KRAGUIEVAC         between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track 28+726-28+907         platform pl							
RKAGUEVAC	JOVANOVAC			•			
Zavod	KRAGUJEVAC						
GROŠNICA         between the 1st and 2nd track         34+062,80-34+104,30         platform         41,50         0,22         1,50           DRAGOBRAČA         between the 1st and 2nd track         39+529-39+565         platform         36,00         0,20         1,20           Vučkovica         right side         44+513-44+538         platform         25,00         0,30         1,20           KNIĆ         between the 1st and 2nd track         47+560-47+607         platform         47,00         0,30         1,40           GUBEREVAC         between the 1st and 2nd track         60+567-60+614         platform         47,00         0,22         1,40           Tomića Brdo         right side         64+795-64+822,50         platform         47,00         0,22         1,55           MITANOVAC         between the 1st and 2nd track         666+309-66+353         platform         44,00         0,25         1,25           MITANOVAC         between the 1st and 2nd track         79+111-79+128,4         platform         44,40         0,22         1,40           KRALJEVO         between the 2nd and 3rd track         82+006-82+069         platform         47,00         0,25         0,50           MATARUŠKA BANJA         between the 2nd and 3rd track         84+649-84+738	71						
DRAGOBRAĆA         between the 1st and 2nd track         39+529-39+565         platform         36,00         0,20         1,20           Vučkovica         right side         44+513-44+538         platform         25,00         0,30         1,20           KNIĆ         between the 1st and 2nd track         47+560-47+607         platform         47,00         0,30         1,40           GRUŽA         between the 1st and 2nd track         53+458-53+505,5         platform         47,50         0,22         1,40           GUBEREVAC         between the 1st and 2nd track         60+567-60+614         platform         47,00         0,20         1,55           Tomića Brdo         right side         64+795-64+822,50         platform         47,00         0,25         1,55           Milavčići         left side         70+141,80-70+172,80         platform         44,00         0,25         1,25           Milavčići         left side         79+111-79+128,4         platform         44,00         0,22         1,40           Šumarice         left side         79+111-79+128,4         platform         44,00         0,25         0,50           Sirča         right side         82406-82+069         platform         63,00         0,033         1,60 <td></td> <td>8</td> <td></td> <td>P</td> <td></td> <td></td> <td></td>		8		P			
Vučkovica   right side   44+513-44+538   platform   25,00   0,30   1,20				•			
KNIĆ   between the 1st and 2nd track   47+560-47+607   platform   47,00   0,30   1,40   GRUŽA   between the 1st and 2nd track   53+458-53+505.5   platform   47,50   0,22   1,40   GUBEREVAC   between the 1st and 2nd track   60+567-60+614   platform   47,00   0,20   1,55   Tomica Brdo   right side   64+795-64+822,50   platform   27,50   0,35   1,00   VITKOVAC   between the 1st and 2nd track   66+309-66+353   platform   31,00   0,35   1,40   VITANOVAC   between the 1st and 2nd track   70+141,80-70+172,80   platform   31,00   0,35   1,40   VITANOVAC   between the 1st and 2nd track   73+904,30-73+948,70   platform   31,00   0,35   1,40   VITANOVAC   between the 1st and 2nd track   73+904,30-73+948,70   platform   44,40   0,22   1,40   VITANOVAC   between the 1st and 2nd track   82+006-82+069   platform   17,40   0,25   0,50   Sirča   right side   82+006-82+069   platform   63,00   0,35   1,90   Eween the 1st and 2nd track   84+649-84+733   platform   84,00   0,33   1,60   between the 2nd and 3rd track   84+649-84+734   platform   45,00   0,20   1,80   Progorelica   left side   97+352-97+386   platform   45,00   0,20   1,80   Progorelica   left side   97+352-97+386   platform   34,00   0,25   1,40   BOGUTOVAČKA BANJA   between the 1st and 2nd track   100+868-100+919   platform   51,00   0,22   1,80   Pusto Polje   left side   123+555-123+589   platform   53,00   0,26   1,50   Pusto Polje   left side   123+555-123+589   platform   58,00   0,34   1,50   Lozno   right side   132+832-132+866   platform   58,00   0,34   1,50   Lozno   right side   132+832-132+866   platform   50,00   0,25   1,45   Piskanja   left side   138+842-138+884   platform   40,00   0,25   1,45   Piskanja   left side   138+842-138+884   platform   40,00   0,25   1,40   RAŠKA   between the 1st and 2nd track   143+481-143+528   platform   40,00   0,22   1,80   RAŠKA   between the 1st and 2nd track   157+700-157+740   platform   40,00   0,23   1,80   RAŠKA   between the 1st and 2nd track   157+700-157+740   platform   40,00   0,23   1,80   RAŠKA   b		<del> </del>		1	,		
GRUŽA         between the 1st and 2nd track         53+458-53+505,5         platform         47,50         0,22         1,40           GUBEREVAC         between the 1st and 2nd track         60+567-60+614         platform         47,00         0,20         1,55           Tomića Brdo         right side         64+795-64+822,50         platform         27,50         0,35         1,00           VITKOVAC         between the 1st and 2nd track         66+309-664-353         platform         44,00         0,25         1,25           Milavčići         left side         70+141,80-70+172,80         platform         31,00         0,35         1,40           VITANOVAC         between the 1st and 2nd track         73+904,30-73+948,70         platform         44,40         0,22         1,40           Šumarice         left side         79+111-79+128,4         platform         17,40         0,25         0,50           Sirča         right side         82+006-82+069         platform         17,40         0,25         0,50           KRALJEVO         between the 1st and 2nd track         84+649-84+733         platform         84,00         0,33         1,60           MATARŪŠKA BANJA         between the 2nd and 3rd track         84+649-84+748         platform				1	,		
GUBEREVAC         between the 1st and 2nd track         60+567-60+614         platform         47,00         0,20         1,55           Tomića Brdo         right side         64+795-64+822,50         platform         27,50         0,35         1,00           VITKOVAC         between the 1st and 2nd track         66+309-66+353         platform         44,00         0,25         1,25           Milavčići         left side         70+141,80-70+172,80         platform         31,00         0,35         1,40           VITANOVAC         between the 1st and 2nd track         73+904,30-73+948,70         platform         44,40         0,22         1,40           Šumarice         left side         79+111-79+128,4         platform         17,40         0,25         0,50           Sirča         right side         82+006-82+069         platform         63,00         0,35         1,40           KRALJEVO         between the 1st and 2nd track         84+649-84+733         platform         84,00         0,33         1,60           MATARUŠKA BANJA         between the 2nd and 3rd track         84+649-84+748         platform         99,00         0,33         1,60           BOGUTOVAČKA BANJA         between the 1st and 2nd track         10+868-100+919         platform							
Tomića Brdo   right side   64+795-64+822,50   platform   27,50   0,35   1,00				1			
VITKOVAC         between the 1st and 2nd track         66+309-66+353         platform         44,00         0,25         1,25           Milavčići         left side         70+141,80-70+172,80         platform         31,00         0,35         1,40           VITANOVAC         between the 1st and 2nd track         73+904,30-73+948,70         platform         44,40         0,22         1,40           Šumarice         left side         79+111-79+128,4         platform         17,40         0,25         0,50           Sirča         right side         82+006-82+069         platform         63,00         0,33         1,60           KRALJEVO         between the 1st and 2nd track         84+649-84+733         platform         84,00         0,33         1,60           MATARUŠKA BANJA         between the 2nd and 3rd track         84+649-84+748         platform         99,00         0,33         1,60           Progorelica         left side         97+352-97+386         platform         34,00         0,25         1,80           BOGUTOVAČKA BANJA         between the 1st and 2nd track         100+868-100+919         platform         51,00         0,22         1,80           Pusto Polje         left side         123+555-123+589         platform         53,00 <td></td> <td></td> <td></td> <td></td> <td>,</td> <td></td> <td></td>					,		
Milavčići         left side         70+141,80-70+172,80         platform         31,00         0,35         1,40           VITANOVAC         between the 1st and 2nd track         73+904,30-73+948,70         platform         44,40         0,22         1,40           Šumarice         left side         79+111-79+128,4         platform         17,40         0,25         0,50           Sirča         right side         82+006-82+069         platform         63,00         0,35         1,90           KRALJEVO         between the 1st and 2nd track         84+649-84+733         platform         84,00         0,33         1,60           MATARUŠKA BANJA         between the 2nd and 3rd track         84+649-84+748         platform         99,00         0,33         1,60           Progorelica         left side         97+352-97+386         platform         45,00         0,22         1,80           BOGUTOVAČKA BANJA         between the 1st and 2nd track         100+868-100+919         platform         51,00         0,22         1,80           DOBRE STRANE         NONE         NONE         NONE         NONE         NONE         NONE         NONE         NONE         NONE         NONE         NONE         NONE         NONE         NONE         NO		-		•			
VITANOVAC         between the 1st and 2nd track         73+904,30-73+948,70         platform         44,40         0,22         1,40           Šumarice         left side         79+111-79+128,4         platform         17,40         0,25         0,50           Sirča         right side         82+006-82+069         platform         63,00         0,35         1,90           KRALJEVO         between the 1st and 2nd track         84+649-84+733         platform         84,00         0,33         1,60           MATARUŠKA BANJA         between the 2nd and 3rd track         84+649-84+748         platform         99,00         0,33         1,60           Progorelica         left side         93+895-93+940         platform         45,00         0.20         1,80           BOGUTOVAČKA BANJA         between the 1st and 2nd track         100+868-100+919         platform         51,00         0,25         1,40           DOBRE STRANE         POLUMIR         between the 1st and 2nd track         118+291-118+344         platform         53,00         0,26         1,50           Pusto Polje         left side         123+555-123+589         platform         34,00         0,25         1,00           UŠČE         between the 1st and 2nd track         132+832-132+866		<del> </del>		•			
Šumarice         left side         79+111-79+128,4         platform         17,40         0,25         0,50           Sirča         right side         82+006-82+069         platform         63,00         0,35         1,90           KRALJEVO         between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track between the 1st and 2nd track bet				•			
Sirča         right side         82+006-82+069         platform         63,00         0,35         1,90           KRALJEVO         between the 1st and 2nd track         84+649-84+733         platform         84,00         0,33         1,60           MATARUŠKA BANJA         between the 2nd and 3rd track         84+649-84+748         platform         99,00         0,33         1,60           Progorelica         left side         93+895-93+940         platform         45,00         0,20         1,80           BOGUTOVAČKA BANJA         between the 1st and 2nd track         100+868-100+919         platform         34,00         0,25         1,40           DOBRE STRANE         NONE         NONE         POLUMIR         between the 1st and 2nd track         118+291-118+344         platform         53,00         0,26         1,50           Pusto Polje         left side         123+555-123+589         platform         34,00         0,25         1,00           UŠĆE         between the 1st and 2nd track         127+223-127+281         platform         34,00         0,25         1,45           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left si	Ü			•			
KRALJEVO         between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 2nd and 3rd track         84+649-84+748 platform         platform         99,00 0,33 1,60         1,60           MATARUŠKA BANJA         between the 2nd and 3rd track         93+895-93+940 platform         45,00 0,20 1,80         0.20 1,80           Progorelica         left side         97+352-97+386 platform         34,00 0,25 1,40         0.25 1,40           BOGUTOVAČKA BANJA         between the 1st and 2nd track         100+868-100+919 platform         51,00 0,22 1,80           DOBRE STRANE         NONE         NONE           POLUMIR         between the 1st and 2nd track         118+291-118+344 platform         53,00 0,26 1,50           Pusto Polje         left side         123+555-123+589 platform         34,00 0,25 1,00           UŠĆE         between the 1st and 2nd track         127+223-127+281 platform         58,00 0,34 1,50           JOŠANIČKA BANJA         between the 1st and 2nd track         132+832-132+866 platform         34,00 0,22 0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152 platform         50,00 0,25 1,45           Piskanja         left side         138+842-138+884 platform         42,00 0,21 1,00           Rvati         left side         148+258-148+304 platform         46,00 0,22							
KRALJEVO         between the 2nd and 3rd track         84+649-84+748         platform         99,00         0,33         1,60           MATARUŠKA BANJA         between the 2nd and 3rd track         93+895-93+940         platform         45,00         0.20         1,80           Progorelica         left side         97+352-97+386         platform         34,00         0,25         1,40           BOGUTOVAČKA BANJA         between the 1st and 2nd track         100+868-100+919         platform         51,00         0,22         1,80           DOBRE STRANE         NONE           POLUMIR         between the 1st and 2nd track         118+291-118+344         platform         53,00         0,26         1,50           Pusto Polje         left side         123+555-123+589         platform         34,00         0,25         1,00           UŠĆE         between the 1st and 2nd track         127+223-127+281         platform         58,00         0,34         1,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         34,00         0,22         0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         138+842-138+884         platform         42,00         0,21         1,00	Sirča			•			
MATARUŠKA BANJA         between the 2nd and 3rd track         84+649+84+748         platform         99,00         0,33         1,60           Progorelica         left side         93+895-93+940         platform         45,00         0.20         1,80           BOGUTOVAČKA BANJA         between the 1st and 2nd track         100+868-100+919         platform         51,00         0,22         1,80           DOBRE STRANE         NONE         NONE           POLUMIR         between the 1st and 2nd track         118+291-118+344         platform         53,00         0,26         1,50           Pusto Polje         left side         123+555-123+589         platform         34,00         0,25         1,00           UŠĆE         between the 1st and 2nd track         127+223-127+281         platform         58,00         0,34         1,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         34,00         0,22         0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         138+842-138+884         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         47,00         0,32         1,50           R	KRALIEVO						
Progorelica         left side         97+352-97+386         platform         34,00         0,25         1,40           BOGUTOVAČKA BANJA         between the 1st and 2nd track         100+868-100+919         platform         51,00         0,22         1,80           DOBRE STRANE           NONE           POLUMIR         between the 1st and 2nd track         118+291-118+344         platform         53,00         0,26         1,50           Pusto Polje         left side         123+555-123+589         platform         34,00         0,25         1,00           UŠĆE         between the 1st and 2nd track         127+223-127+281         platform         58,00         0,34         1,50           Lozno         right side         132+832-132+866         platform         34,00         0,22         0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50 <td></td> <td></td> <td></td> <td>•</td> <td></td> <td></td> <td></td>				•			
BOGUTOVAČKA BANJA         between the 1st and 2nd track         100+868-100+919         platform         51,00         0,22         1,80           DOBRE STRANE         POLUMIR         between the 1st and 2nd track         118+291-118+344         platform         53,00         0,26         1,50           Pusto Polje         left side         123+555-123+589         platform         34,00         0,25         1,00           UŠĆE         between the 1st and 2nd track         127+223-127+281         platform         58,00         0,34         1,50           Lozno         right side         132+832-132+866         platform         34,00         0,22         0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-1				•			
DOBRE STRANE           POLUMIR         between the 1st and 2nd track         118+291-118+344         platform         53,00         0,26         1,50           Pusto Polje         left side         123+555-123+589         platform         34,00         0,25         1,00           UŠĆE         between the 1st and 2nd track         127+223-127+281         platform         58,00         0,34         1,50           Lozno         right side         132+832-132+866         platform         34,00         0,22         0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740				•			
POLUMIR         between the 1st and 2nd track         118+291-118+344         platform         53,00         0,26         1,50           Pusto Polje         left side         123+555-123+589         platform         34,00         0,25         1,00           UŠĆE         between the 1st and 2nd track         127+223-127+281         platform         58,00         0,34         1,50           Lozno         right side         132+832-132+866         platform         34,00         0,22         0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23 <td></td> <td>between the 1st and 2nd track</td> <td>100+868-100+919</td> <td>platform</td> <td>51,00</td> <td>0,22</td> <td>1,80</td>		between the 1st and 2nd track	100+868-100+919	platform	51,00	0,22	1,80
Pusto Polje         left side         123+555-123+589         platform         34,00         0,25         1,00           UŠĆE         between the 1st and 2nd track         127+223-127+281         platform         58,00         0,34         1,50           Lozno         right side         132+832-132+866         platform         34,00         0,22         0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23         1,00	DOBRE STRANE						
UŠĆE         between the 1st and 2nd track         127+223-127+281         platform         58,00         0,34         1,50           Lozno         right side         132+832-132+866         platform         34,00         0,22         0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23         1,00	POLUMIR	between the 1st and 2nd track	118+291-118+344	platform	53,00	0,26	1,50
Lozno         right side         132+832-132+866         platform         34,00         0,22         0,50           JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23         1,00	Pusto Polje	left side	123+555-123+589	platform	34,00	0,25	1,00
JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23         1,00	UŠĆE	between the 1st and 2nd track	127+223-127+281	platform	58,00	0,34	1,50
JOŠANIČKA BANJA         between the 1st and 2nd track         136+102-136+152         platform         50,00         0,25         1,45           Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23         1,00	Lozno	<del> </del>		•			
Piskanja         left side         138+842-138+884         platform         42,00         0,21         1,00           BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23         1,00	JOŠANIČKA BANJA	between the 1st and 2nd track			50,00		
BRVENIK         between the 1st and 2nd track         143+481-143+528         platform         47,00         0,32         1,50           Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23         1,00							
Rvati         left side         148+258-148+304         platform         46,00         0,22         1,00           RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23         1,00	3			•			
RAŠKA         between the 1st and 2nd track         152+236-152+353         platform         117,00         0,32         1,80           Kaznovići         left side         157+700-157+740         platform         40,00         0,23         1,00		<del> </del>		•			
Kaznovići left side 157+700-157+740 platform 40,00 0,23 1,00							
		<del> </del>		•			
TODAYON   DOLWOOD HIC TOLANG CHOCK   TOTATOLA   DIZHOOD   FOUR   FOUR   U.A.1   1.11	RUDNICA	between the 1st and 2nd track	161+970-162+022	platform	48,00	0,25	1,55



	I	km position of the	<u> </u>	Г	Dimensions	,
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width
r		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
Donje Jarinje		NONE	,			
Jerina	next to railway line - left	168+865-168+935	arranged surface	70,00	0,20	1,60
LEŠAK	between the 1st and 2nd track	172+294-172+394	platform	100,00	0,35	1,60
	between the 2nd and 3rd track	172+294-172+394	platform	100,00	0,35	1,60
Dren		NONE	1	100.00	0.25	1.60
LEPOSAVIĆ	between the 1st and 2nd track	182+675-182+775	platform	100,00	0,35	1,60
Pridvorica Sočanica	next to railway line - left	NONE 190+000-190+040	platform	40,00	0,35	1,00
IBARSKA SLATINA	next to failway fine - left	NONE	piationii	40,00	0,33	1,00
Plandište		NONE				
BANJSKA		NONE				
Valač	between the 1st and 2nd track	208+170-208+230	arranged surface	60,00	0,35	1,00
ZVEČAN	next to 1st track	210+900-211+000	platform	100,00	0,35	1,60
Kosovska Mitrovica Sever	next to railway line - left	213+390-213+440	platform	50,00	0,35	1,60
	110 Subotica - Bo	gojevo - state border - (Ei	rdut)			
BOGOJEVO		NONE				
SONTA		NONE				
PRIGREVICA	between the 1st and 2nd track	58+619-58+649	platform	30,00	0,30	1,55
	between the 2nd and 3rd track	58+619-58+649	platform	30,00	0,30	1,57
BUKOVAČKI SALAŠI		NONE				
	between the 1st and 2nd track	73+417-73+477	platform	60,00	0,31	1,61
	between the 1st and 2nd track	73+584-73+612	arranged surface	28,00	0,05	1,50
SOMBOR	between the 1st and 2nd track	73+673-73+823	arranged surface	150,00	0,05	1,50
	between the 2nd and 3rd track	73+417-73+477	platform	60,00	0,38	1,61
	between the 2nd and 3rd track	73+584-73+612	arranged surface	28,00	0,05	1,50
CVETOZAD MILETIĆ	between the 3rd and 4th track	73+584-73+701	arranged surface	117,00	0,05	1,50
SVETOZAR MILETIĆ ALEKSA ŠANTIĆ	between the 2nd and 3rd track	83+340-83+397	platform	56,70	0,30	1,68
	between the 2nd and 3rd track	97+500-97-556	platform	55,61	0,24	1,90 1,90
BAJMOK Skenderevo	between the 2nd and 3rd track	105+138-105+193 NONE	platform	55,00	0,23	1,90
TAVANKUT	between the 2nd and 3rd track	115+350-115+400	platform	50,00	0,30	1,80
Ljutovo	between the 2nd and 3rd track	NONE	piationii	30,00	0,50	1,00
ŠEBEŠIĆ		NONE				
Subotica predgrađe	next to railway line - left	128+229-128+270	platform	41,00	0,25	1,60
Sweetica prougrame	between the 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,05	1,70
	between the 1st and 2nd track	176+414-176+487	platform	73,00	0,25	1,60
SUBOTICA	between the 1st and 2nd track	176+487-176+838	arranged surface	351,00	0,05	1,70
	between the 2nd and 3rd track	176+322-176+838	arranged surface	516,00	0,05	1,70
	between the 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70
	111 Belgrade Marshallin	g Yard "A" – Ostružnica				
BELGRADE		NONE				
MARSHALLING YARD A		NONE				
OSTRUŽNICA		NONE				
SURČIN		NONE				
	between the 1st and 2nd track	20+510 - 20+768	platform	258,00	0,35	1,90
BATAJNICA	between the 2nd and 3rd track	20+543 - 20+722	platform	179,00	0,35	1,90
Dillimitel	between the 3rd and 4th track	20+598 - 20+722	platform	124,00	0,35	1,60
	between the 4th and 5th track	20+598 - 20+722	platform	124,00	0,35	1,60
DET CD 1 =	112 Belgrade Mars	shalling Yard "B" - Ostru	żnica			
BELGRADE		NONE				
MARSHALLING YARD B						
OSTRUŽNICA	de Manskalling Visit A# O	NONE	12 2 17/17/	14 D	_	
	de Marshalling Yard"A" - Open	nne junction "B" - Open	iine junction "K/K	ı" - Kesnik	<u> </u>	
BELGRADE MARSHALLING VARDA		NONE				
MARSHALLING YARD A	next to 1st track	14+080-14+240	arranged surface	160,00	0,55	4,00
RESNIK	between the 1st and 2nd track	14+080-14+240	platform	160,00	0,35	1,55
KESINIK	between the 1st and 2nd track	13+943-14+238	platform	295,00	0,55	6,20
	114 Ostružnica - Open line ju		1 1	273,00	0,55	0,20
OSTRUŽNICA	114 Osti uzinca - Opcii inie ju	NONE	anction 91X/IXI J			
	ade Marshalling Yard,,B" - Ope		n line junction A"	- (Resnik)		
113 Beigi	auc marshaning rarugo - Ope	i inic junction "ix - Opti	. The junction "A	(IXCOIIIX)		



		km position of the		1	Dimension	s c
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width
Service point	25000000	of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
BELGRADE	2	-	-		Ü	,
MARSHALLING YARD B		NONE				
	116 (Belgrade Marshalling Yar	rdB") - Open line junction	on "R" - Rakovica			
	next to 2nd track - right	8+460-8+786	platform	326,00	0,55	6,10
RAKOVICA	between the 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
141110 (1011	between the 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20
	117 Belgrade Marshalling Yar			220,00	0,00	0,20
BELGRADE	lit begrue massing in	<u> </u>				
MARSHALLING YARD A		NONE				
	next to 2nd track - right	8+460-8+786	platform	326,00	0,55	6,10
RAKOVICA	between the 3rd and 4th track	8+637-8+868	platform	231,00	0,55	6,10
	between the 5th and 6th track	8+545-8+865	platform	320,00	0,55	6,20
	118 Belgrade Marshalling Yar			,	,	-,
BELGRADE	110 Beigrade Warshaming Tur	•				
MARSHALLING YARD B		NONE				
	one of Open line junction "K/K1	": (Open line junction "E	B") - Open line junc	tion "K" -	Open line	junction
		K1" - (Jajinci)				
120 (Open line junction Pan	čevački most)-Open line junctio	n Karađorđev park-Open	line junction Dedir	ıje-(Open	line juncti	on "G")
	between the tracks (next to left Banat track)	1+123-1+215	platform	92,00	0,55	7,00
Karađorđev park	between the tracks					
	(next to right Banat track)	1+222-1+314	platform	92,00	0,55	7,00
	` '	Inđija - Golubinci			1	
	between the 1st and 2nd track	42+840-42+970	platform	130,00	0,40	1,60
INĐIJA	between the 2nd and 3rd track	42+783-42+928	platform	145,00	0,40	1,60
	between the 2nd and 3rd track	45+767,00-45+914,00	platform	147,00	0,35	1,60
GOLUBINCI	between the 3rd and 4th track	45+767,00-45+914,00	platform	147,00	0,35	1.60
	122 Novi Sad- Novi Sad Mars		1	117,00	0,55	1,00
	next to 11th track	77+836-77+950	platform	114,00	0,40	3,00
	between the 11th and 10th track	77+822-77+950	platform	128,00	0,40	3,72
	between the 10th and 1st track	77+835-77+887	platform	52,00	0,40	4,20
NOVI SAD	next to 1st track	77+835-78+250	platform	415,00	0,40	4,20-8,90
NO VIBILE	between the 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75
	between the 12thand 1st track	78+104-78+250	platform	146,00	0,40	8,90
	between the 14 <sup>th</sup> and 13 <sup>th</sup> track	78+104-78+249	platform	145,00	0,40	6,46
NOVI SAD	between the 14 that 13 track			145,00	0,40	0,40
MARSHALLING YARD		NONE				
	of Mala Krsna station: (Kolari) -	separation switch No1 -	separation switch N	028 - (Osi	naonica)	
120 by pass truck	124 Open line junction Lapovo			(051	puomeu)	
	next to right track	106+250-106+310	platform	60,00	0,35	1,60
Lapovo Varoš	next to left track	106+250-106+310	platform	60,00	0,35	1,60
LAPOVO MARSHALLING		NONE		,	,	-,00
YARD		1.0112				
	between the 2nd and 3rd track	109+560-109+680	platform	120,00	0,35	1,60
LAPOVO	between the 3 <sup>rd</sup> and 4 <sup>th</sup> track	109+560-109+680	platform	120,00	0,35	1,60
	next to 1st track	109+460-109+510	platform	50,00	0,35	1,60
		Marshalling Yard - Međ		- ,		, , , , ~ ~
mp	between the 2nd and 3rd track	234+893-234+994	platform	101,00	0,40	1,60
TRUPALE	between the 4th and 5th track	234+893-234+994	platform	101,00	0,40	1,60
NIŠ MARSHALLING	next to 1a. track	238+216-238+289	platform	73,00	0,40	2,20
YARD						
MEĐUROVO		NONE				
		rst - Niš Marshalling yard			1	T
CRVENI KRST	between the 2nd and 3rd track	240+842-240+994	platform	152,00	1,60	0,40
NIŠ MARSHALLING	next to 1a. track	238+216-238+289	platform	73,00	0,40	2,20
YARD	127 Nix Onen line i	otion Most (Nix Moreland	lling Vand			<u> </u>
	1	ction Most - (Niš Marshal		252.00	0.40	<b>5</b> 00
	next to 1st track	243+410-243+763	platform	353,00	0,40	5,80
NIŠ	between the 2nd and 3rd track	243+410-243+813	platform	403,00	0,40	8,00
	between the 4th and 5th track	243+410-243+771	platform	361,00	0,40	8,00
	between the 1b. and 1st track	243+643-243+763	platform	120,00	0,40	5,80



		km position of the		Г	Dimension	ıs		
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width		
point	200000	of platform	surface	(m)	(m)	(m)		
1	2	3	4	5	6	7		
	next to 1a. track	243+660-243+763	platform	103,00	0,40	1,60		
128 Connecting t	rack of Niš station: (Crveni Krst	) - separation switch No3	- separation switch	No4 - (Ćel	e Kula)			
	REGIONA	AL RAILWAY LINES						
	201 Subotica - Ho	orgoš - state border - (Rös	szke)					
	between the 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,05	1,70		
	between the 1st and 2nd track	176+414-176+487	platform	73,00	0,25	1,60		
SUBOTICA	between the 1st and 2nd track	176+487-176+838	arranged surface	351,00	0,05	1,70		
	between the 2nd and 3rd track	176+322-176+838	arranged surface	516,00	0,05	1,70		
	between the 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70		
JAVNA SKLADIŠTA	next to railway line - left	2+275-2+385	platform	110,00	0,55	3,00		
PALIĆ	next to 2 <sup>nd</sup> track (right)	7+575-7+685	platform	110,00	0,55	3,00		
	next to 4th track	7+575-7+685	platform	110,00	0,55	8,00		
Hajdukovo	next to railway line - right	12+002-12+112	platform	110,00	0,55	3,00		
BAČKI VINOGRADI	next to 2 <sup>nd</sup> track (right)	15+360-15+470	platform	110,00	0,55	3,00		
HORGOŠ	next to 2 <sup>nd</sup> track (right)	23+995-24+105	platform	110,00	0,55	4,00		
HORGOS	next to 5th track	23+995-24+105	platform	110,00	0,55	4,00		
	202 Pančevo Main St Zren		der - (Jimbolia)					
	between the 1st and 2nd track	15+913-16+033	platform	120	0,40	1,60		
PANČEVO MAIN	between the 1st and 2nd track	16+090-16+210	platform	120	0,40	1,60		
STATION	between the 2nd and 3rd track	15+913-16+210	platform	297	0,40	1,60		
	between the 3rd and 4th track	15+987-16+137	platform	150	0,40	1,60		
JABUKA		NONE						
KAČAREVO	between the 1st and 2nd track	26+784-26+834	platform	50	1,6	0,35		
CREPAJĄ		NONE						
DEBELJAČA		NONE						
KOVAČICA	between the 1st and 2nd track		NONE					
UZDIN		NONE						
TOMAŠEVAC	between the 1st and 2nd track	61+920-61+970	platform	50	1,6	0,35		
	between the 2nd and 3rd track	61+920-61+970	platform	50	1,6	0,35		
ORLOVAT STAJALIŠTE	between the 1st and 2nd track	64+025-64+075	platform	50	1,6	0,35		
LUKIĆEVO		NONE						
ZRENJANIN FABRIKA	next to 1st track	NONE 88+705-88+776	platform	71	1,3	0,55		
ZRENJANIN	between the 1st and 2nd track	88+703-88+770	NONE	/1	1,5	0,33		
ZKENJANIN	between the 2nd and 3rd track		NONE					
ELEMIR	between the 2nd and 3rd track	NONE	NONE					
MELENCI	between the 2nd and 3rd track	NONE	NONE					
KUMANE	between the 2nd and 3rd track	NONE	NONE					
NOVI BEČEJ		NONE						
BANATSKO MILOŠEVO								
POLJE		NONE						
	next to 1st track		NONE					
BANATSKO MILOŠEVO	between the 1st and 2nd track		NONE					
	between the 2nd and 3rd track		NONE					
Derić		NONE						
KIKINDA	next to 1st track	160+030-160+166	platform	136,00	0,19	3,30-4,40		
MIMINDA	between the 1st and 2nd track	160+064-160+190	arranged surface	126,00	0,00	1,50		
BANATSKO VELIKO		NONE						
SELO								
203 Belgrade Donji G	rad (km 7+041) – Belgrade Duna			RAFFIC SU	JSPENDI	ED		
	204 Topčider Putnička (km 4+							
		Miloševo - Senta - Subotio						
DANATORO MILOŠEVO	next to 1st track		NONE					
BANATSKO MILOŠEVO	between the 1st and 2nd track		NONE					
D- *	between the 2nd and 3rd track		NONE					
Bočar		MONT	NONE					
Bočar Ester	between the 2nd and 3rd track between the 1st and 2nd track	NONE	NONE					
	between the 2nd and 3rd track between the 1st and 2nd track between the 1st and 2nd track	NONE	NONE NONE					
Ester PADEJ	between the 2nd and 3rd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track	NONE	NONE NONE NONE					
Ester	between the 2nd and 3rd track between the 1st and 2nd track between the 1st and 2nd track	NONE	NONE NONE					



		km position of the	Dlatfarm/aman and	I	Dimensions	š	
Service point	Location	beginning and the end	Platform/arranged surface	Length	Height	Width	
		of platform	Surface	(m)	(m)	(m)	
1	2	3	4	5	6	7	
	between the 2nd and 3rd track	NONE					
	between the 3rd and 4th track	NONE					
SENTA	between the 1st and 2nd track	102+905-102+950	platform	45,00	0,17	1,90	
Gornji Breg	NONE						
Bogaraš		NONE					
Doline		NONE					
OROM		NONE					
Gabrić		NONE					
Bikovo		NONE					
	between the 1st and 2nd track	176+360-176+414	arranged surface	54,00	0,05	1,70	
	between the 1st and 2nd track	176+414-176+487	platform	73,00	0,25	1,60	
SUBOTICA	between the 1st and 2nd track	176+487-176+838	arranged surface	351,00	0,05	1,70	
	between the 2nd and 3rd track	176+322-176+838	arranged surface	516,00	0,05	1,70	
	between the 3rd and 4th track	176+335-176+573	arranged surface	238,00	0,05	1,70	

	206 Pančevo Varoš - O	pen line junction 2a - (	Ιαδνκα)				
	next to 1st track	18+131-18+223	station plateau	92,00	0,40	1,60	
PANČEVO VAROŠ	between the 1st and 2nd track	18+105-18+345	platform	240,00	0,40	1,60	
TIMOD O VIMOS	between the 2nd and 3rd track	18+100-18+364	platform	264.00	0.40	1,60	
		d- Odžaci - Bogojevo	pimuoiiii	20.,00	0,.0	1,00	
	next to 11th track	77+836-77+950	platform	114,00	0,40	3,00	
	between the 11th and 10th track	77+822-77+950	platform	128,00	0.40	3,72	
	between the 10th and 1st track	77+835-77+887	platform	52,00	0,40	4,20	
NOVI SAD	next to 1st track	77+835-78+250	platform	415,00	0,40	4,20-8,90	
	between the 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75	
	between the 12 <sup>th</sup> and 1 <sup>st</sup> track	78+104-78+250	platform	146,00	0,40	8,90	
	Between 14 <sup>th</sup> and 13 <sup>th</sup> track	78+104-78+249	platform	145,00	0,40	6,46	
Veternik		NONE		- 10,00	,	-,	
FUTOG		NONE					
PETROVAC - GLOŽAN		NONE					
Bački Maglić		NONE					
GAJDOBRA		NONE					
Parage		NONE					
RATKOVO		NONE					
ODŽACI		NONE					
Odžaci - Kalvarija		NONE					
KARAVUKOVO		NONE					
Bogojevo Selo		NONE					
BOGOJEVO		NONE					
	<b>3 (NOVI SAD) - Open line junction </b>			alište			
RIMSKI ŠANČEVI		NONE					
KAĆ		NONE					
Budisava		NONE					
ŠAJKAŠ		NONE					
Vilovo-Gardinovci		NONE					
Lok		NONE					
TITEL		NONE					
Donji Titel		NONE					
Knićanin		NONE					
PERLEZ		NONE					
FARKAŽDIN	1	NONE					
ORLOVAT		NONE		T			
ORLOVAT STAJALIŠTE	between the 1st and 2nd track	64+025-64+075	platform	50,00	1,6	0,35	
	larshalling yard separation switch N	No7 - Novi Sad Lokoter	etna - Open line ju	nction SAJI	LOVO		
NOVI		MONE					
SADMARSHALLING		NONE					
YARD	210 Owleans 1 O	line in the day of the	(faa)				
ORLOVAT	210 Oriovat - Open	line junction 1a - (Luki NONE					
	 1 Ruma - Šabac - Open line junction			Jorri)			
	between the 2nd and 3rd track	n Donja Borina - state i 64+733-64+973	`		0,35	1.60	
RUMA	between the 2nd and 3rd track	04+/33-04+9/3	platform	240,00	0,33	1,60	



		km position of the	1	Т	Dimensions	2
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width
Paris Paris		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
	between the 3rd and 4th track	64+733-64+973	platform	240,00	0,35	1,60
	between the 4th and 5th track	65+821-64+937	platform	116,00	0,35	1,60
BUÐANOVCI	between the 1st and 2nd track	11+324,00-11+355,00	platform	31,00	0,35	1,60
Nikinci	next to railway line - left	16+657,70-16+688,70	platform	31,00	0,35	1,60
PLATIČEVO	between the 1st and 2nd track	21+293,00-21+323,00	platform	30,00	0,35	1,60
Klenak	next to railway line - right	28+873,15-28+904,15	platform	31,00	0,35	1,60
ŠABAC	between the 1st and 2nd track	32+684,00-32+738,00	platform	54,00	0,40	1,00
Majur	next to railway line - left	3+975-4+025	platform	50,00	0,35	
ŠTITAR	between the 1st and 2nd track	7+713,70-7+735,70	platform	22,00	0,35	1,60
Dublje Mačvansko		NONE				
PETLOVAČA		NONE				
Ribari		NONE				
PRNJAVOR MAČVANSKI		NONE				
Podrinsko Novo Selo		NONE				
LEŠNICA	between the 1st and 2nd track	34+900,00-35+025,00	platform	125,00	2,40	0,55
Jadarska Straža	next to railway line - right	38+860,00-38+940,00	platform	80,00	0,35	1,60
Lipnica		NONE				
LOZNICA		NONE				
Loznica Fabrika		NONE	1			
KOVILJAČA	between the 1st and 2nd track	56+170,00-56+213,00	platform	43,00	0,35	1,60
Gornja Koviljača		NONE	T			
BRASINA	between the 2 <sup>nd</sup> and 3 <sup>rd</sup> track	65+212-65+354	platform	142,00	0,35	3,20
Donja Borina	next to railway line - right	68+650-68+750	platform	100,00	0,35	1,60
	212 (Platičevo) - Open line j		tion 3 - (Stitar)			
		ić - Kraljevo - Požega	1			
,	between the 2nd and 3rd track	176+222-176+425	platform	203,00	0,28	6,40
STALAĆ	between the 4th and 5th track	176+222-176+425	platform	203,00	0,28	6,40
	between the 6th and 7th track	176+270-176+378	platform	108,00	0,28	5,30
Mrzenica	right side	3+868-3+910	platform	42,00	0,35	2,00
Makrešane		NONE				
DEDINA		NONE				
KRUŠEVAC	between the 2nd and 3rd track	14+451-14+626	platform	175,00	0,35	2,84
	between the 3 <sup>rd</sup> and 4 <sup>th</sup> track	14+490,3-14+610,3	platform	120,00	0,35	1,60
Čitluk		NONE				
KOŠEVI		NONE				
Globoder		NONE				
STOPANJA		NONE				
Donja Počekovina		NONE				
POČEKOVINA		NONE				
Trstenički Odžaci	hotrygon the 2ml 12ml to 1	NONE 42+400-42+500	mlotf	102.00	0.25	1.00
TRSTENIK	between the 2nd and 3rd track		platform	102,00	0,35	1,80
VRNJAČKA BANJA	between the 2nd and 3rd track	49+136-49+241	platform	105,00	0,35	1,60
Lipova Tominac		NONE NONE				
PODUNAVCI		NONE				
Vraneši		NONE NONE				
Vranesi		NONE				
RATINA		NONE				
Sirča	left side	68+880,70-68+940,40	platform	59,70	0,35	1,60
Silva	between the 1st and 2nd track			133		
KRALJEVO	between the 1st and 2nd track	84+641,9-84+774,9 84+644,4-84+773	platform platform	128,6	0,30	1,60 1,60
ADRANI	between the 2nd and 3rd track	78+622,20-78+657,20	platform	35,00	0,30	1,60
Mrsać	left side	81+513-81+553	platform	40,00	0,33	0,50
SAMAILA	ieit side	NONE	piatioilli	40,00	0,33	0,30
Goričani	left side	88+610-88+658	platform	18 00	0.27	1.00
MRŠINCI	between the 2nd and 3rd track	92+241-92+279	-	48.00	0.37	1,00 1,00
Kukići	between the 2nd and 3rd track	92+241-92+279 NONE	platform	38.00	0.35	1,00
ZABLAĆE		NONE				
Baluga		NONE				
Daiuga	left from 1st track	105+500-105+590	platform	90,00	0,44	6,50
ČAČAK	between the 1st and 2nd track	105+494-105+628	platform	134,00	0,37	1,60
CACAK	between the 2nd and 3rd track	105+494-105+615	platform	121,00	0,37	1,60
	between the 2nd and 5rd track	105+454-105+015	piauomi	141,00	0,38	1,00



Service point		1	1 11 01	<u> </u>		· ·	
1	Ci	I4:	km position of the	Platform/arranged			
Titustani	Service point	Location			-		
PRIEVOR	1	2		4		<b>-</b> ` ′ -	_ ` /
PRILEVOR	T.1:	_	•				
OVČAR BANJA				•			
Debug	PRIJEVOR			•			
Delen Do	OVČAR BANJA						
DRAGAČEVO   Between the 2nd and 3rd track   128+295+128+405   platform   110,00   0,40   1,5							
Borseko		, ,		•			1,60
Boracko		between the 2nd and 3rd track		platform	110,00	0,40	1,60
POZEGA							
Polyterial   Petween the 2nd and 3rd track   140+675-140-984   platform   309,00   0,45   6.2	Boračko				277.00	1 0 1 7 1	10.00
Detween the 2nd and 3rd track   140+075-140+984   platform   3090.00   0.45	POŽEGA			-			10,00
215 connecting track of Poégas station; (Uziéo) - separation switch No53 - separation switch No54 - (Dragačevo)							6,20
SMEDEREVO							ni)
SMEDEREVO	215 connecting tr				054 - (Dra	gačevo)	
SMEDEREVO						1	
Detween the 2nd and 3rd track   0+000-0+105   platform   105,00   0,40   1,6	SMEDEREVO	between the 1st and 2nd track		platform			1,60
RADINAC		between the 2nd and 3rd track		platform		,	1,60
National   Service   Ser	Godomin	•				,	1,60
Name	RADINAC		6+650-6+800	platform	150,00		2,20
MALA KRSNA	RADINAC	between the 2nd and 3rd track	6+650-6+800				6,20
MALA KRSNA	Vranovo	next to railway line - left	9+475-9+537	platform	62,00	0,40	1,90
Detween the 3rd and 4th track   69+042-69+184   platform   142,00   0,40   1,9		between the 1st and 2nd track	69+030-69+175	platform	145,00	0,40	1,90
between the 4th and 5th track   69+032-69+184   platform   142,00   0,40   1,9	MALA EDGNIA	between the 2nd and 3rd track	69+030-69+175	platform	145,00	0,40	1,9
between the 4th and 5th track	MALA KRSNA	between the 3rd and 4th track	69+042-69+184	platform	142,00	0,40	1,90
MALA KRSNA		between the 4th and 5th track	69+080-69+230	platform			1,90
Detween the 1st and 2nd track						-,	
between the 1st and 2nd track   69+030-69+175   platform   145,00   0,40   1,9							
Detween the 2nd and 3rd track   69+030-69+175   platform   145,00   0,40   1,9					145.00	0.40	1,90
between the 3rd and 4th track   69+042-69+184   platform   142,00   0,40   1,9					,		1,90
Detween the 4th and 5th track	MALA KRSNA						1,90
Ljubičevski most   between the 1st and 2nd track   87+703-87+826   platform   123,00   0,40   1,8							
POŽAREVAC	L juhičevski most	between the 4th and 5th track		piationii	130,00	0,40	1,70
Detween the 2nd and 3rd track   S7+712-87+816   platform   104,00   0,40   1,6		between the 1st and 2nd track		nlatform	123.00	0.40	1.80
Jugovićevo   next to track - left   89+078-89+094   platform   16,00   0,50   1,0	POŽAREVAC			•			
Sopot Požarevački   next to track -right   90+082-90+107   platform   24,00   0,40   1,6	Jugovićevo						
BUBUŜINAC-BRATINAC   Bare - Kasidol   STIG   between the 1st and 2nd track   102+693-102+764   platform   71,00   0,40   1,6   Majilovac   SIRAKOVO   between the 1st and 2nd track   109+026-109+079   platform   53,00   0,40   1,6   Češljeva Bara   next to railway line - left   122+138-122+200   platform   63,00   0,40   1,6   RABROVO-KLENJE   between the 1st and 2nd track   116+381-116+444   platform   62,00   0,40   1,6   RABROVO-KLENJE   between the 1st and 2nd track   126+007-126+067   platform   60,00   0,40   1,6   Mustapić   NONE   Mišljenovac   NONE   NONE   Kučevska Turija   NONE   Kučevska Turija   NONE   Kučevska Turija   NONE							
Bare - Kasidol   STIG   between the 1st and 2nd track   102+693-102+764   platform   71,00   0,40   1,6		next to track -right		piationii	24,00	0,40	1,00
STIG							
Majilovac   SIRAKOVO   between the 1st and 2nd track   109+026-109+079   platform   53,00   0,40   1,6		hatryaan tha 1st and 2nd track		mlotform.	71.00	0.40	1.60
SIRÁKOVO   between the 1st and 2nd track   109+026-109+079   platform   53,00   0,40   1,6		between the 1st and 2nd track		piationii	71,00	0,40	1,00
LJUBINJE   between the 1st and 2nd track   116+381-116+444   platform   63,00   0,40   1,6		hatryaan tha 1st and 2nd track		mlotform.	52.00	0.40	1.60
Češljeva Bara         next to railway line - left         122+138-122+200         platform         62,00         0,40         1,6           RABROVO-KLENJE         between the 1st and 2nd track         126+007-126+067         platform         60,00         0,40         1,6           Mustapić         NONE         NONE           Mišljenovac         NONE         NONE           Kučevska Turija         NONE         NONE           Kučevod         NONE         NONE           Neresnica         NONE         NONE           Neresnica (tov.)         NONE         NONE           Voluja         NONE         NONE           BRODICA         between the 2nd and 3rd track         164+515-164+576         platform         61,00         0,40         1,6           Bosiljkovac         NONE				•			,
RABROVO-KLENJE         between the 1st and 2nd track         126+007-126+067         platform         60,00         0,40         1,6           Mustapić         NONE				•			
Mustapić         NONE           Mišljenovac         NONE           ZVIŽD         NONE           Kučevska Turija         NONE           KAONA         NONE           KUČEVO         NONE           Neresnica (tov.)         NONE           Voluja         NONE           BRODICA         between the 2nd and 3rd track         164+515-164+576         platform         61,00         0,40         1,6           Bosiljkovac         NONE           Blagojev Kamen         NONE           MAJDANPEK         between the 2nd and 3rd track         178+769-178+920         platform         151,00         0,35         1,6           Debeli Lug         next to railway line - left         181+300-181+318         platform         18,00         0,35         1,6           LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6				1			1,60
Mišljenovac		between the 1st and 2nd track		piatiorm	00,00	0,40	1,60
NONE							
NONE							
NONE							
KUČEVO         NONE           Neresnica         NONE           Neresnica (tov.)         NONE           Voluja         NONE           BRODICA         between the 2nd and 3rd track         164+515-164+576         platform         61,00         0,40         1,6           Bosiljkovac         NONE           Blagojev Kamen         NONE           MAJDANPEK         between the 2nd and 3rd track         178+769-178+920         platform         151,00         0,35         1,6           Debeli Lug         next to railway line - left         181+300-181+318         platform         18,00         0,35         1,6           LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6							
Neresnica   NONE							
None							
Voluja         NONE           BRODICA         between the 2nd and 3rd track         164+515-164+576         platform         61,00         0,40         1,6           Bosiljkovac         NONE           Blagojev Kamen         NONE           MAJDANPEK         between the 2nd and 3rd track         178+769-178+920         platform         151,00         0,35         1,6           Debeli Lug         next to railway line - left         181+300-181+318         platform         18,00         0,35         1,6           LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6							
BRODICA         between the 2nd and 3rd track         164+515-164+576         platform         61,00         0,40         1,6           Bosiljkovac         Blagojev Kamen         NONE           MAJDANPEK         between the 2nd and 3rd track         178+769-178+920         platform         151,00         0,35         1,6           Debeli Lug         next to railway line - left         181+300-181+318         platform         18,00         0,35         1,6           LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6							
Bosiljkovac         NONE           Blagojev Kamen         NONE           MAJDANPEK         between the 2nd and 3rd track         178+769-178+920         platform         151,00         0,35         1,6           Debeli Lug         next to railway line - left         181+300-181+318         platform         18,00         0,35         1,6           LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6							
Blagojev Kamen         NONE           MAJDANPEK         between the 2nd and 3rd track         178+769-178+920         platform         151,00         0,35         1,6           Debeli Lug         next to railway line - left         181+300-181+318         platform         18,00         0,35         1,6           LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6		between the 2nd and 3rd track		platform	61,00	0,40	1,60
MAJDANPEK         between the 2nd and 3rd track         178+769-178+920         platform         151,00         0,35         1,6           Debeli Lug         next to railway line - left         181+300-181+318         platform         18,00         0,35         1,6           LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6							
Debeli Lug         next to railway line - left         181+300-181+318         platform         18,00         0,35         1,6           LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6				,			
LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6		between the 2nd and 3rd track					1,60
LESKOVO         between the 2nd and 3rd track         187+660-187+722         platform         62,00         0,35         1,6           Jasikovo         next to railway line - left         191+810-191+890         arranged surface         80,00         0,09         1,6           Vlaole Selo         next to railway line - right         194+740-194+780         arranged surface         40,00         0,20         1,6	Debeli Lug	next to railway line - left	181+300-181+318			0,35	1,60
Vlaole Selo next to railway line - right 194+740-194+780 arranged surface 40,00 0,20 1,6			187+660-187+722	platform	62,00	0,35	1,60
Vlaole Selo next to railway line - right 194+740-194+780 arranged surface 40,00 0,20 1,6	Jasikovo	next to railway line - left		•			1,60
							1,60
VEROLE DEIWEEH HIE ZHU AHU JIU HACK   17/+103-17/+224   DIAHOHH   01,00   0.33   1.0	VLAOLE	between the 2nd and 3rd track	197+163-197+224	platform	61,00	0,35	1,60
							1,60



		km position of the		I	Dimensions	<u> </u>
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width
•		of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
CEROVO		NONE				
Kriveljski most	next to railway line - right	207+905-207+995	arranged surface	90,00	0,35	1,60
Kriveljski potok	next to railway line - left	211+873-211+913	arranged surface	40,00	0,35	1,60
MALI KRIVELJ	between the 1st and 2nd track	215+171-215+206	platform	35,00	0,35	1,60
Brezonik	next to railway line - left	217+490-217+540	platform	50,00	0,35	1,60
BOR	next to 1st track	221+369-221+452	platform	83,00	0,35	8,00
	between the 2nd and 3rd track	221+352-221+452	platform	100,00	0,35	1,60
BOR FREIGHT STATION	between the 2nd and 3rd track	224+320-224+375	platform	55,00	0,35	1,60
BORSKA SLATINA		NONE				
ZAGRAĐE		NONE		00.00	0.25	1.60
RGOTINA	between the 1st and 2nd track	244+658-244+738	platform	80,00	0,35	1,60
CDI IEI II II DOM		rst - Zaječar – Prahovo Pr		1.50.00	0.40	1.60
CRVENI KRST	between the 2nd and 3rd track	240+842-240+994	platform	152,00	0,40	1,60
Pantelej	next to railway line - left	7+455-7+507	platform	52,00	0,35	1,60
MATEJEVAC	between the 1st and 2nd track	12+370-12+395	platform	25,00	0,35	1,50
Gornja Vrežina		NONE				
Jasenovik	h-t	NONE		50.00	0.25	1.60
GRAMADA Hadžićevo	between the 1st and 2nd track	30+232-30+282 NONE	platform	50,00	0,35	1,60
SVRLJIG	between the 1st and 2nd track	39+925-40+075	platform	150,00	0.25	1,60
Niševac	next to railway line - right		1		0,35	
PALILULA		46+002-46+018	platform	16,00	0,35	1,60
Svrljiški Miljkovac	between the 1st and 2nd track	49+320-49+355 NONE	platform	35,00	0,35	1,60
PODVIS	between the 1st and 2nd track	60+853-60+903	platform	50,00	0,35	1,60
	between the 1st and 2nd track	NONE		30,00	0,33	1,00
Rgošte KNJAŽEVAC	between the 1st and 2nd track	68+338-68+392	platform	54,00	0,35	1,60
Gornje Zuniče	next to railway line - right	72+080-72+142	platform	62,00	0,35	1,60
Donje Zuniče	next to railway line - right	74+988-75+076	platform	88,00	0,35	1,60
MINIĆEVO	between the 1st and 2nd track	81+830-81+930	platform	100,00	0,35	1,60
WIINICEVO	between the 2nd and 3rd track	81+930-81+975	platform	45,00	0,35	1,60
Selačka Reka	next to railway line - right	84+450-84+500	arranged surface	50,00	0,35	1,60
Mali Izvor	next to railway line - right	88+180-88+230	platform	50,00	0,35	1,60
Vratarnica	between the 1st and 2nd track	96+048-96+098	platform	50,00	0,35	1,60
GRLJAN	between the 1st and 2nd track	102+955-103+105	platform	150,00	0,35	1,60
Timok	next to railway line - left	107+320-107+380	arranged surface	60,00	0,35	1,60
	between the 1st and 2nd track	111+622-111+820	platform	198,00	0,35	1,60
ZAJEČAR	between the 2nd and 3rd track	111+662-111+815	platform	153,00	0,35	1,60
	between the 3rd and 4th track	111+651-111+803	platform	152,00	0,35	1,60
VRAŽOGRNAC	between the 1st and 2nd track	118+760-118+910	platform	150,00	0,35	1,60
TRNAVAC	between the 1st and 2nd track	124+593-124+668	platform	75,00	0,35	1,60
Čokonjar	next to railway line - left	128+500-128+550	platform	50,00	0,35	1,60
Sokolovica	next to railway line - right	131+100-131+125	platform	25,00	0,35	1,60
TABAKOVAC	between the 1st and 2nd track	136+170-136+223	platform	53,00	0,35	1,60
Tabakovačka reka	next to railway line - right	138+740-138+790	platform	50,00	0,35	1,60
BRUSNIK	between the 1st and 2nd track	145+616-145+696	platform	80,00	0,35	1,60
Tamnič	next to railway line - right	148+420-148+480	platform	60,00	0,35	1,60
Crnomasnica	next to railway line - right	151+323-151+364	platform	41,00	0,35	1,60
Rajac	next to railway line - right	154+430-154+505	platform	75,00	0,35	1,60
ROGLJEVO	between the 1st and 2nd track	156+795-156+875	platform	80,00	0,35	1,60
Veljkovo		NONE				
Mokranja		NONE				
Kobišnica		NONE				
NEGOTIN	between the 2nd and 3rd track	174+049-174+199	platform	150,00	0,35	1,60
PRAHOVO	between the 2nd and 3rd track	181+974-182+054	platform	80,00	0,35	1,60
PRAHOVO PRISTANIŠTE		NONE				
	220 (Rgotina) - Open line juncti					
	221 (Barlovo) - Ope	n line junction "1" - Kur	šumlija			
KURŠUMLIJA		NONE				
RORDOWEISH						
	222 Kı	uršumlija - Kastrat				
KURŠUMLIJA		NONE				
				108	0,40	1,60



		km position of the		Т	Dimensions	7
Service point	Location	beginning and the end	Platform/arranged	Length	Height	Width
Service point	Location	of platform	surface		(m)	
1	2	3	4	(m) 5	6	(m) 7
1	between the 2nd and 3rd track	261+419-261+526	platform	107	0,40	1,60
Šajinovac	between the 2nd and 3rd track	NONE	piationii	107	0,40	1,00
Toplički Badnjevac	-	NONE				
Jasenica Jasenica		NONE				
ŽITORAĐA		NONE				
Žitorađa Centar	next to railway line - left	10+925-10+977	platform	52,00	0,40	1,60
Rečica	liext to failway fine - left	NONE	piationii	32,00	0,40	1,00
Lukomir		NONE				
Podina		NONE				
Babin Potok	next to railway line - right	18+726-18+774	platform	48,00	0,40	1,60
PROKUPLJE	between the 1st and 2nd track	22+257-22+370	platform	113,00	0,40	1,60
Gornja Draganja	next to railway line - left	24+990-25+027	platform	37,00	0,40	1,60
Toplička Mala Plana	liext to failway fille - left	NONE	piationii	37,00	0,40	1,00
Bresničići		NONE				
		NONE				
BELOLJIN Tarilian Milan						
Toplica Milan Pločnik		NONE				
Plocnik Barlovo		NONE				
Novoselske Livade		NONE NONE				
Pepeljevac		NONE				
Rasputnica Kastrat		NONE				
Visoka		NONE				
Ljuša		NONE				
Rudare		NONE				
Dešiška Kosanička Pača		NONE				
KOSANIČKA RAČA		NONE				
Kosanica		NONE				
Kosančić Ivan		NONE				
Vasiljevac		NONE				
Merdare		NONE				
		Polje - Metohija – Peć**	D • \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
		t - Open line junction 1 - (	Drenica) ***			
		Vrbas - Sombor	1 0	40.00	0.27	1 10
VRBAS	between the 2nd and 3rd track	116+702-116+770,3	platform	68,00	0,35	1,40
	between the 3rd and 4th track	116+702-116+770,3	platform	68,00	0,35	1,40
KULA	between the 2nd and 3rd track	47+626-47+667	platform	41,00	0,25	1,52
CRVENKA	between the 1st and 2nd track	54+956-54+986	platform	30,00		
SIVAC				30,00	0,15	1,56
		NONE		30,00	0,15	1,56
Novi Sivac		NONE				
Novi Sivac KLJAJIĆEVO	between the 1st and 2nd track	NONE 75+417-75+456	platform	39,00	0,15	1,38
Novi Sivac	between the 1st and 2nd track	NONE 75+417-75+456 79+692-79+722	platform	39,00 30,00	0,15 0,15	1,38 1,31
Novi Sivac KLJAJIĆEVO	between the 1st and 2nd track between the 1st and 2nd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477	platform platform	39,00 30,00 60,00	0,15 0,15 0,31	1,38 1,31 1,61
Novi Sivac KLJAJIĆEVO	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612	platform platform arranged surface	39,00 30,00 60,00 28,00	0,15 0,15 0,31 0,05	1,38 1,31 1,61 1,50
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477	platform platform	39,00 30,00 60,00	0,15 0,15 0,31	1,38 1,31 1,61
Novi Sivac KLJAJIĆEVO	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612	platform platform arranged surface	39,00 30,00 60,00 28,00	0,15 0,15 0,31 0,05	1,38 1,31 1,61 1,50
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823	platform platform arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00	0,15 0,15 0,31 0,05 0,05	1,38 1,31 1,61 1,50 1,50
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477	platform platform arranged surface arranged surface platform	39,00 30,00 60,00 28,00 150,00 60,00	0,15 0,15 0,31 0,05 0,05 0,05	1,38 1,31 1,61 1,50 1,50 1,61
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612	platform platform arranged surface arranged surface platform arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00	0,15 0,15 0,31 0,05 0,05 0,05 0,38 0,05	1,38 1,31 1,61 1,50 1,50 1,61 1,50
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612	platform platform arranged surface arranged surface platform arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00	0,15 0,15 0,31 0,05 0,05 0,05 0,38 0,05	1,38 1,31 1,61 1,50 1,50 1,61 1,50
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  RAILWAY LINES	platform platform arranged surface arranged surface platform arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00	0,15 0,15 0,31 0,05 0,05 0,05 0,38 0,05	1,38 1,31 1,61 1,50 1,50 1,61 1,50
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  L RAILWAY LINES 1 - RAILWAY LINE IS O	platform platform arranged surface arranged surface platform arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00	0,15 0,15 0,31 0,05 0,05 0,05 0,38 0,05	1,38 1,31 1,61 1,50 1,50 1,61 1,50
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  L RAILWAY LINES 1 - RAILWAY LINE IS Office - Subotice Bolnice	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00 117,00	0,15 0,15 0,31 0,05 0,05 0,38 0,05 0,05	1,38 1,31 1,61 1,50 1,50 1,61 1,50 1,50
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti between the 1st and 2nd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  RAILWAY LINES 1 - RAILWAY LINE IS Ofice - Subotice Bolnice 176+360-176+414	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00 117,00	0,15 0,15 0,31 0,05 0,05 0,05 0,05 0,05 0,05	1,38 1,31 1,61 1,50 1,50 1,61 1,50 1,50
Novi Sivac KLJAJIĆEVO Čonoplja SOMBOR	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti between the 1st and 2nd track between the 1st and 2nd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  RAILWAY LINES 1 - RAILWAY LINE IS Ofica - Subotica Bolnica 176+360-176+414 176+414-176+487	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 28,00 117,00 54,00 73,00	0,15 0,15 0,31 0,05 0,05 0,05 0,05 0,05 0,05	1,38 1,31 1,61 1,50 1,50 1,61 1,50 1,50
Novi Sivac KLJAJIĆEVO Čonoplja	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  RAILWAY LINES 1 - RAILWAY LINE IS Ofica - Subotica Bolnica 176+360-176+414 176+414-176+487 176+487-176+838	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface platform arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00 117,00 54,00 73,00 351,00	0,15 0,15 0,31 0,05 0,05 0,05 0,05 0,05 0,05	1,38 1,31 1,61 1,50 1,50 1,61 1,50 1,50 1,70
Novi Sivac KLJAJIĆEVO Čonoplja SOMBOR	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  RAILWAY LINES 1 - RAILWAY LINE IS O ica - Subotica Bolnica 176+360-176+414 176+414-176+487 176+487-176+838 176+322-176+838	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface platform arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00 117,00 54,00 73,00 351,00 516,00	0,15 0,15 0,31 0,05 0,05 0,05 0,05 0,05 0,05 0,05 0,0	1,38 1,31 1,61 1,50 1,50 1,61 1,50 1,50 1,70 1,60 1,70 1,70
Novi Sivac KLJAJIĆEVO Čonoplja SOMBOR	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  RAILWAY LINES A - RAILWAY LINE IS O ica - Subotica Bolnica 176+360-176+414 176+414-176+487 176+487-176+838 176+322-176+838 176+335-176+573	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00 117,00 54,00 73,00 351,00	0,15 0,15 0,31 0,05 0,05 0,05 0,05 0,05 0,05	1,38 1,31 1,61 1,50 1,50 1,61 1,50 1,50 1,70
Novi Sivac KLJAJIĆEVO Čonoplja SOMBOR	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 3rd and 4th track 303 Novi Sad(km	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  RAILWAY LINES A - RAILWAY LINE IS O ica - Subotica Bolnica 176+360-176+414 176+414-176+487 176+487-176+838 176+322-176+838 176+335-176+573 1+042) - Novi Sad Ložion	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00 117,00 54,00 73,00 351,00 516,00 238,00	0,15 0,15 0,31 0,05 0,05 0,05 0,05 0,05 0,05 0,05 0,0	1,38 1,31 1,61 1,50 1,50 1,50 1,50 1,50 1,70 1,70 1,70 1,70
Novi Sivac KLJAJIĆEVO Čonoplja  SOMBOR  SUBOTICA	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  303 Novi Sad(km next to 11th track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  **PRAILWAY LINES** **A - RAILWAY LINE IS Of ica - Subotica Bolnica 176+360-176+414 176+414-176+487 176+487-176+838 176+322-176+838 176+335-176+573 1+042) - Novi Sad Ložion 77+836-77+950	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00 117,00 54,00 73,00 351,00 516,00 238,00	0,15 0,15 0,31 0,05 0,05 0,05 0,05 0,05 0,05 0,05 0,0	1,38 1,31 1,61 1,50 1,50 1,61 1,50 1,50 1,70 1,60 1,70 1,70
Novi Sivac KLJAJIĆEVO Čonoplja SOMBOR	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 3rd and 4th track between the 3rd and 4th track between the 3rd and 4th track between the 11th and 10th	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  RAILWAY LINES A - RAILWAY LINE IS O ica - Subotica Bolnica 176+360-176+414 176+414-176+487 176+487-176+838 176+322-176+838 176+335-176+573 1+042) - Novi Sad Ložion	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00 117,00 54,00 73,00 351,00 516,00 238,00	0,15 0,15 0,31 0,05 0,05 0,05 0,05 0,05 0,05 0,05 0,0	1,38 1,31 1,61 1,50 1,50 1,50 1,50 1,50 1,70 1,70 1,70 1,70
Novi Sivac KLJAJIĆEVO Čonoplja  SOMBOR  SUBOTICA	between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  LOCAI 301 Subotica - Subotica Fabrika 302 Suboti between the 1st and 2nd track between the 1st and 2nd track between the 1st and 2nd track between the 2nd and 3rd track between the 2nd and 3rd track between the 3rd and 4th track  303 Novi Sad(km next to 11th track	NONE 75+417-75+456 79+692-79+722 73+417-73+477 73+584-73+612 73+673-73+823 73+417-73+477 73+584-73+612 73+584-73+701  **PRAILWAY LINES** **A - RAILWAY LINE IS Of ica - Subotica Bolnica 176+360-176+414 176+414-176+487 176+487-176+838 176+322-176+838 176+335-176+573 1+042) - Novi Sad Ložion 77+836-77+950	platform platform arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface platform arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface arranged surface	39,00 30,00 60,00 28,00 150,00 60,00 28,00 117,00 54,00 73,00 351,00 516,00 238,00	0,15 0,15 0,31 0,05 0,05 0,05 0,05 0,05 0,05 0,05 0,0	1,38 1,31 1,61 1,50 1,50 1,61 1,50 1,50 1,70 1,60 1,70 1,70 1,70 1,70 1,70 1,70 1,70



		1 '4' C41	1	т	N:::	
Service point	Location	km position of the beginning and the end	Platform/arranged	Length	Dimension Height	Width
Service point	Location	of platform	surface	(m)	(m)	(m)
1	2	3	4	5	6	7
1	next to 1st track	77+835-78+250	platform	415,00	0,40	4,20-8,90
	between the 2nd and 4th track	77+843-78+181	platform	338,00	0,40	8,75
	између 12. и 1. колосека	78+104-78+250	platform	146,00	0,40	8,90
	између 14. и 13. колосека	78+104-78+249	platform	145,00	0,40	6,46
	304 Podbara - Open line jun			143,00	0,40	0,40
30	5 (Rimski Šančevi) - Open line ju			ra)		
20	306 Ri	mski Šančevi- Bečej	(1 0000	14)		
RIMSKI ŠANČEVI	500 141	NONE				
Bački Jarak		NONE				
TEMERIN		NONE				
GOSPOÐINCI		NONE				
ŽABALJ		NONE				
ČURUG		NONE				
Bačko Gradište		NONE				
Bečej predgrađe		NONE				
BEČEJ		NONE				
	308 (Brasina) - Open line		Zvornik Grad			
ZVORNIK GRAD		NONE				
	309 Pančevo	Varoš - Pančevo Vojlovica	l			
	next to 1st track	18+131-18+223	station plateau	92,00	0,40	1,60
PANČEVO VAROŠ	between the 1st and 2nd track	18+105-18+345	platform	240,00	0,40	1.60
	between the 2nd and 3rd track	18+100-18+364	platform	264,00	0,40	1,60
Pančevo Strelište	next to railway line - left	1+290-1+400	platform	110,00	0,40	1,60
	between the 3rd and 4th track	2+632-2+852	platform	220,00	0,40	1,60
PANČEVO VOJLOVICA	next to 4th track	2+645-2+965	platform	220,00	0,40	1,60
310 Connectin	ng track of Senta station: (Čoka)					,
		lajnac – Despotovac – (Ro			- /	
	between the 2nd and 3rd track	100+400-100+450	platform	50	0.4	1.6
MARKOVAC	between the 3rd and 4th track	100+350-100+452	platform	102	0.4	1.6
	between the 4th and 5th track	100+350-100+448	platform	92	0.4	1.6
		etohija - Prizren**	F		-	
		ršac – Bela Crkva				
	between the 1st and 2nd track	82+807,5-82+902,5	platform	95,00	0,40	1,60
VRŠAC	between the 2nd and 3rd track	82+807,5-82+902,5	platform	95,00	0,40	1,60
Potporanj	between the 2nd and 3rd track	NONE	piationii	73,00	0,40	1,00
Straža		NONE				
JASENOVO		NONE				
Crvena Crkva		NONE				
DEL 1 CDIVII	between the 1st and 2nd					1,60
BELA CRKVA	track	119+052-119+082	platform	30,00	0,30	1,00
		UNTING LINES				
		ac - Vršac Vašarište	,		I	T
VRŠAC	between the 1st and 2nd track	82+807,5-82+902,5	platform	95,00	0,40	1,60
VIOITC	between the 2nd and 3rd track	82+807,5-87+902,5	platform	95,00	0,40	1,60
	402 Kikinda – Metano	lsko sirćetni kompleks (k				
			1	126 00	0.19	3,30-4,40
KIKINDA	next to 1st track	160+030-160+166	platform	136,00	,	
KIKINDA	between the 1st and 2nd track	160+064-160+190	arranged surface	126,00	0,00	1,50
KIKINDA	between the 1st and 2nd track 403 Bogojevo – Dunavs	160+064-160+190 ka Obala – TRAFFIC SU	arranged surface SPENDED		,	1,50
KIKINDA	between the 1st and 2nd track 403 Bogojevo – Dunavs 404 Paraćin – Stari P	160+064-160+190 ka Obala – TRAFFIC SUspopovac - TRAFFIC SUSP	arranged surface SPENDED		,	1,50
	between the 1st and 2nd track 403 Bogojevo – Dunavs 404 Paraćin – Stari P	160+064-160+190 ka Obala – TRAFFIC SU opovac - TRAFFIC SUSP in – Jakovo-Bečmen	arranged surface SPENDED ENDED		,	1,50
KIKINDA SURČIN	between the 1st and 2nd track 403 Bogojevo – Dunavs 404 Paraćin – Stari P 405 Surce	160+064-160+190 ka Obala – TRAFFIC SUs opovac - TRAFFIC SUSP śin – Jakovo-Bečmen NONE	arranged surface SPENDED ENDED		,	1,50
	between the 1st and 2nd track 403 Bogojevo – Dunavs 404 Paraćin – Stari P 405 Surd 406 Šid- Sremska Rad	160+064-160+190 ka Obala – TRAFFIC SUspopovac - TRAFFIC SUSP in – Jakovo-Bečmen NONE a Nova - state border - (I	arranged surface SPENDED ENDED  Bijeljina)	126,00	,	
SURČIN	between the 1st and 2nd track  403 Bogojevo – Dunavs  404 Paraćin – Stari P  405 Surd  406 Šid- Sremska Rad  between the 1st and 2nd track	160+064-160+190 ka Obala – TRAFFIC SUspopovac - TRAFFIC SUSP in – Jakovo-Bečmen NONE Nova - state border - (I	arranged surface SPENDED ENDED  Bijeljina) arranged surface	126,00	0,00	2,50
	between the 1st and 2nd track 403 Bogojevo – Dunavs 404 Paraćin – Stari P 405 Surd 406 Šid- Sremska Rad	160+064-160+190 ka Obala – TRAFFIC SUspopovac - TRAFFIC SUSP in – Jakovo-Bečmen NONE a Nova - state border - (I	arranged surface SPENDED ENDED  Bijeljina)	126,00	0,00	
SURČIN	between the 1st and 2nd track  403 Bogojevo – Dunavs  404 Paraćin – Stari P  405 Surd  406 Šid- Sremska Rad  between the 1st and 2nd track	160+064-160+190 ka Obala – TRAFFIC SUspopovac - TRAFFIC SUSP in – Jakovo-Bečmen NONE Nova - state border - (I	arranged surface SPENDED ENDED  Bijeljina) arranged surface	126,00	0,00	2,50
SURČIN	between the 1st and 2nd track  403 Bogojevo – Dunavs  404 Paraćin – Stari P  405 Suro  406 Šid- Sremska Rac  between the 1st and 2nd track between the 2nd and 3rd track	160+064-160+190 ka Obala – TRAFFIC SUSP opovac - TRAFFIC SUSP čin – Jakovo-Bečmen NONE ča Nova - state border - (F 116+300-116+490 116+300-116+665	arranged surface SPENDED ENDED  Bijeljina) arranged surface platform.	190,00 365,00	0,00 0,10 0,45	2,50 1,60
SURČIN ŠID	between the 1st and 2nd track  403 Bogojevo – Dunavs  404 Paraćin – Stari P  405 Suro  406 Šid- Sremska Rac  between the 1st and 2nd track between the 2nd and 3rd track	160+064-160+190 ka Obala – TRAFFIC SUSP opovac - TRAFFIC SUSP čin – Jakovo-Bečmen NONE ča Nova - state border - (F 116+300-116+490 116+300-116+665 116+300-116+677	arranged surface SPENDED ENDED  Bijeljina) arranged surface platform.	190,00 365,00	0,00 0,10 0,45	2,50 1,60
SURČIN ŠID Adaševci	between the 1st and 2nd track  403 Bogojevo – Dunavs  404 Paraćin – Stari P  405 Suro  406 Šid- Sremska Rac  between the 1st and 2nd track between the 2nd and 3rd track between the 3rd and 4th track	160+064-160+190 ka Obala – TRAFFIC SUSP opovac - TRAFFIC SUSP čin – Jakovo-Bečmen NONE ča Nova - state border - (F 116+300-116+490 116+300-116+665 116+300-116+677 NONE	arranged surface SPENDED ENDED  Bijeljina) arranged surface platform. platform	190,00 365,00 377,00	0,00 0,10 0,45 0,45	2,50 1,60 1,60
SURČIN ŠID Adaševci MOROVIĆ	between the 1st and 2nd track  403 Bogojevo – Dunavs  404 Paraćin – Stari P  405 Surce  406 Šid- Sremska Race between the 1st and 2nd track between the 2nd and 3rd track between the 3rd and 4th track between the 1st and 2nd track	160+064-160+190  ka Obala – TRAFFIC SUSP  opovac - TRAFFIC SUSP  in – Jakovo-Bečmen  NONE  a Nova - state border - (F  116+300-116+490  116+300-116+665  116+300-116+677  NONE  12+360-12+390	arranged surface SPENDED ENDED  Bijeljina) arranged surface platform. platform	190,00 365,00 377,00	0,10 0,45 0,45 0,45	2,50 1,60 1,60



		km position of the	Dlatform /amon and	Dimensions			
Service point	Location	beginning and the end	Platform/arranged surface	Length	Height	Width	
		of platform	Surrace	(m)	(m)	(m)	
1	2	3	4	5	6	7	
	407 Ovča – Padinska	Skela - TRAFFIC SUSPI	ENDED				
	408 Sor	ıta – Apatin Fabrika					
	409 Bačka Palanka – G	Sajdobra - TRAFFIC SUS	PENDED				

<sup>\*</sup> not intended for handling of passengers

Note: In column one halts are marked with small letters and all other service points with capital letters.



<sup>\*\*</sup> The lines on the territory of Kosovo and Metohija are temporarily under the supervision of UNMIK, according to the Temporary Agreement between ŽTP Belgrade and UNMIK railways, dated May 31, 2002 (records No 300/2002 - 153 dated May 31, 2002).

### Appendix 9. Method for calculation of electricity consumption for train traction

Compensation for calculation of electricity consumption for train traction is determined as follows:

$$Csv/brtkm = \frac{MES.RAČ-TROŠ.INF}{BRTKMter + K*BRTKMput}$$

where:

**Csv/brtkm** – monthly rate of electric energy spent for train traction, expressed in RSD per gross-tonne km.

**MES.RAČ** – monthly bill amount for high voltage electric energy issued by electric energy supplier. **TROŠ.INF** – monthly expenses for electric energy for train traction need used by "Infrastruktura železnice Srbije"

**BRTKMter** – total (all railway undertakings) monthly freight transport expressed in gross-tonne km. K – coefficient by means of which is taken into consideration that passenger trains consume more electric energy per gross-tonne km than freight trains.

**BRTKMput** – total (all railway undertakings) monthly passenger transport expressed in gross-tonne km.

The compensation amount per individual RU is calculated by multiplication of monthly rate of electrical energy for train traction with gross-tonne kilometers realized by the respective RU (BRTKMter for freight service, and K\* BRTKMput for passenger service):

Ntern = Csv/btkm \* BRTKMtern for freight service, i.e Nputn = Csv/btkm \* K \* BRTKMputn for passenger service,

#### where:

**Ntern** – compensation paid by x RU in freight service for the consumption of electrical traction, expressed in RSD.

**BRTKMtern** – gross-tonne kilometres realized by x RU in freight service in the given month.

**Nputn** - compensation paid by x RU in passenger service for the consumption of electrical traction, expressed in RSD.

**BRTKMputn** - gross-tonne kilometres realized by x RU in passenger service in the given month.

The compensation is paid to Infrastructure Manager on a monthly basis, based on the issued bill.

K coefficient values are as follows:

month	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
K	2	1,8	1,7	1,5	1,35	1,4	1,4	1,4	1,35	1,5	1,7	1,9



# Appendix 10. Railway node boundaries

Node	Border station (service point) of the node	Chainage of the station (service point)	Entry signal from the direction	Railway line	Chainage of mandatory signal	Distance [m]
BEOGRAD	Batajnica	19+031 <sup>P</sup> / 20+616 <sup>F</sup>	Nova Pazova	101 Belgrade Center - Stara Pazova - Šid - state border - (Tovarnik)	19+960 <sup>P</sup> / 21+396 <sup>F</sup>	929 <sup>P</sup> / 780 <sup>F</sup>
	Ovča	12+555 / 12+653	Pančevo Main St.	107 Belgrade Denter - Pančevo Main St Vršac - state border - (Stamora Moravita)	13+550 / 13+647	995
	Jajinci	10+988	Beli Potok (Mala Krsna)	103 (Belgrade Center) - Rakovica - Jajinci - Mala Krsna - Velika Plana	12+045	1057
	Resnik	14+059	Pinosava (Mladenovac)	102 Belgrade Center - Open line junction "G" - Rakovica - Mladenovac - Lapovo - Niš - Preševo - state border - (Tabanovce)	14+848	789
	Resnik	0+000	Bela Reka (Valjevo)	108 (Belgrade Center) - Resnik - Požega - Vrbnica - state border - (Bijelo Polje)	0+825	825
	Naumovićevo	166+519	Žednik (Vrbas)	105 (Belgrade Center) - Stara Pazova - Novi Sad - Subotica - state border - (Kelebia)	165+640	879
SUBOTICA	Palić	7+658	Bački Vinogradi (Horgoš)	201 Subotica - Horgoš - state border - (Roszke)	8+614	956
	Subotica	76+739	Orom (Senta)	205 Banatsko Miloševo - Senta - Subotica	74+990	1751
	Subotica Freight St.	75+972	Orom (Senta)	205 Banatsko Miloševo - Senta - Subotica	74+990	982
	Šebešić	123+761	Tavankut (Sombor)	110 Subotica - Bogojevo - state border - (Erdut)	122+915	846
NOVI SAD	Novi Sad	77+101	Rumenka (Vrbas)	105 (Belgrade Center) - Stara Pazova - Novi Sad - Subotica - state border - (Kelebia)	78+552	1542
	Sajlovo rasp. i odj.	0+000	Futog (Bogojevo)	207 Novi Sad - Odžaci - Bogojevo	0+280	280
	Sajlovo rasp. i odj.	0+000	Rimski Šančevi (Orlovat)	208 (Novi Sad) - Open line junction Sajlovo - Rimski Šančevi - Orlovat Stajalište	4+093	1370
	Sajlovo rasp. i odj.			1+295 / 1+248	1287	
	Petrovaradin	70+870	Sremski Karlovci (Inđija)	105 (Belgrade Center) – Stara Pazova – Novi Sad – Subotica – state border – (Kelebia)	69+870	1000
LAPOVO	Lapovo Varoš	106+302	Markovac (Velika Plana)	102 Belgrade Center - Open line junction "G" - Rakovica - Mladenovac - Lapovo - Niš - Preševo - state border - (Tabanovce)	105+710	592
	Lapovo	apovo 109+597 Bagrdan (Stalać)		102 Belgrade Center - Open line junction "G" - Rakovica - Mladenovac - Lapovo - Niš - Preševo - state border - (Tabanovce)	110+540	943
	Batočina	3+405	Badnjevac (Kragujevac)	109 Lapovo - Kraljevo - Lešak - Kosovo Polje - Đeneral Janković - state border - (Volkovo)	4+419	1014
NIŠ	Trupale	234+939	Grejač (Stalać)	102 Belgrade Center - Open line junction "G" - Rakovica - Mladenovac - Lapovo - Niš - Preševo - state border - (Tabanovce)	233+934	1005
	Crveni Krst	0+000	Matejevac (Zaječar)	219 (Niš) - Crveni krst - Zaječar - Prahovo Pristanište	(0+957=3+455) 3+736	1238
	Međurovo 249+462		Doljevac	102 Belgrade Center - Open line junction "G" - Rakovica - Mladenovac - Lapovo - Niš - Preševo - state border - (Tabanovce)	250+323	861
	Ćele Kula	5+461	Niška Banja (Pirot)	106 Niš - Dimitrovgrad - state border - (Dragoman)	6+320	859
PANČEVO	Pančevo Main St.	16+069	Ovča (Beograd)	107 Belgrade Center - Pančevo Main St Vršac - state border - (Stamora Moravita)	14+878	1191
	Pančevo varoš	18+206	Banatsko Novo Selo (Vršac)	107 Belgrade Center - Pančevo Main St Vršac - state border - (Stamora Moravita)	19+242	1036
	Open line junction 2a	17+659	Jabuka (Zrenjanin)	202 Pančevo Main St Zrenjanin - Kikinda - state border - (Jimbolia)	18+160	501

P – passenger traffic (from the direction of Novi Sad) F- freight traffic (mixed, from the direction of Šid)

